MICROCOPY RESOLUTION TEST CHART (ANSI and ISO TEST CHART No. 2)









APPLIED IMAGE, Inc.



### A SELECTIVE MICROFILM EDITION

PART IV (1899–1910)

Thomas E. Jeffrey Lisa Gitelman Gregory Jankunis David W. Hutchings Leslie Fields Theresa M. Collins Gregory Fleld Aldo E. Salerno Karen A. Detig Lorie Stock

Editors

Robert Rosenberg Director and Editor

Sponsors

Rutgers, The State University Of New Jersey National Park Service, Edison National Historic Site New Jersey Historical Commission Smithsonian Institution

> University Publications of America Bethesda, MD 1999

Edison signature used with permission of McGraw-Edison Company

Thomas A. Edison Papers

at Rutgers, The State University

endorsed by National Historical Publications and Records Commission 18 June 1981

Copyright © 1999 by Rutgers, The State University

All rights reserved. No part of this publication including any portion of the guide and index or of the microfilm may be reproduced, stored in a retrieval system, or transmitted in any form by any meanis—graphic, electronic, mechanical, or chemical, including photocopying recording or paining, or information storage and retrieval systems—without written permission of Rutgers, The Stale University, New Transmivick, New Jersey.

The original documents in this edition are from the archives at the Edison National Historic Site at West Orange, New Jersey.

ISBN 0-89093-703-6

### THOMAS A. EDISON PAPERS

Robert A. Rosenberg Director and Editor

Thomas E. Jeffrey Associate Director and Coeditor

Paul B. Israel Managing Editor, Book Edition

### Helen Endick Assistant Director for Administration

Associate Editors Theresa M. Collins Lisa Gitelman Keith A. Nier Assistant Editors Louis Carlat Aldo E. Salerno

Research Associates Gregory Jankunis Lorie Stock Secretary Grace Kurkowski

### Student Assistants

Amy Cohen Jessica Rosenberg
Bethany Jankunis Stacey Saelg
Laura Konrad Wojtek Szymkowiak
Vishal Nayak Matthew Wosniak

### BOARD OF SPONSORS

Rutgers, The State University of New Jersey Francis L. Lawrence Joseph J. Seneca Richard F. Foley

David M. Oshinsky New Jersey Historical Commission Howard L. Green National Park Service John Maounis

Maryanne Gerbauckas Roger Durham George Tselos

Smithsonian Institution Bernard Finn Arthur P. Molella

### EDITORIAL ADVISORY BOARD

James Brittain, Georgia Institute of Technology
R. Frank Colson, University of Southampton
Louis Galambos, Johns Hopkins University
Susan Hockey, University of Alberta
Thomas Parke Hughes, University of Pennsylvania
Peter Robinson, Oxford University
Phillip Seranton, Georgia Institute of Technology/Hagley Museum and Library
Merritt Ros Smith, Massachusetts Institute of Technology

### FINANCIAL CONTRIBUTORS

PRIVATE FOUNDATIONS
The Alfred P. Sloan Foundation
Charles Edison Fund
The Hyde and Watson Foundation
National Trust for the Humanities
Geraldine R. Dodge Foundation

PUBLIC FOUNDATIONS
National Science Foundation
National Endowment for the
Humanities
National Historical Publications and
Records Commission

### PRIVATE CORPORATIONS AND INDIVIDUALS

Alabama Power Company Anonymous AT&T Atlantic Electric Association of Edison Illuminating Companies Battelle Memorial Institute The Boston Edison Foundation Cabot Corporation Foundation, Inc. Carolina Power & Light Company Consolidated Edison Company of New York, Inc. Consumers Power Company Cooper Industries Corning Incorporated Duke Power Company Entergy Corporation (Middle South Electric System) Exxon Corporation Florida Power & Light Company General Electric Foundation Gould Inc. Foundation Gulf States Utilities Company David and Nina Heitz Hess Foundation, Inc. Idaho Power Company

**IMO Industries** International Brotherhood of Electrical Workers Mr. and Mrs. Stanley H. Katz Matsushita Electric Industrial Co., Ltd. Midwest Resources, Inc. Minnesota Power New Jersey Bell New York State Electric & Gas Corporation North American Philips Corporation Philadelphia Electric Company Philips Lighting B.V. Public Service Electric and Gas Company RCA Corporation Robert Bosch GmbH Rochester Gas and Electric Corporation San Diego Gas and Electric Savannah Electric and Power Company Schering-Plough Foundation Texas Utilities Company Thomas & Betts Corporation Thomson Grand Public Transamerica Delaval Inc. Westinghouse Foundation Wisconsin Public Service Corporation

# START

A Note on the Sources
The pages which have been filmed are the best copies available. Every technical effort possible has been made to ensure legibility.

### PUBLICATION AND MICROFILM COPYING RESTRICTIONS

Reel duplication of the whole or of any part of this film is prohibited. In lieu of transcripts, however, enlarged photocopies of selected items contained on these reels may be made in order to facilitate research.

### West Orange Laboratory Records Experimental Expense Ledger (1912-1916)


This subsidiary ledger covers the period March 1908-July 1916, although most of the entries are from 1912-1916. It consists of accounts, arranged alphabetically, for various experiments at the laboratory, along with accounts for Glenmont. Entries for experimental expense accounts include the project numbers assigned in laboratory record books N-01-03-15 and N-10-07-26. The totals for these accounts were posted monthly to General Ledger #9 under the heading, "Experimental Accounts." There is an alphabetical index, which also includes the account numbers in Experimental Expense Ledger (1908-1912). The front cover is stamped "Experimental Ledger No. 9 Thomas A. Edison." A tag attached to the spine is inscribed "Experiment Ledger #9 Thos A. Edison from 1908/1916." The pages are unnumbered. Approximately 600 pages have been used.

attachments for microscope - alterations, matter Supplies 21. alter Gatterns #347 to Caystalize Chemicala Mc Licorice Factory # 2535 alter Tallerno 136 in the Magnetic Field \$1940 armoture shafts \$252 galler Pattern analyzing Florida Plants - 2- alterate Room - 14-15-10 255 felteration on Tallen for for fertilizing properties 1827 alterate chem Lak 1279 3 Hadiator Steam Traps analysis of Edwar \* 264 aller Hot Test Table Storage Battery by \* 26 5 Oller Dallern 3 arborp (6) Dr Grothe annealing Pots \* 2679 anualing Box rbover \$3 830 aluminum Electrolytic 4 auto Lighting Ele # 2864 andrews / Rectifier amberal Record Plant 2525 andine Tlant Construction Viguit \$3870 apparatus for 5 allison 86. L tm - allison 36 Ltm 104 air Chambers allerations Gold Blig 2997 (Maghine Horabouche) Treating Wax \$ 2003 aiken & Lt. 50-15- analysis #302 Di heed Granderaltering Record \$2009 13863 analytical work #2937 Litter Pallern 13910 Fraphiting machine 6 automates Regulate \$2996 andient Clank #116 aylecworth Jw. 50-19- accessories #3010 acid Jump almquist a.w. #3023 - asay Beach Ruller boy 2019 51 analysis adams Express Co #303, altingallern 51 acid Proof Paint apparatus for treating 7 105 anchor Bolto anderson J.R. 14083 14083 14179 # 3053 alter & Constructing & Sigo density of wases archer w.n. 2043 alter Pattern #310 2 analolusi Ank alter Pattern Labor & malffor 52- annealing Pota attaching Large block) marking 18 Round ( 13107 angle Brus to Holder 13/23 movement to Chalk Telephone 1207 - annealing Coto are Losto on Rectifier # 2104 alter assembling Bops 13/36 analyzing ore 10 automatic Lind by Dr. Brothe 52108 assembling Posture analysis of 11 annealing Pots 2131 alteration Lin Ohola Room Various Material attachments to 12 all machine Hork as ) H3284 Kinetoseope 215 o Required on From Loading Mark auto wheels #21 83 american talken Sistemely 109 alternating Currents 14 automatis Developing Electric motor \$2173 Machinefor marzila attachments to 16 alter Sattern Shave Blanks \$2196 alter Pattern apparatus for the 1 17 aller Gallerne Infig of Condensite \$ 2214 alter Gatterne 13 11 amberol motors for 18 alteration & Oatlan Work #3423 Recording Dies Records 122, 9 alter Satterns #3531 automatic Ringing Mach 2 32 aller Y & ate Gland 110 A4- Cradles, Clampes 1 100 Hrench Paller #3561 234 Celler Cone Bost Love Rugo 13574 \* strapp assemble Dry Cell Boxeg \$ 236 galler & Cattune 13617 ash - per aketch #2389 allin Tallino 13618 alterate modelling Room 242 Celter Oatterns alter Patterns # 24 13 adjuling Drefaring alter Patterns # 21 2 Aula Jule King in Machine 13656 alter Patterns \$243 9 adjusting Orepaing New Lute 112 alter Patterns. \* 244 glinging Much for Operate 13457

Sheet No. Frieline Clark Landruction Ilquitment Name Address 77 78 88 91 92 109 850 B 123 248 256 6943 223 1292 428 12420 2769 9108 26 37 54 56 60 61 88 1273 285 140 9397 172 176 177 95 25 41/ 48 86 89 

Sheet No.	Sheet No. 1/
Name Aniland Clant; Construction & Equipments	Name Analysis of Various, Material for E. S. 18. 6 x 2131
Address	
Lec 31 Brought Toward 1816 413 dec 31 Brought Forward 1893	Jan 31 To Voucher 115 27 Jan 31 By Grober 200
Le 31 Brought Toward 18166 13 day 21 Brought Toward 1847 2.	7 7 10379
11 140 15043	Tel 28" " " " " " " " " " " 1886 12222
San 21 " 276 11 7/3 36	91 1450 may 31 " " 2009 25-63
139 2000	102 6000 June 37 " 2268 3 5 5 5
118 15 160 578	apl 30 " 104 3000 July 31 " " 2387 9624
	" " " " " 117 863 sen h 30 " " " 347 55735
	2 ach 31 " " 2853 6125
	11/3 14/58 Ard 30 " " 3017 3 400 0 " " 3017 3 400 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	5250 Jan 31 " " 91 5250 Jan 31 " " 3321 5249
	July 31 " " " 3423 5252
	90 3208 246 37
	97 (832) 11 11 97
	sight 30
	"" " 18 204, Lank 31 " " " " " " " " " " " " " " " " " "
	93 40.83 2000-20 " " 4731 3603
	not 30 " 126 2800 nov 30 " 4878 28, 19
	128 5600 000 000 000 000 000 000 000 000 00
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	91 3497
	Fell 28 " " 102 1732
	11 11 11 103 3501
	mal 3/ 11 16 38
	7 4 4 4 117 9061
	118 4531
	apel 20 " 1/3 (2334)
	may 31 " 115 187
	June 30 " " 1/6 4004
	119 2.3 44
	July 01 " 110 12 43 92
	ang 21 " " " 1/1 87:53
	19 4 9 4 1200 23494
	121 1777 108 153916
	109 1195
	1/0
	act d1 , 112 187,46
	20 " " 1/7 7/63 7/63 30 " " 1/8 3 Alexand
	1/22 1/5/1/2
	201-101 138 4 1 2 2 2
	ach 29 " 144 26 18 25 1

Sheet No. 1.1.  Name analyzin of Various materials for Es Bley 3000 Address	Shu: No29 Namu Analysig #3+2-5-
1912  Dent from 30 20 Vander  197  Dent 30 20 Vander  197  April 30  190  190  190  190  190  190  190	June 7 20 moder 135 376 June 1 127 128 200 6055 376 June 7 20 moder 125 376 June 1 127 128 200 6055 376 200 127 200 12
1913 31 2-1 1-120 5703 7120 31 By 888 by Sir 72011 5703 1  (Ar 30 " " 110 4717 Clar 30 " " 1236 19917  Jeg 30 " " 115" 50 16 16 16 16 1	The 30 " 141 Sign 7 7 3 " 135" Sign 7 160 Si
Jely 27 " 126 1000 Tely 29 " 1063 1000	



Sheet No.		Sheet No. 50 P
		Sheer No. 50 Name E. L. Aiken Labor to Material from
Name Address		Address Labor of Material from
721107433	The state of the s	
		1908 apt 30 To Vencher 86 1.43 apt 30 By Som Invoice 119 1.43
		May 31 " " 80 1.43 May 31 " " 201 1.43
		June 30 " " " " " " " " " " " " " " " " " "
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		Leph 30 " " 96 32 deal 30
		Cen 31 " " 104 136 ach 31 " " 549 132
		" " 90 100 Nov 30 11 11 12 C20
		Jan 30 " 109 109 2
		Jeh 27 " " 99 (119 Teh 27 " " 832
		71 358 Mai 31 " 918 55
		7.71 4/20 30 " " " 992 60
		0
		July 31 " 108 1 6 July 31 " " 1240 1573 aug 31 " " 1240 1573
		Send 3n " " 1720 ang 31 " " " 1332 122
		Coh 20 " 104 148 104 2
		Dec 31 133 60 Dec 31 1571 600
		man 31 " " 103 2360 m 21
		may 31 " 119 78 May 31 " 2152 78
		J. W. aylerworth. Labor & material for
		may 31. Fo Voucher 80 42 may 31. By 64 m. Inor 200 42
		Sept. 30 " " 96 24 cent 30 " 166 26
		- Cch 31 " " 104 307 Co 4 3
		10 10 10 10 10 10 10 10 10 10 10 10 10 1
		del 27 " " 99 220 del 27
		May 31 " " 111 110 20- 30
		July 30 " 84 195 mil 30 " " 135 115 115 115 115 115 115 115 115 115
		ang 31 " " 105 1020 and 31
		Sept. 30 , 113 1020 ang 31 " 1333 1020
		Dec 31 4 4 13
		1910 " " " 133 1970 31 11 11 1756 175 276
		276 Heb 28 1839
		May 31 1 2 103 200
		July 31 90 366 July 31 2560 562 July 31 2560 562 562 562 562 562 562 562 562 562 562
		July 30 90 26, July 31 250 260 Jely 31 , 88 30 spang 31 , 2504 375
		67. 2227
		ang I , 1, 27 , 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1
		79 98 88
		1, 11, 11, 100 312
THE RESERVE THE PROPERTY OF THE PARTY OF THE		2,3,2

automater Leveloping Machine for MO Calm a. W. almquist Later & matt for 3400 Lever 1 Construction , 3 Dipo adams Express Eg Labor & mail for 1801

Sheet No		11	Sheet No		7.
Name Andine Gla	unh-bonstruction & Equipment,		Name Address	alter Hot Test Table	
Mar 31 Josepher - 3	18 Mar 31 had 131 1211, ada 25112		Det 31 Jours	13.00	7 5126
" 97 8 " 173 1	54 Chal 30 " 9950 150548			109 62 m 30 " 950	0 831
130 15		' 1			200
apr 30 . 9 114	79 June 30 " 10165 323272	1			
26 24	1 Culy 31 1000 3 1 1 3 1	11.			
n 38 2		H			
, 70. 33 , 87. 31.	914	l i			
. 93	£ 6.				
71 1 194 1921	49 x				
2 ay 31. " " 10 . SV	201		194	aller Sallern 3798	
28 - 21a		· F	De 31 Tunch	102 838 Dec 31 34 8 8 6 mm 9 6 0 9	638
12. V					
18 10	28				
185 29	한테 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1	". ·			
156 12 159 78 173 78	72				
1 293 1-66	18 57 *				
112 16945	ord				
33 . (1.1)					
63	90		. Carrier Marchael San		
50 mys	9		1915	annealing Box Hower 3430	
	00	1	Feby 28 Unich	or 147 6 get tely 25 by Edien Thomaton 9733	694
171 123	144 Table 1				
1757 3.8	4	<b> </b>			
167	84 80				
99 66	(a)				
July 31 9 100%					
16 19					
26 21.0					
Lofolin +24 11 59:	3		i i		2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -

Man of themselver 1991 1896 Man Milliamshakan give 1896  Grant of the state of the	Short No Name Air lo hambars  #3867		Sheet No Name Address	Aniline Clank.	116
More 30 180 180 180 180 180 180 180 180 180 18	Mar 21 Loweler 191 1396 Mar 25 Millandon 980	1076	July 24 Kouchs July 34 Och 30 Ch 31	160 200 Com 31 24m Jan 200 Com Cot 31 24m Jan	10349 271
May 31 Low her 193 Willer Gallerygge 190 Card Son 1909 1909 1900 1900 1900 1900 1900 190			Nov 30	97 300 96 327 170 03 173 07 174 106	10189 \$15.080
Ding 31 Loweler 1/8 1/1 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2		1 5	Des 31 "	46 3000	
Ding 31 Loweler 1/8 1/1 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	Jan Clarkment for Louble Have Crypter		1900	acid Pumpaggg	
May 31 Jancher 193 65 May 31 8 88 2, Sur 10052 600 Guy 31 Housher 31 320 Cay 31 J1M In 10214 450	Day 31 Lander 1/8 / 1/20 1 1 1 8 Such Survess - 213 Land 3 1 16 Surves - 1/3 1/30 Surves - 1/30 1/30 1/30 1/30 1/30 1/30 1/30 1/30	1999 1999 2394	Sept 30	1/ 10 Cong 30 Sellehandlar Son 24 Selft 30 29 11 18 270 Oct 71 18 340 Oct 71 18 340 Oct 71 18 340 Oct 71 18 360 Oct 72 19 21 19 21 19 360 Oct 72 19 21	9979 117 17 18459 17 19 19 19 19 19 19 19 19 19 19 19 19 19
May 31 Jancher 193 65 May 31 8 6 8 2 Jan 10052 600 Clay 31 Hougher 31 320 Cay 31 J1M In 10056 450					
May 31 Jancher 193 65 May 31 8 88 2, Sur 10052 600 Guy 31 Housher 31 320 Cay 31 J1M In 10214 450	Coller Tallersfore			Cyan Greet Rubber lea	and the same and t
	May 31 January 193 185 11. aug 1 8 8 8 2. 3 m 100 52			32 320 aug 31 J1m Inn 1.	450

117 . Sheet No			Sheet No	/	
Name Address	aller Sathern togsel	100	Name Address	Clyles HIVO	
Dept 20 Toucher	1977	210	The said Lande	119 123 Mary 31 Shiming 119 29 "	Ithe JESES, 1119
				. 211	
1915	Cinchor Bolly 633		May 31 Vande	Aller Carren # 417	7,5-
She at Come her	Censhor Bolly de 33 La 129 Dec 31 3a Edwinder Sur 107 sh	1061	way, want	J 125 SASANILY 31 COL	186 20 1233 Vq.
1916	A A Colsworth Stm		Assistance	edwired by Jobbing &	Oeps 15 1
Jan 31 Voucher	111k 220 Jan 31 I + m Som 1889	220	Jane 20 Vanche	1 101 11.13 June 30 EP.	7 10 10 10 10 10 10 10 10 10 10 10 10 10

Name Unido Phenol Plant J. DA Elevere Bachman R.a. Brown stublio L+m, 104 Labor & Material for ) 1 Briggs L. E. Long wilding 1-set of | Bumping Mach Building 1-act of Bumping Mach Bute North Complete on Mach offer Amish withouts Jack Shaft # 1986 Sandburdy box drawd Bradahaur J. M. Steepport Jaly 31 Vone her Labor & material for 50-6- Sove Out Bush Build 3 sets Rolls 3 One 1the Roller for Pocket Jule Strips 1857 Bore / Rulley Building nickel 4 Guld Build anhyl Scient # 35 h. Plating apparatus # 1982 - Build Abenthe bit transpating his 32 h. Barner a. S. Build apparatus for Blowing ) 107 4 Buld Ore Banky Screens # 3276 Build affaration for Blowing 107. 50 of Dice Martin 2345 5 Build 5 Jen Loading Mach 3381 Labor of material for Buchles W? Jr. Boring out 5 Benneth Joh 2 MM 57 Solid Records 14204 Gird Cape Sticks +3428 Brady (1 (4 m) 5. Dec W. 4. 5 mg 18 2 Aniline Dis SAE vousement Phono. | 1 Thut the define stude allette party of the stude of the students of the s July 31 Vaneter 13x 1 100 July 3, Tom Int. 1175 Busines Phono 9 Glech Lear Ham Bayer new Design \$2169 Bugat Revery Hart Glading 15/25 Busines Sharing Mach 10 Birgal Kerney Hank Canal St 3 47 new design Bancroft W.Th. Bottoms for 5 th Coms #3137 53 Lubill Dicher #3884 Battery Compartment (\*2233 Benzo Ellant Sault Sto) or S100 Marie - Canada Brake Beam appar # 2383 Boyes Blow Wax Chipag 42145 Laborah & Miles Dolor His Alice Cong attack # 244, 1 States for the flowing thouse off Building for 12 12 Ling Jones Gales 4129 thermating North #2483 Bending Fisture \$2492 Blacksmith Shoff #26, 0 Brushing Machino 2581 Bliep D. m. Lom 14

	CANAL PROPERTY OF THE PROPERTY		- C-	repo, sia benefit (t., mente, c. )	R. A. Bachinan	Labor of Material for
				1908 mar 31 To Voucher	3. 700 mar 31 12. 27. 30 apl 30 " 61. 725 " " " " " " " " " " " " " " " " " " "	180m. Imvice 68. 7. 71. 7. 71. 115 2.8
		distance of the second		apl 30 " "	31 127 356 31 " " " " " " " " " " " " " " " " " "	" " 199   17
				may 31 "	76 45 septh 30 " 84 620 Cech 31 " 86 35 Nov 30 " 34 69 5 Dec 31 " 62 800 Sant 30 "	1 470
. f				Jun 30 " "	80 30 man 31 ". 81 208 aprl 30 ". 55 12 June 30 ". 77 82 200 30 ".	11 11 920 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
				July 31 " " " " " " " " " " " " " " " " " "	79. 141 Dec 31 " 22 150 Sten 38 " 28 357 Man 31 " 80 727 apl 30. " 331 Many 31 "	" " 167 1 147 " " 1757 " " 1933 133 " " 1976 134
				Sept 30 ""	62 1760 July 3 1 " 82 123 ang 31 "	" " 2211 122 Voucles 74 3 dom. Ing 2511 44
				nov 30 "	96 35 99 58 104 987 70 59	
		`		" " " " " " " " " " " " " " " " " " "	90 /11 99 /25 109 /218 109 /218 109 /218 123/2	
				June 30 " "	52 66 97 25 104 1277 4 1277	
	•			non 30 "	74 900/ 79 257 84 /4 937 22 365	
				Dec 31 " " " " " " " " " " " " " " " " " "	45 287 97 124 110 110 118 188 188 188 188 188	
			, 5₹**	apl 30 " " May 31 " "	118 1538 63 1119 88 15119	

(Songel Becover Stank (Johnstown) L& Min Commutant R. a. Bachman Labort matt for 183.46 Brok forward 2673 sept 30 To Voucher 91 183.46 200 ach 31 99: 123 : 129: 136: 138: 122. 11.18 mar 31 12: 1.83 74 94. lod. 265 Del 29 1.11/ 236 apl 30 . 32-. 56 . 141 apl 30. Jule 29. 126: Chr 30 20 V. 3151 apr 30 By 21m Im 127. 8730. IN apr 30 32 Mar 31 140 .. 1.2365 mar/3 

							5 H							
Sheet No	· ·	. 0		×4 0 4			H	Sheet No.		. 1		a .		
Name	Der	igol Ne	eovery (	Vant, Johns	town		M	Name	(Derego	Degre	ery Pean	1. Johnstoi	on!	
Address		7. " 167		0 %	3821			Address				(d.,	821	
	1 5	27 106.0 51				Till		May 31		12 6 3 8 5 5	7/7//		TT	7.8
N31 . ,	her Or.		apr/30	Uniher		179 3		21601932	Voucher 1261	173	1011		1	
Com	39	12940	· Cyou so	downer	237	11/103			111/1/2	11/	Dine 20	Woucher	138	6712
	43-	1825							1691	10 30	HARRES WY	tt. D. John disseits etset	1373	6712
	500	2319							1/4.1	90	4 . L.I		1 11	
	621	3903			1 - 1 - 1				1811	21/39				
	39 43 67 67	3903. 9375. 133306	•		4 11				1/89/	27.60	4			
	701	133306			1 1 1 1 1	1 - 1			1592	2000	1		ļ i	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	190%	7800			1 1 1				213-	2007			tt	-
	911	23 63						June 20	713- 2071 66-	111 110				1::
	96 -	. 108	. 1.1	46.0	4 4	L. 11. 1.		June 30	66-	2990			1 1 1	
	181	201				1		0 +	158	1.8200	1			
		5200	· . + 1			1 1	44		1681	197	}			
"	1111	49349			1 1	1 - 1	l ii		251	104	f	· · · · · · · · · · · /		
		43 88						July 31	21/2	146196				
	125	35034						- ( ) / <del></del>		55	1		1	
	126	14501							103-	76002	ł		[ ] ]	1
	130	1753			1 1				1101	600	F			
	134	87000			100		1 1		1xx!	91			1	i.
30 "	171	369961					1 2 3	aug 31	123.1	1 30 53			p 1	
30	611	2502			1000	100	87 0.0	g	19 = 20:	12983			r <del> -</del>	
	691	41							11.22	217				
	701	28.48			1 1 11				27/1	75 76 67			111	
	93:	60			ļ			Seft 30	86 -	1573 2/3				
•	94	1441			1		28 16		177	14.61				
	227.	15000			1				191 - 191 - 1	30				-
	229	69616			1 -		. ,49	Oct 31	3.0	1 87500				
	730.	18368							1201	1 96				
	231. 2	217887	4.7	1.75					12/1	108				
	1321	1673			1			4372	Christmadir 11137	812208	7016		6.8	8173
1	2331	22.00			4		' N	mar 31 CA	Eleknolomedir 11137	267	Mar 31	Voucher	107	
	735	8988			1 4 4									-
	736	13430			1 1 1									
	238.	5418			1 2			· · · · · · · · · · · · · · · · · · ·						1
	2391	100												1
	2401	10042	g II		1.5	1.11 :				-			1.1.	
11	2421	57510	77		1 11	100				I				111
	243	7/27			1 111	land the				1111				
	244	24160						3						1
	345/	1376												1#
	2521	189189				1.11.1				$\perp \downarrow \downarrow \downarrow$				III
31	21	3500			1 1 1 1					+++				
1-1	301	5476914			1					1-+-+				
11	9491	96101			1-1-1					+++				Н-
	116	23000			1-1-1-1									
ļ., ļ.,	117	1/3/18				::::::::::::::::::::::::::::::::::::::							-1	H
	1351	1608750			1 1 1		· · ·						711	m
		1- 03 0			1 1		13				1		-	

Bennol Recovery Stant Canada 1.5049 Sheet No.... Name Address Louder 1849 " 171 " 40 " 181 " 181 " 187 " 64 " 127

13 28 Cuy 31, 7750 366  Cuy 30 79 13909 7887 766  Suppose 16 3656 Jan 20, 8997 96  Suppose 16 3656 Jan 20, 8997 96  Och 31, 199 7639  Norm 30, 199 7639  Norm 30, 197 1993  Norm 30, 197	Supso 111 Start Jan 20, 1877  Och 31 99 1630  Tril 32 1879  Jan 30 1871  Jan 30 187	Sheet No.  Name Address	Sheet No	Quild 5 Grow Load	1913
			Sept.	30 . 108 36516 30 . 108 11 19 1/633 31 . 95 2692 1711 37	Non 30 8099
1913 9 Job Beneralty LYM May 21 3. Vancher 1 dr. 21 May 31 By SIM In 1921h. 2	1913 Job Bennett: LYM1 May 21 J. Vencher 1 Vr. 21 May 31 By & Em Jon 1931. 2		Au Au		
			- 1213 May 2	o Job Benner 1 to Voucher 1 1 21	May SI By Kim In yout

W. & Beel. Lym  Mand 31 Venther 171 25 W Mand 23 Get Bladen geer 26  20 106 45 190 50 905 50  30 117 35 1/10 30 605  31 117 35 1/10 30 605  31 117 35 1/10 30 605  31 117 35 1/10 30 605  31 117 35 1/10 30 605  31 117 35 1/10 30 605  31 117 35 1/10 30 605  31 117 35 1/10 30 605  31 117 35 1/10 30 605  31 117 35 1/10 30 605  31 117 35 1/10 30 605  31 117 35 1/10 30 605  31 117 35 1/10 1/10 1/10 1/10 1/10 1/10 1/10 1/1	Sheet No.  Name  Address	Bird Cage Sticker + 34		Show No Name M. Bowaky Deer Lessing Volysing for Address
26 Bec! 24 M  30 Congo say 4 m Son 1939  30 16 16 16 16 16 16 16 16 16 16 16  30 1 106 16 16 16 16 16  30 1 106 16 16 16 16  30 1 107 318 1620 1925 162  31 117 318 1620 1925 162  31 117 318 1620 1925 162  31 117 318 1620 1925 162  31 119 166 162 31 11111 130  Bubble Leifurgeger	ly 31. In Variable of 31	179 168 July 24 Cay & S. S. S. S. S. Caly 24 C	fon Sov 77 fed 1 dt 372	3 dy 20 Lymber 1114 225 Fely So Selly Son god 22
26 Bec! 24 M  30 Congo say 4 m Son 1939  30 16 16 16 16 16 16 16 16 16 16 16  30 1 106 16 16 16 16 16  30 1 106 16 16 16 16  30 1 107 318 1620 1925 162  31 117 318 1620 1925 162  31 117 318 1620 1925 162  31 117 318 1620 1925 162  31 119 166 162 31 11111 130  Bubble Leifurgeger				
26 Bec! 24 M  30 Congo say 4 m Son 1939  30 16 16 16 16 16 16 16 16 16 16 16  30 1 106 16 16 16 16 16  30 1 106 16 16 16 16  30 1 107 318 1620 1925 162  31 117 318 1620 1925 162  31 117 318 1620 1925 162  31 117 318 1620 1925 162  31 119 166 162 31 11111 130  Bubble Leifurgeger			6	1918 Bottoms for 5-11" Gggs
31	19 31 . To Comher W 30 "1 20 "1 20 "1	116 31 G 11 13, 41 m L.	8836 96 9025 1/2	
Bubble Chifurpers		118 1/2 300 m		
	V.11. "	119 1.62 Maz 231	unts 150	
4 Souther Mr. 157 Ofr 20 3 Millian hulm 99 og g				
				Apr 30 Loucher It 157 Apr 30 By Blittan Such 79 09 420
E200	+ · · · · · · · · · · · · · · · · · · ·	di territoria de la compania del compania del compania de la compania del compania del compania de la compania del compani		

<b>√</b>	
Sheet No.	Sheet No
Name Gending Lie for Shaw Info	Name Blades for Sulphonating Process 1993 2
1773	Address 13933
They 31 " 293 1450 May 31 Gas Addied & B too Sur 1916 5761.	Jun 30 Lowehor 251 280 Jung 2 Mb Low June 10 280
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(ling) 30 29 19 19 10 10 10 10 10 10 10 10 10 10 10 10 10
But we have the	
apr 30 Lowher 188. Sed apr 30 Elegory 82d	Badger Still # 2962
apr 20 Lowher WV. Sad apr 20 By 38 hand burgers 821	July 21 Unaber 29 1900 Ling 30 Shot and March 19180 1998
	auger : 109 1100 auges 12718
1915 Dolls of Loft Steppens Christ 9911 ogs	Clade for Bulkhonating Brown 3061
april 30 Lowher 252 500 april 30 By Statember 9911. ogs	July 35 Loucher 50 July 31 The Oldiem Box Sor 10 160 888
	100 30 " 100 30 " 10010 Spp 1 1 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

113 Sheet No		
Name Address	Before	Sher No
Oct 31 Comber 16	1 152	May 31 Janehar 125 29 May 21 moray and 21 11345
Hov 30 177	7 .14(1)	
Jes 20 27 27 27 27 27 29 29 29 29 29	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
je je	Baberch & Mileay Boffers	500 Base Inventores Porch 4 1101
Get 31 Loucher 1973	1 rogg typer of the thurse, h, une 18831	100 Jan Grontory Dogs 11/12  May 51 Vencher 131 191 11-7 31 ED 13C In 1156 191
1016	B La dest fore Sulphrating Spaces	Resistance
Gery og Houcker 76		

Nambound Brock Bearing Straw Gent Caring & Horn Jean Assess Changea on 30- H.P. -1- Clay modelling # 2361 Change wheelp mora auto # 1978--1- base for Bz bello \$ 2377 basting-Bable Esperiment 1919 -2- Cover + Pot \*2387 Columbia auto -3 - Check Patterng # 23'98 Class (E.S. B. C.) 1.31 July 31 Line Rear smy Signers Changing Laneden Electric downcaw & 1617 Check thep buttering # 2001 Gastings y BX Changea on am -4- Check thepais "(6) # 2102 - Cartings 80 Changes on an -4 Check Mepain "(6) # 240 2 bastings attempo Mexican auto \$ 799 Chartings (24) # 240 3 Change attempo Combination Buffet \$500-5 Chartings (4) \$ 240 3 Change maching Commercial Lead allings -6 Castings (8) \$ 244 2 Castings "" Chartenson C. (Castings (2) # 2446 Castings "" Labor to matt for } \$50 Controller switch #2482 Coursey shop Lom Copper of ammonia 1 7 Check + Rep 10 Letterng 2408 Castings from Flake Broces \$ \$ 2065 Check & Rep 10 Patterns \$2,09 Cut aliminum 8 but out Disks #2451 Chamberlain H. Lom. Copper Solvent to Separate nickel Flake 2067 Gement Bagg #2494 blean up premises Lah #307 6 Cutting sprocket-1 9 Copper-mittel 25 Congress of Chamietry for Flake miser Balance One Sign Recording Machine Plate barn Lift for tube! 10 Covers & Bottoms ( 26 blean streets 1/2 W.O. S. L. Loading machine \$ 2074 Changes on 34 - 111 1 # 2493 Clancy F. 2 m. for dies 116 11 Calinet for sharing 1 =7 Castings #3069 child doading Machines 277 Machine N\* 2563 Enotings borroy J. Compression Jeruga 2575 Coatings 2. Marth 50 Convoler wheeler when 106 Coatings. #3097 Compression Spring 2555 Castings. Ha0370 50 brocker wheeler and som 106 Castings, #3109 Cave a. H. #2609 6lover 6 Lm Cabineto (2) 118 L. A matil #2590 bast Irm Castings 51 Cardiahtine Cello #3/18 12- Collars (4) Cleaning outs # 259 barbon Rherstates Room # 3- ) # 2122-bastings (4) Closing In Fishings (8) # 25976 Casting H3123 # 260 2 Copy Seach Ohoto #3153 Blamps for a 4-A6 14 Castings (6) \* n 28 butter Horo This. \* 26 2 ghange & aller Drawing \* 2637 b fange Tattens #3127 H3187 34 9 8 - Welding Machine 2, 43 Castings # 3/90 \*263 & Bange Salund

\*\*463 Bogh of Carl Porta

\*\*263 & Bogh of Carl Porta

\*\*273 Why of Carl Photo Sepa

\*\*273 Cyliff Hooden Sepa

\*\*273 Cyliff Hooden Sepa

\*\*273 Cyliff Hooden Sepa

\*\*273 Cyliff Hooden Sepa

\*\*273 Change Salunw M. S.C. \ 15 Corrugating Dies Falvonomete, Korm" 2,118 thrans unny
- Chall Brignetty 16 Carriage 824, 36 cft of Carl Hola 4.
42 E. O C. E. \$2157 Cheeling auto 8277 Chieff of Carl Royal Copper Plating 17 Clamps 2277 Copy Dolpholdent &

Machine \$6 2179 Celly 8277 Changing Cattering 25 Change Better 1866. Change in Royal Polanom Machine 2013 Changing Cattering 2759 Sammy Markines 20-16, 186. Galvonometer Room "2148 Brank arms . f3150 #3223 132 13 July 3, 8911 Luc. 1186 \* 275 g. wyunu \* 2764 bhange fubi boading Mach "3262 1- \* 2 2 2 all Compartments + 2366 19 Coment balinet \* 250 2 act 6 compartments Carbolic acid melling apparatus \$ 2230 Capping machines \$ 25766 hester Crane I'd Lan m. 100 Camera ate-\* 26 8 Counting 85 Volt motor to 60 Volls 13 445 Change Graphite Change Graphite (100 Castings N2796 Change Tallins Monels for Curres Anodes 22 20 Chlorinated Broducto 23 30 Quillus Minuters mark Change Patterns 100 Cleaning Boilers # 2798 Clarket Lim \$1008 B 24 1169-B \$2271 Condensite Cons Cent Transite Sheets Changes on A8- Cell - 42378 of america 3 6 Changeon Catt +2800 Tol Castings for Plating 234 & Gastings (6) Compression springs 2353 Controllers (12) \$ 288 + Cabinet Unk to Die Records \* 29 7, In olive at House Combination maching 23 5 5 bello - Sample # 2 9 2 6 bonneyor Trong to & Bumper ,

Shect No.\_\_\_\_\_ auseTaller 19263 - 13683 Changes on 30 St. P. Mora auto. Carpentinibonkowstore of 2 125 Name AddressBrot forward 29 syrassey 230346 To Vouchel 222 77 J. A. Elison 230 116 Carlollericis Clank, ) Opeparing Slans \$ #3844. Carbolit Her Slant #3871, Counterbow 12 Lee Bolder 15864 107 250 Cabinet Modele Gart of 6768 118 2070 119 Sombination Sie for 2850 Gastraf Bolele 105 110 6023 111 12045 Toopfer Lake Latter States Lentrifuga Kump Sound State 112 Cabinet Guages 650 108 5024 Case Boi good Callering 109 25/2 brange Thenel Stell Intr 300 28 78 Magreene Stills 10476 Exemical Industric Experient 3951 9535 113 4768 Love Tulley 117 118 Spange Patterne Scentra fragal Owner fo Loop to Foundry 102 360 106 Care Gearry Master 138 Some Car. Agorg Lour der Habython 4000 Chan 2 Selvy Getlen Hunder 1997 36656 Bery 28 By JA Edien 263 Cylindia Measures 1185 140 Combination Garger Brushing Roce, Jo Tolic Sac 54177 62

Sheet No. 32 Changelow 30 H. & Mors auto. Charging Batteries #2759 Name Name Address Address Sept 30 Brought Forward 671 Dec 31 2, 90 Edicar nov 30 To Voucher 12 1500 Sec 30 " " 2900 73 74 79 80 94 109 18 35 65 78 739 397 498 11.0 975 51 12.5 10.11 514 16.5 1.00 53 O. + 2. 11/1/8 84 81 118 1196 350

Expr of Back Thotograph

Sylmingsor 1516 Agy 30 Shampfrographia.

Oct. 31.

Oct. 31. Name Address De 31 To General Expense 30x 796 150 50-Dec 31 To Expense 200

Sheet No. Sheet No.\_ Lover all Horken connection with Decouring lank Lower all Workinseenutin with Recovering Clary, Machinery etc Some hyr 27 10391 52706 10572 326097 10586 00077 Mar 31 angs a/ 30 24. May 31 460 73874

Sheet No	Sheet Na
Address	· · · · · · · · · · · · · · · · · · ·
	Apr 3. Dray & Toward William & Chr 3. Long of longard - 29 140
	Up 3. Droy of forward hills of Cept 30 Brough foregard -
	Junker 97 8byg May 31 Coucher 39
	100 11/60
	101 7906
	102 700
The state of the s	100 700
	104 6579
	105 9936
	106 358
	107 12473
	107. 12473
	109 84817
	110 13731
	111 237000
	1172 4500
그들은 보다 그 그는 그는 그는 그를 모르는 회사에 가득하는 것이 되는 것으로 모르는 것이 되었다.	1/3 5570 d
	114. 178009
	111 39.62
	116 22131
	119 18008
	119 18381
	170 4900
I. I	170 49,00 171 970
	122 315.00
	173 10040
	10 130
	170 3.9213
	126 1804;
	129. 770 18 128. 3684 17
	179 13300
	130 2540
	131 36131
	137 99
	270 3000
	226 185000
	246 208700
	May 31 237 16 38 35 36 14
	May 21 325 1338 22 1
	10 8100
1	
	111 1160 CO
	27.97.9
	2/ 32/20/
	22 7090
	2.3 1/7.8
	28 24.4/12
	31 67.874
	31 67.871
	32 /4/00

,	Sheet No Name Address	Carbolis New	- Clark, Selver & ske - 15091	N.	heet No.	Carbolid Hew Clank, Liber La	ke 13841
2	as Broughty	54446.5	1 1 1 1 2 1 2 1 2 1 2 1 2 0 0 0 0 0 0 0	2/10	y 31 Brough Forward	4374957 May 31 Strong & Downard	300
May	BI Drought type	33 60025	21 Bring Loward . 300		Courter 1	10 16316	
		21 60000				50 21641	
		42 33379. 43 377772.				63 163/0	
		1111 11/69				611 1784,00	
		115 111,004				65 55998	
		46 287113 5				68 10,00	
		119 600001			1-1	69 11150.	
		fo 200.			Į.	70 25013	
		51 5000				70 25013	
		57 58600				11 1668 .	
		53 3114.		I I I I I I I I I I I I I I I I I I I		182 32800	
		67 11860				189 231	
		63 179	1. 1	(3)		289 603356	
1		65 33 307, 58		ran i		5 Min 1	
		70 19500		Jun Jun	c.30	5 46 20 17 6 46 20 17	
		72 129 14		11		6 1670 3	
		13 2362511		11		16 62212	
		74 7400.6		and the state of t		20 143142	
		75 1217.				27 300. 20 1167:	
		76 330				30 1167 31 748 36 2257	
		811 11800				36 2257	
		88 73000			I	37 1370-	
		89 38032				140 1500 3	
1		90 18662		題		41 75053 42 24100	
i		911, 3000		<b>18</b>		43 8948	
		96 7777		1		44 4800	
		98 43008				47 33L 48 3026.	
		104 6008				48 3026. 51 14611.	
		105 578.00				52 6874 21485	
	L i	106. 8000.				53 1148	
11		111 19008				57 6135	
		113 21/200, 1				60 2173	
		118 178827				61 161943-164116	
		119 10203				6.3 39.8	
	1.	121 23651				64 9163	
- 1		122 2838111				67 11127	-
-		129 794				67 11127 19 79 90 4151	
1	1	134 22605			^	7/ 27.28.	
		135 1344				72 14509	
- 1		139 75				74, 6555	-
		11/3 251/3				76 6380	
		147 1629				77 372. 79 4000.	
		1118 437329 37				79 4000. 80 2499.	
		1 1 1 1 1 1				6059382	

/ /	Lis Mew Clants, Silver Lake		Sheet No		blid Hew Clant,	11/19/11/10
Name - Oar Lot Address ( Work is	W. Min Lands, Delver Lake		Name Address		in sew stant,	3871 Cake will
ne 30 Broughtbound 60 5938.	July 31 Brught tryud	300	J. July 31 L	Brought Forgrand St	83 20 9 31 July 31 Bin	ey Downerd 9
95 4095	6: 157	47407	4	" 91	30482	
10 66	1. 2.53	98.439	5,	93	5731. Forg	
113 65	6			121	229 88	
170 99 171 13465 171 13465	0.			126	20663	
1711 ddg 1775 dr 179 3188.	o. j.			128	3927	
13°7 1895 133 10 134 46	o. 4.			130	12260	
138 17120	0		1	132 133	1000	
146 998 148 750	<u>3</u> .	l la		1.3 4 1.3 5	3440. 3950 19309.	
151 18 155 175 156 138	6.		100000000000000000000000000000000000000	136 137 138	19320	
157 2659. 159 60.0				139	37.70	100
167 28	9			141	47705	
172 280	8			143	20,22.	
174 890. 248 17750	0.			145	31200. 16416.	
99 195 100 920 8 101 5460	74.			147	13230. 13230.	
102 6353 251 10533	0 2107 17	<b>3</b> 1	4	150	21812	
ly 31 72 1800	9.			112 113	90	
16 19.	7			15 L 188	1057	
23 4140 26 302 30 Voo	ot l		7	158	1240. 41280.	
41 376	0,			161	17371013	
44 1025	0.			163	1200	
46 3120	0			165	8304	
119 110 50 1479 63 2061	2		4	167	7984	
64 1000 Y	14.			169 170 171 172	57480 70140 46401	
77 3262 85 15 10 933	<i>1</i>			1/7/	1 = 7 = 7 = 7 = 7	

1 1940 889

Sheet No			Sheet No		
Name	lear bolis Hew Clant, Se	Lur Lake	Name	Lourostic Hend Plank Silver.	41,
Address	18711	13870	Address	Durand Kelon Land Lelvar	3871
July 31 Brown of Bruns				1 177 Tie 3 We	2/1/2/1/3
Jewey 31 Livery William	173 4738 Kang 31 Lucher	36 82500	Sion	ght Togward 117193 to Cigno 31 Bro	Lucher 18 21.43 63
	174 19251	1611 1176.		uch 1 161 62702 LULA 30	aucher 18 28
William Control of the Control of th	176 1800.	217 2023 23 23 217 218888	[1]	162 81	\$750,50
10.00	177 21016	1 143 13		140 1/09 08	
	178 11012			172 48166	
	180 villoo.		5x 100	173 768	
# TV # A	181 1000 3.24	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		17.5 1200	
	183 4750		,	176 1100	
	181 295000.			177 60595	
	186 160620.			177 300	
	187 44.20.			180 7/1847	
	188 3090. 189 589.			182 47606	
	190 7000			181 1979	
	191 377		, the state of the		
	193 20660.		5	186 20566	
	194 14th.		200	188 76335	
	190. 9000 191. 3777 197. 161 193. 2066 191. 141 244 300 248. 1976			189 37800 1	
	200		December 1990	190 8388	
aug 31	1 223		20	197 350	
	29 729		25 24	193 3383. 114 78Ko	
	30 723		8.A	195 12106	
	31 873 U3 3.610			196 MAROLOG.	
	16 110			198 3825	
	119 1309			199 266 83	
	69 5760			201 15000.	
	85 3863			200 /900	
	108 61			201 1221	
	1131 350			206 211690	
	187 1/200.			770 21.2	
	151 940			221 2005 01	
	NV 31920	and the second s		272 2001	
	N7 6012	The state of the s		223 21/200	
	188 182189 189 6000			22/ 43	
				126 (37) 90 99 12 150 139 10 99 10 10 10 10 10 10 10 10 10 10 10 10 10	
1	182 13000		Sept. 30	1 830	
	163 8364 W		neginos.	Y 1060 .	
1	163 8364 1 1 165 79085 13 166 131/40			3 1293 ab	
1				1 1 3 9 9 4 1 5 6 2	

Sheet No.... - warbolist New Clank Sheet No. Carbolis New Clank #3841 Name Left 30 Brought Former 11 30 Brought Torward 5 114 131 63 wor 1.78 7V.83 C 121/20 6.83 28 186,00 10% 13.23 383 826 126. 61.50 18.78 13% 35400 970 2800 144 89 11.58190 148 1 29576

Sheet No .... Sheet No. Carboli Hew Clank Carbola Hew Clant Her 30 Unwher 149 Voucher 1861 Dec 31 Vom her 11.09 221/2 1.9500 159: 11.11 16. 1.87 190 ... ..... 19/ 663 60 16% 1.96 197 3920 20,990 30,58 2902 21.7 20.47.48 11.4 19.39.35 370 228 90 3 20 70 3.01 54 27.78 8.9

Carbelle Rew Chant ... · Carboli New Clant 13991 Name Address Name Address Jan 31 639 Jan 3 Charler I. C. 1881 , 235534 161 20100 Mar 31 169. 173 174 175 176 177 178 179 179 3730 10300 183 184 185 42351 786 111.93 187. 188. 189. 190. 191. 194. 194. 196. 197. 198. 199. 199. 88240, 1440, 1000 216 228 135275 2124500 2127500 315 185 233 39 21330948

Name Address  Name Address  Lo hangework Sattained \$28004 2801  #3605	. *************************************	Shee	et No								 			hoát.		.,			Sheet	No											56
Jones & Common 100 3 th Janes & Kamill & Sure 3 to 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Nan	ne											awith.					Addr	ess				lo ha	ngee	lowC	latterne t	2800+2	13605		
July Gasting Pattern 12234 July 1. Woundern 1sty					10000									· respective constraints		DECEMBER OF STREET		7	eer Frank, era maa	Jan	V.31.	2/-	when	- 129		. 2	Jan 31 8	tim SB ba	Inv si	16.8	240
July Garding Pattern 19234  July 1. Homehow 1 sty. 100 Many of Stand Charleston prop. 11111					Total Carried States	.									- TANK			4									Ĭ				
July Garding Pattern 19234  July 1. Houndown 1st J. Mans of Stand Charleston 1947.  Marin J. Marin Marin Marin St. Stand Charleston 1947.  Marin	-												The common of		-																
There was the state of the stat		To the same of the						ľ					THE WORLD		and the second					-					- !!!						
2 July 29 Variabor 147 Mores of Chair Chairleshing 1919. Makes, 191 11111															-		dko.c.							· · · · · · · · · · · · · · · · · · ·							
Dearlings Pattern 13234  2 days Vounder 14, - Mores of Chair Blandshappy will  Maker 171 11111							The state of the s								- The state																l
2 July 29 Variabor 147 Mores of Chair Chairleshing 1919. Makes, 191 11111																		1		· ·											
The Carling Tattern 19834  There is the stand that the stand the stand that the stand																	1	1													
Maker 14 January and Committee of the Co				i		-							A second		Townson and																
Holes 144 Mars of Chamble bland blan																															
Maria Woulder Styl Mones, the Chair				1																				to to	ash	ngo	Pattern			e sa nik	l-ini a a a a a
																		5		Lily	128.	Von	her	147			Muss, By	Edward blue	ulah-bu ge	17	4448
					- 1	-		-							t		3														
									And Advantage of Contrast	and the second second			Topologic Company					बी 													
									-						1																
																			-												
					-								- Company		SAMORT III																
					The second second								and the second		CHARGE TO A			1													
													100		- Anna		L														
					a constant																										
					-						 														Ш						

. Oscare Catterns Logs Garboled (Reid Olanh, Preparing Clans Fely 28. Loucher 149. 51.93 Caretri fugal Den 1/93 9911

15 191 Oct 31 Edind Show White not you 11 12 12 20 1629

31 320

31 320 Lambonation Sie for Gas Chap Bottles low 36 423 Marsa By lid B. L. Surgsoo 191 426 \$1.45

34	The second secon						N						601
	Sheet No.	10	. , .					Sheet No	-	,			
	Name Address	Charges ?	henet.	Hell D. to to	licaund Alit 113996	C .		Name Address		Casten	g. Lown Chin	<u> </u>	
. O. 1	regio, pro basino più, spesso, p. 1		85139	Oct 1				Her so	Lucher.	vir byg	173		
	M. Loucher	21	. 50	31 7 a Ed	wind Inchor 10.	512 2714 63 188 0 94	/ <sub>+</sub>		- V- C C C C C C C C C C C C C C C C C C	NIV 1299	1 Luc 30 Colombia	lemia Borbs to his o	6997
		37 77 85	995	Dery 29. 2	" her 3	0 24							
	: :	100	18400	Ja Edu	uju dagdirrii i	11 2633	22			i			
	*	17-1.	173		e-e-viver	7	3						
2/10.	3.	177	1. 18										
Mar.	137. • 137. •	76	16277										
	. 20 Petricus Sour Porteti	Armys	1.85.8										
								The second secon					-
		1- 1											
			. 1					4 1. 1					
											1	Service de la companya del companya della companya	
1971		-lo	pper	Formatray,	Soil					. Careel le Lo	erry Marters		
Hickory	30. Lameter	120	770	Seather C	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 3.034	4.	Dec 31	Lucher	212 1961		Bro Ser sobre	17/20
12.		712	2859	Qu 31 . Sanj 21	" 1657	13. 5/38	. 🔊 .	. 0.20.37		226 138.57	Nec 31	10755	17.60
.0461	*/.			Mar 31	" 169	7× 32773							
		226	28.7	aper 29.	" 112	75 93							
Jane Terri	.4/	1118 84	27,745	May 21	. 1112	1399							
Mar		126	1191										
Upr	31.	1136	1989										
Teny	30 "	131-	134										
		108	1760										
								<u>-</u>					
													-
		1 1 1 1											H
	March 18 to a color of a color of the color						200400000						

Sheet No. Core Bed Hoor Que 31 Low her 176 ... 60 Dec 31 & S B 60 Door 10704. Jan 31 Lander 1 31 Jan 31 Lander 101 Jan 31 Lander 119 Jan 31 Lander 119 Jan 31 Lander 119 Jan 31 Lander 1119 Jan 31 Lander 1119 Jan 31 Lander 1119 Jan 31 Lander 1119 Jan 31 Jan 31 Lander 1119 Jan 31 Jan 3 Charge Made jeg Moved Therenthing Takles Puly 31 Vene her 132 131 pay 31 his Re by fax 11765 1212

	The state of the s		/21
Sheet No.			Sheet No.
Name - 600 / Address	Grown and Jul But	ed in Ros Justitutus	Name Cabinet Work For Sew Records In Sen at thouse #3628
July 31 Vanche	V 132 1111 July 31 Size M	and report to the state of the	1914 1914 1914 1914 1914 1914 1914 1914
			79 170 Charso " 821 2333 462 170 170 170 170 170 170 170 170 170 170
			106 1522
			apriso 37, 604
			May 37 " 1/6 12665
			· 103 2378 • 115 345
			· // / / / / / / / / / / / / / / / / /
			1914 Conveyor Trong for & Bumper 1966 9
			May 31 Lowher 65 10 May 31 & AB ton Son 2001 215
			May 31 Voucher 68 10 May 31 & MB ton In 8 894 215 June 20 " 106 735 July 30 " 8969 935
			June 30 " 106 7350
MR 186 and a second		THE RESERVE OF THE SECOND STATE OF THE SECOND	
			June 30 Vouchor 106 540 June 20 Min 18 Balon cale Sile
			June 20 Voucher 106 540 June 20 Stein IBh Im 5769 540
		Page 1777	
Harmon Company		111111111111111111111111111111111111111	The state of the s

198 Sheet No.	Sheet No
Nums Carpenter book on store of Theme Co of the Oranges Address	Name Carbolid-Kew Stank Silver Lake
July 31 Loucher 60 de July 3 Dollando of Panger 0116 12495  88 1446 Old 130 1971 1985  89 1446 Old 130 1981 1985  89 144 10 Oct 30 1981 1985  84 12380 30 38 1982  Sold 3380 1983 1983 1984  Sold 39 18 18 18 18 18 18 18 18 18 18 18 18 18	Mars Unular 96 393 Cap 20 20 folion 44 145500  Capress 19 19 19 19 19 19 19 19 19 19 19 19 19
<u> </u>	
1915 Cells/145 13826	1915 Countabore 1 Die Bolstoff 3864
Jely 28 Vancher 111 17 179 288 platen Birngelik 1994 15001.  Mar 31 171 28 gg Gp 30	Mar 31 Comber 191 119 Mar 31 leftend humbhad ges 1 119

127 Sheet No	·	Sheet No.	
Name Address	Labour Medels, Parts of	Name Address	Leabinet Lackelid Siffing Korm
Man 31 Lowher Man 31 - June 30 " June 30 "	171 store March By Mediumbary 1999 store 2099 (Cal 30 9997 2099 993 1087 May 30 1087 1087 1087 1087 1087 1087 1087 108	Chr 30 Voucher.	NOT Thor Cope 30 By 11 Edian Buchnogg 13 2 6
Sept 20 "	200 1343 Left 30 10-151 1343 1779 2449 Cut 31 1 10490 2099		
· Jaw	Gentral Surice Signific	h.c.	Copper Laffsegg
Chr3. Van her		apriso Cowher ?	35 100 Chr 30 By I I Edwardow 9000 8
•			
	ombundin Sufolas Trap Bolley and		Cutter Glades 3900
apr 20 Howher	152 3948 Chr 30 Stewn & B log Sor 9943 3948.	May 31 Toucher 2	95 210 May 31 Still In In 10022 2

129 Sheet No Name - Address - Centrifugal Cumpl.	Sheet No Lord How Galleries Address Lord For Galleries Address
June 30 Uman her 31 July June 50 Additional Finds June 1991	July or Est god July or Est & balom bron ggd
land Lower Charles 19930	Jan Johange Pattern faglo
Jun 3- Lumber 251. 100 June 20 Ellumbrum Hab 10114. 105	Geologist Comme hor 25th \$19 July 21 Statemble Man Harry \$19
Leabinh Lunger 2000	1911 Chemical Industries Exposition
Culis Loucher 47 194 31 Chamblin who business were core of the Copy or 10310 1137 1229 133 List 30 10310 10310 1037 1037 1037 1037 1037	1911 Dennher 30 25 2000 221 2000 2

Sheet No. Labinet Gwages -Lokange Ohemel Stills Into Caencery Stills 235(4,031 206 Sud Sur 10332 61/05 Light 30 " 10414 Jan 21 Hounter 39 58214 Cong 31 Loweler - 18 1 198 Cong 31 Edward Lindely 10791 Case Crints ( tohunge Offing 128 lant One Log of Brivard Londenile Cabinety Comp. 31. Commenter 5,24 17061 30666 38140 17644 10375 1040 1050 q 10615 10437 21. 21 Nov 30 Dec 31

133	7
	1,312. Sheet No
Sheet No	
Nome Sorr Bours for Humper Callery	Name Simplicational Measures 140 gr.
	144/
31 2	2 by 29 Lamber 14h 3/62 Deby 29 Idwind Skim Whiten 1948 360
	6 1 1 Pa 1 71+ 2.
2 compa de maior 3 a martin de la fill de la Education programa de la	May or Howers 12 1900 May 20 ME Short Wall Styles
200 31 119 11 119 11 11 119 11 119 11 119 11 11	May 27 Lower St. 180 May 21 ME Plantly 180 67 77 3600 fgm 30 " 1800 fgm
2:00 21 " 176 630 Md 21 " 11061 12796 12796 12796 12796 12796 1279 " 11200 12796	May 2 However Jd Stop May 2 ME Charley was well as
200 21 119 120 160 160 170 180 180 180 180 180 180 180 180 180 18	128 688
	Jane 20 . 121 670 .
	Jameso . Il 1866
	107 73
	108 2604
	July 31 6 23 23
la to chim in	Entling two Gears +411
1911 Sountinalin Gyagess	Juney pure grant # 4171
2 by 22 Lowber 17 15 July 29 Min Thomas Holono 18956 20 15 15 15 15 15 15 15 15 15 15 15 15 15	May 31 Voucher 135 Vol May 3160 When com B. A. 11383 VO6
" 107 276 Men 31 " 1110M 5770" 1166 755	
Mar 31 " 109 924 May 21 11347 11034	
Mar 31 . 109 9 9 May 31 . 11347 11034	
apri 20 . 86 40 free 31 " 11689 7.80	
916 6087	
72 11 100	
121 100	
Gene 30 108 120	
July 31 " 132 760	

Gut Cut Degments Required Device for turning trus 232 Dec on 45 H. P. mors \$1977 - 1- Drill Pressure weights 255 - 1 is Drawings for model D. L+WRR Co 2+m May 31 Vencher 135 2 Drill 6 Holes \* 25,00 Die 187 May 31 D.A.E. Ohone Plans Stouse for moulda # 1969reasoning from 3 Deging own for Diego Bert i Intificular Mindow 18,7 anothing hell 8 2016 Descholo Warter # 250 - Wald Bartel Daning for Changing 4 Diego Brill 18 2016 Madd Bartel 18 2000 Madd Bartel 18 200 #257 Deamendide Shop fire aslo on 28 16. 8. mora & 2015 Destilling apparatus 289 3 Damond Grending Machine 1822 Drawings for sprocket 5 Disc Record Plant \* 2505 Diren 6 wheel for 45 3th. P. mors | \*2020 Dies Drawings for changes Diac Records on 4'x 4' Intermediate 6 Dining Jable Lamp # 2952 Rolly Sibly Quary by \$202, Die Bolster # 2956 ; Dyer J. L. Dissolving Rust \*2983 Labor o matt for ) 50-17- Dise Thachines \$2998 Dally Chas Discharge Jule 64- #3004 Labor or math for 100 Durand n. C. Lom Diaphragm for Durand 42041 Dies Change Over 100 Edging Machines Drawings & Exeremental) Dimorddic Mr Lymition Work for House #2 7 Design 1 Model for one) July 3 SAL L. DR. MILV. 11741 by Harme and Small \$205 & Storage Batter During 13.115 Drawing Tables for \ 8 Lable Lamp 1008 Engineering Depth \$2,14 drawing the french Tables 1399 51 3796 19 Dolbers F. K 5 Deel for Cornegating Com Alates 5:135 51 Level for Cornegating Com Alates 5:135 69 2 +m. 16. Data 4/2 Electric 208 9 Hospital, Lighting, Medical Outles 3410 107 Vehicles \$ # 218 a traving for trube King 118 310 Drawings of 190 Baking Ovens 51 Dumantiling Ore Separater 3431 121 Dise Recording 1 10 Drawing on Long Rearning mach #3451 132 machine \$ \$ 2210 Leaving on milling Dillary 3455 Die Record Recoling II Bauring on ling perspection side Machine for Magham 12.16 Margher South to Sty. Die Cesard Hardening in Abeliet Mach Mach Sale side Machine for Magham 32 mg Deaglidy Chap on 1970 Cel 1859. honge Cours Ding Spicord Edging Machine. Dry Battery 13 Dies For Call Cover #362 Esperiment Szzzg Drawings 3632 July 31 Size Re. my 1.1 11712 Device to Faster masters 100 Daily Talbastings on spiders for 6. F. mach 1220 g Duesfor Standard Type Dridets 100 ig trafling toholo Work. Decigns for Chlorinating apparatus French on Ballery Bol Devices for 1 100 Suffor Thirang Positive Fastering Masters (222 Stuffing Dow 1376 ) Dearing of mould (10) Dearings System Silver Labory to Cash Bine Plates Szzz & Depping Solution Dyke H. St. 115 Die 43848 2+m #3852 special Tools { Design Rotary Converter #2350 Die Design & Build Stand 19 Die for Diam Jure 3833

Sheet No.\_\_\_/ Drawings for Changes on 45 th P. Mora \$1977-

	_
Show No. 2 Arawinga for Model Shows for Moulda #1169	Name Prannag & Carringental Word to Man 182 - \$20.56
Name Onauringa for Moule Symbol for Moule of Millians	Address lay Daning " & Small
2005 Mar. 1. 20 Ledger \$8 285 42452	1910 Bunfound 708644
Mar 31 " Voucher 67 24,3,33	200 20 vacher 128 19000 Sec 31 " 33 7 7 6 32
apl 30 84	4 4 7 114 30
July	17/1" " " 119 14909
	There 25 " " " " " " " " " " " " " " " " " "
aug " " 16 23025	4 11 11 11 66 1089
1 1 1 1 51 60 1 1 1 1 55 23041	ma 31, " 104 77790"
Sept 30. " " 56. 126	apel 30 " " 1/7 1/18
26,540	Jun 20 " " " " 117 75
Och 31 " " 13 " 694 77 635	10 0 118 167
nor 30 , 4 43 175431	
4 4 4 88 16400	
21 48 702 21 48 1 72	
_ ¬ , ~ , , , , , , , , , , , , , , , , ,	
gan 30 " 50 18.0831	
10-10-10-10-10-10-10-10-10-10-10-10-10-1	
71	

Sheet No .. Discherond Flank Name Name Address Addressmars, apr/30 13 16 22 26

		Sheet N	70	(				Sheet No.		The state of the s
-		Name Addres:		Six Record C.	lanh 12888	rowk.		Name Address	Que Beard Plant	
	ŀ	19.5						1915	13.775	
	100000000000000000000000000000000000000	Cofr. 3. B	" 41 " 147 " 55	975	re Brought Forward of Alleham Inch In Is on "	13174 081 005 312544 138 1325350		June 3 Broughto	28 1778 31 Illdura Ince Inco	112 100/11
	- Control of the Cont			573 116 957					34 /060 34 /060 16 397 51 /6	
	Construction of the second	May 31	, 89 93 . rsr				Committee of the commit		72 2161 76 100 78 8313	
			24 25 26	3320 157 5016 195 1800 218		The state of the s	and the form of the second state of the second		\$C 6/3 \$L 6/7 \$L 7/7 \$L 7/7	
	A CONTRACTOR OF THE PERSON OF		7.7.6 118 50 69 7.89	1119 1200 11101 49		7 T T T T T T T T T T T T T T T T T T T	o de de la constanta de la con		1.04 1.04.0.0 · · · · · · · · · · · · · · · · · ·	
			87 83 104 112	1950 5.66 1350 305 1998 10997		4	The process Mars and of Caroners. Security		137 11611 147 1509 149 1359	
			1 20 125 130 135 138	26/6					160 162 162 169 169 169 169 169 169 169 169 169 169	
			14d 15d 161 162	16115				Cul es ?	10 6420 10 200	
	Arthur	June 30	173 178 189 189 293 3	37.08 6.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00	PRINCIPAL COLUMN TO A COLUMN T	A flower based with a property of			21 691 22 81 26 690	
	0	June 30	3 4 8 9 12	120 386 4026 11665		THE CONTRACTOR OF THE CONTRACT			38 1707 43.0 166 1700 117 1351 10 1216	
			18 23 24	2200 17090 131456079		vi - seprema na companya na co			60 801	
	-									

Sheet No:	Lise Record Plant 1258	·	Sheet No Name Address	Dice Beard Hank forst	
0.A T	100	(47) 7/11/12	. 17//	ा व्यवश्रावमा	1 1/2 1/2/18
1 31 Hours	who 91 33 96 Cur 931 Love	ler 22 610	4/1 31 ,	oucher 10x 100 Oct 21 Medionland	
	73 1016 (1 7081	Sund markey Annible	. 16	oucher 10x 100 Oct 21 Mediantine	Ser 10507 57486
	76 9,11 cl 30 78 737 89 7580	10de5 516766		4/1 7/79	
	78 737			112 1148	
	13 503			114 255	
	98 139 2000 89 2580 93 503 99 10 105 1640			116 33.0	
	165 16200			170 173	
	109 579			125 2096	
	109 549			1/2:21	
	17.9 210			1.6 2003	
	240 1062		I ta	1.46 2203	
aug 31	756 14679,18			155	
eling 31	9 1560		<b>L</b> []	164 7518 173 70 Ho 177 28	
0	10 1008			173 7040	
	11 601	N		177 28	
	17 1260	0	9	178 2971	
	18 573		41	188 22814	
	21 1096		. 1	199 188	
	27 105		Q./ 31	199 188 200 18235	
	31 443		U-7 37	3 1800	
	1/el 80.43		100	3 1800	
	45 468			7 10000	
	14 11873		1	1827	
	44 14873 43 340 174 2372			17 151	
	TT 110/2		1 1	19 3vg	
	69 117			23 405 211 7/3 G	
	69 1177 13 179 841 711 3360			30 3117	
1.1.	73 12984		[1]	30 3117	
	75 72		· · · · · · · · · · · · · · · · · · ·	31 0/5 35 871	
	77 63.18			35 821	
				39 1771 39 170	
	84 1522	on also demonstrate de la compansión de la		1/4 30	
	88 371			50 25	
4.4	99 977 88 1450. 93 770.		l · · · · · · · · · · · · · · · · · · ·	54 3615	
	93 770		1	64 76	
	101 211			71 810	
	108 1080			100 10010	
	108 70.774			85 132	
	112 438			100 700	
+	220 2 (2)			100 104	<del></del>
	7 73 8 8 6 7 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			107 1799 110 1799 111 22925 1114 1110	
1/1 30 P	73 153 77 70			111 22925	
	93 / 13 80			11.16 11.160	
	91 11005520			120 34	
	y + / < 4   0   3   3   4   2	the state of the s		121 261	1 1 1 1 1 1 1

Lin Record Clank pases Six Berord Clank 12811 27 Jan 21 sabdumber Son 1000 1 198 22 115 84 111/0 129 1988 130 161 149 51 148 132924 148 132924 111% 15% 2.3 1.80 674 350 705 370 275 171 776 307635

	Sheet No.  Name  Address				-						Sheet No.  Name Address		Sie	Record	D /2913		***	
						***************************************				1	3.64		226031.3				237	8290
							1 1			F 1	2.8	Voucher: 9%		200.	Millidan Smeden		44	
										الما		Howcher 97	86	Sich 3	L. By L. Wildiam Uner Ein	-9858		311,91
									1			1117	58358	May 3	1 " "	10011	248	37
[	<u> </u>			-	1 - 1 -			.   1 -		- 111			2234	July 3	le .	10751	3-5 2	833
			100	+ + -	1-1-		+			10	Man 31		3348 28	Muly 3	1	10751	276	280
				1			1		1 1			1/1/	3/6	Cluy 3	1 Coucher	22		280
												" 29 " 16 " 77 84	1240	Sell 3.	a lite bree starre	103.40	-276	133
				-						1			5711	Oct 3	/	105/5	22)	223
-				+	1			-		- 1		" 7×	111	ļļ			2/7	609
									l to con-			87	776		ļ			
				T			T			l li		. 160	776 115 700 161	,	·	+	~	:
				1						at and a state of the state of			161			+-+		+++
		ļ <del></del>							ļ			171	1970 13 100 100 100 100 100 100 100 100 100 1					TT-
			100				1				· aprza		811			ļ <u>i</u> .		
			1 1		1 77		1 1	1				2.02				<del> </del> -		
				1						and the same	May 31	27	四百分分子			1		
			1									27 37 48				î		
					1-1-		4			1 !!		H8	131		L			
				-			4 - 100	-		1 27		50	17			<u> </u>		
				1			1		-			135	120			ļ ļ.	44	
			11	1	LIL					1		189	50			<del> </del>		
					1					100	0-1-1-	114 169 293 31 63	22/0			1		71
+			1	-	1 1					1 1	Juni 30		139					
			1	+ +	1.1.			1		1		/2	21/0			ļ <u>}</u>		
					Li		.1 111			. 1 128		109	229			-		+
		4	1	1		*						109	08				111	+-
-				+			1 1	1.1	-	127		179	80					7
				+	1		4-1		-			NO	3574					
		- 1		İ			1 11 11	1	-	1	July 21	751 26 7	23571					-
								1 1		- 1	0 1	143	184				-+-	+
							1				· · · · · · · · · · · · · · · · · · ·	113 117 1176	38					T
		400		-	1		1 1			1	6-1-	756	67384					
		4		1			1 1	1 1			(lug 21	23 2	1879				44	44
			1	1			1.1		1	∦		3/	218					-
				. [						1 1 1 1 1 1 1		29 31 221 86 23	12198				11	1
	+		1	+	- -		1				Sept 30	86 Y						I
			1	+								- 98					40	
			1	1	-		1		1	1 L		102	-0-	-+-			-11-	
		- T-:		. 1			1		1			111				45	+	+
					I. I.				. 1			112				-	TH	1
			1					1				200					Ш	
			1	+				1			Octor	18 27	752 15			[]	441	1
		1		1	tt		1	1	- <del>i</del>		30,77	37	2/51				+ +	-
										4		37	993				+++	+
			-	-	-	-							7 17 38					
			-	4				1:::	1	-			. 1 1	1 1				0.00

Sheet Na	2913	Sheet No. Name Address	mest.	Scamon L.	Grinding Machined	Chake 12 )	53
There 30 188 Jan 30 18	a chamber S. John 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3		Just Soucher July 29. "	126 119 1118 176	11631 -4 c 31.80 Mink 37 Jan 3 11458 Ley 20 920	Inc. 10916 1886 10974	11631
20 100 1000 2000 2000 2000 2000 2000 20							
94 2796 107 1945 117 1163 176 4776477		The state of the s					
			16 21. Zouener		you Segar dich 3084 Mar 31 Mesholid 3541 Apr 29	desmiller madrifice 11093	30.84 3541
		Annual Control of the					

Sour No	706	AND STATE OF THE PROPERTY OF T		I			Ī	Ţ	Ī	T	T	T	T	T		ī	-	- -	- -					1	- -		- -	- - -			-		-	-						_	-		-						_				-						-			Shared In						-		-					=	=	T.	- -		-			_				
July 1 July 1 Mich auguster 1900 Harfully 10 Mich auguster 190	2706			T			Ī	T	Ī	T	T	T	T	T	T	T	7	- - T	- - -					-	- - -	-	- - -	- -					-	-					_	_			-	-									-	-				-				Shares Shares	- Commercial Contract of the C	-			-	-									T.									=	
July 1 July 1 Mich auguster 1900 Harfully 10 Mich auguster 190	7706			T		Ī	Ī	Ī	Ī	T	T	T	T	T	 T	T		Ŧ	- - T		- - -		- - -	- -	- -	-	- - T	- - -		_		-		-				_	_	-	-	-				-			-				-	-		-					-	Sharen S.		-	=	_								=			 T.			-	=	=	=	_		=	
July 1 July 1 Mich auguster 1900 Harfully 10 Mich auguster 190	706	AND THE PROPERTY OF THE PROPER		T	Ī	Ī	Ī	Ī	Ī	T	T	T	T	T	ī	T	7	T	- T	=	=	- -	-	- - -	- -	- - -	- T	- -		_	-	-			-		-	-	_	-	-	-	-						-	-	-					-		=	=	=		Sharen	-	-		=	=	=					_		_	=	- T.	 T	 T				_			=	=
July 1 July 1 Mich auguster 1900 Harfully 10 Mich auguster 190	2706	Part of the second seco		I			Ī	Ī	Ī	Ī	T	Ŧ	Ŧ	Ī	T	Ŧ	7	Ŧ	Ī	=	F	F	-	=	Ī	-	Ī	=	_	_	_		-				-	_	_	_									-			-		_	=	=	=	=	=	=	-	- Comme	-	-	=	=	=	=							=	=	T.	7	7	7		-	=	=	=	=	=
1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	706			Ī			Ī	Ī	Ī	Ī	Ŧ	Ī	Ī	Ī	Ī	Ŧ	Ŧ	Ŧ	Ŧ	=	F	Ī	F	=	Ī	=	Ŧ	Ŧ	_	_	_	-								-														_	=	=	=	=	=	F	-	Name of	-	-	=	=	=	=	=	=	=	=	_	=	=	=	Ŧ.	T	7	7	=	=	=	=	=	=	=
1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	706						-	1	1	1	1	1	1	1	1						1	1	1	1		٠,				$\neg$	$\neg$	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	_						1	ŧ	į	6													١.	١.										٥.
1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	And (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)							+							. 1	1	. 1	1	- 1								- 1		Į						J		. !	1			J	. !	. !		ļ	ļ			. !	. !	. !	. !														0	re	7,	7	. 7	. 7	: 7	15	1.	11.	//		رار	VI.	IJ.	c.	s.	. 1				
La Direction of the state of th								- 1	ľ	1	T	1	1	1	T	T	T	T	7	7	ī	Г	5	7	7	_	7	7	7	7	7	7	7	_	_	_	_	T	7	7	_	┌	┌	_	5	5	_	_	_	_	_	_	_	_	_	7	_	_	7	ī	Ē	T	T	7	-	~	-	-	_	_	_	_	_	_	Τ	ī	Τ	T	7	7		azz	za		can	244	_
La Liver	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						ſ	1	1	1	1	1	1	1	_	Г	Т	Т	Т	Ī	Γ	Γ	Γ	7	ī	7	Т	Т	7	Т	ī	T	T	_	П	П	7	Т	Т	Т	П	П	П	П	Γ	Γ	П	_	7	7	7	7	П	П	_	Ī	_	_	Ī	Γ	Γ	Ī	T		_		-	_	-	_	-	-		_	_	Ξ	Г	Τ	T		_		_		_		
La Liver	000					П	T	T	1	1	T	1	T	1	T	1	П	1			ĺ	1	ĺ	7		7						7	7	-		, ,	7	7				П	П	, ,	ĺ	ĺ	, ,	-	7	7	7	7	, ,	, ,	-		-	-		ĺ	ľ	Ī	Ī													_	Г	Τ	T				-				
La Liver					11	П	T	T	T.	T	T	T	T	Ţ	I	Г	J	I.			Ĺ		ľ.	J		J											J	J				J	J		Ĺ.	ľ.			J	J	J	J								Ĺ	Ĺ	-																Ι									
La Liver	100			H	1.1	П			1			1	1			1.		L				L	_	J		J											J					J	J		_	_			J	J	J	J			_ !						Ĺ	1	.	. !			_										L	1	1		_						
La Liver				H	Ш	Ш	_					.	.		_	L		1.	_		_	L	_	J		J	_	_		_		_	_		_	'	J	1	_	_	_			'	_	_	'		J	J	J	J	'	'	_ '					_	Ĺ	1	ı	J						m t w				~			L	1.	4							_	
La Liver				H		-	-1.	-1.	- -	-1.	-	-1.	-1.	-	-1	L	1	1			_	L	_	J										_		_ '		1				J	J	_ '		_	_ '	_					_ '	_ '	J		_	_		_	Ĺ	1	-	_													١										
La Liver				Ш	Ш						1				1	L	1	L			_	_	_	J												_!		4						_!	_	_	_!						_!	_!	_!					_	Ĺ	L	1	_	!		_	_	_		_	_	_	_			L	1	4		_	_					. some
La Liver			H		Н				-			-	. -			Ļ	4	L	-1	J		-	ا _ ا	-1	-	-	-1	-1	-	-1	-	-	-	-	-	l	-	- -	-1	-1	-	-1	-1	l	ا_ر	ا _ ا	l	-	-	-	-	-	l	l	_	J	-	-	J		į.	ŀ	-	-	!												ļ.	ļ.	.								
La Liver	000		Н	ш	Н	d			1	1	1	1	1	1	-	ļ.	4	-	-  -				!		-	-	-  -	-  -	-	-  -	-	-	-	- 1	-	-1	-	-  -	-  -	-  -	-	-1	-1		الل	!		- 1	-	-	-	-					- 1	- 1		-	Ĺ	Į.	1	4							-	-				Maria	Ļ	1	4	-	- 160				_		
La Liver	000	H	11	$\perp$	Н	4	- -	4	-	- -	+	-	-	- -		L	4	L	4	_	-	-	_'	-	4	-	4	4	4	4	4	4	4	-	4	_	-	4	4	4	4	-	-	_	_	_'	_	-	-	-	-	-	_	_	_	_	-	-	_	-	į.	Ļ	4	4		-					1000	1000					-	+	4			-					
La Liver	000	Ħ		11	Н	ŀ	+	1	-	1	-	-	-	+	4	1.	- -	ļ.	+	_	-	-	J	4	+	-	+	+	+	+	+	+	+	-	+	-	-	+	+	+	+	-	-	-	_	J	-	-	-	-	-	-	-	-	4	_	-	-	_	-	H	ł	+	4	_!											-	-	-	-	-			-				
La Liven	H	-	Н	╢	H	-ŀ	- -	- -	- -	- -	⊹	-	-	- -		H	+	H	+	4	-	-	_'	+	+	-	+	+	+	+	+	+	+	-	+	-	-	+	+	+	+	-	-	-	-	_'	-	-	-	-	-	-	-	-	-	4	-	-	4	-	÷	0	-	-	-	-			-	-	-	-	-	-			⊦	+	+	+			-				
La Liven			H	+	-	- -	- -	- -	ŀ	- -	ŀ	ŀ	ŀ	- -	- -	H	+	H	+		-0.00	-	لب	Line	+		+	+		+	+	-	-					+	+	+						لب														-0.00	j.	į.	÷	-}	-1						-	-	-				⊦	╁	+	+			-				
La Liver	$\dashv$	+	H	+	d	- -	- -	- -	╌	- -	⊹	⊹	⊹	- -	- -	H	+	H	+	4		-	-!	4	+	-	+	+	+	+	+	+	+	4	+	4	-	+	+	+	+	4	4	4	-	-!	4	4	-	-	-	-	4	4	4	4	4	4	4		÷	÷	÷	+	-	-	-	-	-	-	-	-	-				-	╁	+	+		-	-	-	-		
La Liver	+	+	H	Н	H	+	+	+	+-	+	ŀ	+-	+-	+	+	H	+	Н	+	-	۷	-	-	+	+	+	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	-	-	-	-	+	+	+	+	+	-	-	-	-	+	+	-	۷	<u>-</u> -	ŀ	ł	+	-	ome	-	-	-	/www	Annual Control	Annual Control	m				H	+	+	+				-			
La Liver	1 1	+	H	Н	+		+	╁	╁	+	╁	╁	╁	+	+	Н	+	Н	+	+	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	-	<u></u>	H	t	+	+	-	-			•							H	t	+	+							-
1816		+	Н	+	+				-		-	-	-			Н	+	H	+	-	-	-	-	1	+	-	+	+	+	+	+	-	-	-	-	-	-	+	+	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	H	÷	+							-	-					$\vdash$	t	+	+							
1816		+	H	H	+	+	+	+	╁	+	-	╁	+	+	+	Н	+	H	+	+		-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		-	÷	÷	÷	÷	-	-		-	-	-	-	-			-	$\vdash$	t	+	+	-	-	reserve	To the	Moun	Manual	*****
1816		+	H	Н	-1-	+	+	╁	┢	+	H	┢	H	╁	+	П	t	Н	+	+	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-	-	H	t	+	+		-	e incom			-	-			*****	rena.	1	t	+	+		-	-				
1816		$\pm$	H	H	-	+	+	╁	╁	+	+	╁	1	+	+	П	t	Н	+	+	-	-	$\dashv$	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	$\dashv$	+	+	+	+	+	+	+	+	+	+	+	+	+	-	-	-	ŧ	t	Ť	1.000	-	-	-	-			-	rene			Γ-	t	+	7			-		-		
1816		T	Ħ	П	1	†	t	t	T	t	r	T	t	t	+	П	T	П	Ť	7	-	-	7	Ť	Ť	+	Ť	Ť	Ť	Ť	Ť	Ť	Ť	T	+	7	+	t	Ť	Ť	+	+	+	7	7	7	7	T	+	+	+	+	7	7	T	7	T	T	7	-	_	r	Ť	Ť	Ť		-	in to m	***	-	-	-	200.0	-		_	Г	T	Ť	Ť	****	-	ream	_	-	_	_
1816	- 5	T	IT	Ħ	1	1	1	f	f	1	r	f	f	1	1	П	Ť	П	T	1	-	٦	7	T	Ť	1	T	T	1	T	Ť	T	T	T	1	7	1	T	T	T	1	T	T	7		7	7	T	1	1	1	1	7	7	1	1	T	T	1	-	_	t	Ť	Ť	7	-	-	-	_	_					_	_	Г	ľ	Ť	Ť	-				_	-	
1816		T	Ħ	Ħ	+	+	+	1	t	1	r	t	r	1	+	П	t	П	Ť	7	7	7	7	1	Ť	7	Ť	Ť	1	Ť	Ť	T	T	1	7	7	7	t	Ť	Ť	7	7	7	7	٦	7	7	1	7	7	7	7	7	7	1	7	1	1	7	7	-	Ī	Ī	T	7	_		-	_	-	-	-	-	_	_	_	Г	T	T	T	-		Water 1	James	-	_	
1816	en ordered to	and a	jests	tack.	and lan	ala	Han	( Lane	Lance	, Barre	Land	Lance	Lance	Harr	: Han		14.00	, est	Mar.		.014	ion	-014	240	40	242	Mar.	Mar.	4	Mar.	40	240	240	mj.	242		242	spec	Mar.	Mar.	242	2040	2040		-014	-014		mj.	242	242	242	242			24		mj.	mj.		.014	NO.	AND	den	3-den		pate!	And	440	jakt	108	tes	tes	Phot	William		200		-	-fra			_	-	-	-	112	
1816																				_	_	_	_	_	_				_		_			_	_	_					_	_	_	_	_	_	_	_					_	_	_	_	_	_	_	_					_			_					-				_							_		_	
		reeque	Towns.	777	mp.	epe	-	-	7=	7	7=	7=	7=	7-	epe	m	Ţ		-	7	MINT	-	-	7	7	-	-	-	-	-	7	-	-	7	-	-	-	770	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-7	7	7	7	7	MINT	PSH	per	ne.	mju	-	ener.	-	_	-	_	=	=	=	_	-		_	7	_		-	-	-	- 1	-	-	-
aprilo Voucher 9h 198		4	Ш		4		1	L	L	L	L	L	L	L	1.	_	1	Н	1	1	J	_	_	1	1	4	1	1	1	1	1	1	1	1	4	4	4	Ļ	1	1	4	4	4	4	_	_	4	1	4	4	4	4	4	4	1	1	1	1	1	J		Ļ	1	1	4	۷	_	_	_	_	_	_	_	_	_	_	-	Ļ	4	4		_				_	_
\\\lambda_{\rightarrow}\ \lambda_{\rightarrow}\ \lambda_{\rightarrow		4	H	Ш	4		1	L	L	L	Ľ	L	-	-	- -	H	1	Н	4	4			4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	1	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4		_	Ļ	1	4	4					_	_	_	_	_	_		ļ	Ļ	1	4						_	_
	$\rightarrow$		H	Н	4	1	1	1	-	1	Ľ	-	-	1	1	4	Ļ	н	4	_	Laure I			4	1	4	4	4	1	4	1	1	1	4	4	_	4	1	4	4	4	4	4	_			_	4	4	4	4	4	_	_	4	_	4	4	_	Laure I		Ĺ	Ļ	1	4	_	_	_	_	_	_	_	_				-	1	+	+							
		+	Н.	H	-	+	1	L	L	L	Ľ	L	H	1	+	4	+	H	+	4	_	4	4	4	+	4	+	+	+	+	+	+	+	4	+	4	4	+	+	+	+	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	_	_	<u>i</u>	Ļ	÷	4	_		_	_	_	_	_	_		_			H	Ŧ	+	_				Local.		_
	-	+	+	Н	+	+	⊦	H	L	H	Н	H	Н	H	╀	4	+	H	+	+	4	4	4	+	+	+	+	+	+	+	+	+	+	+	+	+	+	₽	+	+	+	+	+	+	4	4	+	+	+	+	+	+	+	+	+	+	+	+	+	4	_	H	÷	+	+	4	_				_	_	_	_	_	_	-	1	+	+	4	-		-		_	_
	+	+	H	+-			-	L	_	-	Н	_	H	-	-	-	+	Н	Ŧ	+	4	4	4	+	+	+	Ŧ	Ŧ	+	Ŧ	+	+	+	+	+	+	+	ł	Ŧ	Ŧ	+	+	+	+	+	4	+	+	+	+	+	+	+	+	+	+	+	+	+	4		-	ļ.	+	+	4	_	-	-	-								-	₽	+			-	-			
	$\rightarrow$	+	H	H	- -		╀	H	Н	ŀ	Н	Ŀ	H	ŀ	₽	4	+	H	+	4	4	4	4	+	ł	+	+	+	+	+	ł	+	+	+		+	+	Ł	+	+		+	+	+	4	4	+	+	+	+	+	+	+	+	+	4	+	+	4	4	!	÷	÷	÷	+	4	-	****		-				-				$\vdash$	+	+	4	-	-	-	_		
		+-	H	H		- -	╁	H	H	H	Н	H	H	H	╁	-	╁	-	+-	+	+	+	+	+	+-	+	+-	+-	+	+-	+-	+	+	+	+	+	+	+	+-	+-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	_	-	ļ.	+	4		-											-	╁	+	-						
	+	-	H	Н	- -		╁	H	Н	H	Н	H	Н	ŀ	ŀ	-	t	+	+	+	-	+	+	+	ł	+	+	+	+	+	ł	+	+	+	+	+	+	۲	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-		r	t	+	+	+	-									-	_	H	₽	+	+	-	-	-	-		-
		+	rf	H	╁	+	H	H	Н	-	Н	H	Н	H	╁	+	t	+	+	+	+	+	+	+	t	+	+	+	+	+	t	+	+	+	+	+	+	۲	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-		1	+	+	+			-	-	-	-	-	-	-	-	-	1	t	+	+					-	_
	-+	+	rt	rŀ	- -	╁	H	H	Н	H	H	H	r	H	┢	-	t	+	t	+	+	+	+	+	+	+	t	t	+	t	+	+	+	+	+	+	+	۲	t	t	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	4	۲	t	÷	Ť	Ť	-			-	-	-	-		-	****		_	t	+	7		-			-	_
		+	H	rt	+	+	H	H	1	H	Н	H	٢	H	┢	+	+	+	+	+	+	+	+	t	t	+	+	+	t	+	t	+	+	†	+	+	+	۲	+	+	+	+	+	+	+	+	+	†	+	+	+	+	+	+	+	+	†	†	+	+	+	j	H	t	t	+			-	-	-	-	-	-	-			-	H	+	+		nder to		Ten co	-	*****
		+	rt	rt	+	t	H	H	П	Н	П	Н	d	H	H	+	t	. +	t	+	+	+	+	t	t	+	t	t	t	t	t	+	+	t	+	+	+	۲	t	t	+	+	+	+	+	+	+	t	+	+	+	+	+	+	t	+	t	t	+	+	+	Т	t	t	t	Ť			-	Teach	Trace	Trace	-	rentre	-	-		-	t	t	7						
		+	ſΤ	πħ	1	1	П	7	П	П	d	П	d	-	-	-	t	Ť	t	1	1	1	1	t	t	T	t	t	t	t	t	t	t	†	T	Ť	T	H	t	t	T	Ť	Ť	Ť	1	1	Ť	†	T	T	T	T	Ť	Ť	†	1	†	†	1	1	7	Г	Ī	Ť	Ť	Ť	-	-	-	-	-	-	-		-	-		_	i	1	T		-	- barri	E-1-20	,000	
		1	Π	rt	+	t	H	H	П	г	rt	П	d	г	r	+	+	+	1	1	1	1	1	t	t	1	1	1	t	1	t	1	1	t	1	1	1	H	1	1	1	1	1	1	1	1	1	t	1	1	1	1	1	1	t	1	t	t	1	1	7	Γ	Ė	İ	Ť	Ť		-		-	-	-	-	_	_	_	_	ī	T	t	t	-	_			_	_
			T	寸	1	T	П	П	П	г	đ	П	П	г	Γ	†	г	t	Г	Ť	†	†	+	t	t	Ť	Г	Г	f	Г	t	T	T	t	Ť	t	Ť	۲	Г	Г	Ť	t	t	t	†	+	t	t	Ť	Ť	Ť	Ť	t	t	t	Ť	t	t	Ť	†	7	ī	Ī	ŧ	Ť	Ť	-		-	nene.	mage	mage	-	-	_	_	_	_	Γ	T	1			-	-	_	_
		T	-	ᆎ	1	1	П	П	П	г	d	П	П	Г	-	1	Г	1	Г	Ť	Ť	†	1	t	t	T	Г	Г	t	Г	t	T	T	t	T	Ť	T	П	Г	Г	T	T	T	Ť	1	1	Ť	t	T	T	T	Ť	+	+	$^{\dagger}$	+										~₽	-	-				-	mone	-	-	PPRODU	raeron	-	1	1	7	-					
		Ŧ	1	1 1	-	1	П	П	П	П	ıΤ	П	П	Г	-	1	Г	T	Г	T	T	7	T	Τ	Г	1	г	г	Γ	Г	Г	Г	Г	T	T	T	T	П	Г	Г	T	T	T	T	-1-	-									- 1	1	1	T	Ť	7	7	١.	٢	T	Ţ	ł															- 1						
		Ŧ	+	+					1-+	-							1-								1	1	1	1			1	1			-1									- 1	-	1	T	Τ	T	Ť	Ť	t	†	+	t	+	+	Ŧ	1	+	-	-		T	in the	+	-	-	-	-	-	-						1	t	t	1	-		_			
		I	+	+	I	Ι	D	Ū	U	U	닠	0	9	D	I	1	L	1	L	İ	1	1	t	İ	t	t	t	t	t	t	t	t	t	t	t	İ	İ	D	Б	D	Ι	İ	İ	t	t	ł	Ī	Ŧ	Ŧ	ŀ	ŀ	ŀ	İ	İ	t	1	1	-		-		_			in the same	-	_	_	_	_	_	_	_	_	_	_		L	L	İ		_		_	_	_	-
		I			F	I	H	H	Н	H	14	H	9	-	-	-	-	+	F	1	1	1	1	ŧ	t	t	H	H	ŧ	H	t	t	t	†	t	İ	Ŧ	H	Б	f	Ŧ	Ŧ	Ŧ	1	+	+	I	-	I	Ī	Ī	ļ	1	1	1	1	1	-	1						Sampanopanopanop		_	_	_	_	_	_	_	_	_	_	_	_	Ė			-	_	_		_	_
					I								4		-		-	+	H	1	1			ļ	t	ļ		H	l	t		t	t	1	1	1	Ī		H	E	I	I	1	1	1	1	I	1	I	Ī	Ī	Ī	1	1	1		1	1	1	1			the state of the s		Second second second second	- Company	_	_	_	_	_	_	_	_	_	_	_	E	E			_		_	_	_	_
		I										5	E					1		1	1		1	l	-		l	l	I			t	t	1	1	1	I				I	I	I	1	1	† †	I	-	I	Ī	Ī	Ī	1	1	1		-						the state of the s		Section former from the second section is	Solitoria parameter parame	_	_	_	_	_	_	_	_	_	_	_			-			_				
																					1		1			1						1	1	1	1	1	1				I	I	1	1			I	-	-				1	1										the feet and and and and and and	decorporation of the second course of the second course of	The second secon						_	_	_	_	_	_					_	_				_
																		1								1						1	1	1	1	1					I	I	1	1																				the state of the s	Transferred consistence from from from the construction of	- Indiana de la constanta de l								_	_		_										

The Durang Low.	M. G. Derrand & t.M.  Start of Manager of Ma	Sheet No	Sheet No10.4_ Name Discharge Intr Etc Foo4- Address
M. G. Durand & FM.  2 19 12 2 vnole 1 12 12 12 12 12 12 12 12 12 12 12 12 1	M. G. Durang & +M.  2 191 31 20 male 12 19 20 don land out of any 31 " " " " " " " " " " " " " " " " " "		June 29 20 vonales ext & Sa June 29 by Ed wig 2m, 6027
M. A. Dinwiddie L. M.	W.M. Dinwiddie Ly M.		7. C. Durand &+M.  2-19-30 20 vnolu 14 77 July 31 2y LM Park 6 465 ang 31 " " 129 100 ang 11 " " " 6411
W.M. Dinwidde LIM	N. N. Dinviddie LVM		
	May 31 " " " " " " " " " " " " " " " " " "		

100	Sheet No Name Address	 Desi	g.sv.Y.715	odely.	les One	Storag	v.Batli	iy Qinin	"Pakle Lan,	l.	7		Sheet Name		- Su	ezfor/sti	andara	l Lypers	Iou Ossa	de .		///
Jan Jan Fel	- 3, Z.	Vamber	124	2950 21337 21320 51607	Jun 3 Eety 2		l. Edisin Ine		21287			1	Addre Self 3		chir	95		Det 3	so Lat	disinDnDs "	783 9370	5600
ma	v 31 Zo	Voucher	-120	12000	mar/3	и зу 54	8 Inc G	nr 1268	12000	,	•										A PART TO SERVICE STATE OF THE	
, and the second										tal races		in the second		A Section Control of the control of	THE RESIDENCE AND THE							
191	3		26	26 Dig								,	1914	-	Graftin	gOholog	raphii	Work on	Batte	y J346.8		
mu CiG,	y 31 20	Woucher	116	SV SV	may 2 aff g 3	31.Ay L	t MÎm	- 1244 79.40	100			· ·	Oct 3.	, Van	her	109	17 163	Oct 3.	88.	g bo In	918	1746
		and the section of the section of the section of																	-			
/			Srawing	y Refe	unce/o	Tables/	-						1011	Sicy	los Cline	ingClosic	in Si	tuffing.	Bull .	The second second second		
Jun	30.70	Lunker	1m	2666	June 1	733 ap. 6.	SB En	har year	2666		,,		Nov 30	Tom	her	21				8.B.C. Som	Not	1178

Britan CT

-1	System at Salver Lake,		Sheet No Name Address		Jie #3818	
Mor 30 Lamber 109 11. Dec 31 157 53 Capel 20 " 20" 51	156 Hor 30 & & & & & Sur 958 95 Dec 35 960 9 960 9	11886 5895 5610	mai/31	Unwher 191	2 kg mar 3, 3, 3886	10 Lor 9606 24
1945 Supper Dipper	g Solution 12024	501	1915 May 31 2	Sandar 191	Lie #3850 X 3767 May 24 Ch 1	2. balon 9508 37
Flish 28 Courter 147. 27. 27. 27. 27. 27. 27. 27. 27. 27. 2	501. Jely 25 By Median Suchmaggis 450 Mah 31 " " 976 0 199 May 31 " 10013	45°0 199	Upr 30 May 31	" 252 152 190	3747 May 2, By Ch. 1. 377 May 2, 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	8 booking 9808 37 9933 21 4 toolg 24
-					is ,	
Man 29 Lowher 26 171 72	By July War Marcor By ldBlo Sur 9807	7825	1715 Man 31 Copr 30 May 31	Loweler 191 272 272 293	2687 Mar 21 Dy ESB 384 Gfr 30 11	60, Song 814 26.

(MI)//a		The state of the s	B.		
Sheet No			Sheet No	-	11.
Name	Lie		Name	Die	
Address	Lie 13000		Address	Lec 18916	
Mar 31 Low	0	16. In uses and	Juny 31 Con		In- 10058 63.
Cyr 30 "	Sur 171 7191 Man 31 By E.A.	16 Just 1809 7191	Juste 30	" 62 366 June 20 "	2m- 10058 637
		A CONTRACTOR OF THE CONTRACTOR		Ler 793 63/ May 31 & 6 B & a 36 June 20 111 12 July 31 137 6270	
			July 31	not 5m	100
					The state of the s
					100
				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
10.00					
			e e e e e e e e e e e e e e e e e e e		
1 /	Led for Swamp Juste	R	400	Die hand	
apro Juni	her 24 708 Cope 30 Edicas S. A.	010	Junião Von		a In 1000 4748
"	her 211 908 Cha 30 Edind S. L	Sondar gall good		her 67 386 Juny 30 84 5 8 8 6 137 626 July 31 37 6 28 1 8 8 8 6 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	a In 10802 4778
			July 31 .	256 281	
4					
			4		
1915	Lie 1380		1910	Die 43 85 14 So St 1 So St	
May 31 Louch	13851 188 206 May 31 - 651360	Ina 1001/8 11851	July 31 Zom	her 46 132 July 31 81B do S.	10198 1161
*	243 116/11			7029	
			<b>Y</b>		
			Zeros de la companya del companya de la companya de la companya del companya de la companya de l		

× .

116 Sheet No .\_\_\_ Duic Die Hogge Drawing Board # 4139. 20 Cin 931 Edwin Chun Hakalin 10018 151 Cope 19 9a. Edinador 11xx Drill Doled in Physicson Drade Bryg fiefel er 179 20 Oct 3 Educthon Holden usal Brief Jop Bare & Sop Olate Juffamond Grindey Much. Dearnord Die of Chop Inc Louble Baker Vanter Estand # 1113 212 How 30 Frm Line robal may 31 Voucher 135 1864 May 31 RG. E. Inc. In 11389 1866

Double Baker Vawler Vaude -1- Esperimental asperimention \* 25 Esperiment to Cheaper Colored Photography 1983 Graphiting, Maching) 2123 Costs of drope 30 Veneper -2 - Electric motor for 26 Electrolytic Supports Esperiment on 1411 Wireless Telegraphy 1980 Buriness Phono. #2145 Edison Charles Lom 1070 Esperimental work on -3 - Esperimental work 27 Edison Jr. Thog a. Coloring Cementis. 1970 on Obonography \$ 2174 Exeriment on Gells 7 2 rements on filaments - 4. Electro Plating Copper # 2156 Electric Controllers # Esperiments on filaments in Incandescent Lampa \* 1963 Experimental Works 29 Equip-Hydrate DEpt Experimental work on -5- on Kinetoscopes #2161 Experiments "Ross # Special Dynamo # 1954 Esperimental World 30. Edison Theodore Ltm. oppeined Dynamer # 1954 Coppenmental (Mont) , 30 Calmers Hazore 2 1711 Coppenmental Research or -6 or Ormany (Batteries) = 16 - Electric Mazore Inc. the Edien of John in-Coppenment or Illady 8 2 34 Lephith of Northern the Edison effects in 32 Edelhauser H. Lom Incandescent Lampa \* 1953 Experiment Charging Batteries 12,92 Educational Motion Picture + 313; Experiment on Radio activity of wanium # 1949 Electric motor 33 Electrical Opparatus -8- e 1/16-1d. P. # 2172 Chilit Latte to be repaired Esperiment with Vacium Deposits of metala \* 1939 Edison Busines Phones Exeling New Chemical Hant of S.L. # 129 Drawings Con Runway between 196142 34 Epimahtal Workow bo Volt Meter #3298 Experiment on Experiment on Elec ( \$2205 Experimental Workon & Station \$ 3521 Fluorescent Salts for lime 30 Vancher 105 1667 June 30 918 She 35 Cheumental Monton Metroycle Battery 1 228 new Lamp \* 1914 & 1915 Delivery Wagon -10 - Cotracting Machine # 22 1 Lapurimental Horkow Mickel Hydrale #3053 Experiment on Chalk Reproducer \$1917 Experiment on 37 Experimental Hork on Determination 53 Experiment-making 11 Water Proof Paint \ \$2225 of Jantalum Substitute for experience 1991 Estacting Mach for 38 Exercisental Horn Edison Mrs Thosa a. 1 12 10 412 Sinc Record) 2223 Head hey it 38 Experimental Work on Locomotive 53 Labor & material for I Cemerson Chas! Experimental Work on Buctimal Edison mfg Co, Labor & marial for 2 om 101 minghous for Teinedispatiting 13363 13 Espenses of Business) Cramination Meccuary Repairs Esperimental 14 Phone - at n. y 101 on Hudson Runatout Battery Leating # 767 Esperimental Esperiment on 15 Moule 39 Colemnatal work in connection Moreld \ \mathrace \text{222 beneth mach, Forto Kguith at Q. at \ 3392 on a \ Electrotype Mercury Opide Chous 3473 Reproducer # 1987 Erickson a Edison Storage Battery by L +m 101 Experimental Work on Ford Cula 16 Egyupoment, to Marke \ Egytleth on changing for highing 100. all Insulating Company 102 tops action Labor & material for } Sise Mould Holder Gugs Edison Chemical Works Labor & material for 17 Experiment, on new Dopal 506 dison Madeleine Lucido Voucher 108 75375 fune 30 ME fue but 11510 for Plating Drump 1227 Expedit to Level of arrangement 107 Edison Phone WK2 2909 Fucy 31 18 Esperimental war on 3 300 of bells for Motor Cycle highling 355, Labor & material for Esperiment on Kinetoscope dilma # 1988 Experimental Work on 10 r Electric Welding Markine perment on Contenty 20 Burness Phono - State Specimental Work on While \$355 of for Conveyor Belly \$4 2010 Experimental work on 10 Sightenmental Work on 10 Sightenmental Work on 10 Sightenmental with the property of the second second work on 10 Sightenmental work on 10 Sightenmental work on 10 Sightenmental work on 10 Sightenmental work on 10 Sightenmental work on 10 Sightenmental work of the second second work of the second s Experiments on Cements Edison Port-Cement bg 4 21 Diag Phonograph 1 Speciment ordnsulating bells 13571 22 Cepermental Work on 40 Engineering works mad for 23 musical Phonograph 3300 Hur Hipeler Studion Estracting Records 1 by Vacuim Process 1 2056 Edison Ing Thop Al Exp. Work 1 Test for Mi Jule 14366 " Loading Machine S Equipitated Speed Limit ? " Dericus ? Motor Cycles ) . 2066 Esperimental Work ynchronizing arrangeme Edison miss madeling on Kingloscopes. 7777 100 Experimental Work 43 poller to Il Myes Chon Edison W. D. on Brimary Batteries d. + m. for

Experimental Work on Sierfor 110 beimpingsum Tockels 18698 Experiment onelliqueting 551 Sondoniellem la pholodicodosph Mrs Thos a. Edison Experimental Work on July 31 Brong St. Forward Electrico Molev Caner 24m In gras Exterimental Wood work 110 for Lecord Edging Machinet 3749 29 Entringenal Clock, Blowlownest #5789 Experimental Work on Carbolis Experiment with on Calorie 13979.
Experiments I starter Battery 13959.
Experiments Clast Spay 4 N 18999. 2003 Edes on Akof & O SYM 2681 4334 Engineering the permisent Hickory Sogo 12576 Experiments on Treparedness Count 4 Total Coffee 9700 Equip 10 Tord Cars of Recent Managely North Epimontal Merke on Bussefor Beading , 40 % Edison Manding Dir Operating 61 Estament of Sie Read Motor 1 119 Septement of the Court of feeler 1 1116 1
land pack of the Court 1 116 6

" I de like the little from the 1116 6

before and the keeks with the little 1 1115 6

before and the keeks with the little 1 1115 6

before and the keeks with the little 1 1115 6

before and the little little and the k 450 for Hay Dir. Edward Willing Blank Mould Core 115 nm 30 Thereto Sie 1 Charing them 1443 and 1444 and 144 2000 Typ. Work on Pheren 4199 That replating the legges am 4167 3209 88 3478 112 2250 3192 7502 135 152 45 108 136 138 Dely 25. 65 1840 7621 144 mar 31

	Sheet No		0 1			, in wis		Sheet No			A STATE OF THE STATE OF	THE TRANSPORT OF STREET	TO THE RESIDENCE OF THE PERSON	. S.O.	tarit.
	Name Address		Moshos	4. Edison	L+M.	100 E		Name Address		Wrs. Ah	rs WEde	ion LY I	76		anV.
E	(m 3 o	Toucher :	21 21 4	19 Ghe 30 899 May 31 01 June 30 27 1 July 31 1765 Sell 3- 1765 Mr 3-	****	9953 2160 10066 291 10169 334 10769 260 10164 363 10516 3061		Hor 3.0 Dec 21	a	40 41 90 110 205 205	7310 L 1500 L 1500 L 1400 M 3674 M 1800 M 1800 M 1800 M	2 31 Ser 31 Sely 29 Sar 31 SAR 39	Etm Imr	10898 11034 11149 1145 11431	327570
T I	ay 01	# # # # # # # # # # # # # # # # # # #	148 50 131 151	139 Nev 30 439 300 570 1263 1263 1350 1850		106.56 3296				39 39 55 93 11V	3512 228 2935 290 1350 5181	ey-31	***************************************	757	7,77,60
	uly 21	# # # # # # # # # # # # # # # # # # #	63 1 175 7 151 7 152 1 153 7 251 15 47 5 3	3,00 4,92 0,80 600 000 7,70 4,70 4,70 4,70 4,70 4,70			Property of the control of the contr	Dely 29 May 31		126 32 97 126 35.	13.866 13.849 165 1700 179.77 170 13.01 25.50 73.40			EVELA - ETHE COMMANDE A VII ETHE COMMANDE MANDE ETHE COMMANDE MANDE ETHE COMMANDE MANDE ETHE COMMANDE MANDE ETHE COMMANDE MANDE ETHE COMMANDE MANDE ETHE COMMANDE MANDE ETHE COMMANDE MANDE ETHE COMMANDE ETHE ETHE COMMANDE ETHE COMMANDE ETHE ETHE COMMANDE ETHE ETHE ETHE COMMANDE ETHE ETHE ETHE ETHE ETHE ETHE ETHE ET	
a	g 31		107 2 108 5 256 5 27 19 83 96 3	970 938 97.9 97.9 98 98 98 99.8 99.8 99.8 99.8 99.8				Apr 30 May 31	H	119 126 62 87 94 48	15 40 15 40 18 80 17 17 6 17 17 17 6 17 17			The control of the co	
	hl 30 F 21		521 14 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20				June 30		89 93 173 131 43 76	8090 1 29 9720 19779 17607 1000 3120				
	r 31	#	35 5 37 9 1014 55 177 9/31 46 31	10 725 10 11 11 11 11 11 11 11 11 11 11 11 11		10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		July 31		19	1120 1120 1120 1140 1148 11498			D. A. C. C. C. C. C. C. C. C. C. C. C. C. C.	
		#	129 1/	100											

\_ iv 0.80.10

Sheet No. 14 Sheet No. Esperimental Battery Testing Name Name Address Address 1959240 1912 108.96 sept 30 By Easley Sur 700 Oct 31 """ 1982 11 Jan 30 " "" 8% 18, nor 30 Mar (31 apr 20 12-9 1,9,87,3 11 Oreld 3.0 06 Oct 3.1 239 Mar/31 19450 Gift 30 13.55 Mar 3 1 Cifu 30 May 21 

Sheet No	Shoot No. 16. Name Edison clorage Battery Cer L & My Address
	1911  any 31 Structure 19 19 19 19 19 19 19 19 19 19 19 19 19

Edison Storage Battery log m. Edwar Bloroge Battery Co. Time Address 8563 8676. 8815 321/3 95/9 96/10 9744 9815 27.17 90 95 176. 10019. 46.82 10/01 15% 1/22 ے' al 30 293 45 dijeil 1 35 1/6 1/2 Nov 20 Dec 31 

Sheet No			Name Edis Address	son Chemical Works Labor o	Sheet No17 3 mall for
Address			1895		
	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Dec 31 Zoverel	ur) 332550 Brok	m Jun 3240 2001
			Dec 31 Tovarel	116 12 Dec 31 2y 2+	" 3368 3 5 3 6 3 6 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
			4 4 4 4	117 6659 gan 31 "	, 3481 2612
			jan 31 " "	116 31 76 mar 31 "	" " 3679 3636
			Jan 31 " "	91 5265 June 30 "	" " 4126 3638 " " 4321 3638
				92 2633 ang 31 4	4590 3 17
			9 9 9	94 36,543	. " 4667 = 3 6 68
			Feli 28 " "	102 716 sept 30 "	" " 4784 3663
				103 1431 act 31 "	" " " "
			ma/31 " "	116 53 nov 30 "	" " 5082- 3778
			may 3 1 " " " " "	117 163260 32230 "	5000 3712
			ang 31 " "	118 36 22 8 200 29 119 17 17 19 19 20 30 119 17 17 19 19 20 30 11	55.6 7 36
			Imice	- 46672 972 Ros 30 .	6776 - 132
		A.	sept 30 " Vouche	110 1180 Jun 31 "	" " 17013 806
			act 31 "	115 8047	. /: .]
-4			nn 30 " "	119 377793	/   1
			DEC 70 " "	122 7.84	/ :
. 1			sill 29 " "	1/44 3 788 78	/
			apel so "	140 2750	
			Mars 30 " "	83 381,097	/ 1
			Jan 31 " "	104-169	3840
			apr 30 20 douche	96 17.0 May 31 " Ly 80 30 By 80 B	20ho Jm 4412 13
			May 31 " "	96 1779 May 31 " 21	m Im 7540 27
			June 30 " "	122 3000 Oct 21 .	1 " 7708 2
			OOC 31 "	122 3000 Oct 21	. 0/20 . 00
			2.777	84 100	" 10946 1
Lange of				84 100 apr 19 94 194 19	" 11296
	and the state of the same		apv30	9# 117	
1.7					
		100	1		
					1 : : 1
-					
			•	-	- 自相組

----

Sheet No.\_\_\_\_\_ 18\_\_ Sheet No .\_ Edison Phonograph Works Labor Material for Name Address ....5-5-95 . 103. . 104. . 105 99 100 . 108 : 109 113 118

		*			
Sheet No		Sheet No.			
Name Edison Phonograph Won	4 Long	Name	Edward Thone U	Ili Pun	
Address	2 +117	Address	- Dawow none a	orna d.C.III	
1910 Brokformand 134165 Brokfor		1915		7-15-	
June 30 Tolke of the 93 38719 30 30 Born	nard 125,526	Febr 28			
2232 July 31 " "	· 2459 2782		wher 146 1911 2	ely 21 By I M Som	- 9735 14503
aug 31 " " 100 2276 aug 31 " " 29 30 30 " "	26.7 29.76 2762 1808	Marsi.	1147 14309 1	ipr/3	9833 8498
ach 31 " 96 1524 ach 31 " "	" 2840 1524	akr 30 "	171 8163	Ly 21 By L M Son Yer 30	1000ch 11575
non 30. " " 129 1772 non 30. " "	3094 1772	May 31 6	203 11570	11191 1 11 11	10130 4223 1077 3201
See 31 . " 7 127.00 dec 31 . "	3238 1/273	June 30	111 348 (	un 3.1	10314 2789
4 4 4 4 116 152 gan 31 " " 116 1716 deh 28. "	3366	July 31	75 3875	1 A 3	10006 2788
116 1716 Och 28 4 4 117 70 mar 31 4 4	. 3482 1.474. . 3681 1.327	0.7	2006 31140	Cr 30 " "	10503 3572
" 119 140 apl 30 " "	3926		270 89 L	dec 31 " "	10730 - 2076
Jan 31 " " 62 123 9 June 30 " "	" 4137 2460	1 Sept 30	199 66	lyn 31 "	10981 10000
94 1309 July 31 "	" 4471 (4434	Q1 31	100 2727 th	ly 29	10992 21/2
Feb 28 " 96 " 25 ang 31 " "	" 4579 4400 " 4663 60	1800	177 2651		11077 5777
22-0-2 31 116 1277 4-47-30	4769 700	Nov 30	211 120 0	kv 29 " " .	1120 2 460.
mpl 30 " 115" 2536 Oct 31 " many 31 " 117" 2565 Mel 29 " lumb 20 " 118" 3861 Many 31 " Out 31 " 118" 3861 Many 31 "	4881 400	Dec 31	212 31/2	(ay 31 " " "	11318 1126
may 31 " 117 2460 Dell 29 " 118 386" may 31 "	. 5944 176159	£1	775 103		11218 118-
	· 6047	I San 31	149 1973 149 81 See	ne 30 Youcher	11363 765 89 6000-
sept-30 " " 119 11460 ang 31 " " 1100 700 Nov 30 " "	" 6382 1779 40		1.1/c   1.0/m 8/L	.   1	11159 826
Och 31 " " 115 400 Dec 31 " "	, 1824 12	Jely 29	126 2064	1 / 31 Frank In 1	11771 302 119
may 31 " 140 761 00 Jan 31 "	1 1005 10	Mar 31	29 25		11.10
July 143	1 2 7 7 7 1		90 4550		
Mor 30 " " 124 17793		de la company	lak 119 1186		
- 155 121	/	apr 20	Buckstank 119 765		
Lehy 28 " " 124 1182		" 30	erature sto out		
1977351	177751		Court Many get 740		
Mar 21 2 Lowelor 120 425 Mary 21 25 87hm		May 31	Electrica 135 518		
(Mr. 311 11 11/2 10 (1/2) 9 4m	2 Showy283 425.		Const Mind 31 - 1120-		
May 31 " " 16 34 May 21 " " "	11 7531 30	June 30	Costins 108 876		
July 31 " 129 3194 July 31 "		e e	IN. 11414 6000		
Gedg 30 " " 116 18 Cling 31 " "	- 7927 58	July 31	Emer m 41 1182 mice en 70 78743-		1-1-1-1
Seft 30 " 109 39 Seft 30 - Von 1914 " 2+m	Im 8046 39		Concer 132 3211-		
Jan 31. " Unuber 124 48 Jan 31 "	2m 8016 39		Elatin " 32		
July 28 " " 134 146 Feby 28 " " July 30 " " 106 172 June 30 " "	. 8601 1.40				
Harly 31 " 136 50 Aprily 31 " "	, 9013 72 - 9115 750 9789 1155				
Coch 30 " 95 450 Deft 30 "	9289 1185				
Dec 21 " 151 1710 Dec 21 " "	9384 03				
1815 152 29631 Jan 31	. 9663 22876				
Jan 21 " 77 1098					
138 21923					

1 1 10 100 15

Sheet No	Short No. 2: Name Edizon Portland Cernents Go, (Labor or material for)
G G	1008  May 21 To Vencher 80 1741 May 31 By \$1 M. Inverse 170 1885  May 21 To Vencher 81 1741 May 31 By \$1 M. Inverse 170 1885  St. of Duncher 1 122 123 123 123 123 123 123 123 123 1
	Mar 31 2. Linker 118 25 Mar 31 24 11 Som 1793 25 Mar 31 24 11 Som 1793 25 Mar 31 24 11 Som 1793 25 Mar 31 25 Mar 31 25 Mar 31 25 Mar 31 25 Mar 31 25 Mar 31 25 Mar 31 25 Mar 31 25 Mar 30 25 Mar 31

21 Sho	et No.							0/ . 1/				40
Nan		dism Fort	land ben	nent ber	L 1711.		2	Sheet No Name Address	Experimental Wor	k on Musical	laylunder Sho	no. 15903
Deft 30 Oct 31 Dec 91	Drought from Vouche;  "" "" Leneral Exp. Voucher		350 Jen 735	14 3 Brought 31 2 1 1111 1	9576	7236		CAN 3 o Brong to Jo Van	Vorugard 371	90 apr 30 Beau	1. M. Journal 1. S. J. Jan 1501. 150	1007/0 5.1/1/2 5.4/1/2 7.4/2 7
Feb. 27 May 31 Chay 31 July 31		7' 10d 91 93 9d 105 181 93	you Dec	1.28. 4 2.31. 4 1.30. 4 1.31. 4 1.31. 4 1.31. 4	I Inv 9697 9752 , 9868 . 9944 . 10061 . 10257 . 10357 . 1139	55 51 200 65 700 10,		May 31 "	", 52 , 81 , 9 , 111 , 112 , 134 , 114 , 1	30 Ager 21 119 Jan 31 " 1 a Dely 28 " 1 1 1 " 1 8 Mar 31 " 2 0 Apr 30 " 5 0 hay 31 "		556211 22305 8303 1, 837 4,37,46,
Jan 21 Mad 21 May 31 Jun 20 July 31	* * * * * * * * * * * * * * * * * * *	90° 86 93 71. 90 13×	10 figures,	30 "	. 1189.	10		July 31 " " " " " " " " " " " " " " " " " "	711 129 234 148 179 148 199 199 199 199 199 199 199 199 199 19	016 16 16 17 17 19 19 19		
								Oct 3, ". Non 30	7 / 17 97 108 109 500 177 1/23 146 12 140 150	7 / 5 / 5 / 5 / 5 / 5 / 5 / 5 / 5 / 5 /	**************************************	
								Sec 3.1	7 111 4 38,0 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	85 7,9 68 55 68	SIGNATURE TO THE ARTHUR ARTHUR ARE AREA	
								Jan 31 " Dely 28 " May 31 "	. 159 3197 4 69 127 221 4 127 4 117 4 1 134 179	770 335 911 64 51 1	Territoria de la control de destribución de problèm de la control de destribución de problèm de la control de de la control de del control del control de del control de del control de del control de del control de del control de del control de del control del control de del control de del control de del control	
	All the state of t							May 31 "	" 106 136 136 136 136 136 136 136 136 136 13	25 21 72 44 05	Edulation was more profit (Table	

June 3 line of the power of the statement of the statemen	Sheet No	del Work On Musical Scylinder Shows,	Sheet No	Experimental Hork on me	uncale Constinued Thomas
Section 187 186 186 186 186 186 186 186 186 186 186	June 30 Grought Toyourd 27 July 31 38 38 38 49 136 Cay 30 136 29 30 29 30 29 30 20 20 20 20 20 20 20 20 20 20 20 20 20	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Name Address  July 31  Left 24  Left 24  Left 24  Left 34  Jun 26  Jun 37	here 9 30 hills 1, 1 14 38 x a (6) 21 15 38 x a (6) 21 16 39 x 6 x 6 17 16 18 26 x 3 18 2 19 x 2 18 2 18 2 18 13 18 00 30 30 31 31 18 00 30 30 31 31 18 00 30 30 31 31 18 00 30 30 30 31 18 00 30 30 31 1	10
	Sec 31 108 109 109 109 109 109 109 109 109 109 109	18 6 9 18 6 0 18 9 6	Mari 30 ".  June 30 ".	176 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	

				 											<b>16</b> -17										
	S	heet Ne												ĺ	11// .		Sheet No. 41								
			*														Sheet No	10			<del>_</del> .		0		
		ame ddress												1	J)		Name Address	Tho	mas	aj	Gdiso.	y en	e Lx	m	
H	-	-,		 		_				1		-	<del></del>						. `						
J	L			 1							14	Ш	.ļ		<b>20</b> 0/3		1911 may 31 20 Vone	les/	67	234	1911	1 8. 70	E. Inc In		
4	-									<del> </del>		+							116	3/4	2 040 2	0	9 . "	3912	7709
	+-					1							1				apl 30 " "		115	8416	may 3	f u	m	4112	502
							-					-  -		. 1			may 31 " "	į	117	296	Sala 3	/ "		4299	11,962
C	ŀ	+		1		+						Ħ	-	. 1			July 31 " "		112-	1706	andy 3		. "	4576	12,3-4
		ļ		1		Ţ				ļi		4					any 31		119	2060	Sept-3	0 4	" "	4879	1,59 47
1	+						<del> -</del> -			l		1		. 1	M.		N N N N		122	100		0	" "	5027	17873
	1	İ		1		1	III.										act 31 " "		110	1594		0 "	" "	5172	15-49
	-	1										++	4				200 30 " "		117 :	17,59	July 2	9 1		5460	3 1936
	ŀ	-		1		1	i l			l :	:: [:	H		1			и и и		118		mar 3	·		5591	37278
	i.	- [				1				ļİ				1			Jee_ 30		119		may 3	0 4	и и	5744	3847.18
	÷	· i			+			*************		†i-		+	- +		M i		1915 " " "		122	5944	June 2	9 4	n 11	ass	968
	1					1				1			ļ				meh 29 " "		138	1.537	July 3	н	n g	6235	1368
						-				ļ		-		- 12			man 30 ".		127	37443	sept 3	0 11	" "	6380	1-37
	1	1		1		1	Li			1 1			1				ape 30 11 11		142	2847	Oct 3	/ "	* *	6600.	43 7 8 8
		1				4				<u> </u>		.	1				may 31 " "		140	214	Dec 3	0 "		6766	157.57
1				ļ	1	+						-		1					145	36	Plane 3	1 "		6999	7337
		10				1	I. I.			11				. [			July 31 " "		142	4151	Bely 2	5 "	" "	7133	5012
		-		ļ ;			1			ļ			1				sept 30 " "		121	1			/	4	
				1		1							4				Oct 21 " "		94	1300			/	1	1
1						+ -	1			1							non 30 "		849	5000			/		
					-	1	t ir			100									124	1375				1 1.	
		1		1		1								į.			Jan 31 " "	ŀ	60	1000	- I				1.1
6		1			11	-				1		1			<b>S</b> II	•	" "		155	3337	1		/		
	٠.			1		1	mi							7			Deby 28 " "	į.	124	6.562		/		_	
	Ţ.			ļ			l			ļ <u>.</u>								F		6.5621	1	+-		++-	6.562,1
	ŀ				1							-	-			-	Mar 31 20 Vous	him 1	20	3380	1913 Mar 3,	L120	Im.	7274	3380
	į					. ]	L										Apr 30 " "		40	3.805	16003	d "		y Host.	3308
II .	-	1					1 - 1			1		4	1				Just 30 " "		120	3586	May 3		*1	7528	3300
						1						11	Ī	Ü			July 31 " "		54	37	May 3 July 3	, ,		7807	35 91
	+			ļ						1		-	4				0 30 1	1	16	3921	Ming 3	4 ~		7921	3310
	-	1		+	1		h			1		-1	+	8			Sept 30 " "	. [	09	3841				8145	3845
	-					1									1		Oct 21 " "		IVV	3356	Mar 3	o "		8268	8314
l	ŀ	-		ļ <del>-</del>						ļķ.			4	- 1			Nov 30 "		139	130		1 .	1	8393.	4159
	1			 T						lt			Ľ.	2					dd .	3184	Dely 2	8 11	"	8596	3218
	-			 ļ	4.4		<b>.</b>			ļļ.		4	-}	. 6			pley 31		56	1159	mar 2	1 1	. "	8714	3840
	+	+		 +						H		th	+		I		Jan 31 "		201	3139	Chr 3		* 1 1 1	8797	3312
	L											I		. 8	-		Fely 28 "		29	1000	/			0710	709 77
	-			 		+			**	-		-			l		Mar 31 ".	"	06	3076		1		1 1	14.
	İ	1											1				apr30 "		116	3312					1991
	_				4	1						Ш				- 1 TO 1 and 1				[17]27			en ranker were en en en		
															•		<del></del>				نباب ا	4		1 11	Jakan Lago

Sheet No.	_				4
Name	Thomas a. Edison Low.	Æ	Sheet No.	Those a Edison Soil	Steel No.
Address			Name Address	C'Nos, U Dollson Soic	Nore
		'''	Dec 21	#233189	483488
May 31 Houcher	106 35 45 June 30 11 11 9006 3	35il 845	Coucher	- 206 660 Jan 31 2411 Im	10798 10081
(10.0.31	136 342 Aprily 31 " " 9108 3	427	1	216 943	10809 12701
Chig 30 ". Det 30	91 236 Clest 30 " 9786	236		2211 10000/2	10879 1578
Oct si .	108 46 Oct 21 " 9381	177		226 78 tely 29	1001, 2429941
Nov 30 :		977	Jan 31 "	89 10086	11003 091
Der 31 :	109 50 July 21 " 9600 111	216		134 990 Mar 21	11008/ 1450
Dec 31	13-0 gr Mar 31 " 9553 3	777		135 4657	11079 50001
Can 21	106 153 /hay 31 " 10009 3	77.70 53V		11/8 12201	11080 90
Can 5-1	137 369 " 10039 8	7950	Tely 29 cm	1118 50 apr 29 "	11246 1314
Tely 28	138 141 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1509		120 1091, 29	11267 3117
	1111 5863 " " 10135 6	500		126 831 29	11713 79
Mar 31		101		delic 49 531	11399 194
	191 4014 1	1500		23hm 100 5000 1	11410 450
apr 30	25V 608 0 1 18337 8	179	26.	head 119 891 Jame 30 Vonet	W 99 74 8820
May 31	118 8950 Sept 20 " " 10dag 1"	37		Rens 94 A . From.	Seed 11496 750
1 :	136 66 11 10514	7.17	Aire.	March 12/57 "	1150 88
	180 36 do Nov 30 " 10616 1	·0309	4 1	whole 93 1006 July 31 .	11631 4408 84
		1266	May 31	" Ho Hoo!	11776 294
June 30		632	Qui.	. Wex 135" 80	11777 61
	58 9290 Dec 31 10738 2 296 75000 10913 229	1061	THEO OF Alice	Rus 135 914	11779 >61
	251 6634 10980 40	2000	Gun 30 Down	Ministral 7 765	11750 718
- Suly 31	4 3.8 7/1	. 7.18	Shie	Re 108 88	
	67 7500		Parl De	11463 6000	
any 21	32 130		July 31 am	dia 94 157675	
	113 359			" 173 171	
,			Acoup.	Prining 132 61	
Sept 20	199 100 100 57			Marc 132 264	
Oct 31	96 4411		Gii.	Buc, 13> 258 ( ) ( ) ( ) ( ) ( ) ( )	
	120 273		1	(D) 133 1140184	
Kov 30	50 11666		r - 1 - 1 - 1		-+
	124 119				
	108 . 68				
	212 02132				
Der 31	37 225000				
	179 4179 49				
			10.00		-
Visits and the	al and the state of the state o				To Millalicas

Shee	t No			 			Sheet Ng,				-76	Sires.	
 Nan Ada			 - Carried Control of		ngs al , partify	/	Name   Address	Erperim	untal Work on	Kinetoscop	2901	onella relata	
							24 Ja Bon B	CONTRACTOR OF THE PERSON NAMED IN	121711111111111111111111111111111111111	Drough Dorward	/	1 2 3	0611
							May 31 Brought	her 68	15 0	By Il & diem Incl	1 8889	1230	935
								103	630 Julys	4 4	9086	37	7080
						1	9	102	826 Deft 3	, , ,	9760	ا و ر 2 د ر	18 26
			 		. : -   -		June 30 :	115	33366 Oct 3		9351	, 4 / 2	790
		-			:		V	27	15/1 Des 3	/	9541	, 1 5 3	7300
		- April		- CARLONIA		1		71	232 Feby 2.		9699	1 5 %	95 9
		111111111111111111111111111111111111111		200		1000		91 91 92	312 Mar 2,	. Edun Thom lop	9763	2.4	5970
				1 .		1		103	25 Cepr 3	, , , , , , , , , , , , , , , , , , , ,	9917	2:	5260
		-   -					July 31	35	39851 June 3		10118	39	9911
				1		.   . [		38	3923			73 83	200
			an age of the				aug 30	136	13 7 8 12 9 7				
								79	1751		11-		
						1	Sept 30	79 90 25	13 72 80		1		
				100		1		28	200				
-								95	22664				
ľ							Oct 31	UU	86'				
							Non 30	1.15	157.95		l- i	,	
								79	380				
			 	- 1			Dec 31	109 47 126	1 4 6 6 9				
1		.		-				126	15006				
		1				4	Jun 31	138	10000		1		1
							Bely vg	29	7 /3				
								95 1147 116	12781		-		
		1						116	127181	*** *** * ** *** ***	ļ ļ		
				7700		-	marles	46	2620				1
		200					apriso	171	23365		1		
								252	26260				
							May 31	50 135	20		1	-	
	1						 June 30	293	39914			4	F
 -				 +			July 31	293 251 93 256	735		H		H
$\pm$								236	16419468				N.

Sheet No. Experimental Nock on Kinetoscope! 19901 Sheet No. 43 Experimental Work on Brimary Batteries \$2902 Name Address To Vouche 6065 apre 30 J12 may 1261 June 4.106 4708. Sell 20 2 aper 29 37,9 87 May 01 Qct 21 11/ rit 115. 2/01/30 1625 Oct 21 Dec 31 Mar 21 94 45 May 31 2011/17 20 Vomber 120 3360 mar 31 By J.A. & In In 7256

43						(4.00 - 1.00 - 1.00 - 1.00 - 1.00 - 1.00 - 1.00 - 1.00 - 1.00 - 1.00 - 1.00 - 1.00 - 1.00 - 1.00 - 1.00 - 1.00						Petro di Americano								
K "	heet No		0		., ,	~	_					Sheet No							76	
	lame Iddress	(	Enperime	ntal i	Vock on	Grima	ri) Di	rlleries/	ngov			Name	Experi	mental	Works.	n Bus	inist Ho	no ,	o	٧.
Cipr 3	1		1						1	-		Address /grd		- Automotive		1914		#290		
Cyn 3	0000	owher	88	1003		(Dy 248.	Gredstore 4 "	7003	15489			June 30 Bro	ng It Bruaro	92	990135	June 20	Deough Do	unrd	10	70485
720.	*	9 n	140	3/3/	July 21	4 4	. ,	7649	18489				weiner	96 103	356	Chung 30	Dy MI Inc.	200 908 915 915		67148
May 3	1 .	*	14	2300	Dept 30	" · · · ·		8009	1051			Julysi		106	1079838	Oct 1		935	3 ,	847,99
		. r .	137	16104	1/254 30	2.2		8122	1650	i.		Z facy 31		3 35	2/4	Dus	, ,	951	8 14	545 63
June 3	20 a	*	41	2346	Ghr 30	" "		8481	3 / 8					38 48	350				1	
July !	3-0 "		179	2700	OF SI			9355	570					104	1370				-	
0 GF 3	ъ н И 1	,	109	1650	7									135	870					
Jan 3	21 "	*	127	5570	,							aug 31		136	113					
Oct 3	0		34	3 19/8	,						1			17	10					
														50	478					
				1							,			56	478 870 638 56					
														79	3079				4	
				1										81	1279				1	
					14.5							Sept 30		89	65817					
												Olejan 30		62 62	420					
											V J			94	1/90					
												Oct 31		12	13862					
														44	1397				-	
														73	102					
														106	1120					
														113	2226					
												Nor 30		11.0	37. 4 05					
												Del 21		109	59064					
									.	1				80	1000					
														126	1284					
			1											134	4073		* *************************************			
					-									151	11					
						İ			1	+	1				5 7 5 7 5 3					
	-			-	*				-	***********					-	-				++

Sheet No	ntat Work On Ruinese Thomas 12900	Slee Nan Add	et Na	ntal Hock on Quenius Chonon	
Jan 21 de Vancher 17 20 115 126	719 Jan 3 3 3 4 Columbor Sur 9 6 8 1 39 4 9 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.1	31. Von Lor 35.	3 38 Cet 31 Start Shim Maddine. 1913 Start 30 1920 1920 1920 1920 1920 1920 1920 192	10C18 77 9978 W.C. 79 978 77 1476 8
" 155 " 194 " 198 " 198 " 19 24 24 " 19	10 1 3 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	. Her	- 177	13072 (Kery vg. a.	10015 250466
" 1117 " 116 " 16 " 31 " 37 97 173	183359 147 16569 1073 1073 1073	The second secon	" 1/8" " 1/20" " 1/5" " 2/2"	7301 670 7375 73875	
1 178 171 171 20 11 201 178 31	1. 18 19 19 19 19 19 19 19 19 19 19 19 19 19	Control to the section of will see	" Ho 51, 95 133 720	17. 18.1 19.0 10.0 10.0	
May 31 . 50 . 59 . 135	6.40.77 3.60 2.970 3.70 6.70.70	Jan.	31 276 16 39 90 149 118	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
July 29 199 1991 1991 1991 1991 1991	8.60 28 198 - 188 198 - 188 198 - 188	area and a second	29 9 9 30 30 31 31 37 113	947 947 t 510 510	
aug 31 29	5 1/2 1 2 1/4 2 1/4 1/5 1 2 1/4 2 1/8 6 1/9	. Mar.	1,2/	190 190 190 190 105	
100 108 770 241 30 89 93	2 2 V 0 F 0 F 0 F 0 F 0 F 0 F 0 F 0 F 0 F 0 F		28 9.9 30 46 83	3 57 15 23 3 4 1 5 4 1	
175 127 161 190 190	738 65 66 67 604 736	The state of the s	16 129 113 115 115 115 115 115 115 115 115 115	5 1/c 7/6 6.25 2.19/1 7/6 21/6	
		- Gu	70 33 36	7 : 480	


Sheet No Name Address	Esperime	n la l	Hork on Que	, u es Chono	A COLUMN TO THE	Sheet No Name Address	Experime	ntal Work.	on Sint	hono,		Steet  Disco
ser 30 Von	ceher 38 "1	201	Typed ry E. P. Heter 2. May 31 Jane 30 " July 01.	1 1216 1 8486 11360 1 83535 11530 1 7467 11636 1 73333			Howard	276248	Det Brough	Borwarg.		2762
	" 16	1/2	June 30 "	11830 117403		3, 2.2	when 28	100	Nov. 31 By 9.0.	"L'Inclin	18121	3972
	. 67	3110	July 31 .	11634 73337			1 85	10 0	Je 31 .		82117	287
	97	693					1 10	41	Jan 31 "		8370	1/20
	" 95 " 21 /16	17 77					1 121	20060	tely 28 n	4	8576	W26
inej31	" 26	178	<u>.</u>			Non 20 "	1 47	3 3759 67.	Nar 31 "	n	8638	755
	30	170				"	4 49 4 144	74	yr130 "	·	10	1430
- III.	33 148	471	k l.			Dec 31 "	1 144	28010 1	May 21 1	dion Iredo	16 12	1 5 9
- 4- 4	19	7927 258	{				1 151	1 3 4 (		11	8984	245
	73	39				19/4	1 156	3 3,000 9	July 31	•	8984 9088	182
	93	2185				1914 " Jan 3-1 " Dely 28 "	127	3803 0 A 44011 U	11 3	•	9162	1377
	120	699				,	1 28	124	9, 50		7262	6575
-	178	784				*	, 58	37				4-1-4
1 1	135 11	17.99					1 76	25				
, m 30	88	306				y.	4 92	128				
111 20	39	586					" 112	1505				
	120	774					1 134	150				
	41 4	13316				mar 31 .	v 24	39063				
	14x	146	h f				. 66	10				
	76.	199				apriso "	106	18804				
	106	210				CGVV SO "	: 36	81			- 1:	
	107	11915				• •	. 60	2.5				
Cep 31	35	190	l				. 74	35			1 :	
1 i i i i i	39 40	38					. 81	7.3				
	140	333					93	J/L				
	1/3	68					115	14				
. 4. 4	Het	75				May 31 "	: 116	42852			<del>-</del> i	
	96	100				7	. 102	101				
	77	14534					. 103	1298				1
						11111111	105	1298	:			
							" 115	24032				
					· <b>II</b> · · · · · · · ·	June 30 "	" 27 71 97	2237				
						0	91	04				
			l				106	211550			1	1 7
					11.	. July 31 .	35	295				
						aug 31	136	295 17932 151232				+
						1 7   5	68	12				
					<b>17</b> .0		79	501				
						Sept 30	79 90 25 66	17246				
		-1-1-					66	10			7	++++
					· · · · · · · · · · · · · · · · · · ·		84	1771779				11.
						1 1		77.17				
												4

Sheet No Name Address	Inferimental Work On		Steet No.	Sheet P Name Address		Die Lämn 1994
Deft 30	177 17 19 19 19 19 19 19 19 19 19 19 19 19 19		68 5 9 73	alexa	17 3 2 7 7	1 1/6/08/22
Oct 31	Voucher 95 158814 Oct	31 Thes a Edward med m 9359	1   4   9   13   7   2   5   5   1   1   1   1   1   1   1   1	Chips 3	1 2/ / - 1/2 1 1 1 1 1 July (1) E	31 Edward Them Hordeline 10501 175
Oct 31	" W/ 1/30 Duc	30 " " 9/51	721563		188 9x Hor	
	11 1130 Dec	31 , , , 9549	142905	O.F.	" 200 1757 19 Dec	31 (071) 18 25 1
	99 06 Hely	28 9701	5-14/12	2413	1/ 1/ 2/38 The by	29 10958 125022
Nov 3.	105 43 76 Mar	31 Edwin Chan wholny 951	y 3 4 3 0		. 11 1148	7 970 7 2 9 7 6
Der sy	109 70370 Cife	31 Cham Cham lobeling 9871. 30 9919. 31 9911. 30 10170	193932		" 75 Isl	
Decr 31	36 700 Hiny	3-1 " "7994	1/2539		1 14 600	
	19 48° Come	31 1 10211	64592		95 701	
	150 160 Cyng	31 " 10302	61521		101 173 11 171 3 G	
Jan 31	152 70600 Sept	30 " 10090	11773971		1000 1000 1	
Jan 31	14 1566			Nev 3	6 18 5605	
	30 1690				10000	
	137 151				77 240	
	138 27323				110 170	
February .	71 87322 147 51197 116 1130				130 180	
· · · · · · · · · · · · · · · · · · ·	147 51192			1 · See 3.	WIY 69371V	
_	1/7 2700	·		Jec 3-	1 " " 17 17 18 3 17 17 17 18 3 17 17 17 18 3 17 17 18 3 17 17 18 3 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	
Mar 31	36 646				" 40 H8	
	11/2 12/29 3 43 37 44 97 47 08 17 0 08 17 7 7 7 7 7 8 3 3 3 3 3 3 3 3 3 3 3 3 3		: -     - <del> </del>		" 49 1500	
	170 08				, VO 300	
~ ; · · · ·	17/ 1607 93				" 96 25.	
apr 30	24 114				141 200	
	70 20				rev 2823	
	70 20 87 977 182762 24 553				217 71	
May 21	132762				226 70417	
" Cary of	50 4011			Jan 31	20 182113	
	135			# 1 · · · · · · · · · · · · · · · · · ·	- 27 198 - 37 148	
-	173 296. 193 106939 11. 63 6902 1	+			. 39 8690 .	
June 30	63 6902 8	i li i			" 113 589 " 95 10	
0	129 58				" 95 10 " 127 56	
0.1.	251 98×19				127 56	
777	266 64466				13'12 (3)	
Clug 31	17 /30				1119 00	<del></del>
0	17 530 19 27 57 33 85 201	-		Febr 19		
	85 201				12/ 1675	
	99 84	-			20 240	<del></del>
	168 228 271 60416				29 19 30 13035	
Sept 20	89 770 182 441				31 1377	
	162 141		H-1		35 9060	
5 - 2     -	129 69			-	107 272	
2,35,34 3	153 29 43				10/10/10	
4.65 M. J. C					V 5 9.75	

Sheet No			Sheet No		7/ ve/C)
NameAddress	Seperimental Look on Lless Change	o d	Name Address	- Electric Controllers 12;	
Rahy of Un	101 191 19 2 19 37 1811 18 2 1811 18 2 18 18 18 18 18 18 18 18 18 18 18 18 18	11112 v 1424 14 14 14 14 14 14 14 14 14 14 14 14 14	Mor Broughts  Low 30 Broughts  See 19 20 "  Open 30 "  June 50 "  Open 50 "  Open 50 "  Open 50 "  Open 50 "  Open 50 "  Open 50 "  Open 50 "	toward 1976 197 197 18	Description 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Mary 31.	"		Horn 30 ""  3 for 30 ""  3 for 30 ""  4 for 30 ""  4 for 30 ""  4 for 30 ""  4 for 30 ""  4 for 30 ""  4 for 31 ""  4 for 31 ""	100 1119 130 130 130 130 130 130 130 130 130 130	
ily 31	101 (1357) 101 (1357) 7 787 (135) 34 01 40 02 46 30 135 49431			<b>1</b>	
					14 14 14


	Shee Nan Add						enconaciona Nacionaciona		***************************************			-					* 1, 37 words read()	r.		a curpo nome non	Michigan and American				Sheet Name Addre		Experis	nenta	l U	/m k			-		Lightin	ig ?'or + 3.c.	rd Cl	uto		
														-								J.	1	S	9111 fek 3	·						"	Jan.					10000		-
										-							.   -	1	1								Souther		6.9 91 91		16	4	7	3/ 6	SAGaJ	noT	10.80	2.9 /	30	29
										1	1					- Control		1			1	7	1			+-			91	-									Н	Ļ
											1.					1			1							-			95		828	92		+		-		+	+	
	-						-							- 1		-	.   .	-	4			Ш		C	Oct 3	/			21	,	828	FS						11		+
								-											ě.		- 18								24		36	0.0		ļ -				Щ.	1.	
																			1		1								25		3.6	0.0							-	+
					- 1						-			- 1		1	. [	. [	Į			-				-			41		5	53						11		-
-				-   -	Heat											1	-	-	į	•	18								11		111	Zi						Ш		
								- 1								1	1		8								<u></u>		56		90	14		-				-1-1-	+	
				j	- 1			- 1			-					ļ.,	1.	.	1				į į						115	- ; +	4510	13		-				+	-	
					- 1			- 1								1	-	-	i i			1	ok epen	2	lov 3	0			186	- 17"	3500	2								
	i				- 1			1						- 1					1				100	<u>i</u>					166		10	20					-			-
					-						1.							i	t d	1902	7		H	(	a s	1			24		1.842	9						+		
į	- [				1		!			-	1								į	1	- 5								90		1 6	8						1	1	Ħ
-				ì	- 1	- 1	1.			ĺ	1			- 1			1.		-		11	.   -	ji					/	36		1.2	28						1		
					î						-								Ť				11		Jan 3	,		/	52	r:	2513	3,-						44	+	+
i					. [	ļ	. [	- 1								9	1		i		- 11		100	0	jem s	-		/	36		30	7						+	+-	-11
	- 1				1	-		-			i							1	1		- 11		8% 84		1.			/	36		ورجم ورجم وو دو دو دو دو دو دو دو دو دو دو دو دو	7					-		1	Ħ
	- 1				100		.				1.							1.	i		- 11		li .		cly 2	9			25		60	24								
į											1.										- 11					+			104		2 69 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	4							-1-	4
i					1		- 1							i				1	-		- 11		10			1			16		3	3						++	Ť	$\forall$
				1	-		- 1	-			1							1	ì			1	1		lar 31	4			37		100	15								
	1				. 1	i		ı						- 1		1			1		-11		in the second	17	ifn s	-			71		1900	8						444	-	4
-	- 1				1	.	- 1	-								1	Ι.		1		-(2)	S)-I							52		10 der	0					+	+++	+	H
1					1			ı												- 1				7	las a	4			45	- 13	580	3							1	
					1	.	1	-									1		Ē	- 1	-	74			une 30 July 3)	-		3	93		2351	3						44	1	Ц
į				İ	Ę		-				İ										Ш			100	2	,			51	/3	.456	70				A Company of the Party		+++	+	+
i	- 1			-	-	.	-  -							- 1			İ	1.				1		. a	JU 3			2	00	73	3/	8					T =	111	1	Ħ
İ	-				1					-				-					5			1				+				13	0 7 9 0	-							H	П
					Ť.		.							i					1			1				+-			-									1	₩	4
	-				- 5			. [						. [	-				i E			1				L						-					+	1	+	H
					- [	.	-	-			1			-						ily.		1:-										I								
	- 1				L																	-1					·			<u> </u>		+-					+-	1	-	H
.	-									1.							1.					1							7			+			<del></del>		-	1	-	H
	-				1		- 1	- [		1									j			1.									: .									H
					- September			-		1				1						1		剂				ļ			<u>-</u>	44		1		_			-			
. [	ſ				diam'												l. '	1		ŀ					+-	+					++							+	1	-
- 1	1				- 0													1 3		ı		71				1					-	- <del> </del>					+	+++	H	+
				1	- Sun			.			-							1 30														I							П	П
										1				-				100												+		+					+			П
					-					ļ.,,											Ш	1				<b></b>			-	++	++	-					+	H	H	+
+	1		 	+	-	-+		+		╄-			,	-			_			 	_#	_				L.				-							_	Ш		
-	-	 	 	-	- 5					1	1			i	- 3		1	1 5				1		- 1	1	1			1	1.1	1 1	1	- 1			_	1	1:11:	3	15 19


Experimental Work on Ford Center #3538 Sept 30



Sheet No	al Work in Connection of Machy Tools / Equif. Bourt State-	Stat No. Super inented both in Januarion" Muchy Solvy of Addies
July 3. Georgh Dyward 186 Aug to 78	11 19 19 19 Oct 3 Same H. Braversel 19 18 31 19 19 19 19 19 19 19 19 19 19 19 19 19	Tourse Jonepers 67 1950 of your of S. a. Long 1950 of the sound of the
5ept 20 19	400 July 28 9769 3 491 3	June 30 101 1 1970
00 31 35 36 36 36 36 36 36 36 36 36 36 36 36 36	150 131 150 150 150 150 150 150 150 150 150 15	
Nor 30 9 11 69 70 80	10 10 10 10 10 10 10 10 10 10 10 10 10 1	
(cc 21 36	100 100 100 100 100 100 100 100 100 100	
Jan 31 124 157 129 129 129 129 129 129 129 129 129 129	20 176 177 177 187 187 187 187 187	
May 31 177 - Cub 31 177	10/ 1/3 27/ 17/ 18/ 18/ 18/ 18/ 18/ 18/ 18/ 18/ 18/ 18	
apt 20 Vouchel 11 16	1123	

Experimentarin Squisting Condensitisfor Caylander Records 1 Sheet No.\_\_ Name Address 317 Cyg 30 73,10 Olf 30 17,10 Oct 31 08 Nor 30 1,8 4,80 25. 90 95 42 17108





Sheet Na,	-		The second secon	The second secon
Name	ii <b>l</b> '	No		Educa Thoma Hah Stode
Address	Name Addre	2 Lengusco	cering Supernsion	Cleun Thong Hor ho Trode
	Super 2	30 / 1 02		o Edwin Chan Ithal wood all
		14.	1/2/2 2 6/4/2	
	Od 3	37	0 651 25 Cet 3	1 Months 119 1
		1 1/2	V 84 Dec 3	1 100gh 1018 1018 1018
	Nov 3	177	y sugar Jun 3	1 10568
	1400	30 " 18	10193 Dely 2	1 Comper 31
······································		. 7/2	early Marie	Edward Fort 10966
	Sec 3	19	650 TLpv3	o Voucher to
		1 48	7.3 1.	Golim Olem 10/20 11 rock 1
		96	571 may 3	" " " "
		205	0 3036	
	I Jon 3			
		39	3-99	
		1/3	1966	
		1-195	2//	
	Jely 2	1 1118	30790	
		32	2000	
	14 - 14 - 14 - 14 - 14 - 14 - 14 - 14 -	84	2402	
	# H	. 87	305	F I I
	4 di	176	140.374	1 1
	Mar 3	1 9,	1050	
	- 1	. 16	202	
	1	2 51	450	
	II ii	" 7/	80	
		84		
	4 1 12	. 108		
		" 110		
		" 1/3	28	
		110	161/3/	
	an 2	0 " 17	000	
		" 36	5 65	
		, 37	1 191111	
		· 37	1/20	
		1 51	1 1750 2 11115 3 756	
		. 67	41111	
		. 9.1	6 147577	- - - - - - - - - - - - - -
	May 31	. 10	1. 911138	
		" 49	370	
			1697	
		n J/	1313	
		J9	32	
		93	788	
		110	688	
		178	1 26	
			1663 56	
		10 7	11.17.14	First 1
				- Jud

	Sheet No Name Egyptice & Address	ing 2	Lep	ierri	con	Eisen M	mo d	we	<u>/</u>		Sheet No Name Address	 Evperes	nental 2	lnk.	en:Li	id Ricord	(2) (2)	J	
-rait															7977		9-1-0-0		
June 3	Toucher	1 33 35 36	0 5 3 4	so fur	30	E. Phono John Co Vancher E. Phono Joks	11538 Ho 1165V	180	6010	. II.	mar 1	Uncher			-ha	race.	Shintpendelir 11080 " 11×70 " 11383		$\prod$
		23	300	7st Ju	Cy 31	Co Voucher	110	170	Far.		rear.	u e ice sur	14		apr	29 "	" 11×70		338
		30		130		Co. Offere Teks	11632	110	57,75				15	1	- O May	- 31 "	. 11383	13	738
		111	1 6	08			†	7	117	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	341		o person	30 .	11503	120	180
		1/2	1	21									1/2	350	: H				1
		0.1	1	21									86	1				+++	+
		100 .	1 6 1	46			1						113	12		+-+		111	+
luley.	31 "	3 /	1 2 6 4	5-0			ļ						118		2.9	11		111	T
	*	16		4/3						- 9			119	8911	7	1 .			17
		1/2		17			+			3	apr 30		34	894	1	1		Ш	
		1.3 1.6	10	182.		1	1 - 1	- 1	++				10	3	7/	<del></del>			
i		117		00		I	TIT			100			16		· Z			+++	+
		123		31					ALL LONG	3			161		60	++		+ + +	+
		1200		100			4			UB.			93			t-t		+++	1
		130	33	00			1					PROCESS AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE	955	3	7JF	1 1		77	Ť
		130	1200	10			1		11:1				94	322	3 J				T
				1-+			+		1	1	70		19:	1183				Ш	1
		1-11-		1-1-		1	1 - 1		11.7	3	Myry 31		7	3	10			44	+
		1		111	i i		1			8			32		8			₩	+
		1	1	11						2			37	10		·		+++	+-
		1		LI			100		. 1,4	. 🙀			5/ 6×	1 1	18			111	+
		4		1			1		4	E			73		/	J		TT	Т
						<del></del>	4 4 -		4				74	14.	12				
				+-+			+						86		ZŽ.			1.1.1.	
		+		1 1 1					- 1 - 1				91	139	9			111	
		1		1111		1				i i			150	3					+
1				1.1			1			, III			104	39		+		++1-	+-
		1		1 I I					.1.1				106	2	0	T-1		+++	+-
				1 1	.	1	1 .		1 1 1 1	2311			171	7.	20	1		111	†
				l I			1						178		20			-	I
		+		1 1			1 4			1 1			135	1687	9			141	Ĺ
				1-1			1			·	June 30		1	0 , 0 3	注			44	+
		1	-	1-1			1		H-t-	1			Ho	64	4	tt		+++	+
		1		TT		T	1		111	1			62	1687 1025 61 20 20	7	+			÷
				1 I I			L						76	20	,	1-1		tt	ti
				1 I			I						108	15660	(-)	1-1		111	T
				ļ <del> </del>			-				July 31		2	16052	4				П
				H-+		ļ	+		-1 -1		0		13	100	0	L		Ш	
		+		<del>     </del>					+				14	//2	7	ļ <u></u>		444	11
		+		1-1		İ	1+		-1				17	44	4	ļļ		444	++
		T		11	-1		1			di			21	150	-01	<del> </del>		+++-	H
				I. I					II i				35	56		1		+++	Ħ
		1		1			.  I	. : L					141	76	0	1-1		111	T
		4-4-4		1-1			-  -			0.71			UL.	176			Č	TIT	П
				+-+									48	1/12	-0		į.		
		+		+		+	+-+	+					69		4	1		11.	4Ĭ
		+	-1:	1-1-						· · · · · · · · · · · · · · · · · · ·			90	14/	9	<del> </del>			+
							1						96	11/1/		+		HH	H
													100	6746	0	+		++-	+
		1 1 1								E a servicio con con con		PASS STATE WINDOWS STREET	-			-	-	4	4


Name Address						Sheet NoNameAddress	En	kerin	nents- Asst s	Suy U.S. H	·.	
up 3, Va	ueher 112	150 Jes	31 96 Che Sin Ray 11663	7 9 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	, 2,	Get 31	Yourker 200 24 39 39 41		13 77 1916 Jan 81	Unacher		T
	. 132	212038		6 7 9 6 9 3		Cet 31	Jourher 24		38 Jan 31	downster	V0	11
				H. I I I I I I I I I I I I I I I I I I I			• 3.9		9115			П
				itiliti ta ta ta	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		511		180			
							1 97		319			
							108		2/0			
					H	New 30	17.7		157 9.9			
	<u> </u>					2022 20	11.6		02		тĦ	
				11111111111111111	W.		5.6		670			
							74		1200		<del> </del>	
					A STATE OF THE STA		121		153	[		+
			4-1				7/2		116 29	THE OF THE RESIDENCE AS A CONTRACT OF THE RESIDENCE OF TH		I
						Der 1	/_		22	ļ		- -
							122	1	9500		-H	+
			4				226	1	447.89			I
			+		Section 19 Control of the Control of	Jan 21	19		9~2			+
					開報		100		1969	ļ	++	+
						Dely 29	30		1969			+
		++	+ +		W 11		71		S.A			T
- 1 - 1		11:					71 98 112	j.   .	140	ļ		+
apad a				4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3		112		160		/ <del>i-+</del> +	+
			<del></del>	4444			126		21444			-
		-1:			- H ii	Mar 2						+
					18.8		J-0.		100			+
			+				112		266 600 5049		111	1
		did t		Harry or or			60.50 11 GH	Ji	450 gg			-
				ittiti	F-1	Gar 20	<i>91</i>   <i>91</i> L	1	99239		mh	+
			.4									1
			4-4	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4								4.
				that there	7						-H	+
				- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								+
		+++++										I
			1	11	· · · ·     · · · · · · · · · · · · · ·							- -
												+
				H-H-T								T
				++++	- 1			ш				- -
								+				+
++				11111								1
++				<del>                                      </del>				Ш				Д
				HH				+++		<u> </u>		+
				HIII								t
			++	+							$\Box$	P
+		<del>                                      </del>	<del>                                      </del>	HILL	· II			الملا				4

Sheet No. Laspeniment of Deed Becord Mily Dor 23 86 119 (c/2v 30 115° 54 67. 73 86 93 95 94 May 31 11: 76: 79: 30: 48: 52: 5d: 2366 12: 73: 74. 91. 109 121 178 7146J 635 700 540 102 1 21 1785 34 11 1/31/04


Shee No.


Name Experiments of Siece Record My Ser.

Address Vo. 1985 James 30 Make Bunkmarini V 10 87 James 30 Make Bunkmarini V 10 87 James 30 Make Bunkmarini V 10 87 James 30 Make Bunkmarini V 10 87 James 30 Make Bunkmarini V 10 87 James 30 Jam Sheet No. Cognificent for New Dilm Stant July 31 Voucher 




Sheet No. . Experimental Fronken Seed Mould Making you londing the Name Mur 31 apr 30 Mary 31 13640






Month Cost of date of the state Sheet No. Sheet No. Edien Moice Phriting Blank Mould Cores 133V 3568 5080 Up 2 30 May 31 June 30




Sheet No. 13 x 18 flow 19 Tolan Chamber 123 x 18 18 10 x 18 1 1 20 h 1 70 75 93 135

Sheet No. Experiments on Prepared new 135

Sheet No .\_\_ Experies of Clearing House Name 94 125 32044 49 53 95 58 59 60 11676. 





Sheet No.\_\_ Name Experimental Work on Thereol.

Sheet No Name Address	Sheet No. 50.  Name Experiment on new Dope for Plating Dunne # 2273
	1911 28 To Voncher 102 1,000 Teld 28 By Essela Sun 3459 30 132 2000 Mar 31 1 3656 132 135 132 111 117 5388 111 117 5388 112 118 118 118 118 118 118 118 118 1
	Thomas a Edien Ja & My
	25 28 28 28 28 28 28 28 28 28 28 28 28 28
	1 21 30 20 Marcher 61 20 Cing 31 By Hom Dur 1991 1 152 63 Col 24 1 10350 63

	· · · · · · · · · · · · · · · · · · ·	Species		
Sheet No				52
Name Theodore Edison Lom		Sheet No		
Address		Name Enperimenta	Work on Molorcycle Ballery 132.	
1912		Address	(J. #.32.)	8.7
may 31 To Vouche 45 2603 may 31 By Long Son 5973	26.3.	Mar 31 Do Lowher 120	11637 Mar 31 By 68 B6 Ing year	11.1.
sept 20 " " 129 1.05 ang 31 " " 6412 12 12 12 12 12 12 12 12 12 12 12 12 1	105	Marst So Courter 120	11637 May 51 Dy 6:0506 Sor 1720	- H.6.57_V
Her 30 " " 124 111 Nor 30 " " - 6286	111 1	H.		1
Deg 31 " 155 1/29 Deg 31 " " 4 690"	1/29			
District 155 1/4/ District 1 1 1 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1	101		``	
M 3637	2637			
Que 30 " " 140 686 Chr30 " " 1429	675			
June 30 " " 97 121 Jun 30 " " " 7694	11.118		·   · · · · · · · · · · · · · · · · ·	111
July 31 " 129 59 Sept 30 " " 8059	761			1
Best 20 " " 109 761 Har 30 " " 82811	318			-
Nor 20 " " 48 348 from 30 " " 9026	12/4			
June 30 . 106 314 Juny 31 9678.	1.48			-
Gray 30	017/3			
They 28 " " 11/19 " 75 Cyler 30 " " 99511	24	<b>(_),</b>		
Mar 21 " 1/1 13 June 20 " 10174 Chr 30 " 10186	1628			
June 3 a " 251 619 /20 3- " 10 dec	5 SASA	<u></u>		-
Jan 30 . 15 1638 Dec 31 10773	15366			
Dec 31 . 22 1823				
Soldie " Experimental Work on bo Wolt motor	İ	.0	all in the second of the secon	ale tri menase
	7,7	1913 So yherimental.	Horkow Hickel Hydrate 3323	
Mar 21 De Zoucher 26 2201		Mar 31 20 Loucher 120	900/ Marisi By & 6 Who In 1988	900
#		Cyr 30 " 140	1326 Upr 30 11 7 NO9	1326
118 60				
III 430 448AV	17			
apr 30 1 11 132 17831				
May 31 " " 31/ 33/160				1
June 30 " " 118 1109				
120 15116		10.10		1111-
July 31 " " 51 33.85				
, 13, 49		<u>~~</u>		-
	K			HH:
				++-
		54.00 54.00	2.	
		Na.24		<del>                                      </del>
724		###		

Experimental Horkon Determination of Santalum Experimental Workon Sectional Microflowifor hamilichatthing 507 Chr30by Hattatin 1360. Experimental Work on Locomotive Head Light 1913 Cromenation of Mesessary Repairs on Soudson Respondent. May 31 To Voucher 14/2 . 2720 May 31 By & Chamiet Mosor 7539 May 30 0 Howher 140, May 31 " 96. 625 3762 750 1869 30. 106. 105.

1.50	
. Sheet No	Sheet No.
Name Separamental Corken Connection of Macket Joele Vigenif at Brown Studio	Name Shao Edwarfy M
Address	Addrew Sawong
NS (100 101), 10 1000 ft. 1010, 1.1	· State was many to many detects
June 30 To Louch 50 123 June 30 by Mc Ind In 7673 2437	15 Jan 21 Vomber 174 44 Jan 21 94 111 8 Gas 11
July 4 " 100   120 June 30 Milled In 9 /193 2 2357	
July 21 " 4r Ortung 31" " , 991 53678	
88 864 Jeft 3 " " 8025 garrie	119 31 19 31 19 31 1928 31 1948 60
04 Oct 31. n. " , 8137 57970	Marsi " 123 105 Marsi " 9869 105
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	May 31 " 193 130 May 31 " 1064 130
Ching 30	Luly 31 256 81 clys 1 pole get
1/9 1/95 Jan 31 " " 8195 1/03/19	- July 29 " 37 29 Lelly 29 1013 223
and and an area to the state of	Juni 30 " 36 778 Juni 30 " 11893 778
7/	131 1 24 1 1 1 1 24 1 1 1 1 1 24
79 10 70	nn 🎼
Sept 30 . 18 3668	
3-0 888	
2.38	
1230	
1. 1.08 04	
Oct 31	
Oct 31 . 2 . 360 . 344	
1 1 55	
120 518/10	
Non 30 8 . 190	
114 1021	
18 4179	
7	Experimental Work 1 Feet for 3/16 Luke Loading Machigally
47 7973 400 1118	May 31 Comber 115 8016 Juny 31 By & SB Ga In 8897 8016 July 30 " 106 7266 June 30 " 8960 7266
124 77	July 31 " 136 7266 July 30 " 8969 7266 July 31 " 9075 2925
124	Clara 30 " 90 White Margan "
130 1148	1 95 71/25 Dell 30 " 0411 11/25
	Oct 31 . 115 33710 Oct 31 . 91/28 3375
347,38	- 1 - 327 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -
dec 31 " " 13 / 16039	
" 27 3240 " 46 90	
" 47 833 " 60 2.00	
, 811 53	
, 136 122	
1116.	
, 155	
155 23 154 1425	
155 23 154 1425	
158 23 9 154 1445 156 16923 1914 9 169	
188 22 184 1425 184 156 16733 184 179 189 187 187	
1914 1973 1974 1975 11 11 11 11 11 11 11 11 11 11 11 11 11	
188 22 184 1425 184 156 16733 184 179 189 187 187	
188 22 1814 1425 166 14923 1874 179 179 1875 166 900 16 900	
100 22 151 1425 164 149 29 174 179 248 166 900 166 900 177 100 177 100	
188 22 181 1425 186 169733 1914 199 238 181 1990 181 1990 189 1990 189 1990 1990 1988 1990 1988 1990 1988 1990 1988	

57 Sheet No. Sheet No. Equip with Speed Limit Series 2 motor Cycles \$ \$3646 - Edward Shop E.O. Name 2164 1423 135 2.04 Experiments on Trepariduces Engineering Work & Material for New Kineto Stydy 1887 July 31 By 39. B. Inc. Oliver 9104 275 Chry 30 9111 1520 Chry 30 "1797 1520 Oct 31 "9368 276 75 89 3735 9461 122 125 136 39 78 79 80 90 25 90 1520 577 510 178. 131 O.F 31 36.69 20.70 112

61 Sheet No .\_\_\_ Now Congressing I Supervision in Connection with Total Inhermental Horkon Green Sport Bearing Hornt Belle 19th of Lety 29 Christ Phone Haladon 2983 9669 (100 13) (129) uly 31 Vancher 132 11083 10 109 11175 17 17 16 1 11279 8 1 40 11379 28001, 11844 17 133 apr 30 19 61 67 90 1078 May 31 11. 73 74 436 93 10 320 103 241 128 135 1893 June 30 108 Ingineering Department on Dengadine 7 a Edward anilised Dir Operating Coucher 123 200000 Tely 29 LYM Son 5 TITI

Sheet NoName		Sheer No1.0.0_ Name Mics Madeleing Edicon Labor & Mall for
Address		1907 J June 30 To Vonchy 83 1039 June 30 By 4+M Invoice 1102 1029
		may 31 " 66 55110 May 1 " 1214
		Non 30 . " 124 345 Dec 21. " " 1990 964. Dec 31 . " 16 360 18 360 18 360 88
		W. L. Edward Labors mail for 1909 30 24 11 M. Ing 1588 125 may 31 " 1888 384 may 31 " 1888 385 566 566 566 566 566 566 566 566 566 5
		1909 30 do Voucher 102 120 non 30 ay 10 m 9noy 1588 122 non 31 " 1888 350 non 31 " 1
	P	
		*2209
		Device to faster Marters on speders for Copper Plating Machine
N. L. And Company of the Company of		

Sheet No	les É	merson L+M		Sheet No Name Address	 E.l.i	lioty pe	/Mercu	ry Oxio	le Trocess		100
1910 Occh 31 To Voncher 96	7.0	1910 ach 21 In L+m. Jun 2.810	70	Cong 21 Soft 30 Oct 31	20 Lucher	116	202H 11409 2067	Cun 31. Seft 30 Oct 31	By & & U.K. In	7926 8037 81115	202 d 11 d 0 g 206 g
										The state of the s	
	e .					2				100	
	Erick	'son_		1913		reperime	ntal U	ork on!	Ford Culing	3.8	
910 2011 31 To Voucher 96 July 31 " 16_	3 o 32-a 380	2011 1910 ach 31 Ay L+M Jun 2811 1911 1911 1911 1911 1911 1911 1911	30 320 350	Oct 31	To Coucher	110	317	Dec 31	Balance to foli	n SA	70788
				Nm 30	1 1 11 11	48 49 89	1282			A second	
						109 120 130 137	565 165 172 72			The state of the s	
		*22	-7-	Sec 21	radionica community	154 156 159	143,89	ما الم		1.20	
Espensez " Business	Thono	in ny (at Business show	n)	1913	i Sy	ierimenta	L Work	on the hay	ing for Light	ing on For	d auto
90 30 20 Voucher 85	3.65 5-03 5-83 3338 05	1910 non 30 kg Esia Phan 2mg, 3088.	1494	Nov. 30	To Voucher	29 32 79 90 97 99	263 109 12 100 413 1140 627	Dec/31	Balance to Foli	5>A	97317
				Dec 31		123 1113 1111 29 116 47 67 68	19 87 244 2436 436 400	لمل	S. V.		
			N. S. C. C. C. C. C. C. C. C. C. C. C. C. C.	Jan 31		49	1 4 3 6 89	i in			

	//
07 Sheet No	Sheet No.
Name Address Madeline & diene [2]	Name Election Evach book Lorn
Address	Address 1913
Nov 31 20 Love low 144 575 Nov 30 Cy 21M In 5289 575	1/20 30 Je Lormin 1111 3/2 How so By 21 11 2m 1200 750
	Der 31 . General Effering 302 400 7,50
City of the state	Edinos Kinetophone Con grom
1913 Experimental Work to Lunde fel Musugement of harly for My Spring	
Jan 30 To Umaker 144 2160 Hor 30 Cy & B Ba Son 2000 2160	My 30 20 Compher 38 1000000 Hong 30 dr m 1 8186 100000 124 50 Lang 31 " 1 807) 50
San 31 " 127 1371 Jan 31 " 8467 1375	Outy 28 1 76 780 Ely 28 " 8598 4533
UN 3 " 1/6 30 46 WW 30 " 8804 30 40 BBH	Man 31 "16" 39,33 Mach 37 " 8931 80 Man 31 " 16" 30 Chr 30 " 8222 426 Chr 30 " 116" 480 year 31 " 9927 160 May 31 " 115" 160 year 32 va " 9023 355 John 30 " 106" 1353
May 31 " 11d 06 May 31 " 3876 3770 ,	Abr 30 " 116 H 50 Chay 51 " 9927 160 May 31 115 160 Jun 20 40 " 9833 359 June 20 " 106 359
Juni 30 . 27 35 D.l. 31 . 9095 1041	7,7730
July 31 " 136 1,041 Lily 30 " 81 600	
0 , 90 1330	
Cyperiment on Insulating Cellof 2571	Clectris Welding Machine 349
Jon 30 20 Woulder 181 1963 Por 30 By & SBC Som 8227 1963	Dec 31 Comber 115 50 Dec 31 Tablan Inc 8388 268
20031 " 13 641 de 20 " " " 0001 18669 91 " " 0001 18669 91 " " 0001 18669 910 1866 910 910 910 910 910 910 910 910 910 910	1914 " 139 218 Jan 21 " " 500 520
914 . " 156 18028 Tely 28 " " 8761 220 220 220 220 220 220 220 220 220 22	Jun 3 127 500000 1 " " 1849 344 Perly 28 " 1/2 341 Plan 39 " " 1903 39 06 Man 31 " 100 39 06 May 31 " " 1905 1500
	May 24 . 105 15509

109	//0
	Sheet No.
Sheet No	Name Experimental Vorks on d. l. Myses Thomas, Address
1919 1913	1914
Landy 12 Lander 116 1050 Sex 31 8 8 2 1 Sm 8376 1050	July 31 Univer 89 1/15 July 3/12/18 myer my 1/26 2976
Chely 28 " " 13d 600 dely 28 " . 8597 6300	Cheng 30 " 16 1490 Dept 30 " 9320 2067
Chr 30 " 26 12 apr 20 " 6017 1203	17 170 Nov 30 " 9482 943
38 66 79 may 31 " 1 8913 10189. " 97 June 30 " " 9008 9962	79 128
ma 21/ 1890 has 30 1 9077 18811	Left 32 90 6913 -
115, 9986 Deff 30 " " 9791 355	28 116 95 1639
(Quly 31 98, 08	Oct 31 41 16-
aug 30 90 1001 -	Nor 3. 105 913
Laff 30 24 355	
1914 Experimental Units on Ballery Trayer	1714 Experimental Work on Diestor Cumping Iron Jockety 3692
9. h. 28 1/mler 1311 8377 3ch 28 6 S B En Smr 8160 8377	July 31 Comber 136 10521 July 31 By 85 Blo Im 9070 10521
m - 1 21 1 May 31 " 8673 48453	July 31 Lowher 136 1052/ July 31 Dy & S B ba Son 9070 10521 1449 30 " 90 1140 Jug 30 " 9711 140 Dett 30 " 95 6718 Dept 30 " 9311 6518
" 106 48381 May 31 . 8871 16214	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
116 1761 X Aulis 1 9061 16302	
May 31 " 103 16.73	
June 30 . 25 . 99	
1 27 35	
106 24119	
July 31 " 34 191	
35 13/20	
1914 Engineering book & Materialise New Kineter Studies,	Experimental Works on Electric Motor Cagner
mar 21 Loucher 66 195 Mar 31 By Ja B Ind Sur 8708. 19 19	Jeft 30 Under- 18 30 Dept 30 Edian & Blow Sor 9310 30
The so 116 3355 Pay 3 " 1992 63757 May 31 " 1997 63757 May 31 " 1997 63757 May 31 " 1997 63757	M
That 30 16 3/351 (Pay 5) 1907 (272) (272) (May 3) 900 (272) (149) (May 3) 3 often 59 (149) (May 3) 3 often 59 (148)	Nor 30 105 : 101 Ton 30 Vancher 11 (400
* 11.5 587.49V	TANIA ES O. Calx 11181 6400
7 71 10	
93 39 997 2050 1006 7711511	
July 31 34 895	
7/30	
7.5 1×5	

<b>\[ \]</b>	
Sheet No.	Sheet No
Name Experimental Word Work for Record Edging Machine Address	Name Technoplating One Copper Done
1014	Address # 1/1 6 7
Det 30 Comber 90 1237 Det 5. Medien Drow Jorg 9881 1237 165 15 165 165 31 1854 165 199 219 Nov 30 944 219	aprilo Vancher al 817 4prin 99. 5 Ohmer 1879 817
Seft 30 Comber 90 1237 Styl 3. Median Conston grad 1279 Styl 3. Median Conston grad 1259 Styl 3. Median Conston grad 1259 Story 30 9147 219	
f1: +/2//2:1/. +	
Just General Work, Julia Compyty of More 3. Lander 10h 191 More 30 Lalden Backer 1993 30 dt 109 3150 Deg 31 4000 Dely 31 915 915 915 915 915 915 915 915 915 91	Modor Edison TX M.
Now 3. Limber 106 19 Her 30 taleden Bucker 1949 30 41 Just 2000 2000 1000 2000 1000 2000	19 19 30 January 94 92 agos 29 5.11 Edward by 11/94 182
Les 31 152 Hove Lity 28 9918 71	July 31 69 1/30 July 31 1756 613
	120 123
1900 Liquimental Morking Starter Battery 3009	Experimental Hork on Iron Onde
July 31 Loucher 20 6. 28/12 July 31 & & B. & Jun 1001. 25/12 . Oly 31 & & B. & Jun 1001. 25/12 . Oly 31 & & & & & & & & & & & & & & & & & &	June 30 Voucher 109 380 - June 30 Elem ESBE 115:8 35000
Clerk 30 1 179 24 15 16 25 0 10990 3976 16 22 15 16 16 25 16 16 25 16 16 25 16 16 25 16 16 25 16 16 25 16 16 25 16 16 25 16 16 25 16 16 25 16 16 16 16 16 16 16 16 16 16 16 16 16	July 31 " 13x 200- Afrily 31 " " " 11673 24600
Sept 30 120 96 Hor 30 " 10635 4373	
140 56 Che 21 0001 7383	
Oct 31 " 37 48	
0 t 31 " 37 (48 ) 30	
Nov 30 197 1976	
11 2/2 1/08/1	
[[2] [2] [2] [2] [2] [2] [2] [2] [2] [2]	
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	

Name Ends per / on two Wood Biling Robinets "willy Fluorescent Especiment + 1973- 1- Teller 13246 Front agle for onth asle for -2 tisingul Switch 28 0h. P. Morg | \$2018 Boardon Garage 10 30 Vancher 108 961 June 3011 8 he Contac 11488 Time Fred (Lom) 50 Filler Four Ring Machines | 3 Dive Counda Tiller #3299 for niekel tubes 1 2013 dire Cound Dillor # 2023 Fire Inte Ringing 4 Dire Cound Dillor #336 machines \ +20 9 Live Tound Filler + 3386 Four Jube stock 1 , 5 Dire Pound Filler # 3 134 Bushing Machines 1 20 9 Devel Journey Filler # 3 438.
Flante Stirrers 6 Biershill Brown Hart #3 45. en J. J. oth SAZII Ford A I +m. Fisture for 7 Tenis & 12 Cashing Stattern 3561, Shaving Machine \ #213 Vano & 1400 Bind Cogo Sticks 13577 Juling up Institute 3 Branie J & M. For As Celly 12 1 rock I allow Filter Human Palent Filter Inches Palent Filter Inachine 32164 Film Charles 12164 Film Charles Engineering Depervision of Toboratory 20 Filler for 10 Erection of Hear 1.9838 Sparking Celle \$ 2187 Felm Slank June 20 Vancher 21 Tralice J. P. States of St Iguipment of New (#3839, 50 France Helical #3880 17500 134 8438 Ford Film Mending 7 54 Battery & Lom 11 machines, Jallem et \$3877 Forty tragons to 1 12 Lingungowillung Cols test cells \$2247 TrameBrackets. 13912000 Family Electric ( 5, Flexible boupling 13945. Catalogue 1226 Freeing Kettled 43998 Filling aperture 100 Finish Lashings #3999 "Y Exp Gent \$2.571 Distinct "100 Place Plating Grang # 23.3 oftend Staft Coupling # 1106 Place Castings # 259 Framing Diegle Suntable they This Patterns # 2396 Polar of landing Sprace Hogy Expensing Supervision for an mich Head HS all Boiled 6411 July 31 795. he Garam &11734 Fifty Unite \$2694 Facing of Josel \$2669 Freed Machment \$2768 Fixtures for mould \$ 283 4 Flanger Ele-Thy wheel Films Fistures #3068 Furnace Tops Fisting # 3231 Tibre Handles

Dulm Slant, Existent of Ken-

No	Sheet No. Name Address  The 2 st 2 st 2 st 2 st 2 st 2 st 2 st 2 s	Coucher		Stank.	9 2 by 2 Mar 3 Cyr 3 May 3	Sy Illdwin			236 193 150	T
	Rahy 28 2 Capa 20 May 20 May 21			51/1/9 2/5 5/3 7/2 9/2 9/2	9 2 by 2 Mar 3 Cyr 3 May 3	-8 By Illdison	Incling 773		23/6 183	T
	Rahy 28 2 Capa 20 May 20 May 21			51/1/9 2/5 5/3 7/2 9/2 9/2	9 2 by 2 Mar 3 Cyr 3 May 3	-8 By Illdison	Incling 773		236 193	T
	aprizo	cucher.	147 47 171 26 70 87 252	212 573 713 724 970 244	May 3	8 By Illdises	10018		234 193	T
	aprizo	Louisher.	1117 47 97 171 26 70 87 757	212 573 713 724 970 244	May 3	8 By Mildies	10018		236	14
	aprizo		42 47 171 26 70 87 752 135	270 713113 724 340 240	May 3	3.0 1 1	10018		193	
	Maysi		171 26 70 87 752 135	21316	o That's	1/ n	10018		150	1/2
	Maysi	4	76 70 87 752 135	240	July	٤٥	10142			2/2
	Maysi	1	70 87 752 135	246	O July 1			1 1 1	100	16
	11	4	87 252 135	18059		1/	10735	- 1	181 757	2/2
	11		135	1805	Ollying 3	4	10323		230	2/2
	11		189		9-294	30	10118	,	3/25	05
	June se			23	3 %	2/ "	10507		80	17
	June 30		293	1411.84	Dec	37	107.95		101	10
	1//		293 31	10	Quy 8	· .	10795 10819 11024		88	0/1
		·· · · · · · · · · · · · · · · ·	111	10 08 3 g	Cul 3 Cul 3 Cul 3 Dere 3 Dely 2	9 .	11022	-4	230	13
	t		1.68	38	a			-14		1
	July 31		20	18087	7				ree!	+
	(1.7)		20	_ //						+
	Y +		47 18 93 104	67	4			11		1
	·		78	04	4				للنب	1.
			93	13520	4				البنا	-
The state of the s	Jug 31		200	564	1					+
	7		29	125						+
			43	1251					7	+
	4		221	21/3/	4 1					1
	Sept 30		86	26	} <u>`-</u> -L	4				1.
			200	500	1					
	Oct 31 Nov 30		1911	13 8 3 6 3 6 3 6 3 6 3 6 3 6 5 5 6	t					+
	Nov 30		1717	355	1 1					
			157	28	1					
	Dec 31		212	10521	L					.
			200	206						1
	Van 31		148	9896	ł					1
	Jan 31 Ochy 29		30	120		1		11		r
	44		126	15.11.9						ſ
			1	11320						ļ
			· · · · · · · ·							ļ.,
				1	<del>  </del>					H
			177				1 1	H	+++	1
									Шf	Ĺ
									411	<u> </u>
			<del></del>			+		-	444	<del> </del>
			$\vdash$	+++	<del>  </del>	<del> </del>		+++	+	ļ
						<b>†</b>			77	r
							·			į.
All limited to the second seco									Ш	1
				+				44	11	ļ
				+++-	l	<del> </del>		+++	₩	۲.
						T		HH	+++	1
								m		

		A CONTRACTOR OF THE PARTY OF TH	141			
She	cel No		II.	Sheet No.		-58
Na				Name Five On	unds Filler # 3497	
Add	ldress			Address	# 3297	
				1918 Mar 31 20 Voucher 120	235 Mod 31 By J. a. E. In Dor- 9292	
				11/av 31 20 Loucher 120	225 Mar 31 By J.a. & In Dorr - 1212	225
			3			
			M			
						+
			11			
			411			
	<del> </del>		, <b>M</b>			1 1
			120			
				· · · · · · · · · · · · · · · · · · ·		
			M			
	1		1	and the second s		
			I		la caralla de esta mantana de la caracteria de la compansión de la compans	i Hidaa i
			- 11	- Pice	Tound Filler 13333	
	†			Cipr 30 Do Woucher 140.	225 Cipv30 By Ja & Indone 9399	225
				and the second of the second o		
- 1						
			<b>M</b>			
						+
			<b>M</b>	And the second s		111
			11			11
	I					
			A			
	ļ		11			
						1111
					The same and the s	


Pice Tound Diller H. Ford L+m .....225 May 31 Ly T. A Edien Inchings 26 ... 1000 Mrs 3. Cy Lyml June Bo Jo Jom her 123 by June so Cay Ta & Smiler 1491 Ind Film Mending Machines, Talterns eld whether 171 1000 Mars 1 Byldim Charleton 9834. Firedrill Throwout Clant.

			A A	
Sheet No		1 21		Sheet No.
Name Address	Lengerety	Por Dewing Polo		Name Rame To of Map Edwar Cos Vinter Depotine
July 31 "	- 63 88	o George 30 90 E. Quel Ser 10148.	2921	July 31 Vanched 132 Stroffing 31 Colina Channels 11115 11
June 30 Vamber	251 2011	July 31. " 10739	787 -	
	170	Y in a take a second		
	- 1:   - 1:		#	
	1 111			
		The second secon		
1				
1	4 - 4 - 4 - 4			
		- :::		
		The second second second		
			····	
	2.	R 11=		
less	France (	Brackely gety	200 miles 100 mi	Jour Comely for Ling Machine
June 30 Lowcher	Frame (2)	Brackelygyly June volden thun the Dur 10179	2423	Jour Poweley freeding Marchenes
Jane 30 Loucher	Franc (4 - 63	Brackelyggly June voldsenthun Whu Son 10179	2423	Jour Poweley for Ling Machenes
June 30 Loucher	Frame (2) - 63	Brackety gyly June volden Odmirk Der 10179	2423	Jour Cowder for Ling Markens
Jene 30 Toucher	Frame (2) - 63 . 31 - 238	Brackety gyly June voldsonthund halan- 10179	2423	Jour Cowder for Ling Machines
June 30 Town how	Frame (2) - 63 32 - 238	Brackettiger June voldsonthmorthuser sorry	2423	Jaw Sandy Jacking Markens Jan Safring & Sin B. my El une 30
Jane 2. Toucher	Drame (s	Brace Selfager June orland hunt habour 10179	2423	Jaw Panely freeding Markense
Jane 3. Luncher	Drame (2) - 63 32 - 251 284	Brace Selfiger June soldsenthmirthe Sour 10179	2423	Jaw Jamely Joeding Markens
Jane 3. Luncher	Drame (2) - 63 32 - 254.	Bracketfggdy June veldsondhund habour 1017g	2423	Jaw Paneles freeding Markens
June 30 Louisher	Drame (2)	Brackelfogdr June voldsmothundeling	2423	Jour Parely fording Martines
June 30 Januar har	Drame ( &	Brackely gylv June voldsonthund bu Bru- 10179	2423	Jour Parely for Ling Markens
June 30 Townshire	Drame (2	Brackettiger Jure veldenollmithe Sour 10179	2423	Jaw Sandy Joeding Markens
Jame 30 Townshire	Drame (2) - 13 32 - 28 8	Brackettiger June voldsonthmorthuser 10179	2423	Jaw Jawely freding Markense
Jene 3 - Townham	Drame (2) - 13 32 - 23 4.	Brackettiger June voldsin Phon Who Sour 10179	2423	Jaw Panely feeling Markense
June 30 Townhar	Drame (2) 32 23 4.	Brace Selfager  June voldsin Phan the Boar 101 - 9	2423	Jaw Jamely Joeding Markense
June 30 Townshor	Drame (2	Bracketylogder June voldsmithund hu Brur 101 vg	2423	Par Panely feeling Markens
June 30 Louis har	Drame (2)	Brackely gylv June voldant knud known torry	2423	Jaw Sander Jacking Machines  July 3 Journa 132 Saffring & Sin Br. my Re 11 116  30
June 30 Louishor	Drame (** - 13 31 286.	Brackettiger	2423	Jaw Sandy Joeding Markenses
Jene 3. Lougher	Drame (2) 31 23 6.	Bracketyger  June volden Ohm What Sour 10179	2423	Par Janety Joeding Markense

Name France for Chart of Secional Equinalists. Turnace Topp \$3061 1914 Eng. 31. 20 Voncher 129 368 ang 31 sy tal Inches 6276 315 191 Vancher 13 > 64 July 31 Im ad son 6 2014 11770 Fisture 3,111 1912 Agent 20 Vancher 121 . 57 count 20 May Essents And 6500.
Oct 21 " 149 Less Oct 21." " World There Is Wouther 121 225 Hor 22 89 24 Sur 6170

105		
Sheet No.	,	
Name Address	Friging rep Switch Board and Strange	Sheet No Name Zinish 12 Caslings Tuttern Address # 3561
Jan 3 Jr Lowler	- 323 Terry 2 & By General Experiency 263 3616	7 7 1 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2
* "	- 1043     100   1   100   1   1   1   1   1	Hor 30 So Compar 1811 1489 Nor 30 Cay & B. Son Lon 8 mg
Beby 28 " "	100. 1250 90. 1290 116. 50	
	124 1121	
"mar 31 20 June		
* *	118 601	
apr 30	140 4759	
Our 30 " "	49 1364	
	Tibra Handler #3231	1913 Simon 1100 Bind Cage Stickey
Jan 31 Lo Wouch	lar-wa yez Jan se Jamie byce yer	1/20, 7/ / / / / / / / / / / / / / / / / / /
4		16 2357 Sec 31 By S. S.D. Sq. Son - 8316 23
and the second of the second o		
and Indiana.		
797.3	Filler #3246	1911 J. Francis Ju Lim.
Jan 31 Is Vouch	ler 181 27 San 21 of M. Edin She Short 1998 37.	May 31 Youker 115 60 Onay 31 Ly I. I'M Som 8929 6
200.002.0000 7500.6 (0.00000000000000000000000000000000		770 CONTROL OF THE PROPERTY OF

107			
Sheet No		Sheet No	108
Name Address	Five Gallons Doluting	Name Address	Desible Coupling
July 31 Zomber	- 136 262 July 31 By 3 6 & Inchlor 9106 262	July 20 Unicher	25 June 20 Calain bilan Mal 1911 337
		THE COLUMN TO THE COLUMN THE COLUMN TWO IS NOT THE COLUMN TO THE COLUMN THE C	
Febry 28 Vencher	Teed Seren of Much # 3825 - 114 1686 Febr 25 By La Edun Woodbrogger 1886	1911	Fusing Kettles 3948
Terry 25 Comehen	- why 1686 Febry 28 By Latedund Inelling 791 1686.	Guo 31 Louder	Turing Kelller 3948 86 1600 Cry or 5186 Sand Som 1889 1600 100 6st 100
1915	Frames + 6 Bridges 880		
Mar 31 Voucher	- 37 16 mars of Basic march and bear	1915	Finish & learling 29914
apr/30 ".	Trames + 6 Bridges 80  - 37 16 May 51 243 28 20 mm Just 9886 6 199 171 6483 CC/2 30 " 9898 3135	Chung 30 Toucher	721 10 00 Copy 31 Edward Hale 10297 1050
	4		
	100 COLUMN 100 COLUMN		



111		Magazin may subtract to	to continue				1 HOLL STATE OF												ounce:									
	Sheet	No											1 1111	Sheet No														112
	Name			0	2		- Gre												7		1	11						
	N ami			-	cca	A. C.C.	020	1104	16.	- 177 148 - 177 ·	***************************************			Name					ce	-de.	Ros	L.,						-
. 167110796	di Gentra	book .		aguaran.		10.	· 6				-			mauress									4070					
Low	3.	Vouches	32	TT	173	and it	1	. Lank	111200	12	175	1		Jan	1	36	- 1	T	TII	TI	2 le Jus 3 y Eu 7 le	G T	7		1	TT	TT	
_cojev_	F	"	314	111	12011	May	/ "	^ ^	11390	1/20	1278			7/	1		unher	11/8	++1	-14	26 Ju	2/3/	Tatche	in Sue S	10 831	1	14	63
			48	H	1/2	a				1 7	11-1-			Fel	1/29		0	126	111	100	37V.ie	14 29			110.10		11/2	76
			48 67 79	+	102	-				HH	+++				/ /					1/3	3 9						ltt	
			91	+	100	-	-			thit	11-1-				+-				-44	44								
			91	1	2883	7									-	ļ		+-+	+	+							144	
muy	31		5 1st sts	11	223	A				HH									111	111	-				-	++	++	11.33
	-		114		60	,				+++	+++		III		_											++	H	-
					188	°1			+ +	Ш										444						$\blacksquare$		
			17		146	0				Ш					-	ļ ————			+++	+++			<del> </del>			-4-	1	-4
			93	44	1012	0				HH									丗	Ħ						++	H	-
	-		101	+H	170	-	Po 11	0		itH	11-1-				-				Ш	Ш								
			101	+1/2	1038		10 //			Ш					+	<u> </u>		+	44	+++						Ш	Ш	
and the second						ines.		92							الدورساسه	Marine Comment		باستنات	داداداد	ساساساس	_						Щ.	Levenson
	916				160	1916	120	9	p. 11212 11349 11572 11661	1 2	60231		6				Sour	190	ar	in	ge:	60	mpl	ite . A	-41-8	g		
apr	20	Vouetur	40	Ш	35	1 The	9 60 m	Ro Calt D	p.11212	16	7339			Mean	10/	Vone.	heal	14	Ш	100	3/ 1/10		1650		المسالة	П	J.L.	
	-		44 56 94 135	-111	160	Ampy	31		11349	111	1 33					"		131 131 18 63	111	130	8 Jan	0 30	J.4.E. X	ee Carboni	11.673		100	04
	-		11		189	L'ann	30		11661	1111	82.52		11	Jun	00			18	Ш	111	50						1 3 6	,,
	H		94	11	8050	of the	2/			16	10 21				+			63	+	116	12						$\blacksquare$	
June	31		135	1171	0.193	à				444	11-1-				+			107		146		-					+H	
Juni	30		111	441	تسارلها	7				++-									7	10 0	74.					11		
<u></u>			110	+	1 4 4 2	7				ĦΗ	+++								111								Ш	
		A department of the state of th	1												1-1				-	Ш		-				Ш		
					Щ				1	144					11				ttt	+++			~		-	44	+++	
				+H															Ш						-	++	1.1	
	-			-+-	1111				-	TH			<b>A</b>						111	Ш				·			TY	
													-		+			-	-	H	-					44	Ш	
	Ш									+++	++-								H	H					+-+	++-	₩	
		ALTO OTHER PROPERTY AND ADDRESS OF THE PARTY	السيا	الل	-اليارا		-	***************************************		-1-1-1-1	h-h-l-a-l-	TO THE REAL PROPERTY.														##	₩	-
		-6		6	2	fairs	anser	<u> </u>									1	·		-			0.	ae 41		-100/022	Submide	
nu.	10	Variabil	131	П	13.	· Illian	3/620	2	2 uset	ПТ	275		#-	1771	17.	Tones					100	916	rug	20 91	417	8		
Tune	30	Voucher	108		47	1 Com	30	"	. 11595		471			Mag	31/0	lones	ien_	72	ш	12	3 May	101	J.a.E.	Thend.	11424	Ш	16.	0
July	31		132		18	They	31	1	9 11.54 . 11.595 . 11.788	ш	287				++			93	HH	60	fun	130	"	Then.	11127	-	3/	1-6
	Н					1				++-			-					99		60	al puler	31			11655	₩	1	17
	$\vdash$			++-	+++	+-+				++-	+++		II					135		21	8					tt:	$^{\dagger\dagger}$	_
				++-	団士	<del>       </del>								Jame	30			18	HH	193	7					Ш	Ш	
				I	Ш					Ш				July	7/		The second second	108	HH	341	7	-				##	Ш	
	$\vdash$			+	++					++-	<del>                                     </del>			Y				100	+++	17/2	7	1			+	₩	₩	
	+			+	+++	-			+	+++	HH				$\perp \rfloor$											H	ĦŦ	-
				1	Ш										$\vdash$				44	4		-				Ш	Ш	
				Ш	Ш					Д					+				+++	+-	+	+			1	ЩΓ	Щ	
	-			-11-	Ш	-				++-									+	+-	-	+				+++	₩	-
	Н		-	+	HH					+	H - I		_													Ħ	tt	
	Н			$^{\dagger\dagger}$	Ш					Ш					-				$\prod$	1							Ш	
				Ţ	12008	3				П	Щ				-				+ -	-	<u> </u>	-						- 6
Water Control	us-si	Year Miles of the Committee of the Commi		-5.02/2720		·	-						S#	and the second of the second	-	100 No. 200 L	and an exercise	Marchine State	لملك		1		Color Color	entra de la seria de la seria de la seria de la seria de la seria de la seria de la seria de la seria de la se	تانيا	lal I		النفت

1130 Guantial Eminting #4046 Gasolene Dire Estinguisher Experiment \*1916 Braphiting Machine \*1995-22 Filmore W.E. 29146 July 31 11659 90118 36 Labor & Material for S Staburd Matterial for Streenley J. D.
Labor o most from 50
Graphiting machine 4
for Erand Record 2007
Goldstein D 1378 37 60 26 lucy Erene W. G. 47 10 96 156 Labors mail for 51 Graphiting machine 2222 Goodwin & 1450 Griesenbrek L Lom for Soud Powder Blank Joading Machine Glass axleg \* 2354 Graphite Mould \* 2385 8 1 1948 1944 01 ME ha his RM Any 11736 July 31 Vanctur Glass asleg #2406 Gear Device to Beigeli 26,3 46.78 Groving Machine 2664 Grinding Machines 2578 Green n. Lom 101 Gas Traps \*2764 Gas Pumps Grinder \*2833 Glass Cups (24) \* 2997 Grinder \*3001 Greenhouse Glass ayles # 303 General Bilm Con Jem 103 Glass Zins Grind 5 Cultur Trench trighting Borge Ballery Dysten Gunding Commutator of moles 43 200 3 Greder for Til, Drutting Machine #3547 Grid Sheet ferbulmaunt lel 13899 Last mai yaist Extrement #3999 Glaw Jary General Efficiency Hock # 3/70 9

1	TO THE OWNER OF THE PERSONNEL PROPERTY OF TH	lio lio			
Anna a maray		₩.	Sheet No3_		
		PROME	Name · //	E. Gilmore	P0 - 12 0- 10 0
1			Address	4. Junio	davor a marerial for
Ħ		, I	1908 Man 31 To Voucher	1908	
	1111		man 31 do Voucher	69 333 mar 31	Dy Rom. Invice 59 2869
_		l de la constant de la constant de la constant de la constant de la constant de la constant de la constant de	agel 30 " "	34 150 may 31	" " 174 4392 7-61 7095
	and very	A-7	- * * * * * * * * * * * * * * * * * * *	50 220 July 31	" " " 258 2255 " " 324 16611 " " 324 9.13
(University)	of the state of th	· •	e i Mir Mir Mir Mir i Mir i i i	76 35 aug 31	11 11 11 393 1773
	100 mm	- Paragraphic Control of the Control	. H. H. M. M.	83 55 mar 31	" " " 923 18 "559 " " 923 170
· · · · · · · · · · · · · · · · · · ·	Exercise to Exercise the Exercise to Exercise the Exercise to Exercise the Exercise to Exercise the Exercise to Exercise the Exercise t		, a . a . a	84 2031 ngry 31.	" " 1080. 37
			may 31 " "	52 3:50 Delto	91rg 180
	CONTRACTOR OF THE CONTRACTOR O		N . B . H . H	58	
- T	To the state of th		June 30 " "	79 14356	
	A CONTRACTOR OF THE CONTRACTOR	<b>174.</b> i	aug 31 " "		
	- Control		Septh 30 " "	96 220	
			man 31 " "		
	40	PROTEST AND A STATE OF THE STAT		136 18 280 2d 496	
american			2,000	270	
The state of the s					
		W		* 1 *   * 1 * 1 * 1 * 1 * 1 * 1	to a concessor ed Naitherly
	1				
					÷
		· · · · · · · · · · · · · · · · · · ·			
The state of the s		· ·			
	Processor and a				
	Acceptance of the second of th				
	To the second se				
	· · · · · · · · · · · · · · · · · · ·				
., ,	and year				
	and comments				

I	#1-14 - a													1						-
		Sheet	! No											She	t No. 52	0.	,			
41		Nam												Na		L. 8	riese	abeck LX	m for	
Ш	 	. Addr	ress										-	Add	dress				/	
M		П		T 1	777	П	T	T	T			1		4 ,	Jeh 28 To Vouche		T	1911		
U	 			-	-	<del>  </del>			1-1		++1		-		man 31	117	0.0	Jeh 28 By LA may 31 "	m. Ing 3542	0.3
141															may 31 " "	119	2	Tang 31 "	4150	19
1						ļļ			+						Sept-30 " "	59	9.0	sept 30	4800	90
				i	-	l - f			1 1						Sich zq "	144	0.3	ach ry .	4951	19
															-		150			159
3)				ļ	-									1	<del>-</del>					
18												1					1			1111
141				ļļ					ļ ļ			1				1				
H						1 1	-		1 †	11				1	e e como e e e e e e e e e e e e e e e e e e	4				
H																4	1:::::			1
Н					-				ļļ					1				1		1
H				1			·j		† <del>-</del>				-			+				1
		П		I II				1	1 1					L						1:1:
1				1-4-	-	-		ļ · · · · · ·	1			-4								
- Committee		-		1 1	1:1		-		1 1					- '	the second of the					
- Street								I				1								
Н				ļ <u>i</u>	-				1											
					-				1 - 1					1.0	· · · · · · · · · · · · · · · · · · ·					1
1								L												-
- April		-						ļ	ļ							la	~		more assertance is come a second of	
				1 1					1 1						1913	- Cla	20 (	ins 1/321	19	
H									1						Dely vg To Wouter	1311	1500	Only 28 BUCKBE	60 Jun 70 P.C	1500
1					-		-		1				1.		apr 30 " Vomber	140-	18149	apr.30048.8B	00 " 7346.	1849
				1 1 1 1	-	1			1		-			7	Dely vg To Worker Chr 30 . Dowker May 31 . "	140.	1110	aly 26 3, CRAE alv 30048. S.B. May 31	yusul	1110
H.									1						geme so 4 "	725	388	June 30 " " "	. 1 7589	585
H				1		1	-		1			1	٧	r						
1	İ			1					1 7			-		1						
W				1		1														
Ħ	- 1				-				1			.1.			Will to the same and the same a					
1							1		1 1			İ								
H	-								1 1						A company of the comp			a a caración a massa.		
1				- 1-					1 - 1											
									l f			1		l	-					
į.				1					1						7	1				
				1			-		1 }				L	<b>Y</b>						
0												ŧ	R	<b>U</b>						
	 					-		I					P	<b>F</b>						
	 	-		1				<u> </u>								1 1				
Н									1			-		<b></b>	<del></del>					
	 			l l			-1	ļ									+++-			
	 -	-+			+	_	-		++			-		ľ						

TOTAL DESCRIPTION OF THE STREET


11111

53 Sheet No				₩						54
Name	Olsind 5	Cuitters #3483		N	vet No	01				
Address	COUNTY O	H3483		N	ame ddress	1 1 C/1 G	rimes Lim	7		
Deft 30 To Souther	711	7 Dept 30 By 8. S. B. S. Ca J.	, , , , , , , , , , , , , , , , , , , ,	Se encous, e	mare shaped		7011/			
Dept 30 To Voucher	109 18	7 Dept 30 By E. B. B. Ca J.	187		June 30 Youche	106	35 June 30	By LiM Enr	9028	35
					(VO4 31 .	110	11VOct 31	(l	9394	450
Bell I and an account of the first of the fi										
									+	
done and a second secon										11
	+									
§										
				100 · 100 · 100						
	· · · · · · · · · · · · · · · · · · ·			4						
				er les						
								1		
	4. 1. 1	mutator of motor	· · · · · · · · · · · · · · · · · · ·	The state of the state of the		المناب والعجب	777	l Maria sanan managan mengan		v kom monem
Hor to Tellucher	Liveding Com									
		1913 / 13542			· · · · · · · · · · · · · · · · · · ·	- General .	Efficiency	Hork		
Nov 30 Gallowher	144 . 80;	1913 9 #25000 Nor- 3004 ESBG, Inv.	8222 807		May 31 Brown fort	General .	Efficiency May 31	Horf 122	877	12.12
Nov 30 Gellowher	144 . 80,	7 Hor- 2-0dy EARC, Sm.	8222 807.		May 31 Ben fot Juli 30 Horder	General .	Efficiency May 31 2858 Juny 30	Though 1 24 24 2 I At Inc Som	seida 9.1	17.19
Nor 30 Gallanker	144 80,	7 Hor - 20dy ESBG, Inc.	8222 807.		May 31 Ben fort John 30 Hod her	- General	Efficiency 18 May 31 2858 Juny 30 2910 July 31 2050 July 31	Horfs 12h. Jak Inc Son	10140 91 10781 98 32 6	19.19
Nor 30 Gallancher	144 80;	7 Nor- 20dy E S.R.C. In.	8222 807.		May 31 Born of of Juliu 3c. However	Seneral	Efficiency May 31 2858 Juny 30 2918 July 31 2050 Lug 31	Mork for Some Some Some Some Some Some Some Some	10372 125	17.19:
Nor 20 Gallancher	144 80	1715 - 30dy ESBC Jon	8222 809		May 31 Brown fort John 30 Hordiker	Seneral 100 501 505 63 129	Efficiency 31 2858 Juny 30 2958 Juny 30 295 July 31 225 July 31 22 21 Cet 31	Morkyzz Jat Inc Son Jac Inc Son Jac Inc Son	10140 911 10794 95 32 10372 125 10419 172 10506 124	1719:
Nev 3e Gellmeher	144 80,	Nor- 20dy ELAC. Sur-	8322		May 3 Ben John John John Land John Se Land Selver	50 101 50 50 50 50 63 129 129 139 139 139 139 139 139 139 139 139 13	2858 Juny 30.	Marky 22. I At Inc Some June Som June Som	10372 125	1919:
New 30 Gallmahr	144 80	The 20dy CLAG. Inc	8322 807.		May 31 Brown fort John 30 Hordiker	101 101 50 50 50 50 50 50 50 50 50 50 50 50 50	May 3) 28-58 June 30 28-58 June 30 28-58 June 30 28-58 June 31 20-6 20-6 20-6 20-6 20-6 20-6 20-6 20-6	Horfigar Jat Inc Son Jat Inc Son Jab Im Son	10372 125	1719 89 65 6000 893 2994
New 30 Gallmahr	144 80	The 20dy 6 A.R. Sm.	8322 807.		May 31 Brown fort John 30 Hordiker	10 101 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1	1997 May 31, 28-28 Gyng 30, 2998 Sug 31, 24 Sug 31, 24 Sug 31, 200 Cet 31, 300	May Sy 22. Ill Inc Some Jab Sun Som	10372 125	1919 1916 1000 193 1994 1048
New 30 Gallmahar	144 . 80	The 20dy 6 L. R. Sur	8322 807.		May 31 Bern Jod June 30 Websher July 31.	101 101 101 101 101 101 101 101 101 101	1991 May 31 2858 Gyng 30 2858 Gyng 30 2950 May 31 2050 May 31 2050 May 31 2050 May 31 2050 May 31 2050 May 31 2050 May 31	Mayby 22. Ill Sue Some Some Some Some Some Some Some	10372 125	1919. 1919. 1900 1000 1893 1994
New 30 Gallmaher	Hill Bo	The 20dy CLAG. Sur	8322 807.		May 31 Brown fort John 30 Hordiker	1. 1eu 5 54 58 43 129 141 59 49 141 59 49 141 59 14	1997 May 31. 2528 Jung 30. 2528 Jung 30. 2570 Jung 31. 2570 Jung 31. 2570 Jung 31. 2570 Jung 31. 2571 Jung 31. 2571 Jung 31. 2571 Jung 31. 2571 Jung 31. 2571 Jung 31. 2571 Jung 31. 2571 Jung 31.	Mayby 22 Ill Suc Sur Land Sur Sur	10372 125	19.19 19.60 000 8.93 19.94 10.48
Ner 3e Gallmahr	Hill To	There sody CLAG. Som	8722 807.		May 31 Bern Jod June 30 Websher July 31.	20 101 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	29.55 Juny 31. 29.55 Juny 30. 29.55 Juny 30. 20.50 Juny 31. 20.50	Mayby 22 Jal Sue Som Sur Som	10372 125	1919
New 3e Callmaker	14hh . 80,	Ton 20dy CLAG. Sm	8222 807.		May 31 Bern Jod June 30 Websher July 31.	100 100 100 100 100 100 100 100 100 100	1 May 31. 28.58 Jany 30. 28.58 Jany 30. 28.58 Jany 30. 28.50 Jany 30. 28.50 Jany 30. 20. 30. 40. 20. 20. 20. 20. 20. 20. 20. 20. 20. 2	Mayby 22 Jal Sue Sur Sucher Sab Sur Sur	10372 125	17/19-
Ner 3e Callmahr	14hL . 80,	The 20dy CARC Inc	8322 807.		May 31 Bern Jod June 30 Websher July 31.	100 100 100 100 100 100 100 100 100 100	1 1/11 May 31. 28:58 James 50. 28:58 James 50. 29:10 James 50. 20:00 James 50.	Mayby 22 Jal Sue Sm Sucher Jab Sur Sm	10372 125	17/19- 17/19- 1000 193- 1948-
New 30 Callmahr	14th . 80;	The 20dy CARC, Im	507.		May 31 Bern Jod June 30 Websher July 31.	100 101 15 15 15 15 15 15 15 15 15 15 15 15 15	1 1/10   Many 31 2858 (Apply 30 12858 (Apply 3	Mayby 25 Ill Sur Sm Jab Sur Sm Jab Sur Sur	10372 125	19.12 19.12 10.00 19.3 19.48
New 30 Callmahar	John Bo	7 Thr. 20dy CARC, Im.	507.		May 31 Bern Jod July 32 Led her July 33 " Legg 31 "	100 101 15 15 15 15 15 15 15 15 15 15 15 15 15	1 1/11   Many 31 28:58   Jany 30 28:58   Jany 30 12:58   Jany	Mayby 25 Ill Sur Sm Jac Sur Sur	10372 125	1719 1719 1000 1000 1019 1018
New 30 Callmahar	John Bo	The soly CARG. Smr.	8322 809.		May 31 Bern Jod June 30 Websher July 31.	100 101 15 15 15 15 15 15 15 15 15 15 15 15 15	1 1/11   Many 31 28:58   Jany 30 28:58   Jany 30 12:58   Jany	Mayby 22 Ill Sur Sur Landay 2ab Sur Sur	10372 125	1919
New 3e Callmahar	Julil 800	The soly CARG. Sur	\$322 \$ 607.		May 31 Bern Jod July 32 Led her July 33 " Legg 31 "	20 10 10 10 10 10 10 10 10 10 10 10 10 10	1 1/10   Many 31 2858 (Apply 30 12858 (Apply 3	Mayby 22 Ill-Sur Son James Son James Son	10372 125	17/19-17/1000 000 1991 1648

Sheet NoName Address	Trinding Pievo Arte	net.		Sheet No 1 0 2 Name Address	Eas Trap	* 2764	
July 31 Vone h	(1) 121 Mb July 31, 2012.	Garang St. 11187 . Il W.		912 31 20 Vonelia	96 36 9an 138 9504 138 9504	31 12 Collesing 5357	8920 8970
					Grinder	* 2925	
2 2 1			Namenda mm (LL) vojna veta	1912 Bear 30 20 Voncles	127 5787	20 my EP My 2nd 5195	578
- 1 / 1 / so.	Counter Light for Sign	ziHic Struck (1)	Process de constant production de la Constant de la				
					Glass cups 1	24/ *2991	
			ered and and an income	may 21 20 Voncle	140 275 may	24/ \$2991	275
					The second secon		

Sheet No. 103	Sheet No
Name Greenhouse # 3098	Name Address General I fficiency Work
191 30 20 20 20 domelia 1211 78 30 report 30 agricus 70 6 2 2 2 2 20 4 6 CC 2 78 20	Cong 3. Luncher 90 2500 Cang 3. 18 Edwindows 9,80 7550 9  26 18 30 98 56417 Coff 3. 1987 4575 4575 4575 4575 4575 4575 4575 45
Glass agles + soilg	The state of the s
1/1/2 30 to Vancher 1211 825 Play 30 By Eld baluer 6726 125	194 Grids for Falme Trinting Marky 1/4
They so to thencher 12st 825 Hors 30 By & Stab balance 6726 125 Jan 31 1900 1890 1890 1890 1890 1890 1890	Gely 27 Source 16 20 Feby 28 By I alder Mulling 970 20
General Film Con Lom.	
San 21 To Vomber 151 144 Jan 31 On Alm Jun 7014 144	gus Grid Skeels for Submarine Gelly
	Che 30 Loucher 252 1473 Chara Edim S. Bl. Sur 9943 1623 May 31 10018 420

Sheet No. Das ( Cna byord Efferiment Name Strooper G. Str. 50 Halpy 30. Lym Address Labord material for Therter Emil f3321 601/8 Labor & material for ) 50 Boffman, G. LiMI Haldray Lolution 10072 644 Starma Str. 9 1764 10100 Labor & matt for 5 51 Hard Kutha Dluga 159 10789 Hardening Was # 204 & Hopper Gualds Holland W. E. 1 Hardwood Fale TI. 193 Sune 30 1316 10471 168 10/1/2 5. House J.a Itm. Labor & mattfor anor Mary of 5 Worland H.M. 1977 No. 5
Starnbarn G. Morland H.M. 57
Labor & mather & 5 Nagran J.A. 1477 No. 5
Starnbarn Burley and will and Another Mary Both Mardenny of March Hall Mary Burle 251 256 221 35 55 86 1.0 105 177 1736 Heat Rays to 4 Kand Stroper Soule to fit Two sets 1 5 Lilary-Sargery Dutt Hold Sprockely for 28 H. morg 12117 Hird a.m. if o deft 30 MEdison Ince Som 10 dad L. +m for 150 Hopkins m. C. Home model Kineto \$2,163 Stamles Dresel ! Labor + matiffer) Holden Delog Lom. Harper Fr. Hand Shaving Mach 8 for Bug Phono Records Firs Harper Chan Handles for lignal Boxes 2380 Hutchinson M. R. Gear 1/1288 Holderman & tom 100 Heating Plans #2675 X House Lighting #2763 Jelo Tely 29 Letien Thin Haledon 10980 Vomber 126: Home P. K. machines #290 Hopper Harper J. Lom-Halogen Producto 65 Hydrate Dipt #2 Hudson Runabout = 29 Halogen Products 6, 3041 Heater - Bored Holdenesp Win Lom Headers House Lig Stins Controller Cabineta



	The second secon			
Sheet No		, ,,W. Ve MA	Sheet No	
Name Address		Mana	Name 6	House Lighting L+m # 3011
			1913 20 20 comeline  1913 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	191
			Ochy 78 ""  1913 Mar 2, 2 Lander  Lyn 20 "  June 20 "  Lyng 20 "  ""	120 153 Cuy 21 " 1551 307 116 353 Cuy 21 " 1750 21 1550 1650 1650 1650 1650 1650 1650 165

Sheet No.\_\_\_\_ Sheet No. 15 Halogen Broducts to # 3041 Experimental work year Ending neh 25-1913. Name Name Address Address June 24 20 Voucher 145-129 59 73 89 \$09 42-0 40-57 51-399 557/8 6392 6530 6891 141 108 125 156 92 100\_

	Sheet A	To				-			port 11		Sheet	Ma										16
	Name Address	71.0000, m. 1.04.						 			Name Addre		/	M. R.	Hir	chinson		2 tm	,	307. 0  (60%)	sakti	
		the state of the s	AND CONTROL OF THE CO								Det a.  Och a.  Nor 2.  Der 2.		1	91 93 94 96 97 19 69 111 127 134 145 150 156 167 141 159 117 117 117	1650.0	Oct 1 Sept 2 Sep	20 By 37 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Lim I	81. 82 84 85 86 87	60 8 8 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	30	1006688 25-50 7148894
		•								Í	Feby 28 Mar 31 Apr/ 30	The state of the s	# # # # # # # # # # # # # # # # # # #	28 29 93 104 134 45 89 91 106 39 50	3 48 178 118 3 9 24 96 17 5 5 2 3 2 2 18 8 17 8 7 17 8 7 17 8 7 17 8 7 17 8 7 17 8 7 17 8 7 17 8 7 17 8 7 17 8 7 17 8 7 17 8 7 18 7 1							
				, , , , , , , , , , , , , , , , , , ,	N 1X	n .	The second section of the CENTER OF Sections and Section 1997.	TO CONTRACT TO A STATE OF THE S	A STATE OF THE STA	****	May 21 June 30		я А А	57 72 77 97 1016 116 97 32 88 98 99 101 115 40 H1	232 \$ \$ 135 750 212 212 213 340 340 343 343 343 343 343 34							

Sheet No	MR Heitchien dr M.	Street No. 54 J. Hearper L+m for
June 30 Beng Herenger  July 31  General So  Dept 30  Lept 30  Lept 30  June 31	53 4 4 June 20 Beney Bourned 53 22 29 37 100 July 23 18711 Sur 970 1247 247 247 247 247 247 247 247 247 247	1910 1910 1910 1910 1910 1910 1910 1910
Jan 31 Zely 27 Marss	60 35 17 19 19 19 19 19 19 19 19 19 19 19 19 19	Chaq Harper 24 my

Sheet No.	SC SC
2 0 10	Sheet No.
Name M. R. Hentelinson Lyn	Name 211. B. Fretchingon LY 119
	Address
1911 20 Voucher 111 29 may 31 2y 20m Ing 4151 539	19.00 (19.00 (19.00 (1) (19.00 (1
may 31 20 Nonche 111 79 may 31 ay 20m day 4151 539	Mar 31. 2. Lowher 116 11 Mar 31 By 21 M In 7991 549
June 30 " " 25 000 July 31 " 1498 2290	117 96 Chr 30 " " 7012 5533
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	april 20 18 20 19 19 19 19 19 19 19 19 19 19 19 19 19
July 31 199 350 sept 30 1804	apr 30 " " 135 68 full 30 " " 19691 1247
1900 200 30 11 1767	7017
ang 31 " " 74 259 dec 30 " " 5230 2522	May 31 " 134 690
11.9 25.65	# 1 - V · · · * · · · · · · · · · · · · · · ·
1	June 20 " " 19 1275
sept 30 " " 67 1235.	June so " " 19 12/5
108. 695	1/7 40
11.0	
11 200	1 " 123 1177
63	July 31 . 33 133
112 1491	
200 20 " 6- 13 276	aug so " 127 25
	aug 30 " . 02 155
Dec 30 " 63 "15773	106 395
715 23	107. 50
18545	116 1682
III)	
m. R. Hutchinson	1913 House dighting Controller Cabinety 2321
Jan 30 To Voncher 10. 510 Jan 31 my don In 5377 1959.	1913
138 1449 3000 300	CAN 30 20 Cloucher 110 358 (AN 30 lby 31 Edward Just 1991 358 May 31 " 1929 118
new 29 " " 360 mar 30 " " 5656 362	May 31 " " 32 118 May 31 " " " 1519 118
man 30 " " 144 \$98 and 30 " " 3817 782	
apel 30 " 78 260 Quina	
136 25 July 31 4 6257	
1970 - 21	
1 140 1589 Och 31 1 6 6000 13212	
June 29 " 68 1350 Nor 30 " 6752 900	
July 21 11 134 360	
14 7.50	
371	
/23 /23	
13.4	
sept 20 " " 118 " 140	
1.19	
11.5 1.54 1.54 1.54 1.54 1.54 1.54 1.54	
Och 31 119 119 1	
Ord 31	
Och 31 119 119 119 10 10 10 10 10 10 10 10 10 10 10 10 10	
Och 31 119 119 119 10 10 10 10 10 10 10 10 10 10 10 10 10	
Och 31	

57							S						
	Sheet No						14						
	Name	122.55	0 X M	1,				heet No.	Fin 66	1			
	Address	//: C1	. C) Alca	nd 21m			Δ.	Tame /-/p e*. Address	r Time Clas	11290 0	7		
1940	tem pressure, seur.		1973										
A55	31 Lowfur.	NII.	1492 Les	131. LVM J.	8409.	1494		July 31 Vo	noted 132	Tos Lucy 3	1 Salsha Jan Ad Sec. 11	-015	1-25
9 - Can	31. 24777 Jun-	8000	1497 - Car	v.31. "	45					, <u> </u>			
	i .		9										
19	++						10						
							100 A	- 1 1 .					
i i					1 1							- :::	
							£38						
											·		
							20.3					- • • • • • • • • • • • • • • • • • • •	
10													
	· · · · · · · · · · · · · · · · · · ·												
							- 1			H			
							<u> </u>				the second contract of	TIL	
			-				- <u>17.73</u>	* * * * *			4		
							<u> </u>				·		
							<u>1747</u>		ma and an examination of the second of	la di kambana a a kaba	decimal en en en en en en en en en en en en en		
		6.6	F Naye	Jem Sur			MIC						
Pety	. 2/ /	· · · · · · · · · · · · · · · · · · ·	1 2 1	CANAL O									
Queif	128. Woucher	103	3× 11/1	428. 21.M Sur	11789	32							
			/ ′								\$ 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1		11
1										· · · · · · · · · · · · · · · · · · ·			+++
1							[4]			1	de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la		<del>        -   -   -   -   -   -   -   -  </del>
							- 1						
								- <u>1</u>					
							H						
													111111
							- 18	· •					
		in the second					- 5						
Ü											4		
1		h i   -											
1	4.4			ļ. ļ	ļ		[3]						
H					1								41
				1-1	1								
H	1-+			+-+	ļ							- 1111	<b> -</b>   -
1					1		- 10					-111	#
The Party of the P	epinerto materialista como contrato de	Property of the last				mention and the second		E Transmission				وأواد إداد	4-4-4

Sheet No ... Sheet No. 100 Handler for special signal Boxes \$2380 1911 apl 30 To Voncher 113 73 apl 30 byraster Ing 2850 L. Holderman Lyng Heating Plang (changes) # 2675 7431 8.17

Sheet No. 101  Name Addiess  Addiess  171  1914 29 20 Vancher 1111 435 224 29 ECWAP In 500 438.  214 29 20 Vancher 127 435 224 292 293.	Shoot No. 102  Name Address  W. Holdeness Long  Myster 31 20 Unnolg  Model 20  Long 31  Long 31  Long 32  Long
J. Hanper Low	Neader # 3063
1910 32 20 Vonclor 121 20 Mary 20 My	1912 ang 11 20 voncher 129 1260 ang 21 ang Edures In 6388 1260
Sheater "Bore" # 2027	m.R. Hulihum Lym
919 : 20 voneler 112 1627 (2019 : 107 & 10 18 3 m 629 1622	Dec 31 to Lamber 10 2750 Egg 31 2 of M Son 1898 40 15 109 1897 1807 1807 1808 180 150 1807 1807 1808 1808 1808 1808 1808 180

G

103 Sheet No. Housed ighting Controller Cabinets \$ 325 2... a Hoffman Lym. Address 12 dely 28 By 208 Inv. Inv. 1262 July 21 By 21 m In 7874 1262 78 Onav 31 By JAE In In 7271 3. P. Halpin (Lym) Hydrate Solution from 3 199 20 July 23 978 July 9805 325 VI Miky 31 Hard Rubber Covers #3272 1913 Nard Rubber Slego 13 450 ang 31 To Loucher 116: 976 aug 31 By E. & Bon Ingry 1919 Tely 25 To Vencher 124 W11 Dely 28 24 8. 8. 8 bon Im gall

105		106
Sheet No		Sheet No
Name Address	opper Guarde.	Sheet No Name Hard Rubber! Address Harf 29
-///	1913	1977
Dept 30 To Voucher 109	420 Sept 30 By & & B ba Im 1990 420	Och 30 Lowher 95 1126 dept 30 Edin S. B. by Jour 9311 1126
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1913 Harde	wood Japer Oling 3/3048	Hard Rubber to Fift Not Bol stef 3730
Nor 3: De Voucher 144	333 Nov 30 Cy E 8 B Ca Sum 8228 333	Sept 30 Unwhor gr 30/6 Sept 30 Edward St boy Joney 31, 30/6
		Oct 31 " 111 110 Cct 31 " 9406 110
	1011	
/918	Ga House Sim	1915 Hubs + Shaft For Daying Dyunt
May 30 To Vomber 14d.	50 May 21 . 1930 58	Tely 27 Toucher 9 1021 Tely 28 By Mildrend nor gynd 1337
may 51	30 May 01 " " 0730 30	劉
		May 31 " 70 3022 1 121
		171 4191

C

Sheet No. Ingersoll milling 100 mach bg. L+m. for 100 and estructable Records 2064 Hardening Job. Make Tallerns Name Address Vunher 1dg 7 20 Tely 18 By Edward Thomatokalongys it chon Supports of Straps 1000 for 264-A8 /202-A4 all 2261 Iron Loading mach #2334 I Beams - 8" \*250 Iron Prettelp I Beamp 8" Iron Work Sand Lorafiery Ar Deby 29 Meldim Inc In Iron Plates "B" Iron Loading Mache boucher 4610 Lampy 1 Specifications J 13543 Browking Tanden Hange Side 1 3589 Installing New Printing Wark 50 Room in Stalanometer Koom 13612 Install Starting System 1 50 Change Light on 1914 translen lat 3757 Storage Batteres for Cupiting Lyker! Indulation of Machinery Instructing Supervisors ? and Repairment E. E. Hudson Iron Bearing Mordenburg & THI 105 Intallation Head Sail 1 2 105 May 31 Vaucher 135 3 45 May 31 Kin. Int. 11443 Rido Lights Ford Car I Hord

Installing lear Chinting & Dark Bromin Galanometer Born 201 De 31 By General Sypenies or Install Starting by stems & Change Shightain 1911 Frankfin Cast
Oct s. Combin 11 830 Oct s. Ed B bo Sor 9113. 1964

6			-			Marie Company of the Company			1, 7.25										-
51										none are									
1	Sheet No.									Sheet No ! C	2-		Ċ						
		ol	L 11 L 1	cna.	+ A1.		1			Name		R	Yale		Lt,	n			
1	Name	Unei	alcation,	May	tenung Sfle ury SiJali	rage20alleri	12		鳳	Address			0						
1	Address		you co	cecco.	aryorgan	1 13 889			238	tel care men, se week gener street a	K. Z. Miller			.6.(1.)					=
1 /	, , , , , , , , , , , , , , , , , , ,	. / /	. ,							206.20	20 Voucle	144	03	1912 Mil 2	1 Anden	a sur	core		2.3
4.6	hr se o	Voucher	140	504					<b>E</b>		T			~ 7					-
1			. 68	1141															
11			252	33.08					175		-								
Ca	Ly 31		17	138,10													1		
Jei.	1. 22	*	.36	131/1/12					- 3										
May	V.30.	*	. 36	8511	4														
May	1:31.		50	14939								i					1		
3				1							1	1						1 1	
Ĭ.												1 -1							
-				1.0					TIN			-   -   -							
-									- 1	:									
1									17%						1				
if.								200			The second secon						L		
11								4 4 4			_0	n Loac		an e	1				
8											. Olro	n Load	ing )	nach		+3217			
U-									D. L	1913	In Vinher	1	9334		ling			[ ]	
11				1						Jan 31	Is Howher	- 100	9334	Jan 3	CARLED .	- alas	7071	93.	26
										cery 1.	" "		3 mile	The same	a region de	, com	1	327	1/0
										1913				1913	1 By 8 &				
11				1						man 3. Cyr 3.	1 Do Voucher	120	9604	mars	1 By 8.8.	Blan Inv	1211	34	044
11				1					190	Cyr 3	0 " . "	140	134637	Klfr 3	0 1	"	7342	130	37,
									100		1				1				
		1											1 1						
	5	- U 22	etallatio	·Sof.	Machinery	12000													
11 /	//	7/ 1		1	Machinery Opr 30 Educar	187 0	22.42	30838.		1				-	1				
11 69	hr.30.	weeker	252.	20838	Opr 30 Edison	1.0.11 60 Sur.	9743	30838.		(	-				1		1 :		
				1															
													-		1.		. 1		
									1										
11									- 3		1								
1												00	,	0.	ing	/			
11									1			. OSe	on o	road	ing	# 32	229		
11				1					100	12/3 1.	To Koucher						1,	T. I	- 4
1				1						Jan 31	Le lloucher	155	1594	Jan 3	, In 5 3 4 8 5 8 7	noice	1075	15	12
										City .	1	/ 2	7450	July 1	D Jay Jane C	a var	707	24	57
											1		7	T					7
11											1 .	1 1					1		
11												1					.		
												1 4			-		1 - 1		
11	1211			1															١.
1			11 11 11		1				NA.							•	1 1		1
									NE.										
			4						h de					I i			1 4		ļ
11				1 :	1								1 :						
H		·		1:								.					1 1	.	
£				1 : : :	l		from the first	1:									1-1-1-1	- 1	
<b>W</b>				1:	1				980				+-+				+		
- Kil				1	Br 1 to				100	<b>4</b>				I					-

103 Sheet No.	1011
	Sheet No
Name Address Conspection on Aube Loading Machine	Short No
THE PILE HE SOUT CHIEF, SPICE S. A. SHAM	Adaress
Delara to Confor 124 2623 Tely 24 B. E 8 8 60 Son 7081 2683	July 31 Comber 206 2083 July 31 Median Vector 103 de 2083
	Calosi " 221 4169 Ch 31 " 10335 4167
Mar 31 21 Commer 120 Good (Mar 13) 84 6.8 Bla In 1720 69 04 1 140 13219 Chr 30 " " " 13218 13219	82 5 30 " 100 31 75 25 30 " 10dr5 31 15 10dr5 261
May 31 " 145 5456 May 31 , " " 9464 5456	
July 31 " " 129 2000 July 31 " " 179 6975	
116 2658V (pin 37 " " 7865 2658 1638	
Qeth 20 109 14172 Deth 20 1 7979 14172 Qet 21 8096 18812	
An 30 " " 11del 15988 /lon 30 " " " 8209 15988	
Jan 21 " . 69 13 th 20 11 "	
Anticas " 18th 34730 (April 30 " 1864 3450 (S) 10 10 10 10 10 10 10 10 10 10 10 10 10	A second
1915 Inspection on Mires Lamb + Specifications	apr Impelling & aghel
Cc+ 31 Lo Voucher 80 30 Oct 31 By 8 S B bg Sm \$105 2655	dug 31 Nowher 17 43 aug 31 Edward Shamied Inho Say 1029 6 996
Nor 30 100 70 der 31 1 160 42	1 9/1 9/19
1 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
Ser 31 " 47 15 " ESBG Som Sett 3 851	
1914 1 156 16014 " 1854 10166	
Jan 31 . 126 300 Mar 31 " " 8666 9922 .	
Tely 28 " 27 05 Holy 30 " 8868 33.55	
1 28 1/8 Huly 31 " 9059 69.43	
" 76 302d " 118 2000	
1 134 7/30	
May 21 . 106 9922 . 68 33	
10 5 32 29 3 22 83 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	The state of the s
Charles of March	Jus Show Bearings
1913 Tron ling of Freed on Change Side of	
Lee 31 Voucher 156 365 Dec 31 C & 1 Inn. 1395 365	Q. 1 31 Umher 1111 NG Out 31 Bolltdum Suc Son 10513 9,72

G

-				***************************************	The Company					r-				**************************************	C228 C009*** P3C409***04	10000000000000000000000000000000000000			
Sheet No																	DATE OF THE PARTY		
Name		1=11.1-	(28)	1 + 1	11. 1.4	.1.1.	. P. M.	220			0.0								
Address	Q77.5	encenter.	ng ce.	cerreer	Kead Ia	o reside	24	e erre ca	e>		Labort	math for	, } 50						
- 31	Tomber	do	TV	7700	31 Edison - 4	11 11	0	كيتق			Johnson Labor to Jenking Labor to Jacobo S Laboro	a.B.	1 50						
27 6	con cher	5V 276	678	che	31 Edicon 4	chem. Persko	Sw 10706	140	77	1	Jacobe	Jus.	, , , , ,						
		226:	1403								Labora	matl for	) 100						
										. Mi	L + m	for	\$ 100						
							1				Jih ler	and	× 2287		,,,,		A SECOND		
											Jarman L+M Jih ler Jacobg C Johnstown	v Operation	7. 100						
							1				0						1		
								1											
							1			1.04.19 1.1.14	70							-	
			Li	Hi															
-		mu a	Par	Lean							72 H						***************************************		1
_ 9/	Jan Lar	217		Ži J	2 4.777: 60 - 1	11 In.	T	7	,		-								(
2 37	Carre Long	219	26	dec.	31 2 1/	ll Lorer	10771	. 2	6								1		
							-												
		-																	
							1		1										
		-		- 1			1								٠. پ				
		-									1								
									:										
																	1.	. :.	
		!!					1	TI			1								
									1										
		i	-		-					1									
							1.1.				200						TO STATE OF THE ST	•	
							l. i.				100						Later Committee		
							<u> </u>		1								-		
				-					1								ALL A REPORTS		
11					1		1 - 1 -		1								E PORT		
					-				į								224140		e general
							200				1								
		TOTAL PARTY OF	-			TO THE PERSON		13		100									

				The state of the s	Shee No. 100 Name Address Joseph Jacobo Lim.
	COT PROBLEM on a			K	1927 1920 30 50 conches 53 72 8ch 3a 2g feer, 2000 were 75
	- COLOR MANAGEMENT			4	
	Marin Proposition (Action				<u>工程</u> 255 768
		·			999   1
SOME STATE					
					J. Jarman Lim
	• . · · · · · · · · · · · · · · · · · ·		•		Jamas Lom.  Jamas Jo Vinches 115 20 Jam 31 By 18 M. Juny 1761. 20  ach 31 " Junie 2576 20 Jan 31 " Joneher 96 20
4					
				,	324 244 354
		or or or or or or or or or or or or or o			
		11 top # in spo on	•	h	
					Oscar Jacoby L+m
	98 80 81 81	· ·			1911 1911 1911 1911 1911 1911 1911 191
		S.CT. CYT. QC HARMAN	•		Chriso Do Comber 42 4500 Chriso & JM In 9430 4500
	100	THE OWN OF SHEET			Oly 20, 3 24 Oly 30, 1959, 24 Star 31, 30, 53 Mar 21, 4 1155 93
	more in the second				
		***	•		
<u> </u>					

Jal Sheet No			A CONTRACTOR OF THE PARTY OF TH	
I · I		de value de la constante de la		Thereof
Name Address	- Johnstown Operating	Kopp Jr Bul Soon 100 Miles & Submit Mall for 100 Miles & 100 Miles		The control of the co
/// Jegense France (Fr. service & .		Labor or matt for 1100		
June to Wouch	1 133 87 June 30 Charlemon Clank 10160 1673	Kneile G.	*	\$244
600 "	167 109 V July 21 " 1000 11416	Labor FMall fm ) 100		
July 31	21 10 1/10 Cent g. 31 " 10348 23421.	Phonograph 12123		
aug 31 .	20 73703 (Sel 31 " 10181 1665	Kinetoscope 1 2		
Chika:	113 718 Mer 30 . 1615 1215.	motor Drive \$ 2153		1
Oct 31 "	117 9827 87 1191	Kilis to burn time #2432		
	100 91	Key Wan Ela #2634		•
1625 30. "	170   '91 180   919 1211   191	Kornellith R.S. 101		
	15% 30	Kolver & Long 101-	**.	
	187 189 189 189 189 189 189 189 189 189 189 189 189 189	Klaube J. 101-		
		Kolover & Long 101- Kolover & Long 101- Klaucke J. 101- Kning *3668 Jennedy AM Stm 102		
		Menniay a 111. 24111 102		
	Liga for Ofen frakende			.andat≥n
6		4		
Dan 3 / Jacob (Dely 29 " Mar 34 "	1185 3387 Jun 2 Blank Sim Haber 1015 2389 176 1778 1344 39 1877 1775 35 35			10000
Mar 31. "	30 31 32 37 11163 35	100		Via S
		an contra		
		0.00		
		-		
		PER COL		
5 C				
	Land for Leasting Basel thatel			
1916				
Mar 31 Louche	119 8595 May 31 65/16 Chial Sir 1108 1548	5 6		
			\	
			•	
		TATELON OF THE PARTY OF THE PAR		
1				
		Parameter		
<u> </u>				
L				
				45.55
		A CONTRACTOR OF THE CONTRACTOR		18 Maria
			1. 2 2 1. 2 1. 2 1. 2 1. 2 1. 2 1. 2 1.	

J

		- BEET CO. TO CAR AND ADDRESS OF			Comment to the Comment of the Commen			TT-LL SHEEDS Who was reserved by			Sheet . Name Addre		***************************************	Wors	b On	Kine	toph	lme/ # 2 4	- 435		Section 1	
		To Charles of Charles of Charles of Charles			The second secon	·		EETTEE MITTENALIS SAASSANTEN VALVANTA FINAN			June/3 July 3	2	Soucher :	27	156 41 30119	June Sulful Sulf	30	79.E.S.	Mir	9976 9080 9154 9356 9350 94111 9536 9460	92 24 13 12	1518-
G H		and the state of t	'%.	"1 5	Washington and the comment			A CONTRACTOR OF THE PROPERTY O			Aug 3	10		34 35 38 89 116 136 56	150	8 Hor	3.1	y 19.E.	Inc Inc	9350 9411 9536 9760		8631 1971 2881 2901
J								A That can be comed to the second by the sec	1		Oleph 3			56 78 79 81 90 50 24 75	700	8				enadeu adeu a a a a de art de en el const		
					***************************************			Table To B as a final state of the contract of			Ock 3 Nor 3 Dec 3	to 1		91 95 111 113 115 21 69 126 152	308	7/ - 13 12/ 0 13 12/ 0 1 13/ - 90/				No. or the second secon		
								ALL MARKET Lines of the control of t			3.2, 2	8		117	2;	791				And the second control of the second control		
					Address to A control of the control			decimal to the territory of airc		- -		THE REAL PROPERTY OF THE PROPE		AND THE PROPERTY OF THE PROPER						THE CONTRACT OF THE CONTRACT O		
					ment i strette de Gallacia de Communicacia de Communicacia de Compunica de Compunicacia de Compunicacia de Compunicacia de Com			CONTRACTOR STATEMENT OF THE CONTRACTOR OF THE CO				VIII CALLED MARILLA DE TRANSPORTA DA CALLED AL CALLED ANTICAL DE C								ALL DESCRIPTION OF THE PROPERTY OF THE PROPERT		
	а.				A DESCRIPTION OF THE PROPERTY			PERSONAL PROPERTY OF THE PERSONAL PROPERTY OF							32					Commence of the Administration of the Admini		
		THE CANAL VIOLENCE OF THE CANAL VIOLENCE OF THE CANAL VIOLENCE OF THE CANAL VIOLENCE OF THE CANAL VIOLENCE OF THE CANAL VIOLENCE OF THE CANAL VIOLENCE OF THE CANAL VIOLENCE OF THE CANAL VIOLENce OF						-														

-333

Da .

∴af "	CONTRACTOR OF THE PROPERTY OF	, , , , , , , , , , , , , , , , , , ,	Armana.
網			
	Sheet No	1.2 mg/	Sheet No. 1 O.O.
	Name	900070	
H	Address	44.4	Societ No. 100. Name Address Address
IL		The state of the s	Address
			ter internation stand (O' many e. )
1			1908 Seph 30 To Voucher 96 30 apr 30 By L+m Ins 478 30
11			again do voucour go sought sought moun 473 30
1			
4			
II			
			The state of the s
21			
A.			
4		LA	
			G. Kneile
<b>4</b>			e. Nneile
			July 30 de Voucher 84 33 June 30 Ary \$4711 During 1,62 33 3 July 31 "108" 1550 45
П			July 30 To Voncher 84 33 Jun 30 By Rom Inverse, 1162 33 3 July 31 " " 108 48 July 31 " 1250 48
1.			aug 31 " " 108 35 aug 31 " " 1340 36
ŀ			
			apl 30 118 16 apl 30 1984 16
			June 3-0 , 90 13 June 30 , , 2219 13
			1780
į.			(C.COM) E-70(6)
		1. 13	F-88795
į.		(1)	
li.			
U			
ľ.		1	
ľ			
1			
H			Key-Way Ele # 2624
1		1 1	19/102 20 Wonder 108 700 17/10 20 By to the had so 1050
1			sight 30 20 Womely 108 7.00 aight 20 13y Clerks hul 4780 10,50
1			12.50
1			
li			
- []			
		1.4	
. []			
100			
100			
1		.	
1			
Î			
I			
-t			
GA.			


IJ

Emiliar at the second state of the second		n	7				
Sheet No. 1 0 1			Share N	102		THE RESERVE OF THE PARTY OF THE	
Name	R. S. Kornbluth 2	Lom	Name	0. 102	Knives)	#3068	
Address			Address	s			
1911	23 115 120 30 By Lom In	5236 1115	1912		19	-	T
Jan 31 " "	23 115 120 30 By form In	581 67	ang 31	To vouche	129 955 am	9 31 ay 25. B C. G	6391 955
	1,517						
		Acceptable to the second					
<b>.</b>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
		the second second second					
		and the first of the first					
		[ ]	27				
£	E. Koloer Lyn		7.		a.M. Kenny	L	or in the cities of the control of the first of the control of the control of the cities of the citi
1912		5521 29	(913	- 1	1 1 1 1 2	/	T-1-1-1-
neh 29 20 Voucher	144 29 24 29 24 29 Lom hur	7162 1025	July 31		, 20 le 0 2 year	ly 21 Ty LYM Im	
· ·	14.64	1000	Myr 30	"	137 60 74	r 3-0 "	8290 60
Eifer 30. De Somber	116 20 apr 30 By Itm In	r 8838. 20	2/4/31	7	55 200 de	931 " " "	8410 331
			1915		130 41 0	ne 3 " " "	10195 61
	The second second second second	in the first of the second of	June 30		167 61 Oh	eg 31 " " "	1150 100
			(171mg 31		135 100		
	An and again the control of						
		19					
		allien a la participa de la company	- 200				
	Jr. Klambe				Key Link Van	! Red	
1912 30 20 Vonche	127 47 mar 30. By L+ M. In	- sta 47.	7200 Laul	Voucher .			
man 30 to Vouche	30 77 June 29 1	6121 77	100 31 Stery 20	dounter.	148 3930 Jun 126 4840 Fel	y 31 Steern Othern Marsh	10883 3930
January		124			170	"	7070
						1 1	
						1	
		(					
1			TALL		1		
						11 1 2 2 2 2 2 2 2	
M .			SECOND IN THE PROPERTY OF THE				1 1 2 1 2 2 2 2 2


Sheet No. Lan Sink Singthe Hall Red Name Labor & Sundries in 1 -1 & Manake Stome OK. so Sedger Posting Stand Address Hoopers Feeting Dept 1 1818 egith Layor Lamp House 13871. Loud Speaking -2 Lonard Lom 101 Loud Speaking 21 Athles Constitutions 1 2000 Lider L LIM Mar 31 Phonograph 788 3 LIM 6 make 1 Orfermental \$3468 May 31 2368 3368 May 31 11311 111 4 \$2008 Celm Drying machine in Jool Room Loud speaker \$2017 2m USS. May flower Lanaden Go The Labor & mattfor 5 5 Lym (HILoul) Little Falls Crushed ( Itm to make Leve Jumbon Stone bon ) 6 Blank Shaving Machines ( 13595 Loud speaker for 7 Loud & archard Lukes 13613 the Lyrie \$4208341 Mon new Olaling Laverty P. System to be installed Labor ) " Material 50 on Blue amberd \$3643 8 Lanten Slides \$366 Labor material Ele ey J. B. Thompson 12,54 Lt M To make Tools for) Lancaster St. W. Heams Celle 3 \$368 50 L1 M row making Drawing for 108 Leitch m. Legal Dept 5.1 AM Install One Unit of L+m. for Loading Machine (\*21987 Baths or alaling Takks) \$36 23 for 17- Plate Cell) 9 StMTomakel3-5"-2" Celle #3684 EtM to make Tallernston Lohmeyer G. L Loveles D. 5. 1 Toola for Model 1915 Keneto #3686 Irm for Evering Carbolis ? 129 Lom 52 acid Olanh Loading machines, 10 LIM to Replace Old Style 109 for 1/8" Dubes St. 5 34 Ceylinder Haling Bath ) 3695 Loading Machines (8/ 2583 HM on One Brusher fred Tweelows 13 # 2603 LY Minisher manufacture of 2 +10 2 Lyman W" Arm. Falora phenylandumpel 3799. Landen Blide # 277 2 Millia landhatureth the 1964. Camtern Blide 16 277 2 Millia landhatureth the 1964. Camtern Blide 16 27 3 Millia Commission 1882 2 1882. Lanten Blide 16 12 27 Millia Commission 1882, 20 Samp (Watchmans) 22 b 3 of flesh for her type B hashbook 37 B Samp (Watchmans) 22 b 4 of Holes for her type B hashbook 37 B Samp (Watchmans) 22 b 4 of History mentantined lang of flesh Lantern Stickes # 25 4 3 Lyver flesh 1 Johnston 1) 8 38 21 Laury R. D. Lom " Styl & George Heaven from the mill 1989 for the level of the fact of the Storage Balteris +3×08 Manufacture Stools 1915 Model SK #3815 103 KMon automobilegla MRA 83878 Trinting Marhine #373 Clean to cover the rentradort 38! Gial 9M +103 Lapping Machine 3917 Lyman Obeto IV Sm 1103 Lapping Machine But 211000 July 9 m suf It dury IM 110 Atm for Repairs on Comera 1358 Loading Thing ht Dir Lomp 113


Sheet No. \_\_\_ / 2\_\_ Lantern slides # 2843 Name Address 105 120 40 111 125 109

LY M to make I Saperimental Elm Seying Machine Name Name Address Address 90 106 36 37 93 115 3 27 28 37 50 97 38 75 82 aug 30 



Ly M. to Build Crenting Marken 1 5226 Name Address Name Address 10 46






Lt M. for Secting Carbolis acid Clant 1839 10 Sheet No. Name 550 Cycy 30 70 Edward on 9187 144 21 H 3- 1781 2016 Oct 31 " 9591 71 78 87 13. 103 13 SV 1064 1064 

1	Sheet No	0	Sec. 150.	Sheet No.	A SAME DATE OF THE SAME	18
	Name Address	LN M. for Execting Coarbolis a	cid Plank " " 13 17 mm	Name Lyl,	M. for Execting learbolis acid Flank.	· · · · · · · · · · · · · · · · · · ·
Oct		108 4073 1 Och 31 Brough Driver & Joseph Driver & Jacobsen Land & 108 113 113 113 113 113 113 113 113 113 11		Dec of Uninher	13 9, 4 80 Dec 8-1	200199
		110 drg. De 31 "	9557 12 254 18	Unusur	69 18 bride Jun 31 Bytaldion Sme Smg 80 2936	Elst 6.1,871. 876
		99 1879 93 90 271			82 1600	
Nov	3.0	91 1918			93 990 104 3974 109 2076	
		9 1660			108 5500	
		13 200 11d 760 16 10290			112 110 114 525 15 28021	
		21 1010			11.7 5-63	
		21 11007 20 176 28 216			120 190.0 126 306 136 14.16	
		31 37100 35 800 39 2635	D 21		137 24908	
		46 36113			139 35	
		54 6221	1 D 1 D 1 D 1 D 1 D 1 D 1 D 1 D 1 D 1 D	1755	146 5085 150 2276 154 7177 00	
1		1/8 Sd2d		Jan 31	9 (M. 1873) 15 226 14 1 21 1650	
		70 80 60 60 60 60 60 60 60 60 60 60 60 60 60			32 6500	
		85 7300			40 1.494 41 1.5824 4.5 39	
		94 21/20			116 931	
		105 232			1/8 285	
		109 209			62 79371	
Dec 3	7	1 3 3 4 2 8 1 3 9 0 0	1000		70 6.6600 77 11581 76 500	
		3 1775 20 14868 27 13-0			87 28888	
		218 190 34 4510			89 8213 107 600 110 70037	
		37 2409 40 1485 44 5360 48 20304			116 11550	
		1/8 203 07 511 13 9 1480			11.9 169 60	
					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Sheet No. LY M. for Execting Carbolid acid Stanh L4 M for Execting barbolis acid Stank. apr 3. Vanher 121/ 136 138 16 16 17 16 17 18 8 9.0 May 3 1 Let & Sand In 10033 Vomber Lely #3 72 11/54 1/1 71 75 81 36693 31700 12520 552 552 Marles G 120 3080 181 11927 445 2265 1026 9000 261 48 49 54 63. 34300 720735

Sheet No ... Sheet No .... 2.1 Man Gornection with the manufacturing of trols for Name Address Jan 31 147 171 5 tely 2. Mar 31 afra 3 9866 5750 May 21 July 34 July 30 Oct 31 Doc 30 Doc 30 May 21 May 31 June 30 June 30 June 30 550 Jun 30 22/1 1 5 6 6 

	Sheet No.	CONTROL MINISTER							Sheet No.	0					
	Name								Name	Jor the He	bonnec. wZype	timbugeth Magnifacture of 5 00 B. Sind Thomas 138.	3		
						1		J	Jane 31	Voucher	3.	100 Jan 54 D. Michigan 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Inrybor	T	Ţ
				 							136	10 9 1 28 " "	9716	1 7 7 7 6 11 2	13
				 				<b>3</b> .	Tely 28 Mar 31 Upr/30		14/11	53 98 ahr 30 "	9026	8	9
		+ }	-1-1	 		-		1	Mar 31		147	9950 12my 31 1	7999		ş
			1	 					Upr 30		2	660 June 30	10125	-12	,
				 							70	31 48 0 ( in 37 "	10318	T	
				 -					May 31		2	40 Sell 30 . "	10390	1	
			11	 	i i		1				12	133 Caf 31 "	10527		,
				 							10	no Du si	10716	- 6	,
		1		 			· · · <del>†</del>	· [			37	148 Jun 31 "	iosbo		
								i ii				11.80 Hely 29	10963	7 7 7 7 7 7 8	
				 1, 1				J. H			121	55 apr 29	11223	7	į
				 				Trong and the same			135	755 May 21 .	11374	7 6	•
		intol:	-1-1	 T	-tf-:		· · · ·	K .II			12/10	798 Juju 30 .	11597	8	,
								1			157	and the land of	110.00	99	,
-+			- -	 -			and the same of th	used in Trans	June 30		293	1977 53			
		+		 		1		100			63	394			
				1				4			89	310	-+++	+	
			4	 			4				129	25			
		-		 		-		·   -			89 119 129 169 251	76451		-	
				 				1			251	76451		+	
				 				1	Julyan		14 47 78	1507			
		1	+++	 				1 21	Julysi		78	108		-	
'' I				T				₩			20			-	
- 1	-		-	 					Cing 31		18	37 49774 560 30			
+				 1		-		<u> </u>			32	30		-	
				 				. 📗	Selt 30 Oct 31 Hov 30		200	40168		+	
		1		 					Oct 31		177	29769			
-		+	-   - +	 -				. [	Nov 30		177	300	-		
								1			137	600		+	
-		ļ <u>i.</u>		 				1			137 147 212	68771		7	
-		+		 				į	Der 31		225	14		4	
							1	1	-Jun 31		226	71922		Ħ	٠
-				 					7000 37		148	64418			
		+-+		 			1	1	Tely 29 Mar 31 Egg 30	Andrew hand and an halo Mark Mills and had a	126	847 21 50 495 7 7 9 47		+	
				 					May 31		119	78489		÷ŀ	
[		111	11		4-4-				upu 20		67			1	
			++	 		-					96	10/21/2 10/21/2 10/31/4		1	
				 -				·	Moy 21 June 30		131	101244		+	
[		1-1-1	4	 						,	108	(1410)	-+++	#	
		++++	++	 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		-			July 31	,,	134	10141		4	٠
								1	"			17.11			
								<u>J</u>			+			10	V



Sheet No			Sheet No.		2
Name			Name Address	I. t.1.11 in The Manufacture of Oura,	hhenry lenediamine
			Jun 3-1 Balance	momphin James	,
			(/ <i>Ui</i>	160 50 31 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/	3 y La Eddin Brush   1   1   2   3   3   4   6   6   6   6   6   6   6   6   6
					8 " " 9713 6661
1-1				100 3.0 3.0 3.0 147 2 169 169 169 169 169 169 169 169 169 169	1 9813 9526
				1201 Com Class	9843 29561
				124 77 Char 3	1 10006 3338
1-1				138 1966il June 3	0 . 10156 8505
			Tely 27	15 220	4 23 2
1 -				25 92	
1-1				3/ 2326	
				31/ 730 39 2150 56 225 57 568	
		. M. S		39 2150	
l				57 568 71 149 84 64	
				71 149	
				0.75	
ļļ		· · · · · · · · · · · · · · · · · · ·		92 1614 90 232 104 64	
	<b></b>			1011 611	
				117 57799	
t - t				66 2307	
		id id	mar/31	117 1000	<del> </del>
		25	mar 31	15 400	
ļ				15 400 36 1141	
ł ł				34 05	
1-1		IN is		44 7427 46 726 78 640	
T				7427 46 727 78 646 97 232 123 21	
				78 640	
.1				123 21	<del> </del>
1.			4	130 04	
+ + -				191 719884 9 425 14 2125 25 5538	
-			apriso	9 425	
1-1				21 2125 25 5538	
				2.5 559.8	
ļ. I				29 173 30 338 60 1545	
i				60 1545	
1-1				70 200	
			Aug I.	252 6349 54	
1 . 1			May 31	29 177.9 50 33.8 60 1845 70 22 57 862 12 18 18 11 18 18 18 18	<del>  - - - - - - - - - - - - - - - - </del>
1 1				50 12 Hy 54 3203	
·				54 3203 55 225	T
1				ا اداد ا اداد ا	
1				793 11653	
			June 20	27 2878	
			V	27 200	
1-1				53 4840	<del> </del>
<del>                                     </del>				63 27 84 65 25000	
1				+ 0 = 9 7 0	

Sheet No.	Some of the state		Sheet No.	96.11.0	el m. n. n.	
NameAddress	. It M in the Manufactured of Europe	anglenediamend	Address	- 11/1. Sive	The Manufacture of Carap	henglenediamine
June 30 Von	107950	7 1 2 5	Jungan		17 3 17 2 8	14212
() lon	Ann 199 185 (m) 3- 10 En  1	son Inc Sur 10714 11.1179	(12eh)		1985 264 29 1886 1886 1886 1886 1886 1886 1886 188	ucher 31 353
July 31 ,	8 11918 Jell 30	11 10-40-7 11-41 19		" 29 " 3.0	231 May 31	mane 2m 10996 16335
J-41	10 39137 Of 31 40 19137 Of 31	10016 116323	- <b>Al</b>	45	5463 apr 29	11208 10851
	13 7976 De 30	" 10/05 16/62 " 10/50 164634		11 50	109301 May 31 Uper	cher 40 1600
	1. 14 79 46 De 3.1	" 10950 ) 116.34		1 126	To Jame 30 Von	cher 14 100
	76 710V/		Mar	31 0 3	24.83	ic. 1110× 200 B
Cung 31	3 13200			3.5	1306 July 31	11645 17 87
0	27 287			40		
	27 287 29 2673 39 7677 40 26784			, HI	9708	
	39 7/72			78	Sro .	
	77 350		L PM	105	120	
	95 260			1 116	3.50 022	
-7-7-1	221 36251		Type Type	30 " 119	18501/32 B551	
Sept 30	93 . 10			" ) }	767.10 3 1496	
	175 204			" 36	1350	
	127 7000			" 95	389	
	128 8800		May	31 " 94		
	700 1729 19			. 39	24517	
Och 31	7757			· /o	974	
	35 1264			. /3/	1 1933	
	30 2320		Jane	20 . 1	1 2 5 5 2 25	
.	38 9687 53 107740		July Guey.	31 " 108		
	95 350				7972/14	
	105 90					
Hor 30	177 6 3 6 8 7 2		<b>M</b>			
	48 3186					
	49 120001		<b>I</b>			
	88 102760 714 93693					
Dec 31	4 7048					
	13 2/3					
	13 57241 113 17310					
	96 195					
	184 170					
	705 7737 776 70775				+++++	
Jan 31	143,82					
<del></del>	36 96600		10 2			
	40 14785				<del>                                     </del>	
	7.4 246					
	90 100					
	2/0/49				<del>+++++++++++++++++++++++++++++++++++++</del>	<del>-                                    </del>
Mir all Land	193,11006					

Sheet No. I Mon Cutomobiles for MP Hutchism -5th Name Address 1,876 6,0019 1,876 1,874 1,574 1,574 55 16 34 5 7 2 405 405 405 405 407 407 407 407 407 407 407 407 Mar 31 19 76 38 40 25 50 50 125 10 56 1 apr 30 Voucher 91 135 107 108 

Sheet No Name Address	29, 1990. 11-25	Sheet No Name L.L.L.L. & M.
		Mars 1 Lo Comber - 120. 76 Mars 1 Ly & + m In - 1798
-		143 & M for Repairs on Camera # 3258  May 31 To Voucher 114 8198 May 31 Grand 1 5258  May 30 " 128 15188 James 30 " 1946 543  July 31 " 12 77  129 24 70  129 24,00
		May 31 To Voucher 11'Y 8400 May 310, 10 8 1 1
		July 30 " " 128 151/88 July 30 " " 9668 151/8
		7 33 July 31 77997 23c
		" , /27- 70
		179
	Gibbons .	
.   .		

50		A WEST COLUMN TO THE TAXABLE PARTY OF TAXABLE PARTY OF TAXABL							-			- WAARAN CONTRACT		4		
53							Å									56
1 .	Sheet No	d. 20. 1	/	Tods for	./.	0.4		Sheet No		9. 00	/	C	,	,	_	
1	Name Address	- XY.111.V	Make	: Ivolszfor	Meanifu C	ells	·· ·· · · · · · · · · · · · · · · · ·	Name Address		65 Y .///	Section	er/Lepe	nzelefiki	aking Hece	ssaryDrawing J	
7 (7 3 man rein)	to high it, show, t. i							in the section of the section of	turi .				1075	· · · · · · · · · · · · · · · · · · ·		109
May	31 Jo Wom	her uty	7.02	May 31 By J	1. Elnelow,	1527	× 1	L L	11 2	omfolip	111	370700	2.11.3.	2	11	370800
Junk 2	3.0	14	1.08	June 30 "	u	1527 go	7	7	30	When her	200	101.14		Edward Silver	21 Lunio 393	101.11
		125	9334	Quy 31		798 779			v1.21 vv3e		212	1.065	21130		10524	100
July .	4	7	1050			136 2216	≥	1 2	ccsi.		200	27.03		·	10713	13532
		127	12.84	Dey 31 "		258 3845 382 3974		Ø.	(6		126	16836	Behy 29		10863	134/21
0.		129	,5311			194 3570					37	212	221dr 3.		11/11/	15768
Chy 3	7. 4	. 16	537				<b>i</b>				39		Upr 29	<b></b>	11279-	75 93
3	4 4	35	. 891				A A				55	5.40	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		11369	12.38
	•	36	222	<u> </u>			· · · · · · · · · · · · · · · · · · ·	2	1475		148	10559				
nov 3	30		1. 1.75						Y		30	13				
		. 48	320					L			- 87	10				
		. 49	360					m	lar 31		119	17903				
		. 79	160				h		12,30		36	116				
7		141	3.6535							* *	91	16527				
Dec 5	I-7 u	1 136	1.06					170	ey 31		31.	4 26738				
1814		1 156	39378								68.	1697				
Jan 3	1	. 69	1980					war and a second			87. ··	1900		0 =		
	"	" 127	132476								119	1,000		9 15		-
_/_		Zxm. 10	take on	Nome! AK. Um	the Large Sa	mat Moure				(V/n)	161	<u> </u>	1	. 0	~	to be seed to be recommended.
/9/3	C			1913	1.537	//				Ja Ja Jama		arev	ruce	ng Z	» w #38	08
Auly 3	o. Io love	her 120:	81/3	Juny 30 By J. a.s.	Inclury	674 87.95		716	1 1 7	of the stone	96					
(/ / / /			390	Quy 31		799 87.95	, J	V m	4 31	·uener	31	189	Mary 31	Elina P	" " 11368	46189
		73	8/11	Seft 30 " "	80	124	3 Fan		u 30			46000	July 31		11533	36615-
ang 3	/ ·		800				1 1		u .20 .		36	15%	Yuly 31.	·*	1 . 116113	277.81.
ergir s	0	3-0	43				- W		cy 31		108	36062				
								-	9.21		134	7781				+
			h													
			1					***				1:::::::				
L			1									1				
												1				
	· · · · · · · · · · · · · · · · · · ·							<u></u>								
			ļ. <del>  </del>													111
								<b> </b>				Hitt				
							M		4		ili	liliti				++-1
			1													
	· <del>.</del>															HH-1
			1													
Section of the sectio				With the same of t		TOTAL PROPERTY.			-		·					2

Sheet No Namy/ Y / M/ !E/C Address	gur Es	- pensefM	ching Thee	eary Gre	eraings		Name	102	Les	cture "	Hesesu	uth	*3017	
			0 2809				Address	8					/.	
Jamesolpu ches	73 36 111 105	1390 July 3 1390 July 3 230	College Mars rope	1153d 1153	617 67 757,42		may 3 1 June 19	To Vonche	140	400 ma	7 31 2y	Esplez Im	5884	316
July 3 .	108 116 12 117	01 217 H8 27					real and and						PRODUCTION OF THE PROPERTY OF	
	132	67530							La College de la		-	*	and the pile of the sections and	
									Me Lit	him	Plant	. *3	045	
							June 29 July 31 aug 31	20 Voneher	145	17366 Jul	2-	EsBley In	6178	17366
						and the state of t	AT MICHAEL					• • • • • • •		28038
			1						California de Ca				100	
											-		1000	
							1873	. 9	Cym n					13708
						· ·	Pety 28	of double	155 35 1211	3 438 Jan 2 10 del 329, 9130	7 31 Edsans ()	hono toko Ins	7134	3438 5692 9130
					l l		Mar 31 Opr 30	To Cowh	140	1688 Man 1180 Opt 2551 Man	31 3,80 2 30 "	kma Who Im	7412	1688 3031 2342
					10.00		June 30 July 31 Charly 30	# # # # # # # # # # # # # # # # # # #	129	23 1/2 Jul 1776 Jul 3684 a.	20 11 931 11 931 11	H	7680 7808 7928 8044	1776
					100		Ort 21 Nov 30 Dec 31	n	109 122 144 156	1947 Hos 390 Dec	30 "	A. W.	8149 8271 8397	1947 390

10.3 Sheet No	Sheet No
Name Labort Material to Build Printing Machine 13236	Name Address Mr. Leonard LYM
Jan 31 To Lounder 150 2375 Jan 31 3y 18 Edun Juch 1996 13 yo. Berry 18 " " 124 595 Berr 31 3y 18 Edun Juch 1996 13 yo.	June 30 To Toucher 170 33 June 30 ay 2 m Im 7698 33
Marson 2. Lumber 120 grov Marson 2, 746 Inching 290 ggsov april 1600 april 20 1993 (442) 30 1 30 May 31	
May 21 " 112 102 12 (hill) 31 " " 799 2056 1 Higher 20 " 125 128 26 (hill) 31 " " 990 2 5638. Guly 41 " 129 2056 2 2 2 3 3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1	
Ululy 30 - 23 50 Oct 31 8134 3229	
Sept 30	1919 L Lindon LYM.
Januar de Lomber unt San a By L 1 11 Som yord St.	Jan 30 To Tomber 140 11 Jan 20 Cy 2rm In 1/67 346 (160) 27 160 160 160 160 160 160 160 160 160 160
1913 Lymun Photo 96 L1 M.	1910 Labort Material to make 1 Experimental deline Sayung Managinie
May 31 2. Loucher 120 1921 Mar 3, 24 Stm In 7297 192 Apr 30 11 110 18 Apr 30 11 122 May 31 11 12 219 May 31 11 1237 219 June 31 11 129 129 July 37 11 1924 1329 July 31 11 129 1229 July 37 1924 1329 May 31 116 33 4 July 37 1924 2369 May 31 116 33 4 July 32 1942 2369	Cany 30 To domain of 20 dy Fry 37 By 39 & Sullar 799 27 139 37 Sught 30 1 100
	Non 20 " " 137 21 " " 177 " 137 21 " " 177 " 177 " 177 " 177 " 177 " 177 " 177 " 177 " 177 " 177 " 177 " 177 " 177 " 179
	Jan 21 " 55 1, 1981 Infaire 10

105				The second secon
Sheet No.			Sheet No	. 7
Name	Lyman Choln 4/2504		Name La Good M	. 1 3/ 8 8 mm M
Address	#3504		Address	aterial Ch.S. S May flower
Deft 30 In Voucher	114 198 Cct 31 " \$161 3418 122 320 Har 20 \$276 1559		1913 30 Lo Cloucher 1111 Jan 27 " 129	1 053 Hys 3. By & S.B. ba Son 3216 1053
Hely 28 11 May 29 11 May 29 11	156 1077 Species			
July 31 " " Januar Stepen	136 1/95 Aug 3 1 1/2 detain Age May 90 16 210 \$ 1/36 1/96 1	No. of Concession, Name of		
	1377			
	7			
1913	+ M. J. Repair Shaff & Supply Justs		1919 Labor 4 Mi	Paterial for Repairing Kinetophone ifmo
Sept 30 To Vander	- 109 6159 Sept 3-0 By 9.0 B Sm In 8030 6159		Decky 25 " 179	10 Aggs 3 70 Colon In 8389 10 Mg 10 Mg Gan 31 10 Mg 10 10 Mg 18 18 19 10 Mg
		١.	Mar/31 " 10t	12.93 May 21
			•	
1913	M. to Conlarge Dattern Storage 500	100	Labor Y)	natural (F. H. Lovel) 25/15
Get 31 ". Non 30 " "	109 36 Sept 30 2 Son \$200, 7989 360 1717 South Oct 37 \$106, 2269 144 3785 Nov- 30 \$228 3955		Leg 21 Vanher 156 254, 28 " 166 165" 165	70 83 Alex 37 4 Carindler palet \$ \$343 \ 70 83 \ 70 \ 70 \ 70 \ 70 \ 70 \ 70 \ 70 \ 7
The state of the s				
		- The same of the	The second secon	

107	
Sheet No	108 Sheet No
Name LYM to make Leve Gumber Stank Shaving Machines	Name It M. Ting Making Drawing Fred Land 1). 14
100	Address #3699
Der 31 Vember 186 367 April 31 The Inchm 6397 8 47	May 31 Uniher 115 3616 May 31 6 & Blon Low 8877, 3646
1 127 521 Pechy 28 " " Ny4 450	June 30 106 22916 June 3. Illedien Inlan 9001 22916
Ceft 30 " 115 06 Chay 31 " " , 5906 3768	Ching 30 Mouther of 200 Ching 30 1 1901 36 16 17/13 Ching 30 Mouther of 200 Ching 30 1916 17/13
May 31 1 15, 37,680	
Jun 30 " 106 1435	Dept 2- 90 120 15
the second secon	
1914 Lord + arepare Jules #3613	Ly M. To Install One Unit of 20 Bather Clating Toppy
Jan 31 Loucher 127 3333 Jan 31 blum 1866 3 Sm 8666 339 Gable 26 1864 28 1866 34 2023 Clicky 26 8576 2023 Clicky 26 8576 2023 Clicky 26 8669 30 1866 19267 Chr. 1776 May 21 8696 7267 Chr. 30 866	June 30 Lucher 68 11/19 June 30 TA Edward In 2005 3418
Mach 31 " ot 1970 Mar 31 " 1869 1970 Chr 30 " 116 7267 Chr 30 " 116 7267 Chr 30 " 8076 7267 30" (357) 30" (357) (357)	July 31 6 797 Gen 30 9197 4000
Thay 30 . " 103. (350 May 21 " 8876. (355)	July 31 6 22/99 (July 31) 9100 23 92 6 797 (July 3) 9107 39 92 6 93 92 93 93 93 93 93 93 93 93 93 93 93 93 93
	126 200
	aug 30 196 22/02
	(ling to 79 best 90 by 9
	Deth 30 20 193
low Cantrew Digger	L1 MI make 3- 5:2 Lailly steel
apr 30 Unicher 116 774 apr 30 90 Edimbro In 1996 . 794	
	106 7006 July 31 9075 2084
	(ling 3) 196 39 31 (ling 30 900 33)3

109 Street No Name Address Li M. To Make Cotton Str. Stocke Tow Model 1911 Kinete.	Short No
General of Trusher 10th 1 of General obtains than 266 Short 9000 1 of Short 10th 10 of Short 100	Declar Comber 53 164,0 Dar 37 2, 348 Dar Um getal Noggg 111 289 139 356 150 1657 150 1657 150 1659 160 391 17 17 17911 18 486
LI MTo Replace Old Style Cylinder Clating Josephor	Laston 23 77 77899
Cong 20 Vorusher 89 00 Cing 30 Middiembro Long 9198 512	1914 LAM. to Minde Cattermy on Multiple Spindle Mazgarer  Disco Dunder 1850 1275 Lynn 25 24 Chun Che Jung 2911 1870  128 0 607  June 21
Li Mon One Lusher To Que Demplos	
Gug 30 Voucher 90 12407 Gug 30 R.B.B.b.a Son 19007 12407 Gug 30 R.B.B.b.a Son 19007 12407 12603 Unit 30 1150 Gug 30 1150 Gug 31 1150 Gug 3	Jan 31 Brucher 138 5205 Jan 31 Byldint Ham bloom get 1 8205  They 30 1 Brucher 138 5205 Jan 31 Byldint Ham bloom get 1 8205  Marss 17 39453 Heart 1 973 1253 1 973 1253 1  Marss 17 39453 Heart 1 973 1253 1 973 1 975 1  Marss 1 17 39453 1 973 1 973 1 973 1 973 1 975 1  Marss 1 1 23 2073 Heart 1 974 2073 2073 2073 2073 1  Marss 1 1 23 2073 Heart 1 974 2073 2073 2073 2073 1  Marss 1 1 2 25 230 1 974 2073 20 1 973 20 973 1  Marss 2 1 1 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2

	The state of the s		
111			112
Sheet No		Sheet No	_
	Property State of Contract		dui mali a
Name	Ly Mit Lower Expense of Making Newsary Drawing s	Name	Lapping Machine
Address	1 3809	Address	#39VV
1910		4.00	1977
Q 1/2 1/ 1-	138 103 126 Jan 31 By Edin Show the Sur 9662 103 126	Quelos Vomber	- 46 187 July 31 Edward Some Vinha Domesone 13060
(A)	22 500 0 000 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	July 57 Woulder	
Seery 17	22 500 Person " 973 90825		100 2164 Left 30 " 10200 568
	N8 1380 Cylu 30 " " 9973 22234		256 0668 250 " 10200 1 = 2711
	71 55 May 31 " . 9797 1108	augs	
	88 700 June 30 " " 1012 13763	augs	94 102
	10st 888 July 31 " 10 riv 11901		270 10
			271 107770
Mar 31 .	33 1831 J. Lolin 56 1000	Oleft 20	
,	71 160		19 1/29
			1277 83
	171 45160		
apr 3 . "	11 1299		
	21 11495		
	81 257		
May 31 "	12377 12373	- to a second se	
May 21 Jim in	windelind brite the Man factore of Lodel. 1915 Moff OK. Mach		
Garage at Ly M. in.	constitution With the Man factor of Lools, 1915 Model CK. Mach		Lapping Machines & Build 2.
	1111	1911	England 1915 The Affice of
Jan 31 Voucher	138 20841 Jan 31 By Ja Edward ne Sur 9653 20841.	Get 31 Voucher	- 31 23 Oct 31 Idan Phonother boson 1538 9008
Febr 27 "	38 708/41 / Jan/ 31 / By Il dambaching 653. 208/41. 95 4862 fry 26 11 99 11 11 268/7 1144 268/7 114	City of course	31 23 Oct 31 Idan Blum Hels Sur 18538 9008
17 17	95 156 1 19 28 1977 2687 1847 1847 26387 1847 26387 1847 1848 1848 1848 1848 1848 1848 18		37 127 Ther 30 " 1196 41.389 17 177 8508
Mar 21 .	37 338 apr 30 " 9927 16505	Nov 30 ".	2// 2/
	1/3 160 May 31 " 10000 16029		
	170 Or June 30 " 10126 127		2/2 4/3/5
	170 00 Grand 30 " 10006 127 171 : 31478 G. L. 31 " 10076 10066 1007 1607 00 (1003) " 10099 10060		
apr 30 .	252 1650 Quy 31 " 10309 5865		
May 31 "	293 16929 cleft 30 " 10397 8568		
- Sine 30 "	293 16929 Ceft 30 " 10397 85 68.		
Stuly 31 "	93 40 24, 30 11 10092 14199		
6/	206 10466 Dec 31 " W717 7657		
Claca 21 1	241 1861 Jun 31 " 19866 2625	£.,	
Sell 30 "	200 8568 Tely 29 " 10964 14/36	§ 1	
Oct 31 "	199 21821 Mar as " 1118 3646	EX.	
2100 300	212 121 00		
Dec 12	13361 76571		
Tely 37 "	126 13134	The state of the s	A second
much 21 " d	124 1424 Cir Unloader pergling		7. 1/2 Lewis 2+m
		1915	1915
apr 30 Zunher	21. 6 dr Cepr 30 By I I Edien Smelm 9906 6 dr	Dec 31 Youther	226 36 Dec 31 8 FM In 10775 36
/			1773
L. I i			
[ ]	I 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	1		
l	.	1.	
	1		
_ +			
Education of the last of the l			
[ ] A   A   A   A   A   A   A   A   A   A			I I I I I I I I I I I I I I I I I I I
	1 2	ALEXCOLUMNOS PROPERTURAL DE LA COMPANSION DE LA COMPANSIO	

Sheet No	Shee No Name Frocker Sportsling Cobinets in Clearing & Super Astress
Jan 31 Loucher 132 Dely 29 Sidem brame He 1943 3236 Mg 29 Sidem brame He 1943 3236 Mg 29 30 Mg 29 Mg 29 30 Mg 29 Mg 29 30 Mg 29 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 30 Mg 29 Mg 29 30 Mg 29 30 Mg 29 Mg 29 Mg 29 Mg 29 Mg 29 Mg 29 Mg 29 Mg 29 Mg 29 Mg 29 Mg 29 Mg 2	1915 1916 1915 Voucher 135 453 agg st 59.6 2m, 11518 1473 free 30 " 11518 302
ent Loading Heicht Die & Lampy	
194 Souding Heink Dick Langly  Beby 29 Howard 19 1/2 July 29 Edian Schan Whitensoft 103 19  100 16 16 16 3  Mary 31 199 1899 30 1188  Apr 30 1997 1997	J.M. Morke One Dhipp ag 2" Red CR Dlead Harry June 30 Voncher 108 195 graphing 30 5005 Olime 1164 1195 1195 1195 1195 1195 1195 1195 119
1916 Ledger Tosling Stared 2 by 39 Tomber 176 185 the 17 Jacobsushus In 1005 778 Mar St 180 Mar 31 1064 710	191 Make Settler from B. B. Reard Eng. Machine Joyn 30 Vancher 128 1335 James 30 ME to Congress may 1800 1355 - 135 137 July 31 1186 1575

Name JJM to Core Engineering book of faboratory. Jane 30 Vacceper 108 977 June 30 Copen Chan Trees June 30 Voucher 101 6570 June 30 M. An Oh Chan IM Carrie for factor for Ilmbrola Top Olater Fim to Make mixing Base for Barrel Daysports 10 5 x Jeme 30 & Phone was 116 Stuly 31 & Thour The 20 JAMIs Make Time Chapting 1 4×33 BM for Making Gooding milling Detice Jane 30 Vanaher 108 15 1 June 30, 20.E. Chund 5-1 8 26 July 31 & Ok. Jun. ana 31 Vancher 11702 1356 134 1211

Name 1 Large Tieture France for mayo Making Commutatorless -1 Model for Dynamo #1935 Incline House 24 Machine Workon 12 annealing 101 Pota and covers Making model 2 Meister 9.2 Mouse #1934 L. +m. 2- Meister g.a. machine work on 1101 25 5 July 31 rollinger al sont & 52 6. Castings Marking 3 Microscopey to 25 mare o union 1000 death bella \$1922 Inspect Diago \$251 marke 3. Attended # 2250 -4- Model House for Making 26 make 4-Grock Supports # 2263 Fire Estinguishing Jun 1931 Eshibition at n. y 3 2109 Make 4- Patterns making Flat 5 make 17 Plate Belly 27 Mach Work on Castings Poetlet Loading Mach # 2 198 out of A4 bell machining 4-36" 6 Model of 1911 S#2182 make 3. Forgings 28 marke 2 Blue Printo # 2269 Roll mandrels # 1985 Kinetoccope 1 2188 make 8. Forgings 7 Model of Hand Power martin Sh. 29 Make Pattern # 1877-Shaving machine ) 42189 Make sprockets Labor + Material for 8 make-12-13 2making 30 make 1-Pattern Lithum Potash \* 1977 assembling Jigs ) #2, 90 Mach to Cut Flake 9 Machine to recover ( 31 make Dies Speakers moulds from · La day to make 1660 Blader Flat Porket mach, \* 1996 Flake Mickel Sydroty 2195 model A 12- Cell X- # 2208 miller W. St. 10 Make of break spark ( 32 Make 4-per per sketch July 31 Vouched Coil for Gas Engines 142197 Marke forgings per " Labor of material for Machine Work on Jum 11 J. Muenster Make 100 Glass asles Table for Garage in Park 4,990 52 make 25 Bird Cages # Lomber \$2201 Make 15 steel Pining # making 6-Record 112 Mould Housings 1948 Machine for Eraphiting 33 Make 4 Rough Dies # \$2206 Machining Carting \* 229 Making 2 special 13 Dies masters Thomographa 200 thread 12001 motor Rectifier moving Picture Camery 2013-14 Masting 10" 4 12" 35 Make Puttern 1884 15 Blank moulds \$2207 make side etrapes. making 25 July Loading machines | \* 2022 Mindol 6. Baskets 2 Jop Clamps ) \$ 230 musical Experiments 16 53 machine to Remove 1 (\*2028 mallory W. S. Rings from Jules \$ 2310 by mr Rierman Marking metograph, much asst & A A M S Marking Mound Magnets #18 Marke Margo of n Jog. and they for 2039 Co. Words Property S. 54 make straps Frames & Bolto 2039 P. C. Works Property Jot make Pattern 1036 B moving Concrete Building Steel miller St. Fr. \* 50 machy and Jools for 182235 Make strapes 2036 Shellac Cylinders 5 36 Hold Down & Buckets make Flake Cutter ( \$2242 Make 1000 Cradles \* 19 to redeem Derap 37 make steel Party Labor & matiffer "19 to redeem Norap) 3 1 make steel vary Make 50 Blass Rody 2234 Make steel Party "50 Make 100 Blass asles \$2237 Make steel Party miller J. V. Labor & matil for Making Hoppers. # 20,5 Machine to bore hole 38 make of Georg making & Jesting 2 1 in Dise Record Mould 1 2239 make 6 mouldp 1 39 Make 61 Preces Concrete Road ) # 2110 make Cell Microecopic July 22 Insulating Compound 2240 Make Pattern 143 G. Testing Machine S Mining & Exploration \$2113 Machine War on Correl 100 Make Pattern 142 6 12248, make 6 Patterns for reduction Poto 6. 12. J. L.+ m. 51 make 6 Restifiers for 40 make Pattern Maring Resembling 23 Quad Alegraph 12279 for annually Seattle & 250 merkle Jong. musical data 12262 mare 6. springs 1 2 553 L. + m. fon

mach work on 6. Poto \$ 2347 Maker Carlow Block Theostatof 334 motor Brake For his # 234 8 Machine 50 Cokel Backet Castint 3274 Make Hoo Sticks Bewert thesing \$13 make 30 Buttons #3665 Making One Tund Die 159 Make One Pattern minature bells for # 236 Make go Hor lato #3302 make 2 Tedestals Make One lack Satter 13666 Low Gending Cart 3 \$3797 Police of minera 13517 Marking One Lear machine the Casting 13668 Make One Puncht Del 158 # 2386 motor Cal #332 Mile Worksone for Me Helchim 13472 Mach work on 12 citys Make 16 Jurned Wood Dedoral By John Drawing Part motor for 5 Jon Truck # 2437 maching & Long Connealing 63 Make Carto Porta Leon Sulflate 357 Machine 2 Castings 1 3644 Make One Earl Call 19905 machines Te Elec motors \$ 245 3 Ooto , Covers! 1332 Make Callerna for Buglianing 25153 Make One Conveyor Galer \ ins Make Oreking Dath machine as per Bits # 215 & Makeridditin la 3 64 Make Stood Son Hork flow 1 132 Guide Complete Sistys make Pattern machine 1- Casting # 240 o Stand Wheels 1523 Win Filler Boper (13522 make One faller flach 15th 11 machine 72 Castings # 247 Make Helraing Jable + 3339 Make 200 Whitings Make Wood Tatters 13/76 Machine 3. Castings # 25,75 Make soo Sheets Son Lamination +33 11 Knowlophon of Make One Rough Ook #368 Make all Film bemen \*252 CMake Callerns for Jule 65Make Pattur +1-38 13525 machine 4 # 278 8 Burning Mach. +3350 Make Jattern motion Pictures meadoweroft W. H. 55 Make Gattern +3852 Make Exhibit Cell Tedestals 13529 12703 Machine Phree Cart moulds (2) , Make 211 Hood Clugo +3530 J. meilner L+M 118 Steel Pola 13 357 Makelow Cach Jall tolls is well #3505 # 273 6 Machini H& Castengs 13369 11 " " 1/2/24,25,26H3586 motorette Valuele making Moulds for treesing 148 Make I hound Sedestals Handles of minhing Mach pmladauti Make Occedent motor attachment 1 27 3 make 4 Dillet +3337 Make arming up Bopes 15537 1 235 Make One Cattern # 35 11 118 Mahe Pattern mills m. Lom Making hussar Batternstor 149 Diaw Cut, side Kim (13850 12850 make Drawing for motors \*1- (12) 68 Makery 10 Gal. Salution HI 3565 Film Dusting Machines 13102 Moulds & Covers Microscope & Stand \$ 28 3 6 Cutomate Ole Frieding Mark 3 354 Make One Sattern make 24 Heating Coil spools 3705 Mechanica Polsal alden mach for Iron mix # 28 97 Make On Belle Calint 1 335 Make One Each Clash Harris wish sees Make Talleno for Clute. 149 St Slighis. motion Picture Mich 30, 43 Mill & Slot 236 Darts +3359 Maker antern Stidenfor HPK 3562 Ring Removing mach. \$3706 Mould asper Shotch # 337 Makers Carling Sachoff mach work the \$ 30 Jo Make One Karl Patterns make one lack Saller 1971 Mambert S. B. & MI. Musler C. Long 119 Make One " 23975 Cax # 1107-08 13552 make One lack Catter 13/12 Mone/ Metal Shoft 15/98 mach Work onyscaeting 13096 " " " 13376 Machine & Caolingo Make Vallyne for C Box 13/13 Machine for Joffing Lang Hory Make of Rough Patt: 15119 make 500 SINKS Rosin + 70 Make Carto for 2 Complete Setails #3578 monus Itm . 151 Master Gallerns Bale machine de make I Rough Cast. 13372Make One Each Oattirns # 3120 Beesway Preparation -3715 Minching for melling Oil Machine Unkow One Deleter Make a Wooden Cay Koll Bow Horge Make Brame Stor 3 70 Make One Cattim 13718 M. W. Mlasen SIMC Make One Oxide Mould make one Hand Magnet 13rod Transfer Case 13388 Make 3 Petter Bores making Round Takend Clugs 1973 Machine 14 Lea Clife +3/30 Machine Work on Quemental 71 Make & Gallerns for Leduction machine hegs. Make 100 Wheel Clind Hars Male Shall Coupling 13×13 Grife make Patterns #3 39 Pakelallernasherund 13712 Maple Blocks Make Satter VI173C Machine Long annealing to 13276 Weser Sin A.B. Lom 12 Mor Cations Make Vatterns for Freaster 153 Maintenance of all machiner Tattern Clock #3218 Makellood Work for 30 12 IMake 8 Drums Telm Winding Dences 13748 ESBlow Patterns for 1916 make Faltern & Fenish 122 anning Up Boxes #3 408 Make Tatternhaper Sketch #3596 Makellow New Style Son 153 Maintenance of Equipment \$3219 Markine Castings Levo Castings Machine Castings A3412 Maker Each Oatt #2800-01 ron Oochet Carinfing Dick 3747 of Disolever of The Sir \$4100 13/2 Mach annealing Total Court 3 42 Mah Pattern 1 2797 maker Experimental Hot Bows to Jos Maintenance of Campment of Machine 3 Segments 13238make 170 Detail Q1B #3426mapeone bam + Three Make Bellewifor Medel States 19 22 of Line Mould Making Sir + 1109, Makellow Sending twick Die 13/7 Min H. & Caling Mate C. 1113. 326 Machine Castings make Pattern 132 El Stauchels 13608 make One Tallern 3245 Machine Work on Rings 13 Jug Mahelow Lack Gall 12810 pomo 136,0 Make One Bending die 13783 Maintenane 7 Equipme Make 1 set 12 Scruens #326 8 make Oatt as required for 121 Machine Cast Sombers make One Bunch & Dic 13/84 Presin + 1022 mg, Dir 4150 Make 48 Hydrate Sceuns #32 Jansperling markine It 3 45 4 Marklook to make (Countly 140 Make One Catter of b Cailing 13780 Mors Contents of Vances 118 make Filler Mudd R #3 42 4 3 Hydrate Coushers 13253 make Eleven Salten Machine Vattern Block 13781 Machine Hork on Olatis #3 180 make sys HPK Lanten Slides 1.362 Make 4 Record Calinet 11379 Moch Hockon 14 Cast Stuboter boxes 1535 & Machine Work Steel 71 make 100 Wheels make Fatterne nake ne Patterniensh #327 Octor bovers #31178 Make Pallerns 13634 make Gatterne machine rokound +11 Square) 5-9 Makerimaster Blocks 13482 Make Oatterns Makes Models of ally) 157 #3279 Machine Parts #3 No V Make 9 Taderns for alating Machine 13781 rapess Hooden Glino #3239 Make Details for Three In #3493 make bore Boy Make One Tattern 13786 #3290 machine Castings Caller #349 Making Distors make one Pattern make One Quenty Die Make Sattern #3318 make 3 Flanges Low Blanking Jast & 3793 make Sattern #3319 Make Wood Blocks

making model House #1934

Making Lithum Potash \$ 3019 # 4992 Making model House \$ 1934 Name Address sight 30 To Vouchers 

Sheet No8_		Sheet No		A125 M. 8
Name Address	making Lithium Potash \$3019.	Name Address	Making Lithium Cotas &	19 0.550
Name	making Lithium Ortical \$3019.  ***********************************	Name	Making of whim Ortas & 130.  Making of whim Ortas & 130.  Making of which and the standard of	19 0.55 19 0.45
1918 Morror 30 Dender Open 30 " "Jay 31 " July 31 "  Creg 30 "  Creg 30 "  Creg 31 "  Cod 31 "  Non 80 "  July 31 "  July 31 "  Then 80 "  Left 20 "  Left 30 "  Cod 31 "  Rom 80 "  Left 31 "  Rom 80 "  Left 30 "  Left 30 "  Rom 80 "  Left 31 "  Rom 80 "  Left 31 "  Rom 80 "  Left 31 "	1100 12636 Mars 20, 68.86 Junggros 12636 160 (1800) 1800 1800 1800 1800 1800 1800 1800			

Sheet No.	Silvert No.	Sheet No.
		1101/2001
Name Address	4V	Name W. It. Miller Labor & Material from
	0.4401	
		1908 Man 31 To Vencher 69, 1.83 man 31 By L+M Swince 64, 346 71, 161 apl 30 , 120 355 May 31 , 86 335 Tany 31 , 197, 209 May 31 , 80 335 Tany 31 , 264
		71 1.63 apl 30 " " 120 355
		agel 30 " 36 35 may 31 " 197 209
		I may 31 " " 80 209 June 30 " " 264 220 June 30 " " 333 1.6.0
		0 4 2 1 1/274
		ang 31 " " 56 1310 lepth 30 " " 479 1220
		Seph 30 " " 96 220 (ach 31 " " 558
		Deh 31 " " 104 3330 Non 30 " " " 577 224 Nov 30 " " 90 244 Ded 31 " " 670 443
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	200/34
		3 ed 20 " " 99 110 and 30 " " " 1000
		may 3 1 0 11 11 330 Juny 3 1 11 163 330 330 11 1163 330
		June 30 " " 84 308 Dely 31 " " 1251 3536
		July 31 " " 105 53 6 aug 31 " " " 1341 3756
		aug 31 " 108 35 sept 30 " " 1413 336 sept 30 " " 1413 336 sept 30 " " 1413 45 45 45 45 45 45 45 45 45 45 45 45 45
		Och 37 " 10.4 456 hon 30 " " 1580 420
		non 30 " " 102 "420 Dec 31" " " 1676 120
	ETT.	Dec 31 " " 133 1,20 Jan 31 " " 1763 1,50
	b b b b	The 31 " 133 12 0 0 31 " " 1763 1560 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		mar 31 " " 103 300 apl 30 " " 1986 540
		apl 30 " " 118 5-40 May 31 " " 2162 286 Juni 30 " " 2221 624
	1 100	May 31 " " 119 256 June 30 " " " 2221 624 July 30 " " " 2256 416
		July 31 " " 88 416 ang 31 " " 2521 3559
		24 20 " " 96 55 20 cch 31 " " 2681 328
	NO.	ach 31 " " 96 " " 277 " 278 "
		nov 30 " " 129 " 123 Dec 31 " " " 3137 165
	<b>S</b>	Dec 31 " " (16 165 opt 20 " " 393) 176
	I I	apple 30 , 114 1150 may 31 " " 4153
	H I I I I I I I I I I I I I I I I I I I	may 31 " " 117. 226
	H	115 2022
		Nett 30 to Vomber Deht 30 By Lom In 3056 70=
		Let 30 " 200 07 Leht 30 " 12150 07
		apr 30 " 9h 755 apr 29 " 11-95 255
	1-1	
	11	
W.		

	/
Sheet No.	Sheet No
Name	Name Merical Experiments See Me Diemant, Jame
Address	TO MAN CANADA DEPOSITE US ON
My (MICHAEL) Provider (C., Marie, S. ).	Mar 31 20 Voucher 120 213/11 Mar 31 By MESu In 7238 213/14
The state of the s	Mor/31 To Voucher 120 21311 Mars Dy 1083 Don 1238 213111
13	Con 30 " " 13) 100 Coph 30 " " " 1865 28, 198
	" " 140 258946 Septe 30 1 . 1 7631 16056
	May 31 . 52 52 Gly 31 7767 309 52
	June 30 " " 141 1797 10 142 " " 1994 21 37 11 11 11 11 11 11 11 11 11 11 11 11 11
	125 120 0 00 0 00 00 00 00 00 00 00 00 00 00
La contrata de la contrata del contrata de la contrata del contrata de la contrata del contrata de la contrata del contrata de la contrata del contrata del contrata de la contrata del contrat	July 21 1 . 43 360 lav 30 8231 2258,
	103 144 ffgg 37 8355 26265
	Gang 30 " 129 3045 d Jan 31 . " . 81/70 2239
	Deff 30 " . 30 106 m " " . 630 1450
	Cot 30 " 129 30455 Com 31 " 11/10 22297 11/10 12/20 11/10 12/20 11/10 11
	Nor 30 1 1/2 263 Pan 31 8963 21000
	Nor 30 1 1/7 263 (No. 3)
and the second s	2 200/31 " 1 1/6 1/31/
larance and the same and the sa	104 . 106 26050 Jan 21 . 26 12-0
	176 250
	1 1 1 127 22029
	Feb 20 " " 27 30
	, " 28 29 , " 76 90
	112 1/50
	man/21 " 106 26363
	May 31 " 106 263 63 Ghr 30 " 116 21000
	May 3 " 116 21000 May 3 " 115 21000 June 20 " 106 3599
In the second se	May 31 " 115 21000 Just 30 " " 106 , 35 99
The second control of the second control of	
transmission of the control of the c	
Land to the state of the state	
	· MT


1 1 2 256

St. J. Willer Labor to matiffer. Address 90 muls 1. To When 120 By & +m Im grage Cyr 30 " Louker 140

Microscopes to Inspect Dises # 2151 

Sheet No .. 58ev Ab. . . . Music & Musical Data fasta Name Address 2.5 non 30 1/20 marzi 4.5 150 900 5553 

Sheet No Name Address	Music	√ Musi					A with	 		eet No	m	sic/	\r_1.	Music	ol Da	tal ,		41.	
Lar 31 Gong h	Forward	11555 13	mar 3	Leong He Song	oward		569768 174953 174953 176528 176537 186537 18679 137979		Fil	28			12	3 6 8 9 1	tely ?	,		, 3	0.73
Un	where 89	7120	May 3	30 ) A Edu	Ment for	882	1711953				Umher-	ukej	/3	6.536	21/00	. By I a ldsimbouls	nggsg	+	222
pr 30	. 106	106874	Jones	الله المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم	down d	8975	39837		Max	121		97	ш	50	Mar 3 Cha 3 May 3 Mary 3	.0	9566	1	47
pr 30	" 97 107	800	aug 3	0 .		153	1307373	 200				97	++	4267	1993		10010		50.
	. 100	2786	Deft 3	-0		w	39576	- 5000		1		123	I	12	Quely	3/	1021/3	1	88
ay 31		23350	Hor 3	i r	9	1113	561981	2000	ap	3.0		171		36. 12. 89544 90	Mynt 3	<u> </u>	1073 5 10237 10408 10517	-4	17.
uy	. 88 99 101	/33	2 43	7		35	106577					31		92	Of 3	1	10517		20
	: 99	2748	File 2	8 "	7	1695	647.76			1-1-		93	-	1677	17-		+-++		H
	105	699						g.	Mas	21		50	-11	3.	3			H	
1	" 107	4911.06						b the co		1-1-		110		750	<b>†</b>			1	t
ne 30	" 91 " 93 " 106	759.306								1		15%		7.733	4 I			1	Į.
	, 93	83				- 1		1		1::		293		111985				Н	±
4	1 106	59565	ļ   .						June	3e		129		5.891	4				I.
ly31	" 38	27/36						in the second		++-		129		11/14	4		111		
	. 106	49039						1	Q, l	,		201		8316	·				
g 3-0	: 71	102							July	31		16		77	7		-	-+	+
	, 90	37345					-					46 47 93	11	45	2			П	Ä
ht 3 a	. 66	2185	1					and the same		В	to another than the same time provided the same as	118		274	<del> </del>		+-++		ń
_	90 11 66 11 91 11 45	37369						and the second				119		7500 27 H 11 H 766 H	4			Н	-
£ 31	110	101							aug			256		163	1	1			t
	113	1/10							J.			4		670				H	-
r30	67	1.5558								1:1:	***************************************	17		320					+
	97	· · · · · · · · · · · · · · · · · · ·						1			PERSONAL PROPERTY OF THE PROPE	31		1131	d				
+-+	106	62021						i i				84		610					i
131	109	10 1 2 2 2 5 8	4							<del>      -</del>		85		178	4		-		÷
31	33	1000	1			Ē		ALL CONTRACTOR OF THE PARTY OF				103		30.	4			П	
	81	100	1							ll		7.2'1	/	0883;	4 <u> </u>				4
	126	143						Stare.	Sept.	3.0		89		1587					-
	138	276								- -		105	1	197	4		-	H	+
	150	424	,					 ,				150	1	200	1			d	+
S 4	152	1,81818	2					 1 A 1				199	+	100	2			H	ri
2/ 0	8.4	200							Qut	3/		200	/2	686				Ш	İ
	127			+						+-+-		24	- -	431	-		+	H	H
<u>}</u>	1.38	7180						 ** h				37	$\pm$	1614	1			Ш	ď
4 28	. 30	01	1. /	>-				 i		+	,	92	Ŧ	12118		1	+	Н	H
	71	100000						 l l				121	11	3880	7			d	T
			+-+			- 1		 		-			1/ 5	0 5 3 4	1	1	++	H	+



Sheet No.	Sheet No. 44
	Name Miniature Cells for Police & Minera \$ 2360
Name Address	Address
7.00753	
	1911 mar 31 20 voncher 117 1000 mar 31 Bypostes Ing 3663 158
	apel 30 " " 113 976 man 31 " " " 4019 1348
	1 1 1 1 1 1 1 1 1951 Yearle 30 " " 4212 3483
···	may 31 " " 67 4 109 my 1 1 4507 600 600
	" " " " 114 32 at any 31 " " " 1608 49 35
	11 11 11 11 11 11 11 2412 05 sept 20 11 11 11 117 146 8
	1 " " " 116 5727 acc- 21 " " " 14895 18225
	Cum 30 " " 71 372 2200 30 " " 5013 3522
	100 dec 30 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	117 24925 Red 29 " " " " 1772 / 557
	118 123 20 5608 66602
	11 1 1 11 9 6468 apr 20 11. 11 11 1764 1999
	July 31 " " 1201 300 may 31 " " 5857 6337
	" " " 74   w July 31 " " " 6100 1602
	109 3000
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	112- 44-
	ang 31 " 70 10 or
	83
	117 204
	121 9560
	122 3692
	241 10 11 11 73 108
	108 32419
	110 319
	(a) + + + + + + + + + + + + + + + + + + +
	act-31 " " 112 56511
	113 22839
	111 201
	220 20 . " 71 = 60 4 1.4
	117 35971
	11/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2
	1 20 1979
	Dec 30 69 337750
	12- 67918
	13 F 16 29 11 13 F 16 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	mar 30 " " 127 566029
	17 20 20
The state of the s	1/2 99699
	may 3 1 " " 73 (45.132)
	Qual 29 " " by 775742
	July 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	- 1 (AP) M-V (こと)

Sheet No. 41 Name Minature Cell for Police & Miners \$ 2360 Address	Som No
29 20 vancher 69 97 vv 25 19 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Jely 28 Commy 297,198 Hy 20 Domand 2492600
16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	12 12 12 12 12 12 12 12 12 12 12 12 12 1
Mar 21 2 La 39 Cus Mar 21 april 26 17/4/100 17/4	94 (500) 177 (600) 18 500 19 19 19 19 19 19 19 19 19 19 19 19 19 1
der 31 " " 186 156 23	May 31 " 19 " 53 50 50 50 50 50 50 50 50 50 50 50 50 50
	July 21 " " " 125 " " " " " " " " " " " " " " " " " " "


		O.	Carry	1913
		E		
		11:		Sheet N Name Address
			ight Forward	o Molios
		37 109 67 111 116 115 1116	166	Lietu
		/9 // // // // // // // // // // // // /	15 40 V	re Er he
		50	3 Cing Soft 10 Oct 13 You	rinant.
			30 Ben 1 31 Bu 1 31 " 30 "	% Ea
			ng hDi 12. Inc	weater
			nward Smr	na/ C
			8000 81111 8236 8359	urpos to
			5 / c	us/ 1788
			8289 274 539	11172
		ary On 3	gu gu	Val star.
		" 31 30 30 30 30 30 30 30 30 30 30 30 30 30	ey 3 1	Sheet Name Addre
			7 20 V.	
		" " " " " " " " " " " " " " " " " " "	" " " " " " " " " " " " " " " " " " "	5 Z
		2909 2	!	m
	THE RESERVE AND ADMINISTRATION OF THE PROPERTY	99	9 86 45 40	tion
2000 tona tona and and		6,48 6,48 6,77 7,7,7,7,7,7,7,7,7,7,7,7,7,7,7,7,7,	13	. Pi
		929399 92939 92939 92939 93939 949	824	ctu
		Oct Burg. Dicky	July any sept	ie m
		21 20 20	29 / 31 31 20	act
	e de la companya de l	7	Zy B.	hiice
	4		# 0.W	(H
			. D.N.	ijh i
		169	6105 6247 6393 6446 6533	430
			2	1/
		785	4997	
	~	8	- 4,000 9,	


Sheet No. Name Address		Shee No Name Minch Work Sond Jos Mir. Alutahu Address	Mariell.  inc. 1000/15  #3494 2000/15
		The so 13 the sol of t	8280 333 1/2 8403 2561 8519 2570 8603 5811
		Je Je Je Je Je Je Je Je Je Je Je Je Je J	994 65-6 994 4613 944 300 9170 68 9704 584 9916 00
		1914 1 20 1 20 1 20 1 20 1 20 1 20 1 20 1	
		June 30 31 15 50 19 16 0 15 50 19 16 10 10 10 10 10 10 10 10 10 10 10 10 10	
War Salan and American		59 12,29	

Out or demotive of the second	Stee No. Mine Mork done for Me Authory 13492	Stood No
Anness 12 16 16 16 16 16 16 16 16 16 16 16 16 16	113 176 Ghr 30 1976 1831 1960 1831 1960 1831 1960 1831 1960 1831 1960 1831 1960 1831 1831 1831 1831 1831 1831 1831 183	111 955 Jun 30 " white 139 4
June 24  Jun	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	2 Left 30 9.3 10
Many 51 1977  Ma	1 46 2784	Qu' ar 30 1/2/20 30 30 53 40 397
June 20  Jun	may 31 79 175 100	121 97 177 3036
July 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	150   110	Dec 21 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2
July 20 19 19 19 19 19 19 19 19 19 19 19 19 19	172 127	Jan 31 39 70 6 61 30 80 62 62 62 62 62 62 62 62 62 62 62 62 62
aug 31 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	July 20 22 22 25 25 25 25 25 25 25 25 25 25 25	90 (co. 130 24 118 1195)
Aug 21 27 1/33 1 11 1/26 1 1/2	63 30 66 376 73 1677 11307 173 136 173 136	17 250 11th 400 12h 470 12h 470
	aug 31 27 1433 17 19 19 19 19 19 19 19 19 19 19 19 19 19	10 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2

Sheet No. Name Mise Work done for MN Hertelies son Maintenance of all les B. Son Clatterne see 1916 Upr 30 Voucher 114 Lety of E & B bo Im 10913 200 Mar 2 1099 519 Jan 20 1181 10 40 Jan 20 1189 1119 Juny 21 1180 1:662 108 131 132 132

Sheet No. Maintenance of Equipment of Died Record My Ster mar 31 574 625 51 67. 78. 86. 93. 94. 48. 192 192 90 27,534 104 May 31 71. 25-60 135 175341 1 33 40 71V Jane 30 41 42 July 31





moving Concrete Building Steel \$2036. 1000 Jeh 27 By Len Epinel 55 2928 & 1908 30 To Voucher 72. 

George Meister Lomfor Mining " (Exploration by of n. J. Lalor" y material 26167 non 30 By LMI Suy 1587 18 Muy 31 11448 8400 9230 1756 10/23. seph Muenates Lom for Joseph merkle Labor & material for 1907 20 To Vouches 102 109 119 119 20 1009 30 By LM. Ing 1579.

Sheet No. 53	
	Sheet No. 5-6
Name Mould Hearings	Name W D Mallory
Address # 2201	Allen
1910 (1910)	1916 1916 1916 20 500 200 31 ay 1 m 2ng 2125 530
	1911 12 31 To Vonchel 80 800 Dec 31 ay L tm Ing 2135 830
ang 31 To Vouclers 11. 11.47 ang 31 By 7 Plans Ins 257 45520	see 3 1 to Variable 80 8,00 Dec 3 1 By I Am Juny 3135 830
11 4 4 98 14650 peph 30 " " 2745 52453	11.9 30
" 4 " " 100 424 Ceh 21 2005 1/6 1/2	1913
115 14726 200 30 " " 3068 5907.	Eng 20 20 Comber 21 25 Cing 21 By Limber 1914 25
Suph 50 " " " " 66" " 10" " 10" " " " " " " " " " " " " "	
9.40	78 33
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
ach 31 " " 22 1/12 702	
93. 4.57.35	
96 1 534 · · · / · · · · · · · · · · · · · · ·	
nod 30 " 39 " 778	
u u u u u u u u u u u u u u u u u u	
1. 4. 4. 4. 126. 1.628	
u. v. v. v. /2-1 06	
186270	
	<del>                                      </del>
COMPANIE OF THE CONTROL OF THE CONTR	[26]
and the second state of the second of the second second second second second second second second second second	
E. mudd. & +m	Making Maps of n. J. and Denns. Eng. Works aroperty & m. 200 See 31 To vouches 119 3846 21ch 29 cg 2 a Edward 200 3846
1910	worky Croperty Lym
1910 1 To Vancher 16. 96 0000 31 Ry L+ m Jun 2818 96 2000 20 10 10 20 20 20 20 20 20 20 20 20 20 20 20 20	Dee 31 To Voucher 119 3846 2th 29.07.29. Edwar 200 3846
Deft 30 20 Vander 109 318 Nell 20 By Stm char gold 310	
Dept 30 20 boucher 109 318 Dept 30 By 8 rm Jon 8062 318.	■ PSS (
141 100 Mar 30 " 8292 100	
Mar 31 " 156 05 clar 31 8412 05	5
1314 D1 " 156 03 dler 21 8112 05 mar 21 " 106 21 Mar 21 " 8733 224	
1372 81 156 83 der 30 3112 05 11	
1714 St " 156 05 dec 31 8112 05 7124 112 115 112 115 112 115 112 115 112 115 112 115 112 115 112 115 112 115 112 115 112 115 112 115 112 115 115	
1374 81 " 156 03 dec 21 8112 05 mas 21 " 106 21 Mas 21 " 8733 24	
1372 81 " 156 05 der 21 8412 05 74 May 21 " 8733 224	
1374 81 " 156 03 dec 21 8112 05 med 21 " 106 21 May 21 " 1933 24	
1312 05 " 156 05 Jun 21 112 05 7 1 106 21 1 112 05 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1372 81 " 156 05 dec 21 8412 05 71 May 21 " 1733 224	
1374 81 " 156 03 dec 21 8412 05 May 21 " 106 21 May 21 " 8733 224	
1372 05 " 156 05 due 31 1112 05 7 1122 05 7 1122 05 7 1122 05 7 1	
1372 81 " 156 05 dec 21 8112 05 71 May 21 " 1733 224	
1312 05 Mar 21 " 106 24 Mar 21 " 1733 324	
May 21 " 156 05 dec 21 8412 05 724 May 21 " 1733 224	
1372 05 1 106 25 May 21 11 112 05 22 12 12 12 12 12 12 12 12 12 12 12 12	
May 21 " 106 25 May 21 " 1733 324	
May 21 " 106 25 dec 21 842 05 724 May 21 " F733 224	
Man 21 " 106 25 Man 21 " 112 05 324	
130 05 7 16 05 ole 21 112 05 724 New 21 112 05 724	

Sheet No. 55 machine to cut Flake make One Oattern 13265 Name W. H. meadoweroft Low make one Set 12 Screens # 3268 Bely 28 to Voucher 12 4 11 Dely 28 3, 888 6 Son 7288.
Mar 31. 20 Voucher 39 11 Mar s. By 8. 8 8 to Son year. . 90 142 .121. 90 1.86 227 116ay 21 112-10770 ... mits. joil 103

Sheet No Mane Make 1/8 Address	Mydrati Serven Bladest #329	70	Sheet No	hineMan	k on subbast Stid	l Potes Lovers	5
The state of the s	50 Tely 28 By 88 B to Im 7050		Sen -	2 1/	19/3		1 11
2 21 20 Comber 120	1338 Mar 31 By & & B. balm 7235	13.88	Mar 2120 26	120	1159 apr 30 "	6 Hear no yrsy	837
	1300 1110 31 By D.D. Godin 7235	13.88		106	219 May 31 "	" " 7533	000
Table			apr 3-0 " "	140	219 May 31 " 8371 Jank 30 "	7678	47,00
The second secon			May 31 "	62	9090		
	11111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1	125	1578		
the second second					13940-	A	
	The second secon				l		
	111111111111111111111111111111111111111						1::-
		- 3					
			The second second second second				
and the second s						one and the second of the seco	ļ
The state of the s		F-7			l		
		- T					1
	to the late of the second second second						
The state of the s		300 Safe	to the second se				
machine!	Nork on Ilating leaner.					- 2.72	
Machine.	Nork on Stating lesanes 12253			make c	In Cattur Ear	h +3271	
de louter 39	388 Mar 31 By & S & bo Sur 7219	129271	1913 Mar 31 To Your	Make Cher 120	37w Pattern Ear	L +3271 8BbnJm 7735	97.
120 1	385 Mars 1 Sy & & B to Sur 7219.	135524	1913 Max 31 In Vous	Make C her 120	31W Cattern Lan 9716 Mar 31, By & B	h +3271	97
120 1	385 May 31 By 8.60 to Sur 7219 12539 Chros " " 7317 174 May 31 " " " 1466 13380 Joy 30 " " 7570	8206	1913 Mar 31 20 Lowe	Make C	31W Cattern Lan 9116 Mar 31 By & &	h +3271 8Bbn Im - 9725	97
20 Homber 39 120 1	385 May 31 By 8.60 to Sur 7219 12539 Chros " " 7317 174 May 31 " " " 1466 13380 Joy 30 " " 7570	8206	1913 Mar 31 Do Louis	Make (	3rw Catter Gas 9718 Mars 1. By & &	h. +3271 5Bbn Im 9735	97
120 / 120 / 1/20 / 1/20 / 1/25	355 Mars 248 25 b 2 - 929 125 125 125 125 125 125 125 125 125 125	\$2.06 \$2.06 \$7.337 \$9.96	1913 Mar 31 De Vous	Make (	MW Sattern Ear 9716 Mar/31248 &	L +3271 8Bbn Jm 9735	97
" 120 1 1/2 3 4 1 1/2 3 4 1/2	335 Macha Ay & 63 b Jun 9219 125 9 Clarso " " 1347 179 May 31" " 1466 0360 for 20 " " 7500 170 July 21 " 7414 1717 July 21 " 7814 1718 July 21 " 7718 1719 July 20 " 7718 1719 July 20 " 7718	\$2.06 \$2.06 \$7.337 \$9.96	1913 Mar 31 20 Jour	Make 6	3nw Cattern Ear.	L. 13271 8Bbnom . 1735.	97
" 120 1 1/2 3 4 1 1/2 3 4 1/2	338 Marsh 24838 boll - 9219 2539 Charles " 7247 177 May 31" 146 388 Ghl 30" 150 578 Ff 21 741 177 May 31 741	8206	1913 20 Low	Make (	One Sattern Gas	h tany	97
" 120 120 120 120 120 110	335 Macha Ay & 63 b Jun 9219 125 9 Clarso " " 1347 179 May 31" " 1466 0360 for 20 " " 7500 170 July 21 " 7414 1717 July 21 " 7814 1718 July 21 " 7718 1719 July 20 " 7718 1719 July 20 " 7718	\$2.06 \$2.06 \$7.337 \$9.96	Mar 31 Do Lowe	Make 6	3w Sattun Gar 9116 Mars 1.248 b	h. +3271	97
" 120 " 120 " 100	335 Marsa 248 & D. 20 1929 2539 Llabo " " 1946 2539 Llabo " " 1946 2539 ffy 30 " " 1966 2539 ffy 30 " " 1966 2539 ffy 30 " " 1959 2549 ffy 30 " " 1959 2549 ffy 30 " " 1959 2549 ffy 30 " " 1959 2549 ffy 30 " " 1959 2549 ffy 30 " " 1959 2559 ffy 30 " 1959 2559 ffy 30 " 1959 2559 ffy 30 " 1959 2559 ffy 30 " 1959 2559 ffy 30 " 1959 2559 ffy 30 " 1959 2559 ffy 30 " 1959 2559 ffy 30 " 1959	\$2.06 \$2.06 \$7.337 \$9.96	1973 Men 31 De Louis	Make 6	MW Sattern Ear	L +3271 506 m Jose	97
	335 Marsa 248 & D. 20 1929 2539 Llabo " " 1946 2539 Llabo " " 1946 2539 ffy 30 " " 1966 2539 ffy 30 " " 1966 2539 ffy 30 " " 1959 2549 ffy 30 " " 1959 2549 ffy 30 " " 1959 2549 ffy 30 " " 1959 2549 ffy 30 " " 1959 2549 ffy 30 " " 1959 2559 ffy 30 " 1959 2559 ffy 30 " 1959 2559 ffy 30 " 1959 2559 ffy 30 " 1959 2559 ffy 30 " 1959 2559 ffy 30 " 1959 2559 ffy 30 " 1959 2559 ffy 30 " 1959	\$2.06 \$2.06 \$7.337 \$9.96	1913 Mar 31 In Vone	Make (	m Satten Ear	h. teaps	97
	335 Mars 248 25 b. S. 1929 2509 Llabo " 1924 2509 Llabo " 1946 2509 fely 30 " 1946 2509 fely 30 " 1966 2509 fely 30 " 1969 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1969 250	\$2.06 \$2.06 \$7.337 \$9.96	1913 Mar 31 2+ Low	Maho C	Orw Cattern Gas gysb Mans, By 8.8	h. 12241 886 dun gras.	97
" 120   120	335 Mars 248 25 b. S. 1929 2509 Llabo " 1924 2509 Llabo " 1946 2509 fely 30 " 1946 2509 fely 30 " 1966 2509 fely 30 " 1969 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1969 250	\$2.06 \$2.06 \$7.337 \$9.96	Mar 31 Do Lowe	Make Charles	3w Satten Gar gys Mars 12y 8 b	h. +3271	97
. 120	335 Mars 248 25 b. S. 1929 2509 Llabo " 1924 2509 Llabo " 1946 2509 fely 30 " 1946 2509 fely 30 " 1966 2509 fely 30 " 1969 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1969 250	\$2.06 \$2.06 \$7.337 \$9.96	173 Inw 31 20 Town	Make (	3nw Cattur Ear	h teans	977
" 120 " 120 " 100	335 Mars 248 25 b. S. 1929 2509 Llabo " 1924 2509 Llabo " 1946 2509 fely 30 " 1946 2509 fely 30 " 1966 2509 fely 30 " 1969 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1969 250	\$2.06 \$2.06 \$7.337 \$9.96	Mar 31 20 Low	Make (	One Sattern Gas	h. toays	97
	335 Mars 248 25 b. S. 1929 2509 Llabo " 1924 2509 Llabo " 1946 2509 fely 30 " 1946 2509 fely 30 " 1966 2509 fely 30 " 1969 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1969 250	\$2.06 \$2.06 \$7.337 \$9.96	1913 J. J. Town	Make C	Fru Cattur Gas gys 6 Mars 18,88	h. 12241 886 hadim gras.	97
29	335 Mars 248 25 b. S. 1929 2509 Llabo " 1924 2509 Llabo " 1946 2509 fely 30 " 1946 2509 fely 30 " 1966 2509 fely 30 " 1969 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1969 250	\$2.06 \$2.06 \$7.337 \$9.96	1773 Max 31 In Vone	Make C	3nw Cattern Ear	h toans	97
1. Common 39	335 Mars 248 25 b. S. 1929 2509 Llabo " 1924 2509 Llabo " 1946 2509 fely 30 " 1946 2509 fely 30 " 1966 2509 fely 30 " 1969 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1969 250	\$2.06 \$2.06 \$7.337 \$9.96	11231 20 Low	Make (	One Sattern Gar	h. teays	97
30	335 Mars 248 25 b. S. 1929 2509 Llabo " 1924 2509 Llabo " 1946 2509 fely 30 " 1946 2509 fely 30 " 1966 2509 fely 30 " 1969 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1969 250	\$2.06 \$2.06 \$7.337 \$9.96	Mar. 31 20 Low	Make C	3rw Sattern Gae	h. tory	97
1. Common 39	335 Mars 248 25 b. S. 1929 2509 Llabo " 1924 2509 Llabo " 1946 2509 fely 30 " 1946 2509 fely 30 " 1966 2509 fely 30 " 1969 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1969 250	\$2.06 \$2.06 \$7.337 \$9.96	Mar 31 Jo Louis	Make Che 120	3W Satter Sac 9116 Mars 18488	h tsans	97
120 120 120 140 140 140 110	335 Mars 248 25 b. S. 1929 2509 Llabo " 1924 2509 Llabo " 1946 2509 fely 30 " 1946 2509 fely 30 " 1966 2509 fely 30 " 1969 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1964 2509 fely 30 " 1969 250	\$2.06 \$2.06 \$7.337 \$9.96	1913 In Jones	Make (	3nw Satten Ear	h. teaps	9/

Make Vattures 11.3318 Markine 1 a Smind & US quare Userealing Foto 1 & overer 400 Mars By ESB 6 Jon 7235 Mar/31 20 Vomber 120 apr 30 " " 140 124 17/101 21 By & 8.8 6 Jon - 7786 make One Tattern #3290 10 by Mar/31 By 86 Who In 1285 106%. Mad 21 20 Tomber 120 13 Mad 31 By & Solo Sur 1928 1131

Sheet No		62
Name Make IN backow Block Rheolate #3342 Name	Machon Hork on Surly for & Choston	
Address Address Address	17 Cachine work on Jacks - 501.80 16000	
12/3	AND THE RESERVE TO THE PARTY OF	==
Cyl 20 2, London 19 252 Chr30 By 308 Ind 1990 11926 Cyl 30 Del.	Loucher 1, 10 8221 Kyr 3 of y & Olm Who Son 1145 82	2/
18 360 June 30 1 167 60		
99 345/4		
11/0 65/6		
May 31 . 1 2364		
Jac 30 1 1 11 10365		
P <sub>2</sub>		
		- ; ::
		orene recent
machine 50 Wheel Fracket Castings 122ml	Make 90 Hooden Sarte # 3319	
Lys Machine 50 Wheel Brachet Castings 1324 180 Apr 30 20 Ch 30 20 Ch 30 20 18 Sheel or 1409 180 Ch 30 20 Ch	Make go Hroden Sarte # 3314 Low her 140 1455 Opr 30 Ox 6 LB bo Ings ba 19	~
200		
		the second

1	6.3	Sheet No			45						Sheet		no de			./			6,
4.0		NameAddress								- 2	Name Addr	ess				Hand Wheels!			
	- Cip	130 20	Voucher	146	677	6 Cepr 3. B	y 20han Wheny	418	6496		4	Cyw 30 2	· Voucher	11/0	54,3	apris Ethong role	In 1419		J-1/3
H	[]					1								<del> </del>				++	+
-	H									R	4	a de la comunicación de la comun					The second secon		
H	H									<u> </u>								4	
A.	ſ1				11 11	1		- 11		1	MOTO MOTO			1					
No.	H																		-
											603 663			·					
Ì	H																		1
	IĒ.									3	2001 2013			·					
i	n.									100	<b>7</b> 00								
I	Н									30	\$40								
I											1								
I	li · · ·									Ĺ									
۱	H.									PO-	<u> </u>				ļ				
ı	11									F	18:21				1			+	
ı	Ш										-28								
١						1 4 4				<u> </u>	1858 <u>.</u> 1852)					e er somere junt mannen			
	11																		
									1		201				J.,	l.,			- mornosco
1			5	Machine	Sh Lon	a annealin	i g Sols/1 Eavers! Øy ELB bev Im-9				MA		mak	J 11 Dra	winge	Jables/ 1913 #3339 Opr30 Gy 588 En			
	1913		-/ 0		T	1913	a colar o	<u> </u>	2835		(50)	1913	21/	11/2	1 200	1913 F3334	9/2	-	5228
-	Och	2302	o Overher	- 120.	2.83	styll sol	uyense cocur y		2.555	0 -	Salate .	- cyw s · e	200000000000000000000000000000000000000		2220	o Copecino Cag Grow an	Jrn- 7565		2220
-										38									
-	11																<del>-</del>		
1										- F	Tarre .								
1									-		AND A								
											3038								
Ì											7646 16462								
ı					-					Ē	V.			1					т
		1								<u> </u>	11000			1					
											31000 61324			-					
											250				1				di.
										10	2000	·		<del> </del>					
	II			- 4					1					1	1				#
1										k 2				1-1-1					
ı										15	1 000 C			+++					
ŀ		4									7450								Ш
1	-1										10 MAN			1				Ш	
1									1		<b>1</b>	1-1:		1 111	-			Н	11-
1											THE WORLD	7 7 7 7							1

UI-

Make 100 Short Iron Lamination Machine Three Cost Steel Pots , 43357 49.49 Machine 48 Castings # 3369 Mak Butterns as Required for Sule Burring Maghe 10 may 31 dy 88 8 60 Jon 9481 11129 June 20 a 7608 make Pallerns #3352 110 383 (Up 30 d, 8 8 8 h, Im 1963 apr 20 To Voucher 1110

17								2000	
67									68
Sheet No				, s	Sheet No		,		
Name	- Make	11 Willers			Name Inake	Drawing of	or automatica	Pole Grinding Machen	u
Address	NAME OF BUILDING STREET, AND ADDRESS OF THE OWNER, THE PARTY OF THE OWNER, TH	11 Tillers +3.037		- Hill 1				() #3354	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					May 31 To Yours	/ / /	7973	/	
May 31 Joll	oucher 11/4 1	9199 May 31 By & S. S. Co.	Innysys geyy	160	May 31 To Court	11 11 125	11500 May 31	1 1 1 1 1960 - 1 1990 - 1 1990 - 1 1990	11500
-()		- L.C.	···		Duly 21 "	129	1600 July 31	7603	14531
				150	alept 30 " "	109	1563 left 30	" " 7990	1563
							++++-1		
									111
						- 1 - 1			ļ. I i
									1:::::::::
									ļ: <u>.</u>
									1
			A Section of the Control of the Cont		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				Liii i
									1
					The second secon				1
				200					
			and the second second						11:1
				- I <u>Wi</u>					
				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					1
	On. 1	Patters 13352		1.93	ma	kv Onv Ba	eter Cabine	# 2259 4888 bo Sir Jugg 7604	
923	4 1	13352		1 2000	1913	1 1	1913	1 3355	
nay 31 Jolla	us her 142	YN May 31 By 8 8 B ton is	no 7184 255		May 31 To Vine July 31 "	her 142	2979 May 310	1680 60 Sin- 1499	2979 185 68
- /			man all an and a	P. 200	July 31 " .	1/2	68 Auly 31	* " • 7752	68
					U /		· · · · · · · · · · · · · · · · · · ·		
									j   j
				1 3					1111
									1:
									+++
				rr			+++++++		1141
				150					
									<del>          </del>
									1.1.1.1
								4 1	
					7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				

Mill y Slot 430 Parts #3359 Name Make Frame for 3 Transfer Case. 13 May 31. To Comber 1 47 1931 May 31 dy ESB on Ingress 125 2812 John 30 1, 7606 May 21 To Lowher 1 1 1 103 May 31 Feb & Below 1985. 1913 Make 500 Sticke Rosin & Beesway Suparatogy June 30 To Voucher 188 . 3150 June 30 G 44 8 Sul Dong of go. 1992

4.1						f.a
	Sheet No		<i>(</i>	1 6.6	•	
	Name Address	Machine	Work	l on Tuuma	tie Grif	<u> 21</u>
	17 Mars. 114 Mar					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Jun	c. 30 Jo W.	ucher: 125	12.8	8 June 30 By 20	1 miller Imgly2 1288	
Gul	y.31	. 129	21	6 July 31 W.	1 miller Img 692 1288	
				T		ne i
ļ			4 4 4 4			
						100 A
				1		
						100
				1		
						A CONTRACTOR OF THE PARTY OF TH
			-   -   -	1 + +		
						<b>Ø</b>
			1 1 1 1			
				4.1		
				1 1		
			-	1 - 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
. ,		Machinellor	6 81:	1011/1 A	es a l	
1912			·	1913 13117	ere g	10000 M
Seft	1. 1. 2. Vo	mher 116.	2381	July 31 By & &	6 Wh Som 1927 2381 8038 5132	
. /				1000		i gal
			1			
						12
			.			

Machine bask Irm ago & Jakon	73	The second secon		and the second second second	l &		112.20 A 20 A 20 A 20 A 20 A 20 A 20 A 20		74
Jay 31. Lowelow 129, 3927 Jan 31 Staines Standard 1861.  The work of the state of t	Sheet No.		~ · ·			Sheet No			
Jay 31. Lowelow 129, 3927 Jan 31 Staines Standard 1861.  The work of the state of t	Name ,	WakeOne/Each/of	Tatlern 12810-11-12-1	3610		Name ),	nake Cell Film lee	ment Required by y	-w
In Machine Cast Demodigs & Table 1.  2 Loweler 1311. 7:16 2 14 11 25 3 to a Low State 1 7:46  May 31. Concher 1312. 12:16 2 14 11 25 3 to 16:16. 12  Jun 30 132 132 132 132 132 132 132 132 132 132	19 10/100 mm, or man st, man, c ;				/ Kan				
In Machine Cast Demodigs & Table 1.  2 Loweler 1311. 7:16 2 14 11 25 3 to a Low State 1 7:46  May 31. Concher 1312. 12:16 2 14 11 25 3 to 16:16. 12  Jun 30 132 132 132 132 132 132 132 132 132 132	Jan 31 Houch	127 3927	Can 31 Idison SB bon So	1-8468 3927	1 T	Jan 31 V.	where 29 312	Jun 31 By J. a Edum Inc.	Surgbro 3185
Jun 30 13 1799	cery 18. "	134 630	ery is			- Y		1	-
Jun 30 13 1799				_   _   _   _   _   _   _			+		
June 30 13 1799					202	and the same of th			
June 30 13 1799									
June 30 13 1799									
June 30 13 1799									
Jun 30 3 179	and a second of				36.0	-4			
Jun 30 3 179	to an an an an an an an an an an an an an								
June 30 3 1799									
June 30 3 1799				1	9				
June 30 3 1799									
Jun 30 3 1799					200				
Jun 30 3 1799	de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la								
Jun 30 3 1799									
Jun 30 3 1799									
June 30 3 1799	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	. 1: 1 .01	P 14 11		<b>100</b>		020 64.41	lagan adambia amananan amana	
June 30 13 1799	1911	Lachene Cash Urm	I degs V ables		2005	lgis ,			
Jun 30 3 179	Deby 28. Yourher	- 1311 12HG	ily 18 & Sten Sur	- 8561 y246	200	May 31 Com	chir 135 20	May 31 Velder Inc S.	10016 12656
Sud 30 37 37 37 37 37 37 37 37 37 37 37 37 37								June 20 "	10157 9.626
					الما	June 30	251 3727		
					F 1				
					100	the state of the second			
					26127				
					-	· · · · · · · · · · · · · · · · · · ·			
					100	* * * * * * * * * * * * * * * * * * * *			<del></del>
				-					
					5				
					N. II				
									<del></del>
						·			
						a mental december of the second			

1 75	Chara NT			And the second s			I A		AND THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN COLU			Market Assessment of the Control of	76
	Sheet No	Mer Land	. 1 Vn	al Aiden St A.	Tendo 5			Sheet NoName		20.	2.7		٧٠,
/	Address				£5913			Address		d. /	neberk SIM		
- 24.00	131. Vomber	1293	boot	May 31 Jas In Lu	r 10038	6.76		Lest 30	Unicher 200:	TIIII.	11/2 4/2	0	
379	31	147	1. 1.0	May 31 Jac In . L.	porry.	13 113	<b>3</b>	March.	Coucher 200		o Syll 30 24711	Jane 101651	140 175
1		· · · · · · · · · · · · · · · · · · ·					10						
1							200						HH
1					· · · · · · · · · · · ·								
									andro diet		· · · · · · · · · · · · · · · · · · ·		
							197		The second of the second of				
-										HIT	1		
				***									
		1 2 1					100						
							27.00						
							3000		an england with a may	Ш:	Landa Lymna		
0.1			17200	Let as her Shaling			10.00	1915	mos	ul M	Lat Shoft on	p	
Lucy	31 Luncher	- 206	. 141	Ouly 31 Edward how Hochen	Sections	1111		Qet 31	Voucher 1919.	117	Lal Shoft 399 Oct 31 Edwardon	eminal Who 1 cat 71	1.12
-													
				ere en la la la la la la la la la la la la la				er er de er er er er er er.		1			
										H			
							200						
<u></u>							E S						
		+ 111								111			
and the second s			nenenosa.								-		++-1
<u> </u>		27 / D. 2000		. de la companya de l					1 1	للبليا			

	r Oai	Urn Bales Neumbering Machine	i.C	Sheet I Name Addres		Wac	hinery.	fori I.	Westlen-	Sel Islanz -		78
Oct 31 Toucher 179	1.80	Oct 31 Edwallow Heckensosto	180	7	1/1 3 . Dec 31	Levelor =	91 V	but	Mar 30	AledisenOne Inv	10624	6111 8594
				8	. ~ 20:57		175	1011	Dec 31		10827	6776
				2	1916		776	1147	Z		1 1 1 1 1	
					- Jan oi		2	5847				
					<i>K</i>		39	876				
											1	
			and the second									
and the second second			-								1	
	1111	1	111111		1000							
					1						1	
			.,					.:			<u> </u>	
		and the second s			<u> </u>						<del> </del>	
			Liinin i	1							1	
			.i &	, es							<u> </u>	
and the second second second					4		<del>-</del>				ļ	
					4							
reason come come in the end of the same constant and the same series	1,	Harangan da ing panggan ang managan da da da da da da da da da da da da da	4					Landinia	l., , , , , , , , , , , , , , , , , , ,	la compression de la compressi	demonstrativi	- Independent of the last
machine machine	for s	Cappine Bearing			1215	Misu	Parto tu					
Character for the said	1112	Br. G. Br. Oaklan Date Contidan	1.12.		Dec 31	· Comber	226.	1691	Dec 31	Edwind Long Hinks Ser	10272	1691
Dec 31 " 6	26.20	Dec 31 " 10/24.	26456	Ι	and 31		148	83	Jan, 21	<u> </u>	10573	8.9
	60	Jan 91. " 18875.	26986 11930 Hogg		Jely 29	. * .	176	126	tely 29	4 <b></b>	10593 10971 11225 11374	126
1916 . 276	. 329	Dec 31 " 10924. Jany 34 " 18890. (They 29 " 10973. "May 31 " 11124. May 31 " 11376.	110.99		924 29 Ep V 30 May 31		135	120	mer 29		11374	603
Jun 31 , 74	317	May 31 " 11376	1411									
770				10	Que 30			Y07	June 30	, "	11540	207
1 40					June 30		108	207	Jan 29 Tely 29 Apr 29 May 31 June 30		11540	207
10	1111.08				Quine 30			207	June 3		11540	207
Designey 1 /	1111.08				June 30			X07	June 3.	4	11540	207
20 54 7 9 118 33	1111.08				June 30			207	June 3	",	11540	207
20 54 7 9 118 33	1111.08 1111.08 21				June 30			×07	June 3	<u>"</u>	115-60	207
20 54 7 9 118 33	1111.08				June 30			×07	June 3e		11540	207
Design 9 118 32 126 126 126 126 126 126 126 126 126 12	1111.08 1111.08 21				June 30			×07	June 3e	4	11540	307
20 54.79 4 13	1111.08 1111.08 21				Gume 30			207	June 3e		]]sde	307
20 54 7 9 118 33	1111.08 1111.08 21				June 30			207	June 3e		11540	207
20 54 7 9 118 33	1111.08 1111.08 21				June 30			201 201	June 3e		11540	207
20 54 7 9 118 33	1111.08 1111.08 21				June 30			60 = ×07	June 3		ijsde	207
20 54 7 9 118 33	1111.08 1111.08 21				June 30			60 = ×07	June 3e		))sde	207
20 54 7 9 118 33	1111.08 1111.08 21				Jame 30			6,0 3 207	June 3e		1)sde	207
20 54 7 9 118 33	1111.08 1111.08 21				June 30			6,0 = 207	June 30	7	11sto	207
20 54.79 4 13	1111.08 1111.08 21				June 30			6,0 = ×07	June 3e		urks.	207
20 54.79 4 13	1111.08 1111.08 21				June 30			6,0 = ×07	June 3e		IIrks	207
Jessy 29. 11. 13.	1111.08 1111.08 21				June 36			6,0 = ×07	June 3e	7	IIrks	207

79																	-
	Sheet No.	- ,					Sheet	No						5 L	*		
	Name		Marco.	Shaft down	Linga (Sur)		Nam	121	rke Up	1.4	V 76	· Vin	ning Us	Bree	1:		
	Address				1 stelele		Addr	us		1142	59.		1				
70 hd mm m	ma, ris score et, aposto, s. ;			1916		T	The second second									TIT	
_Joine	31 Luch	r: 95		Can 31 Edwards	an. Itho 10835	vo		July 31	Vancher	132	26.41	July 31	61.06.	Sul. 1171		264	41
<i>6</i>	<u> </u>			q		<del> </del>		4			111-6	1				₩	-
								1			1111	<del>  </del>			$\Box$	Ш	
															Ш	##	
							- 111						-		-	++-	
			1												ш	Ш	
	<del>!</del>		.			ļi <u>.</u>	1930								Ш	44-	
		1							and the same of th	-H						+++	
								1								Ш	
						4	200			1			ļ		+++	+++	_
						t : i		+					<del> </del>		H	+++	
											Ш						
				l i							Ш		-			##	
							Le	+-++		1 11	+++	-	1		+++		-
				I				1		1-11						ш	_
4							ter								Ш	Ш	
								+					+			+++	
							1881	+-++							Ш	$\pm\pm$	
							VOTAL O										
				le de la composición de la composición de la composición de la composición de la composición de la composición											Ш		
			1			1,,,,,	3 TO THE RESIDENCE OF T								Ш	Ш	0770
		2/6	 H 110.	as on J+111.		1	The state of the s	Ma	chic 3	-Eas	tin	10 0/	10 (b.4) W		Ш		
- <u> </u>	11 // L	2/1	H.M.	us on I 4711.	/2		The state of the s	MA	chiic 3	Car	lin	90 B/	10 6.45 U	Dec			
Juni Geby	31. Louche	- 1118 - 126	H 116.	as on Still Jungor I 11.	17 10900	.921/ HJ9.		Ma July 31	Voncher)	-Gar	line	go By	10 6.45 L	PAE. 11718		10.	30
Juni Feby	31. Louche	2/x	H 116.	as on Still. Jun 31 St. 1. Taly 29 "	17	.931/ .479		Ma July 21	Voncher)	(Care 11260	1030	go By	10 (6.45°4 . Phros M. y 9	PA.E. 11718		100	30
guni Juni Keby	31. Longhe	2/8	H 116.	as on It 111 I x 1	17. 1090°. 11038.	-921- -449-		Ma July 31	Vonepu	- Car 11260	1030	go 27	10 6.45 L	PRE. 11718		/0.5	30
gul Juni Heby	31. Lombe 29. "	2/8 - 11/8 126	H 111.	12 cm/ S+111.	17. 1090°. 11038.			Mrs.	Vonepu	12 Care	1030	go of	10 6.45 L	PAE. 11718		10.5	30
gan Jani Feby	31. Louche	- 11/8 - 126	H M.	as on It 111 I'll I'll I'll	17 Jogee	.931/ .Hyg.		Ma July 31	Vonepu	- Energy 1740	1030	gr 27	10 (b.4) "1	PLE. 11718		/0.	30
gun Leby	31. Longhe	2/s 118. 126	H-111.	as on I 4111 In	11038	-931- -419-		Ma July 31	Voncher)	-En-	10 30	go 10/ Jale j''s	DO Chamelly g. g.	P.E. 11718		/0	30
gur Jung Keby	31. Longhe 29. "	2/s	H M.	Jawas Still. Jawas Str. Jaky 29.	17	. 429		Ma July 31	Vonesus	- Car 11200 132	10 30	go es	Doch St. g. 2	PAE. 11718		// 0 =	30
Gury Heby	31 Ihe	2/s	H M.	July 29 "	77. 1030°. 11038.	.921.		Ma July 31	Vonehar	Care 1122	10 20	gro 29	Destrict	266. 11718		// 0.	30
gur Leby	31. Londe 27. "	- 1118	H M.	200 Styll. July 21. It.	17. 1030°. 11638.	.931		Ma July 31	Vonekur)	Can 11 × 60	10 30	go Of	Dhundh g.s	Ole IIII		// 0	30
gung Heby	31 - L. he	2/s	H M.	as on Still. July 29. 827. July 29. "	77	- 931/- - 179		Ma July 31	Vonekul	Can 11 × 60	1030	go Of	6494.	016. 11118		/ 0	30
gung Heby	31. L. he	2/5	H- W.	July 29. "	D. Joges 11635.	. 931/		May fully 21	Voneka)	Car. 11760	10 30	g o Of	10 (6.44) 4.	016. 11118			30
Garing Herby	31 L. hi	2/s	H-W.	July 29 "	77. 1035. 11035.	. 931		Ma July 21	Voneker	Car	1030	g o Of	0.44 V.	W.E. 11218		10.	30
gul Guni Heby	31. L. he	2/s	H M.	200 Still.	17. Jeges. 11638.	. 931		May 31	Vonekur)	Case 11rto	1030	ys yr	0 644 W	Det. 11118		Ves	30
Juni Juni Heby	31 - L. he	2/k	H 1K.	200 It 111. July 29. I 21.	12. 1030. 11035.	- 931/- - 179 -		Month of the state	Verrehar)	Can Hybo	Since Signature of the state of	go og	644 L	PUE. 11718		10-	30
gan Jan Leby	31 L. he	2/s	H 1K.	12 m J + 111.  July 29. "	172. 1038. 11038.	.931.		Ma July 31	Voneka	Can III	1030	gro By	0 6.45 21.	96. 11218		10-	30
July Leby .	31 L. h.	2/s	H- M.	July 27 "	77. 1035. 11035.	. 931		May 31	Voncher)	(CAS)	10 30	gro M	64, 21.	0.00		Ve	30
Jan Hely	31 L. he	2/s	H 11.	July 27 "	17. 1195°. 11638.	. 931		May 31	Vorekus)	12 12 12 12 12 12 12 12 12 12 12 12 12 1	1030	g = 2/1	0 645 W			// 0	3.0
guni. Heby	31 Ih	2h	H M.	12 on Still. July 29. 8 2%.	D. Joges 11635.	. 931		Maly 21	Vouches	Can 11 resolution	10 30	go aprilipis	D. C. 4. 2 L	06. 11211		// 0	30
ord July Leby	31 L. he	2/s	H W.	2 m St 111.	72. 1035. 11035.	. 931		May 31	Voneker	(1) 12 12 12 12 12 12 12 12 12 12 12 12 12	10 30	go Office of State of	06494 . Phund I g 2	W. 11711		// 0	30
gil Gely	31 I he	2/s	H 116.	July 27 "	77. 1035. 11035.	. 921. . M19 .		May 31.	Voreker)	121	Je 30	go Office of S	64, 21.	ME 11211		/0-	30

Name Machine H Detect Cartinge Name Make One Pattern V. Fire Carterys Therefrom. fully so Venedand 132 13:48 Juny or Line he nypin 11713 July 31 Vanched 132 resofuly 21 Oh Ol 9 M.T. harris Make Justing throg per Als 186 rar Make Ix Opening Derew Drivers July 31 Vancher 132 1/36 July 31 an My ME. Julin 436

Name Minke Dix Ciling Tacke Mile Pattura 3020-3021-30213 with 31 Toucher 132 6 38 levy 3, MEhre Die Ryphaning July 31 Vincher 132 132 July 3. ESB. R. M. 11734 934 Muke Pastern Machine Phase Exitings

July 21 Voucher 12 1 2868 July 21 Amilia 202 11728 12868 July 21 True lev 134 369 July 21 ESSSC. 201. 1173 369 1 172 

Name Marke One Menter Pattern my 31 Vaneter 12 1006 July 31 ENDR. July 31 Jonether 132 693 July 31 Edward Min. W. 1717 6893 Mehero Sets of 15 Offices of Amendmedic Jan JMSUL. Make 1000- 3 hole Other Sandlinger

A7			Sheet No
Name Address	4		Name J. Meilner Lim
aconormat			
			ach 31 20 moles 115 21 act 31 By Lom nor 4953
			ach 31 20 maker 115 21 act 31 By Lom Inv 4953
			1913 20 20 Landon 121 R Marghy 28 By Limber 9161 Defit 20 " " 109 11 Sept 20 " " 9060 Dec 27 " 156 16 Dec 27 " 1013
			2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
			Delt 40 " " 100 10 Delt 30 " " ed
			Defit 30 " " 109 11 Defit 20 " " 8060.
<del>                                     </del>			
<del>                                     </del>			
<del></del>			A
			m. mills & on
			1911 see 30 20 Vanely 122 30 oce 30 mg Low med 5237
			Dec 30 to mely 122 30 Dec 30 By Form his 523)
<u> </u>			
		1	
<del></del>			
1 1			
			<b>16</b>
			machine for dron mix \$2897
			machine for arm mix \$2897
			machine for arm mix \$2897
			machine for arm mix \$2897  524 29 20 Noveler 144 625 726 29 By States Sin Sorry  12) 3732 man 20
			machine for dron mix \$2897
			machine for drong mix \$2897  Sich 29 20 Nouch 144 bos sels 29 Bybling die von 127  Man 20 1007
			machine for dron mix \$2897  524 29 20 Noncher 144 625 Bell 29 By Stantes Sim Novel  127 11077 man 30
			machine for dron mix \$2897
			machine for dron mix \$2897
			machine for dron mig \$2897  524 20 Nonche 144 625 Reli ap By Clary Survey  127 11007  1007
			machine for Iron mix \$2897  "it and 20 Nomella 144 645 Role of grating In sort 127 1000 11 100
			machine for dron mix \$2897  12th 29 20 Nonche 144 600 mile of Reputating dur very 3232 mas 30 4000 ft 5536
			machine for dron mig \$2897  5th 29 20 Nonche 144 625 Reli 29 Rystery die 500 121 1100 1100 1100 1100 1100 1100 1
			Machine for Iron mix \$2897  Sith of 20 Koncles 144 6 to February grating du sort 127 13027 mar 20

Sheet No	Street No. 12c Name Maked of Rough Gallerns Address #3119
June 19 20 trucker 143 180 Cardy 12, Elects 3m, 6100 1,80 Dely 31 " " [142]	Califar to Combin 1119 Was Oct 212, Eddlow Indeed what
6. musler Lom	Make 1 Rough Gattern 19120
917 1 20 Voncher 129 179 1 30 Lom had 6414 915 1016, 31 1 116, 31 1 116, 31 1 116, 31 1 116, 31 1 116, 31 1 116, 31 1 116, 31 1 116, 31 1 116, 31 1 116, 31 1 116, 31 1 116, 31 1 116, 31 1 116, 31 1 116, 31 1 116, 31 1 117, 30	Oct 3. to Voucher 4/2 120 Oct 31 By Edd by In here 120.
Machine Hork on 13 basting & #30 96	Make Live Urroden Day Roll Boyev + # 3199
Oct 3 1 1 2 2 1 20 1 199 6326 Oct 3 By & & Who In 183 6326 1890 20 20 20 20 20 20 20 20 20 20 20 20 20	Day 30 To Lowder 155 187 Dec 3, Elhemin Mr. Sur 657

Machine 10 Long annealing Total make One Hand Magnet 13201 Jan 31 34 Benson Marion Sen yout Machine hege. 13230 Machine Y Gattern Hork # 3218 10 br Jan 31 Blome & The Ing 1009 Make Tatterns # 2116 11-5-6-7 Make Sallern & Timish Levo Castings 13719 155 Jun 21 Edward Mbs Ind 19010 Jan 31. Insucher 1505

23		VIII			
Sheet No		34	Sheet No.		. *
Name	machine lostings +312			Q. B. Meserlin Lx	- 249
Address		×	Name Address	C. S. Meserlin 24	"//C."
913	17973		1000	7013	
Jan 31 To Vomber	155 155 322 Son 31 Byblin & Mis Sor your	5222	June 30 To Vouche	100 10	Otton O
Ochy 78 " "	1211 1249 Octy 78 " " " " 19149	18017	James Jo Douche	(68) June 30 (39)	y Lym In yoo
Material					
	the second secon	44. Links			
	ļ				
			j i		
	The second secon				
77.5	Machine 3 Segments 13238		m-l.1	21-121-6 1-62 8	· superal :
Jely 28 Lo Voucher	121 39 00 Octy 20 8 8 8 6 In 907	30.50	1913 mane (	Wood Work for 30 Pinne	E. B. Betty Co. 27986 62
	To John City 21 6 00 las Sen 7070	3980	July 31 To Voucher	129 bolo July 21 ay 27 270 suff 30 . 24	8. 5. Bestey Colm 7 756 62
avai Do Vomber	120 525 Mar 31 By 8. S. B ba In 7216	5251	Myly of " "	116 30 de Cy 31 "	7872 30
	to select be a first or a first	A	cuff 3-0	27 270 Del 30 .	7983 2
				24	
			3		1
	to the state of th				
			The second secon	Y 1	
	make Pattern #32h4				
	make Pattern # 3264		/9/3	markine Easting	V 43414
3 day the to Vomber.		1004	1213	Marking Gasting of	V # 3 HILL
3. by 22 Io Womber.	Make Pattern # 32hd 1913 124 124 124 125h		July 31 To Unmher Links 32	Marken Casting a 109 3608 July 21 ag 116 1506 (lile 3) 4.	V # 3414 Edin Sollis Ing 812 36
2. ky 28. to Vomber			July 31 to Womber	Marhine Gasting a	V # 34/14 Edin 6 21/2 Sorry 812 36
gree to lowher			July 31 to Churcher Ling 20	Marhine Gasting a	2
s gyzel to Tomber		1544	July 31 to thember	Markine Casting of	4 3 4 1 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
y set to Unwher			July 31 To Unmher	Machine Casting a 1rg 3608 July 21 ay 116 1506 Tuly 31.	2 # 34/11 Edin 6 11/2 Sorry 813 36
by 22 To Vanhar			Joseph Jo Chamber Ling 20	Marhine Gasting &	2 A 3 W 1 W Chim better Song 812 36
eg 28 to Unwher			1913 July 31 to Unwher	Marhine Casting a 1993 as 1993 (1993) 1990 (ledy 31 as	# 3 16 1 16 Son 17 8 12 36
by 22 to Vowher			July 31 To Chamber	Markine Gasting a 199 3408 July 21 ay 150 bluly 31	2 # 34/11 Edin 6 10. Son 9 012 36
by 22 Is Unihar			Joseph Lo Chamber Charles 20	Markene Casting &	2 A 34111 Edin 6 11/2 Sorry 812 36 " 1923 15
3 by 28 to Unwher			Jaja July 31 to Unihar	Marhine Casting of	2
3 by 28 to Voucher			July 30 to Chunker	Markin Casting of	434111 Still Song 812 36
2 by 28 to Vanhar			Joseph Lo Under	Markine Casting a loss fully of ay 150 of luly 31 ".	V A 34/11 Edin S 61/12 Sor y 812 36 1923 15

125			126
Sheet No	i.	Sheet No.	
Name Markine annealing Totar Covered		Name Markind Work on Ringal 13d 19	
1./.		Address / 13419	
Duft 21 20 Lunda 199 1/29 Sel 21 24 6.8 8 la Son 7759 1/29 Select 20 109 250		any 21 20 Lower 116 707 Cuy 25 By & & Cho down 7920 9	T.,
They 30 " " 109 250 Left 30 " " " , 7990 250		Cing 31 Do Counter 116 787 (ing 31 Chy to be little Some 7924 7	187
100 mm			
			-
	N. Control		
and the second s			
1913 Make 170 Detail 4+ B/3426		1910 Make Patterns as requiref for Inspecting magginger	
July 31 Jo Womber 129. 855 July 31 By 8.5 Bo In 1994 855.			09
a. " " 116 2 std aug 21 " " " " " 7879 2 st			7
	e de la companya de l		
	Ħ		
	. #		-
Machine bashing \$ p3466		and the same territorial and the same territor	
	1	1913 Make 100 Wheel Cline 13409	
Cong 30 2 Land 71 21 Cing 30 By 6.6.8 lm Jun 7977 1120 1199 1199 1199 1199 1199 1199 1199			98
Bught 30 . 109 47/14	- 1	100 A70 SEG	70
	, <b>)</b>		
	₩ '		
	1		
			-
			-

127		
12.7 Sheet No		728
Name	Make Filler 10HH	Sheet No
Address	13161	Name Make H Maple Blocks. Address
Sigt 30 2. L.	har 116 984 Com 31 By 298 In Son 7918 984	1973 20 To Uniher 109 128 Dept 30 Q. Edd Ca Son 7990 178
Sept 3.	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	128 Steps 30 By 6. d. Ga Son 7990 1788
C. F 31 : :	109 90 150 31 " " 1644 950 1 F 77 30 160 31 " " 870 850 80 133 40050 " " 879 6 950	
land	50 1338 June 30 " "	
Jan 31 "	35 425 May 31 9139 63	
22.		
mar 3-1 " "	16 425	
July 21 "	107 Sec. 19 Se	
Say II.	in Work done for Mr Hutchiggin	
Cury 31 To Unet		Machine Parts + 349V
Cury 31 Jo Hours	16 125 Juft 30 " 80x 55909	Sept 30 To Combon 109 4916 Sept 30 Cy & & B Bo 2m 7991 4916 Cet 31 12 2509 Oct 31 2 1906 3509
	23 38 226	Oct 31 " " 122 3509 Oct 31" " " " 8106 3509
	60 69	
: :	79 100	
Sept 30	90 (9) as 106 2:46 18 3:80	
alger 10	18 5914	
. "	57 689 74 255 86 7697	
	96 27692	
Jo fo lie 5	109 21407	
,	Make Elwan Oatternefort 80	
1913	1-16. 56 Cang 31 dy & 18 bg In 7879 56 :	1913 Make details for Three Jamps
Cong 3/ In Work	1. 1.6 56 ( Cung 3) Cy & B B bo In 7879 56. 1	Left 30 L. Uniher 109 6585 Deft 30 Dy Sur & 1860 7988 6580 (Cet 3) 17 5510 Oct 30 1975 5510 Non 30 1 1972 35510
		Ron 20 " 172 5510 Oct 31" " 6107 5510
	, J	
26.67		

179 Shoot No Name Markine & acting Gattern Address 13/19r	Sheet No Name Motor Brahel Borkel Address #3511
Slept 30 20 Unaller 109 10423 Slept 30 By K.S. Bla Son 49991 10 423	Slept 30 Lo Uncher- 109 5530 Slept 30 By & 58 la Som 7992 55 30
m.l./2.24	
1912 Make 3 Flanger # 3499 Bills 30 30 Lunder 109 1809 Light 30 Ly & & B b. Son Jan 7991 1807 Cet 30 1 100 100 100 100 100 100 100 100 10	1943 Make 400 Styles Rosen 1 Beesward \$3513 Slept 30 Is Townbur 109 900 Dept 30 By TO & Swalm 8032 900
	Cleft 30 To Tamber 109 goo Deft 30 by 10 b Sun In 8034 goo
1913 Make Wood Blocks	Make a Redutals 1201
Steph 30 2 Zunter 109. 474 Sept 30 (4) E.A. 8 la Sm - 7997 dys.  120 2013 Cet 31 " 8106 2073	1913 Dept 20 Lo Lucher 109 12/3 Sept 20 by h. S. B. to Snor 7999 12/3

Sheet No.		
Name Address	Machine on Gear.	Sheet No Name Make Ubood N Iron Work Low Levr Feller Organ Address
Dept 30 To Couche	109 577 Depth 30 By & & lette almor solve 579	Oct 31 Lo Vander 127 gdg Oct 31 By & Soll Son Soll 133 There 30 Lo Vander 140 1332 Hora 30 1206 133
1913	Make Parts for Red Jon Sulphale 35, 8	1913 Make 300 Whitewood, Friendsphone heardy Boyed
Plan 30 " "	Le 1852 Algel Oct 31/3, 688 ba Son 919 4 494. 144 179 Sec 51	Oct 30 I. Lunder 1884 319 Oct 31 By 316 Sun Som 8141, 317
_/9/3	Make Catterne for Stug Reaming Marking.	1913 Make Oatlun #1-38 3525
Oct 31 Is Vomber	- 122 3911 Det 31 By EBBG Sm. 8101 3911	Oct 21 Lo Lucher 122 834 Oct 31 G 650G Im 8106 88
-		

133			-			
Sheet No			W	Sheet No		1311
Name Address	Make Gattun 1:3545			Name Address	Make One Each Cath #296	3-611-65-66 3535
9ch 3, 2. Um	her 12 20 Oct 31 By ESBlace	In 8107 30 8228 256		Oct 31 To Van So.	-122 Oct 31 By Es	106mlm 5107 1136
		1		-		1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
			The second second			100
SECULAR SECU						
10/2	make Exhibit belle Tederlossen			24	he One Earl Patt #2724,25.	
Oct 31 2. Von		Im 8107 2d22		1913 Ma Oct 31 To Vacher Nor 30 "	100 Back Oats #2714, 75.5 121 9.88 Ogt 31 By E.	
				7.67 20 1	77.00 7.00 20	2926
/9/3	make rt Wood Oling a 35.20		Passan 11 1 4 1	و و و و و و و و و و و و و و و و و و و	Make Jenning 4 Bopy 5537	The second secon
Cct 31 J. Von	Jun 12 204 Oct 31 ay & S. O ba	In 8107 201		0 t 21 20 Vomber	- 122 469 Oct 31 Chy &	5.3 Colm 8107 1169
			A second	Man 30 "  Ster 31 "  - Jan 31 "	144 3708 Hor 30 " 156 254 Aug 31 " 147 290 Jan 31 "	5.3 Color 8107. 1169 1. 8228. 3708 1. 8337. 1251 1. 8162. 1290
10.00		The second secon				

135	136
Sheet No	Sheet No
Name Make/ Bred Sastan	Name Make/One Each Tatt: 18 11-15-15 Address #1 3665
Oct 31 2. Comber 188 324 Oct 31 By 8.50 C. Som 5109 524	Mondo To Combar 1810 1651 Mgs 3. Cd. 06 Blog Sorg 1650 1650 1650 1650 1650 1650 1650 1650
M 1 1 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1910 Make up Jew Sallow Solutyry #1	190 Make Lantien Slide for HO 43584
Jan 31 " 1877 1000 Jan 21 " 1500 1050	Level Jamber 96 550 Level 3 988 July 2018 2018 2018 2018 2018 2018 2018 2018
1913 Make One Tattpools,	Make 20 Cashing of Hal snog as
1913 Nov- 30 To Vander 141 32/4 Nov 30 Ay Eb B.C. In 8778 32/4	1918 1107-08 1
	Jon 31 Comber 156 3955 Sent 31 blaint buy the 3339 3957 July Jan 31 1, 1949 Jun 31 1, 1949 1049
TO THE OWNER OF THE PARTY OF TH	
P. Company	

137				, which is a second of the sec		
	Sheet No			Sheet No		138
100	Name Address	Machine & Castings 13594		Name Address	Make One Sattern 13583	
Lee	31 Vouch	- 186 1917 Levar 8 8 Blo In 8051	1917	J dec 31 Vone	her 156 319 Les 31 ESS Calon	8351 349
			100			
						5
			WAG			
			1			
1918		Nahe Oarts for a Gomplete Letaglage		/4/3	Make 3 Filler Bons 13585	
Jan		156. 3897 day 31 8 8 8 60 low 8251	3897	See 31 Vouch	in 156 1800 Les 31 88 B la lon	-8351 1850
Jan	3-1 "	177 37 gan ss " " " suby	J218			1 2 2
						1000
			p 🦑			
	!!					
Jec.	21 Voucher	Make One Back Tatterny song		/9/9	Make Datterfor ledusfing Sch	
uu	31 Coucher	156 115 mg dhe 31 8 8 B ba Im 8051	11579	· Lee 31 Tunch	106 780 Dec 31 8 8 B. ba Im	8350 780
					3 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
				<b>J</b>		
				•		

r 6000			
13 9 Sheet No		11	Sheet No.
Name Address	Make Sattern is Required for Sefering		Name Machine Workt Make Gasembler Hydrate Carechon Address #3610
Jan 27 Lamber	1876 1900 Songer SSS 6 alm 1351 4956 179 1800 Januar 1800 1800 1800 1800		2 chy 28 Voucher 1311 24123 2 chy 28 & B B balon 2003 2411 May 37 106 1628 Chi 30 1869 243 Chy 30 110 24171 July 30 8770 1110 Man 30 110 24171 July 30 8461 723 May 21 21 0 140 24171 July 30 8461 723
			Juni 20 27 242 106 106 107
	make & Sprims + 3584		m 1 100 8 - 5811 6
Jan 21 Louder	189 3157 Jan 31 Edin & Bla In - 5169 3159.		1918 Make 8 90 th M. Lantion Sledge 30 19 19 19 19 19 19 19 19 19 19 19 19 19
1914	Nake One Sattyn per Shetch 13596	e diameter - comply de la	1011 Make 100 Wheele 336 26
Jan 31. Vomber	127 610 Jan 31 William Son Frel 615.		May 31 Lowher 106 Str. Mar 21 By & b. Uto Sur 1919, 52 May 21 103 328 May 21 " 1914 97
		2007/27/17/2004/2004/2004/2007/27/17/2004/2004/2004/2004/2004/2004/2004/200	

1 Lf	142- Sheet No
Name Make Partiers usper BK 13630	Name Make leve Dof 1364.
Mar 31 Loucher 106 1 1489 Mar 23 24 & & Bla In 1698 1459	Mar 27 Loucher 106 1894 Mar 31 Sy & S. B. bon Sur Styll 1894
1914 Make Gattern 12631	1914 Make Die for Blanking 2 Top Egglaf
Mar 31 Unwher 106 3156 Mar 31 34 8 8 8 6 In Sur Myst 3156	May 27 (106 ) 30 (102 ) 30
Jan Make of Fattures 13629	1914 Make & Dulphyw Total 34 out
Man 39 Comber 10t 11205 Mar 18 4 & Blodus Hyd. 1165 21	1811 There is surgence ordization of 1905 (1905)  April 22 Vermber 49 190 (2007)  57 2011 (2007)  100 Julie 20 " , 9003 , 295  May 21 10 Julie 20 " , 9003 , 295  May 21 10 Julie 20 " , 9003 , 295  May 21 10 Julie 20 " , 9003 , 295  May 21 10 Julie 20 " , 9003 , 295  May 21 10 Julie 20 " , 9003 , 295  Julie 20 " 103 Julie 20 " , 295  Julie 20 " 21 115 1166 9

18.97

143	144
Sheet No	Sheet No.
Name Make One late of Guide for Same	Name Make One Sattern 1 116
1914	igal have
May 30 Loucher 116 840 apr 30 Eddin S.B ba Son 8813 045 May 31 8396 25	May 31 Vomber 115 4027 Dony 31 By & SB bon In 8576 4027
	Nameta de la casa de l
1914 Markine to a sting of 60	1914 Make One lack Talleng 1 2869-58-59
Upr 30 Souther 116 27 40 apr 30 Edward Chemical Hoth 8818 2740	May 21 Voucher 115 3024 Dry 21 By 5 5 8 ta Sor 8896 3024
A second	
10.14 Marhine 6 Bronzels Egating at Course 30 24 Cher 20 Edward Blackm 8813 0826	1914 Machine Han Leasting of self
Mays Lowher 116 3824 apr 30 Edward Blandon 8813 3826	May 31 Coucher 115 2802 (May 21 By Edin C. H. Im 8917 2802
mays & " " me	June 30 " 106 2898 June 30 " " - 9009 2898

145 Sheet No	1116
Name Make 16 Turned Wood Gedestals	Sheet No
Name Makel 16 Turned Wood Sedertals #3641	Name Make One Fattern Lach 1983-4-5-6
1-/0	- Janu
May 31 Loucher 115 857 Day 31 Gy ESB by Sur 1897 857.	May 31 Comber 115 1352 May 31 Sy ESB bon Son 8877 1352
Machine & Casting 13/ 12 Souther 115. 620 Comp or 24 lS Blo Sur 8079. 630.	1914 Make Wood Tattyne 13tyl
May 31 Voucher 115 630 Omay 31 By ESB 60 In 8877. 630	May 31 Voucher 115 5421 Ogay 31 Byldwindform Whelm 8911 51/21
	Just 30 " 11 gar July 31 " " - gar 350 500 500 500 500 500 500 500 500 500
	July 31 35 310 Ceft 30 1989 8784
	89 185 114 22
	aug 20 , 136 , 128 , 18 , 18 , 18 , 18 , 18 , 18 , 1
	90 267 87 Oct 11 115 2009
	Oct 31 " 115 2059
1914 Make One Conveyor Gater Guide Complete 143	20. L. D. D. J. C.
	1914 Make One Roug & Satting 36.82 May 31 Youther 115 112 Dray 31 By 25 13 bo Son 8078 112
May 31 Comber 115 1462 May 31 By E. S. Bon In 8877 162 July 20 June 30 190	May 31 Youter 115 112 may 31 By ESBlooding 8078 112

11/7 Sheet No	148
Namo Make One Each Oatlen & 13818128	Name Make 63 Pinch Cocks, Address
Address #3681	Name Make 63 Cinch Cooches, Address
Gray 31 Lumber 115 28 Organ 31 By & & Bla Im 8878 28	1714
June 30 " 15 80 20 June 30 1 5 Blo Jun 8978 28	# (/ 1 . 89   /0/Gran a Proc 24mm)
	Georgia 90 2677 alellis 1203 297
	Oct 31 Dundries 796 784 31 " 9316 781
The second secon	
1914 Mining Lamp Experimente # 3686	Make 1000 Sticks Rogin & Beeway Oreh 3703
June 30 Unercher 106 520 June 30 Edinis SB Calm 8969 521	
July 31 " 136 30 Gluby 31 " 96d 30.	July 31 Comber 38 1000 July 31 JOE Juellar 9107 1525
Deft 30 " 26 90 Oct 31 " 900 20897	
0 , 95 227 8 Hor 30 " 9494 22770	
11 19 Juny 31 " 9640 4291	
Nor 30 100 100 100 100 100 100 100 100 100	
Durist 109 227 10 Marson 9811 1965	
Jun 31 " 138 7791	
1900 32 " 1857 26435 " 7797 "	
mic 21 Palica 114 1/49 11-158	
1914 Mice Battery Experiments on Iron 1 Ny forf	To be an end of the last to be a
June 30 Toucher 106 10233 June 30 Edwird SBC Jor 1968 10233	1914 Making Mould for Drewing Standles of Rumbering May Gray From Condensate
July 31 " 136 227 NA July 31 11 906 227 NA	July 31 Howher 136 76 d3 July 31 60 hm Who Jon 9111 76 d3 Chang 30 " 199 22 de Clery 30" " 199 22 d
Chig 20 " 79 35 Chig 30 " 9700 26-5-	
Plor 30 . 115 2 do Nor 30 " 9490 - 110 7.	
Sec 21 136 173	
155 27201	

£		
149		150
Sheet No	n 17 11 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Shoot No Name Make One Back Satter 1163 - 1163 "
Name Make) Address	Necessary Fatterns for Film Dusting Machine	Name /Rake/One Gach Sattern #1163*-1163* Address
1970		04 76 1
July 31 Unwher 136	3778 July 31 EShmitho Im 9112 3778 719 640 30	July 31 Unihor 136 My 8 July 31 the 60thm Who Inn 9114 198
. Anterior		
724		
1984 //	ake 24 Heating loved Sports	1914 Make One Early Satterns \$ 886 43 45 3712
July 31 Unucher 136	476 July 31 50 hom who Son 9113 476	1914 Marke Well Carpy Callern #814 3911 Carg 30 When Einder 9190 2001
1		
n 1 d =	1 G + + CO: P : an 1:	$\alpha$ , $l \propto 1 + 0$ .
	for automatic King Removing Machine	1911 Make Tallerng of & Bol 34 13  ang 3. Voucher 90 by aug 3. tellm Unto In 9,91 129.
July 31 Youther 136	144 Quely 31 & & B & Bon Son 9093 1440 128 Quey 30 9208 23 135 Sept 30 4 9311 135	aug 30 Houser 90 479 aug 30 Ellma Horks Son 9191 429.
sleft so . 95	135 Sept 30 11 19311 135	
	in in the second of the second	

151	152
Sheet NOName Machine Vorkon One Bolster Slate. Address	Shees No Name Naking Lound Tapeed Slugs Address
Cing 20 Howher 90 159 Cugso & SB balon gris 107	Sept 20 Countary 95 1766 Stept 30 Eline & Bla Sur- 9312 1766
1914 Make One Oxide Mould For Type Hoo Ofaty	make 100 Wheel Jim # 34.3 1
Georgia Vomehor 90 3123 Gray 30 Fledenmellen John 9189 3173 1976 1979 1979 1979 1979 1979 1979 1979	Lett 30 Uniter 95 655 Oct 31 Conviction Making 199 655 Oct 31 9366 305
144 S Money Lym.	174 Make Satten 173 Cylor
Crug 30 Lunder 90 160 Crug 30 1171 Jon 9937 160 183 May 31	Sept 30 Unicher 90 1222 Sept 30 Edin Chamiel Workshop 973 1772

NS TO THE REST OF THE REST OF THE REST OF THE REST OF THE REST OF THE REST OF THE REST OF THE REST OF THE REST	
112	Sheet No
Sheer No Name Make One Timb & Lie for Blanking Parts Address Make One Timb & Joyed	Sheet No Name Make Drew Record Scabinets Address 12973
Typel 1971	1914 1914 1914
Address 19951  Hor So Comber 21 174 Hor 30 & B B B bo Low 9115 150L  Dec 34 126 500 8607	Hory to Under 109 Holy 19 30 TO Edin Low 9490 Holy 20
Jour Make One Sattern 9 1/2 bashing 19780	
W - C - C - C - C - C - C - C - C - C -	1911 Make Patterne 1399h Nor 30 Lumber 109 1099 Hor 30 & S. B. B. S. Sm. 910 1099
Nov 30 Mounter by. 10 Nor 30 Illdiend and 9491 by3  109 109 100 100 100 100 100 100 100 100	Nor 30 Lumber 109 1079 Hor 30 & S. B. So Som 9500 1079
du 31 152 077	
1911 Marhow & Gattern Worfe	1914 Make Sattern 2478
Now 30 Youker 91 23/6 Nov 30 Illdied In Surgery 3327 Dur 31 154 543	Nor 30 Unuher 109 Jr3 Hor so & SB & Imgrit or3
Du 31 109 1011 Dec/31 " gibr 5/3.	
	S

0

The state of the s	
107 Sheet No	158 Sheet No
Name Make / 3 Chood Medals of Tulley for Gloting Machine 13,985	Name Make One Dunch & Diet for Dlanking Park Address # 3793
Dec 20 Loucher 109 39 Her 30 & S.D. bo Sur 1916 39 Dec 21 Bec 21	Durs Tumber 136 150 2/37 2 Syt Alba In 9603 1300 150 150 150 150 150 150 150 150 150 1
1911 Make One Cattern 3786	1914 Make One Sunch & Die for Drawing Sort 1 3794
Hor 30 Louder 109 on Hor 30 H & B balar gory as sor Den 31	Dec 25 Vanher 136 31 Dec 31 De Elle Dun glod 111d 150 1083 Gam 21 11 A 2090 1215
14d Made One Turnell & Die Jos Gendung Tort 3999	1911 Make One Each Cattern #29317 3797
Der 3 Lunder 136. 1/0 Der 3 By LSB and Sur Hoor 2998.  131 Jun 31 138 1614 Man 31 9640 1014 475.  Man 21 171 175 1675	Der 31 Uncher 152 537 Der 31 Byt & B bon Sur 9600 537

Sheet No	160
Dec 37 Domber 155 1 Dec 31 Lyllobo Low glos. 121 Jan 31 Domber 135 120 Jan 31 Spilling St Blacker glys.  Less Make Cattery 5,500	120
Jam Make Pattern 5 300 make Cattern 6 3790 to 1	120
(/)   2/ /	
(/)   2/ /	
(/)   2/ /	
(/)   2/ /	
	-
James Comber 138 202 Jam 31 Byllinis Bloder glog	202
Jus Make Tallery 3001  Due 31 Double 1000 July Bull Blog Sur 9600 11	
Due 31 Tomber 152 71 Due 31 Byl & Blog Jun 9607 91 Jan 31 Comber 135 109 Jan 31 Giblin Libra gly o	109
Der 21 Lunder 152 g1 Der 31 By & S. D. Ba Songbor g1	

make Cutter 13173 Marter Falling for Film Vinder Address 219 Jan 31 By Edin S.Blon Son gllg 16 Jan 21 Edwin Thron What 10884 make of Round Tedestaly 3824 marking Shaffel - - Tely 28 By Edward & B bo Sim 971/3 320 180 June 31 Edisont be home Ith Sor 10 827 make One Die to Make Cutide Lijn Machine 14 Dea Sife 24333 126 218 Feby 29 Edien Lohem Ho 10929

Sheet No. Machine 1 Co lo d Piper male Shaft leouplings 28 Tely 29 ldiens bihom 34 do 10939 Mining Trans Experiments # 3686 Maple Block dogt 333 Jely 29 Edward Thoma Horham 10281 Manitename Fortoratory Jaroge \$ 1153 apriso July 31

165 Sheet No ..... Name More Gordente of Vant Felvan omoter Boom JAM. H. Musk May 31 Toucher 91 844 93 6576 125 6576 17 7878 17 12 101 1310 11 1918 119 23 Mar 31 Stm Sorr June July 21 Machine two The Dire 184164 mill 2 Key Ways in 276 shaffing May 31 Vancher 135 889 May 3, 7711 Ins 1133, Make Outlin #3010 B. 144168 Make one Core Box Bar Pattern May 31 Voucher 135 641 may 31 FrM Box 11337 May 31 Vancher 135 230 May 31 6 Both Court Lp. 11360

C																											
	Shee	n None	v on	c_	19	usp	liis	- A							Sheet No	M	achi	ning	ע ק	' 6.X	? <i>[1]</i>	Manife	-Eds/				
	Add	ress						1 4179							Address			//		JP,	4186						
May	3/	Vacche	101		961	May	131	S.A. to Ane land ,	82. 1	1.105		90	65		Me	y 31 Vac	ishir	131-		8697	1916 10013	60B.C	Lond. 11	541		90	: 8 81
***************************************																										H	
					H		-			1				200. A Total 40													
					L			4																			
		Morr V	rod	Ol	esti	ru		#4181								Ma	chine	16-	6.0	2. A.	Lu	ation (	Pot s	Cor	er	e/	
may	31	Vancher	105	$\prod$	1898	mar	1916	E.P. Yva.	Just 1	1350		18	98		Mis Jun	ey or Va	uehu	135		262 fe	1 mg 3	Eane	Ins. 1	1346		14	17 62
								,		1																	
	Ŀ							M-1000																			
	-						F													Ħ					#		
	1_			Ш	Ш						Ш	Ш							Ш							Ш	
	976		Ma,					12011B							Man	ke Godini	inary d	1/rawe	ugo	Con	420	z Reetu	erant E	5.79	C.	13c	4
Me	20	Voucher			310	7110	-431	EDBL.	Len!	11335		3	/(		fiii	ne 30 Va	wher	1 108		573/	ene =	TO SA E Suc.	Gon tast 1	1.487		Ū	72
	-																						-				
	-					-	-				H	H							$\parallel$								E
																			₩								
	ļ.				Ш		_				+	$\pm$													4	+	

Make Cix Dhofts # 4435 Sheet No .... Name Mape Relemmery bracamo "Commercian twith the breature Assum of Building for Reserving Calment, A 1204 108 18 Seene 30 Mit Chand CH 11825 June 30 Voucher 108 108 1303 June 30 99 6 min 11497 1303 Make & Edging Gauge & 4x45 make Patterne #4rrg and to Vancher 108 June 30 Veneper 901 June 20 6.0.13. R. Make Patterney 11 50 Make 50 Novolan Pluga x 4x34 918 June 30 1986. Chance CA 11834 June 30 Vancher 105

Now Machine Work on V They for Ruleson Lains 19 3 Toucher 132 12 20 165. ELENE 11095 Machine Pep of Carling for Booling Port Makeyolay Partern #6345 July 31 Voucher 132 1318 July 31 anie Ohn N. 595 1715

No. Mr M Sall J. F.M.

Out 34 Voncher 40 st Cet 2 IMborr well.

No. 30 47 633

National Phono by
Salon & Maleiak for
Nelen W. J.
Labor & Mathian for
North Juscey Brink & Labor & Math for
North Sugar & Math for
Northel Hydrate # 2.
New Michael & James & Labor & Machine & 2.
New Jeney Balon & Machine & 2.
New Jeney & Machine & 2.
New Jeney & Machine & 2.
New Jeney & James & 2.
New Jeney & Jeorge & 2.
New Jeney & 2.
New Jeney & 2.
New Jeney & 2. new style trans # 2 negativo & Brinto #23. nicolai Chaq 1 m. Princelai Chag Im. 76
Print - per appl # 249 3
Printled Alarke # 296 4
Printled Alarke # 296 4
Printled Alarke # 296 4
Printled Alarke # 296 4
Printled Alarke # 296 4
Printled Alarke # 296 4
Printled Alarke # 296 4
Printled Alarke # 296 6
Places Alarke # 296 6
Places Alarke # 296 6
Place Alarke # 296 6
Place Angled of Machinery \$ 193 6
Place Angled of Machinery \$ 193 6
Place Angled of Machinery \$ 193 6
Place Angled of Machinery \$ 193 6
Place Angled of Machinery \$ 193 6 nickel Stydrate 57.05 ang 31 By E. S. Blo In 1295-92 sych 30 " " 1374

Sheet No. 7 Charley Micolai nickel Hydrali \*\* Name Address Jehrs to voucher 8954 81 apl 30. . 116 . 115 119 120 . 109. . 113 9.6.70 115 29.66 . 13.8 79.09.3 1913 - 35 Dy & S & bondon 19301

Sheet No.\_\_\_\_ Thicking Dables # 4037 Name AddressAprile Vand good amins
Aprile Vandher 94
May 31 135

Sheet No. Name Theo Equipment for Max Dept. Opriso Coucher 9th 10 Upr 29 94 6 See Divisionin

Sheet No.		A SULV		
Name Address		Sheet No Name	E has Norton	8x 711
22347220		Address		
		May 21 "	199	
	 	Mar 31 Lo Convert	les 120 51 Mar 27 By 140 129 Chris By 140 129 Chris By 142 111 May 31 1	LYM Inv. 7301
		May 31 .	140 129 apr30 1	1 . 7/33 /
		May 31	125 94 June 30 1	7907
	 	Hely 31 " "	179 60 July 31 .	7828
	 	Self 30	109 69 Dept 30 .	. 7946
	7	Cot. 31 " "	51 30 Oct 31	8166 1
		Nov 30	177 10 Mor 30 "	8273
	 	1000 30	19 09 day 31 "	" 8415 B
		A. 4. 31	156 80 Step 28 "	8611
		Jan 31 " "	127 81 Mar 3-1	8735
	 	They 28 "	134 16 apr 20	· 8846
	LK	1 ah 30 "	116 119 July 31	9031 /
		Jun 30 "	10% 1800 cht 30	9130
		(Yuly 31 " "		n 9386
	 	Decision .	95 05 Se 31	" " 10476 /
		XS 231 "	152 10	
		Di Di Di	286 27	
<del></del>		Juli so . "	108 160	
		#		
		20	P1 1 11 6	1.0 - 1.0
		1913 /LLC	ersary Repairs on Glass & May 31 By	hebetion Cell 3380
		May 31 To Houch	1 112 65 may 31 By	8 1 B 60 Jon 41185
	Land			
		M1		
	188			
	 	Will the state of		
	11.7			
	11.00			
	10.00			
	10.00	GO CONTROL OF CONTROL		

51			and the same
Sheet No	Company of Marine	Sheet No	
N	Necessary Unk on Ford Center \$3307		
Address	Mecessary Work on Lord Cluto.	Name New style 2rayg # 2289	
31007633	( T. D. D. C. C. C. C. C. C. C. C. C. C. C. C. C.	# 2289	
7,733	Lumber 44 la Juneso a, \$5.0. boder 1598 65	Shawers for some rate, in small is,	T:
June 30. Le 6	Lunder Ust 45 June 30 ay & S. B. Con 1598 65	1911 191 20 Noncher 117 607 Mar 21 127 Explosing 2625	911
		118 304	
			911
	vices a contract of the contra		-
<b> </b>	the second secon		
1	the second of the second of the second of the second of the second of the second of the second of the second of		1
	the second secon		-
			<del> </del>
			+
	and the state of t		
		***	1
	a design and the second		+
		the state of the contract of t	4-1
	en en en en en en en en en en en en en e	Jul 30 2- Voncher 117 105 Jul 30 By A & All, In 4213	
	to the contract of the contrac	Jul 30 20 Vonclet 117 105 Jul 30 By \$ 5.00%, 200 11313	T
		June 30 To Vonche 117 105 June 30 By A D. B. Cl, Sur 4313	158
		119 53	+
			1.08
	the second secon		
<b></b>	The second secon		1
10	يو عور در رای دو دروم دارد و موجود و میرود دو در اگرود دارد با این دو دو این و دو و دو و دو و در دو دو و		
V	Reve Cay Cat of Mar hinery floods link		†
7777	1/21/10 1/3/10		
العلمها	The English will be and the contract of the co		1
Carenas y alle	3 / 18 July 29 betind themthold woods 1 9453		
	" 104 31 april " 11xx 143x3		
	126 (2280 112m 31 " 11270 " 1282" -		-
Mar 31	" 37 341 June 30 . 11835 11886		
	119 475.80	3 7 7 7	
apr 30	119 3 75 10	riapthalene * 2863	
	· SI Ygs	Jan 31 24 Varale 138 1715 Jan 31 By Cardensite 83 0367	
	. 67 10	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	///
	" 96 91. GH 53902		
May 31	27 #114 4		+
	119 840		+
	119 8th 135 777th 21 877th		++
June to	4 36 4 170 17 le		
[	7/ 1/10		1
July 31	105 416 44		+
	132 146543		+-
1	3/4/16/27		1
			-
-			H
- Harmonian Start Company Company	The second secon		

	\	
Sheet No1 0 1		Sheet No
Name 6.6	nestar Lom	
	1,412	Address
1912 - sept 30 20 Voncher 117 120	2912 20 my Lem Ind 6556 120	797.3
		Dept 30 To Unmber 71 70 Dept 30 By Sta Co lo Son 8013 11415
	1	
	and any or record and a substitute of the substi	
I was a second of the second o	all agreement of the control of the	507
Rozale Lo.	Minature tall Gilly 5188	1913 7 Jung May L+MI
Des/ 31 To Voucher 155 36	Delas Inrice bery 562	
		Surface we so dens do men suit 80
	the second secon	Than 37 " 127 80 Han 21 " 1877 80 80 Han 21 " 1878 80 80 Han 31 " 1839 80 Han 31 " 1839 80 Han 31 " 1839 80
	*	1/20 " 116 80 C/W 30 " 8839 80 1/20 " 8992 80
		May 31 " 15 80 Pray 31 " 8932 80 The 30 " 9030 70
· 20	1 -0 -1 1 1 -1 1 -1	
Mensary Sea Mar 31 2. Loucher 120 864 Cyr 30 " " 110 3:	wing for Mickel Durd dill \$ 3281	- Callums
Mar 31 2. Voucher 120 861	6/Mar/31 By E. S. R. bon Jon 7225 86.46 1 3 Clfr 30 " " , 7362 31,3	
Cyr 30 " " 110 34	3 Mg 20 " " , 93622 , 131, 2	
	<u> </u>	
<b>1</b> ————————————————————————————————————		

103	N	heet A ame Iddres.	s		Lay Out;	of Mar	chinery				and the second s	Sheet No Name Address	2000 1000 2000	Mecra	rej o	Çr	u	ing.	9 No	eks To	Rldgs.	9970000	
M.		28 31	Uncher	127 73 92 123 130	8250 3349 2404 53	They ? Mar 3 Off 3 How 3	-8 By Edii 30	onOhmort	9826 9826 9924 10216	8250 4290 4431 438 36634		Ma Jeens	30	Vonchie	135	د ا	354	may s	31 EP 1010		11354		3 54
Ca	fr ly	30	"	171 23 252 256	3968	Dec 3			10589 10914 10862	60=68 48845 188519													
. S		3-1	* * * * * * * * * * * * * * * * * * *	177: 176 214 246 118	60773 488 45 1705 488 45																		
			B. P.C. 51		iling Ja	rbles	(make	2)			el en en en en en en en en en en en en en												
Ğ	g c	31	Howher	39 64	20811 1107 97 2260 450	Dec 3 Jan 2 Theby 2 Mar 8	, EP). 4 9	ich Im " "	10727	2081 15899 20016 311153													
M M D D	by	29		119 130 1118 3	8 x 8 3 3 111 1 6 13 5 6 145					Control of the contro													
				53 61 112 120	956 434 40		,																
II. Alberta. La	~	LaL.	-70	the	47274 Green	for /	leuer.	alizi,	ug Ro	cee	a the Alexandra decision												
		30	Vouche	J 13 58 82 94 25	131100	apr ?	9 20 E A	re barbo	7, E11240 "11402	117936						-							
my	eg	31		25 14 72 90	20104	4	1																
		Y																					
			The second second										$\perp$			$\boxplus$	$\vdash$		<u> </u>			-	

Name oth O. T. 150-51-7-Labord material for 56 One Rough Dattern #3559 oth D. P. One Fach Clatter Labor of material for One Pockets Stock 1 One Tattern 11 3589 \$2091 One Long Walter Shearing Machine One Jule stock Ha593 Theoring Machine 1204 One Lingh Ladyur 13594 Obearing Machine 1204 One Ladyur 100 og # 25 ft. (Ose Ladyur 16 lak) Labor " of material Oth Louis 3 One Lough Jak One Lough Oat L+m. for olives of J. 51 One Pattern #3635. One Set Brass Litter #3634 Lomber 100 Onulset of Such foil asgood 6.6. Crimping Jockets 13.717 wagover 6 6. Secretary schale 13977.

LOM Sovenhall theodolakher 10 a Onchin Burch Spris over fall theodolakher 10 a Onchin Burch Spris over fall theodolakher 1222 to Bendary Hilliammal 1377.

over hand glance 4224 Landary Cot Terring 109.


Baventing Jance 4224 Landary Cot Terring 1395. and act Boiles ( 101 One Hot Box cleaning Tools \$2323 Questor Box 12 bold Box one mouth prece \$2393 for 94 bells Markong Willey SMM 103 velecil of Oak Old Seo J. LMM 103 velecil of Oak Onthack Cattern 4357 One Brigh Sattern #3766 13767 One Hood Cattern #3575 One Sot Just Lable One I PPP Cauchon #357 Spreeness sur Lavie OneBack Col From #357 One Ruy Disting OneBack Cattern 1507-11. #358 One Pattern OneBack Cattern 1517-11. #358 One Pattern One Rough Pattern H 3595 One Pallern one Rough Pattern # 3296 One Tallern One Redifier Exhity Jable 1359 One Tattern 1-3896 one Rough Sallen 11358 One Pattern one Roug & Sattern + 350 One Sattern One boil #350 139111 13328 One Back Pattern medlandred Pino Cut #30276 One Rough Wall Day #33 13 One Rough Tattern #33 \$ meach Caller #5387 One Roug & Pattern 3372 One Roug & Sattern 3379

•			 								d	7,	Sheet No.	6	<u>.</u>	er i savanari. Sa											
				Towns Towns									Name Address				One i	lepa	ato	- /	ly la	3alle	ntu	J *	699		
				entropy of the second s								K	1911 Oct	31	Zo Von				100	1911 Och nov	1 1		m. Im	493	1	86	78
													nov	30			35	-	945	Jee Jack	30	*		522	1	27/8	541577
																	37 88 113		35	mar apl	20			224	2	823	77.75
	•			-									باحد.	30 ,			119	3 ,	3,7	may				596	9 7	2 8 8	14
					•			٠.					, n		,	1	84		850								
									200				شنشو	31 .	H 		2-0 34 42-		390								
									100000000000000000000000000000000000000		K			15 11			100	2	298								
									2000				4	n n	. 9		132-138	2	250								
Мс													Fiel	29 "			40		990								
N	introduction in the second		2000												, " "		119	2-q	248								
Э.											2		mar "	30 "	"		39	J	47								a (8
													4	" "	,		61 68 84		634								
									1000					" " "	" "		105	1	910								
	4	1											ape"	30 ,	" # 25 z	-8-	127	2/00	49								
			7.00 miles						- Anna Anna Anna Anna Anna Anna Anna Ann					4 4	Von	elu	3 g 43	6.	312					-	TOTAL STREET		
A COLUMN TO A COLU									 -					. 4 . 4 . . 4 . 4 . . 4 . 4			47 67 80	2.0	90								
			-										No.	. 11 . 14. 			108	3-7	08	7							
			THE PERSON NAMED AND ADDRESS OF THE PERSON NAMED AND ADDRESS O			•				•	~6		may	7			128	300	27								
-													7 7 7	11 11 11 11 11 11 11 11 11 11 11 11 11			49	70	99	7.54	-			-	Щ		4

25 7 5 9 1 20 1 20 1 20 1 20 1 20 1 20 1 20 1	Jene 30 In July 31 Aug 30 Sept 20	2 Combon 1/2 9 10 10 10 10 10 10 10 10 10 10 10 10 10	10 23 June 20 Gydle 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	by Ballentine(2) 12699  12699  12699  1260  1270  1270  1270  1270  1270  1270  1270  1270  1270
1	Aug 20	1 1/6 /3	719 110 349	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
36 1054 97 2-0 1. " " 11 1355 31 " 37 1770 3 7 1033				
- 30 29				
9				
10 2096 110 299 110 2950 124 3050 124 3050 129 00003 129 00003				
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
30				

State No. 7  Note that the state of the stat																	-																	
Address J. J. ott L. Stray  Address J. J. ott L. Stray  Address J. J. ott L. Stray  J. ott L. Stray  J. ott L.				Shee	t No	 										G, tvi	e.			6														Water to the second
10 1 20 Vouche 10 1 20 Vouche 10 1 20 1 20 Vouche 10 1 20 1 20 Vouche 10 1 20 1 20 Vouche 10 1 20 Vouche 10 1 20 Vouche 10 1 20 Vouche 10 1 20 Vouche 10 1 20 Vouche 10 1 20 Vouche 10 1 20 Vouche 10 1 20 Vouche 10 1 20 Vouche 10 1 20 Vouche 10 1 20 Vouche 1																	Y						7		0	マ	. 7				P 1-			
1	-									-						strable!	Y				A	ame Iddress			Y.	0.	ore			ó	Lon	7		
1									.					Ţ			1			ar .		T	7	-	T	T		19	12			-		
	4								1			ļ	***************************************	-1						1.20		31	n	relu "			12	5 0	ec 31	Bys	erm J.			
The state of the s							-					ļ				-				lg .			*	•			100		13 an 31	n	,, ,	,		
Miles of the second of the sec	- 1							-	-		ļ			1			1	-			June	30.	70 U	omhe			26	1	ne 30	By &	esm S			262
Miles 20 1 196		1					•	1			1				1		1				8 11		4	"	12	7	513		pt 30	"	٠,	1 /	8064	
Miles 20 1 196							1	-	1		1					-	+	-			Oct	30	4	,	109	2	18	3 4	ct 21	•			8168	251
May 3 " " " " " " " " " " " " " " " " " "		11.				+	-		-		+-			-			-	-			gara	31	"	4	150		128	13	10 3	4			802-8	355
Cong 30  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 32  Gri							1								1			1			Capr	130			17		16	92	2ay 31	,			8933	2072
Cong 30  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 31  Grid 32  Gri			-					.							1		.   .			Í		111	"	,	10	z.	6.	5 G	31				9234	10
May 30 (10) (10) (10) (10) (10) (10) (10) (10				1				1			-				1		1:			,	au	950	4	^	90		11%	10	Ly 28	,			9679	10
May 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							-	-													Jan	31					1	o a	11 30				9961	768
Miles 1			-							,											Och	28			11/2	4	10	9	ghe 30	,		- 1	10177	53
May 3 226 26 20 20 20 20 20 20 20 20 20 20 20 20 20		, 4ª	-											1							Man	131			29.	3	- / - '	12	11/30					261
MC 30 1/43 1/43 1/43 1/43 1/43 3 23 1/43 1/43 1/43 1/43 1/43 1/43 1/43 1/4				1											-						Gul	31			256	1	12		1 31	-	·			143
10 100 1 100				-		-	-				-			-							Qut	20						1 12				:	11157	84
Jun 20 108 26	WC		1	l		-									-			1			2156	31			226		20	g Juga	130		~	* }	11601	126
	N		-   -				Į.								-					Ĺ	may	31			130	Ť .	333	3	7	•	•	1	7737	375
	0			i		1					Ш				-		-	<u> </u>			July	31			132	-							The same of	
			-	1		ļ.,	1	-	1							-	-	1		,	1													
	1			+										ļ		-			K		TO POST													
	- 1			T																													The second second	
			l	T			1								f		11											ļ					100	
			1				ŀ		+					ļ	Ī																			
	THE STATE OF THE S			4			1							ļ																				
						-								-	-																		- []	
	1			- -										ļ						l														
				l.		L											1		r )	<b>j</b>							1							
			1	1										ļ	-		-			ķ.								ľ						
	-1		-	+		 	-		1						1					li.														
				-		 ļ											-												-			-		
	- 1:		L	1	**********	 	ļ		1																							-		
	F	-	1	+		 -	-	-	+		4						Ц															-		
				Ţ					$\perp$		_					-	H			#		+				Н	H					1	- 44	Til-

Sheet No ..... Sheet No. Name Cherating Y M. by Exhance Steme Gulino Dear Address 180 They 29 the and middle 1991 Today 3 c l 3 d 3 6 17 67 68 109 112 126 126 608.14
34 9.00
16 26.00
186 18.10
110 186.0
116 110
117 100.0
119 186.773



Sheet No. 

Sheet No Name Address	,		Sheet No. 5"0 Name	J. J.	Oth La	bor of Material for	
			Address			over out in consistence per y	
	 		1908	0	1908		TIT
<del></del>		6 9	mar 31 To Vous		50 mar 3	1 By L. & M. Invoice 61	
	 		apel 30	86	73 aprl 3	0 4 122	НН.
		4	June 30 ,, ,	77	301 may 3	1. 4 4 4 196	1 13
				29	462 July 3	1 " " " 334	
			July 31 " "	80	484 ang 3	1	1,
	 		ang 31 " "	ي ح ح	484 ang 3	0 4 4 4481	
	 		seph 30	96	4.80 @ch 3	1. 11 11 560	1 2
	 		Och 31 " "	104	573+1200 3	0. 1 4 579	
			nov 30 " " "	90	1481 Dec 3	1. 11 . 11 . 1	- j
			1909 30 " "	109	330 Ach 2		3
1			Feb 27 " "	79	3.7.3.4 2a. 2	7	
			mar 31 " "	91.	330 apl 3	0 4 4 4 /063	v
.i			apl 30 " "	104	3.53 may 3	1 4 " " 1085	"
	 		may 31 " "		1443 June 3	0 11 11 11 11 11 11 11 11 11 11 11 11 11	, , , , , , , , , , , , , , , , , , ,
<del></del>	 		Juné 30 "	84	36 July 3	1. " " 1253	- 1
	 	1,3	July 31 " " " " " " " " " " " " " " " " " "	108	360 depth 3	1	6
<del></del>			ang 31 " "	108	360 Septs 8	0 4 1415	7
			Och 30 " "		2000		7
			200 30 11 11	104	369 non 3		7
1 :			Dec 31	133	295 Dec 3 1917 Jan 31	1 " " 1679	7 8
			ban 31 "	114	8378 266 2	1842	8
			Dec 31 " " " " " " " " " " " " " " " " " "	90		The state of the s	3-
	 		- and managed and and a second		89.19		89
	 			700	24 0		
		No concentrate and		J. P. O	Eth Las	bord material for	
		The constant to the constant of the constant o	1908 31 Fr 1600		th Las	bord material for	
			mar 31. To Vous	cher 11	04 mar 31	bor & material for By L&M. Smoree 65	
			June 30	ther 11.	04 1908 04 mar 31 1.10 June 3	bord material for By LAM, churice 65-	
			June 30	cher 11	04 mar 31 1.10 June 31	By L & M. Invice 65-	
			July 31.	ther 11.	04 mar 31 1.10 June 31 09 July 31 350 nov 30	By Lam. chroice 65 263	
			mar 31 Fo Vouc June 30 July 31	cher 11.	04 mar 31 1.10 June 31 1.10 June 31 1.10 June 31 1.10 June 31 1.10 June 31 1.17 Dec 31 1.23 Jane 32	By & & M. Invoice 65" 263 335" 335" 3679	
			mar 31 Fo Vouc June 30 ", July 31 ", Nov 30 ", Deed 31 "	cher 11.	04 mar 31 1.10 June 31 1.10 June 31 1.10 June 31 1.10 June 31 1.10 June 31 1.17 Dec 31 1.23 Jane 32	By & & M. Invoice 65" 263 335" 335" 3679	
			mar 31 Fo Vouc June 30 July 31 200 30 200 31 Jun 30	cher 11.	04 mar 31 1.10 Jun 31 1.0 Jun 31 1.0 Jun 31 1.0 Jun 31 1.7 Dec 31 1.7 Dec 31 1.7 Jan 32 1.7 Jan 32	By & 111, churice 65- 0, , , , 263 1, , , 335- 1, , , 580 1, , , , 796	
			mar 31. Fo Vouc June 30 July 31 200 31 June 30 June 30	cher 11.	04 mar 31 1.10 Jun 31 1.0 Jun 31 1.0 Jun 31 1.0 Jun 31 1.7 Dec 31 1.7 Dec 31 1.7 Jan 32 1.7 Jan 32	By & 111, churice 65- 0, , , , 263 1, , , 335- 1, , , 580 1, , , , 796	
			mar 31 Fo Vone June 30  July 31  200 30  200 31  200 31  300	lier 71. , 77. , 77. , 77. , 80. , 90. , 99. , 104.	1908 110 July 3 335 Nov 3 17 July 3 350 Nov 3 17 July 3 19 July 3	By L. & M. America 65"	
			mar 31. Fo Vouc June 30 July 31 200 31 June 30 June 30	cher 11.	1908 mor 3; 1.10 July 3 1.20 July 3; 330 Nor 3; 17, 200 3; 17, 300	By Lo M, churice 65- 263 - 263 - 335- 2 - 4550 - 575 - 475 -	
			mar 31. Fo Vouc June 30 July 31 200 31 June 30 June 30	lier 11. , 77. , 77. , 79. , 80. , 90. , 99. , 199. , 109. , 111.	1908 mor 3; 1.10 July 3 1.20 July 3; 330 Nor 3; 17, 200 3; 17, 300	By Lo M, churice 65- 263 - 263 - 335- 2 - 4550 - 575 - 475 -	
			June 31 50 Vouch	lier 71. , 77. , 77. , 77. , 80. , 90. , 99. , 104.	1908 1900 3 100 June 3	By Lam, drivince 65- 0. " 263 2. " 350 2. " 550 776 " 108	
			June 31 50 Vouc June 30 July 31 not 30 Dec 31 500 33 May 31 May 31	lier 11. 77. 77. 80. 90. 90. 90. 101. 105.	1908 04 May 3, 1.10 Jung 3, 1.10 Jung 3, 1.11 Jung 3, 1.17 Dec 3, 1.17 Dec 3, 1.17 Dec 3, 1.17 Jung 3, 1.18 J	By Lam, drivince 65- 0. " 263 2. " 350 2. " 550 776 " 108	
			June 31 50 Vouch	lier 11. , 77. , 77. , 79. , 80. , 90. , 99. , 199. , 109. , 111.	1908 1900 3 100 June 3	By Lot M, charice 65- 263 253 259 259 259 259 259 259 259 259 259 259	
			June 31 50 Vouch	lar 71. 77. 77. 80. 90. 90. 90. 90. 101. 102. 103. 104. 105. 107. 107. 107. 107. 107. 107. 107. 107	1908 1. 100 June 1. 1. 10 June 1. 1. 1. 10 June 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	By L. & M. charice 65- 0. " 263 2. " 350 2. " 550 7.6 " 7.96 " 675 " 1 675 " 1 268 1 2763 2 2780 1 2763 2 317 2 317 2 317 2 317 2 317 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
			man 31 30 Vouch	lier 11. 77. 77. 80. 90. 90. 90. 101. 105.	1908 Man 1, 10 M	By Lan, envirce 65- 0. " 263 2. " 580 2. " 580 2. " 675 2. " 675 2. " 726 2	/ / / / / / / / / / / / / / / / / / /
			June 31 50 Vouch	char 71. 77. 77. 80. 80. 96. 96. 97. 109. 111. 119. 117. 117. 119. 119. 119. 11	1998	By Lan, envirce 65- 0. " 263 2. " 580 2. " 580 2. " 675 2. " 675 2. " 726 2	/ / / / / / / / / / / / / / / / / / /
			man 31 30 Vouch	lar 71. 77. 77. 80. 90. 90. 90. 90. 101. 102. 103. 104. 105. 107. 107. 107. 107. 107. 107. 107. 107	1908 of men of 1908 of	By Lan, envirce 65- 0. " 263 2. " 580 2. " 580 2. " 675 2. " 675 2. " 726 2	
			June 31 30 Vouch	char 11.  77.  79.  23.  80.  90.  109.  111.  119.  117.  119.	1908 of men of 1908 of	By Lan, envirce 65- 0. " 263 2. " 580 2. " 580 2. " 675 2. " 675 2. " 726 2	/ / / / / / / / / / / / / / / / / / /
			June 31 30 Vouch	char 71. 77. 77. 80. 80. 96. 96. 97. 109. 111. 119. 117. 117. 119. 119. 119. 11	1908 of men of 1908 of	By Lan, envirce 65- 0. " 263 2. " 580 2. " 580 2. " 675 2. " 675 2. " 726 2	
			man 31 30 Vouch	leer 11. 77. 77. 78. 23. 79. 79. 79. 79. 79. 79. 79. 79. 79. 79	1908 of men 3, 10 June	By Lam, enwice 65- 263 2 33- 2 350 350 350 370 376 376 376 3776 3776 3776 3776 37	
			June 31 30 Vouch	lar 11. 17. 17. 18. 23. 19. 19. 19. 19. 19. 111. 112. 117. 117. 119. 111. 119. 117. 119. 111. 119. 111. 119. 111. 119. 111. 119. 111. 119. 111. 119. 119. 111. 119. 111. 119. 11	1908 of men 3, 10 June	By Lan, envirce 65- 0. " 263 2. " 580 2. " 580 2. " 675 2. " 675 2. " 726 2	

ميشلوب د

Sheet No. One Fach Pattern 42498 - 2499 4 3243 J. J. Oth Labor & Material for Name 110 Mar 3, B, ESB Co Im 7135 720 man 31 By Lom. Ins 1942 660 apl 30 " 1988 man 31 To Voucher 103 720 apel 30 " ach 31 .93 378 Och 31 3933 4155 104 116 . 114 115 98 5383 259 Feh 29 : 117. 5524 115 5668 118 .. 111. :112 11.9. 119. 135 Louis ath Labor & Material for 137.40 One Hood Pattern 15275 6.50 may 31 by 11 m. Ing 2164 585 June 30 " " 2223 Mar 31 20 Vomber 120. may 31 To Vruches 1237 Mar 31 By EOhna Who Imy278. 650. 5.85 . 88 727 100. 96 684 116. 421 . 94. 2.75 6416 1.67 35 4194 36 Hors so. L 1711 Inn . 36. 138 40

One Rough Pattern #3295 One Field brit Down #22/6 May 31 20 Lowher 120 1951 May 21 Dy Ed Blood - 7835 One & and Catterwise 4-56 13218 Mar 21 20 Vom her 120 20 20 Mars 1 24 & B & Son grat On Sail Patter 1001/11 # 3288 20 3783 Mars By E. E. Bo Sur 9235.

			-Exhit + Jable! #3299		Sheet No		S.O. E	U.	1915		
Marl 21 Sallounder	One	Rea	Marso By Ethono Who Ingress	1832	Gar 30 Gifa 31 Gifa 31 Gifa 31 Gifa 31 Gifa 31 Gifa 30 Gifa 30 Gifa 30	Je Low her-	1110 122 116 115 115 221 200 191 217	59 80 731 13-0 111 10d 48 112N 112N 805	Clf 30 " " " " " " " " " " " " " " " " " "	1134 8167 8841. 8934. 9396. 10356. 10103. 10491. 10651.	77
1913 Maris) Is Vencher Opr 30	120.	158	1913 1 Mar 31 By 8.8.8 bn In- 926 Clfr 30 " " 9862								
7/3 Nav 31. 20 Vou her	One	Ron.	gh Tattien # 3303	1101	1963 Opr 30	20 Voucher	0 n	e/bo 	il 1913 11 3377 Cyriso Bylithmiedolm	27417	

One Rough Wall Boy, 113343 Name One Earl Sattern # 3328
Address # 3328
Apr 30 De Combon 1110. 388 Apr 30 Cyl CBB Con In 19562. apr 30 20 Voucher 110 411 Capr 30 By 68Bbacker 1363 Chr 30 To Low Sur 140 102 Gpd 30 By 39 & Down 1110. 102 Gpd 30 By 39 & Down 1110. 1102 By 31 " & Bland Motor 9524 One Rough Tuttern #2344 The 30. 20 Youther 1110 298 Apr 30 By & BB bon Im- 4363.

Cheating Mig Expensed Stems - Constant Dir One Each Tattern +3060 1973 May 31 Do Vender 1 dr 1876 May 31 By Erd B Gadon 9 184 11553 1913 May 31. Je Voucher 1 N. 1850 May 216, 85860 Im 9455 480 16.28 651 343 Mar. 31 16 62 Charating, M. G. Lypense Them Lyndy and Dir 146 One Roug & Sattern 1 3290 Oray 31 Je London 112 . . . . 335 May 31 Jy & 8 B border 142. 1106 Der 31 246 Hordand Der 10465 338 6644 6573 Jan 21 Vomber 127 64 Jan 21 4 8 6 2 Sm 8468 24,29 4045 32-T/20/20 67 69 June 30

Operating, Mag Expense Itime Mondinard Office E. inflorment Cernice Lept.
1014
Levy
Lord Jong 2. Idealimber Lor 10027
15 10 144 1994
118 13254, Mar 31 10027 95 159 173 1609 137 13077 201429 . 3/ ... 386 11.092 850 Mpn 29. :32. 11459 . 33 . 11391 8.18 July 31 11658 Marisi. 119 3.1 93 apr 30 July 31 115 Operating My Expense Stime Johnstone a Si Le Owen grin July 21 Courted 95 July 21 & Roy M. 34 E. 1150 150 16 159 Jan 31 LYM Jor 10901 June her 148 ... Jun 31. Mar 31 .119. 11156 1524 131 65 15 apr 79 apr 30 ni. 11:99 132 12477

Now One apparatus for Deraping Tomber Blank July de Coucher 125 West Juny 31 Men Sin Da 1 11735 West uly si Voucher 132 950 July 31 ACha Similaran, 811751 July 3. Vaucher 13x 1 23 July 3 ES B. Co. 14 11133 1 263 One Hundred Stucdere July 31 Vacables 131 194 July 31 996 Am Golom 11743 495

Shee Nome One Stendard Brand Derapeway Name One 815 X 11" Ottanderd Trance my 31 Vouce hear 132 1137 July 31 Mile Ba direction of \$1175 On Inexpension Bulletin Board July 31 Vanester 132 20 July 21 6. Ohne 7010 1174 26 i ITT 1777

Sheet No Name Address		A STATE OF THE STA			Sheet No. 102 Name Outj Address	lit 1/e		g Tunks		W71807 7 1 1 1 1	
AL PERIOR NAMED		<del>-</del>			1911		111/	911 ect 31 By J. q. i 2N 30			Ŧ
					och 31 20 Vouche	114	1050	ect 31 By J.a.	Ine Im		H
					20 30 "	117	42.00	200 30	5016		
				Par I		118	2.75		, ,,,,,,,,		Ħ
					4 4 4	119	43				
					9 6 6	120	200			4	1
					Dec 30 " "	122	7 7 7 5		/		+-
							17.75.0				ł
											1
				M							I
											1
<del></del>	<del></del>			···							1
				<b>II</b>			1				t
				1 1						1	1
						Da.	n O'h	eill L+	m		
					Jan 31 20 Vouche		300	912 Jan II By Lon	0		T
					Jan 3100 ment		1000	an 11 11 2 2 11	and said		+
			The state of the s								
			1 10			-1					
	<del></del>									44	-
			<del></del>				·				H
***************************************		and the latest territories and the second					1		THE RESERVE AND THE RESERVE AND ADDRESS OF THE R		H
											I
				II		غبيسين					1
											+
							1	ten i erren errik in de en erren erren en en en en en en en en en en en en e		++	t
											1
				A						1 1	
											1.
						aloumonida	بالتسليلي			الشاد	L
						Ourela	. 0 8	eden Taxi	\$ 3067		
							1	012-			_
					1917 31 20 vouche	67	168	412 eng3 1 By Bed.	Jul 6396		ļ.
						6'8	7.5	ept 30	" 6536		
					and the same of th	/2-3			/		Н
						129	2838		/		H
					squ-30 ", ",	7	2560 218 2958				T
											Γ
	<del></del>						1			44	L
											H
				DO -		+-++	-			-iH	+
						1 11					t
											I
			<del></del>			- II	HIL				ſ
					I I			i I		111	L
1			1 1 1 1 1 1 1 1 1	38							

					10
Sheet No. L.O. 3	On Each Cattern 13113		Sheet No	J.P. Ott.	
Address			Address /973	1913	
Oct 11 20 Voneher	ulg 7282 Oct 1, By Ecurho Sur Alley	1282 000	July 31 To Voucher	- 15 15- July 31 By 21m	Im you
			Y		COURT LAND
			10.774		
en a parenta de la composição de la comp					
				One B & Cottes	
912 Och 31 To Voucher .	albert Oliver LIM		Nor 30 To Vouch	One Rough Pattern \$3.55	6 Im 8228 23.
Och 31 To Voucher .	10 Oct 21 By 200 In 1650	16.	160 Do Do Couche	- 1110 23W 1COV 20 Cay 8 0 D	* Gm 3228 23
		2			
		m Pr			
	1 0 0 W 0 200	ALLES AND AND AND AND AND AND AND AND AND AND		0 2 10 + 01	constitution of the control of the c
	Geo. L. Oth Sim		1913	One Each Pattern + 2769- 77-7	+3558
1 31 Is Vanher-	125 17 Der 31 Som Inv. Loca 125 12 June 30 LAM Inv. 7703	97.	Non 30 de Combe	- 156 3075 How 30 By & SB.	5342 25
	Y				

Sheet No Name One Rough Cattern 3559	Sheet No Name One Joney & Pattern Address
Nor 30 To Lumber 144 430 Nor 30 Cly & S Bla Sor 5rg 430	324 28 Lowher 134 129 224 38 6 5 26 6 alm 58/2 129
1012 One Tattern 13589 Dec 21 Voucho 106 316 Dec 31 & SB Carlon 13551 346	1914 One Long Watty Stru
Sec 21 Tomehor 106 316 Sec 31 & SB Candon 1350 316	Felyon Lander 134 245 Tely 38 . E. S. Co Surgetts 245
1944 One Rough Sattay 593	One Rough Catenty 36 29
Jan 31 Lunder 127 132 Jan 31 Edward Bla In 844 132	Mas 31 Vanher 10t 473 Man 31 Sy 8 & B Ca Son 6671 473

107 Sheet No.	108.
Name One Sattern Address	Shoet No Name One Set Sicillar Caringing Sockets Address
Address #3635	Name Unw Set Dew Yor Countying Tockets Address
Man 35 Vomber 106 143 Man 31 By & & Who Char 8918 143	1300 Lucher 90 17893 Congo ESD to Son 911 17593 21 30 25 55 21 May 21 100 15 109 100 15 159 1100 15 109 100 15 159 100 15 109
1914 One Roug & Gatint 13616a	0.0T 1 + P. 1+1
May 3, Vomber 106 1633 Mar 31 By Estla Im 1674 1633 Chape 30 26 Cape 30 " 1674 26	1914 One Temperature Signilatory 3,773  Cons 30 Tomber 90 10 Cong 20 6 8 Bloader 9114 70  24 30 16 39  16 39
1914 One Set Braw Letters 13644	One Liet V Dunch for Drawing & Bending Ord Tyminal.
Mar 31 Douber 106 33 65 Mar 21 3,988 In Sur 8917 3365	Dept 20 Comber > d els Dept 30 Church Blog Son 9306 60 13

Tey Sharks	110
Shoot Na Name One Limeh & Liet for Curring & Blanking Foll Terminal Assess	Short to
	Name One Thermostat Lomplite
Sept 30 Comber 21 No Pet 30 Edund Blombon 9307 8547	
Left 30 Comber 21 No Oleft 30 Edward Bondow 9307 8372	Det 30 Uncher 90 1897 Det 3 million Sil backer 9317 1897
	Oct 31 " 11d 18 Oct 31 " 9108 18
land One Shot Body 3721	
Dept 30 Sunday 91 M Dept 30 Blood St by Sor 9008 7640.	One Die for Greening Negative Shipping Boy 13762
Dept 3. Sundan get of Dept 30 Edward S by Son 9008 27690.	9ct 31 Lomber 115 04 Oct 31 8 & Blondon 9418 04 Nor 30 " " 9105 63 13
Oct 31 " 158 1188 Oct 31 " 9107 2313	Nor 30 , 11 1090 Nor 30 " " 9100 6313
1 2120	
AND THE PROPERTY OF THE PROPER	
One Hot Box 12 Gold Box for 9-1 6 19/1/6	Carlot al a series Ri
26 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Cone Lie for Shearing Negative Shiffing Boy 3
	Oct 31 Voucher 111 10510 Oct 31 & S. B. Ca Son 1119 10510 Nor 30 109 9127 Hor 20 " 100 10 9129
Oct 31 " Hr 703 Nor 20 9477 6502 155	
110 15770	
Nov 20 105 105 105	
Dec 31 199 158	
260 31 152 152 150 150 150 150 150 150 150 150 150 150	

Sheet No	Sheet No
Name One Dietfre Blanking Outside of Cover Address Fort	Name One Rough Gattern
Opt 31 Combo 110 7327 Oct 3 & & & & La Surgero 2322 11/1 1/100 30 " 11/1 1/100 30 " 11/1 1/100 30 " 11/15 1/100 31 " 11/15	Nov 30 Unuhar 109 328 Nov 20 LS.B. ba Sur 918 328
1914 Coulded for Dearing Outside of Part 29th	land One Hot Lest Lable 1,2991
9 July Drewher 118 by Searing Outside of Party 241 878 Ser 31 Low Are 118 by Ser 32 Es B to Im got 2601.  Dec 30 " 109 2679 Dan 21 " glog 2012-  Dec 30 " 150 2012 " glog 2012-	Jones Lander 109 70 113 167 30 d. S. S. lon Jorn 9006 70 1/3 21 1/6 20 1/6 1/6 95
1914 One Roug & Gatterny 27 ht	One Rough Sattery 177
Oct 31 Laucher 118 110 Oct 31 & S & la Ser girs 110	Nor-30 Louder 109 1880 Nor- 30 8 S. B. C. Inr 9009 1880

//3	114
Sheet No	Sheet No Name One Octum Address +3891
Name One Drawing Brasel Address	Address +389/
My 30 Uniher 109 236 Nor 30 S. A. B. ba Im 9001 236	apr 30 Unicher 25% 444 apr 20 By thin Sh badorgg 43 448
1914 OnePattern 1914 3497	1419 One Patters 1 3894
Dec 31 Lunder 152 1031 Dec 31 By ld 13 londown glas 1031	apr 30 Unicher 151 693 apr 30 tam hab. In 1994 693
	loss One Taller 1909
1945 One Pattern # 2553 th and 30 Com Sur 9943 221	
	May 31 Nowher 179 360 May 31 Jac Sur Sm 1021 11/88

	Λ	heet No Iame Iddress		Qui	/ Pa	tler n	13911							Sheet No Name Address		_0,	ne	Ou	eti	rnc	_ 0	W)	Qes 91+	, I <sub>O.</sub>					
Ť	mang	31 Louch				1975			0		TI.	ì		at the role, made, along	mail	31 7/2	uhu	11	ا بر د	TTT	SUX	Marie	31	IU E . G	in 1/	413	П	Ta	12
1	Thung	31 houch	2	93	1660	may	8100	15 60 D	Sur /	10053	1/60				-					Щ							П	Ţ,	
100																				肚							Ш		
1									.				, <i>M</i>							₩	-		+-		-		Н	+	-
1									-										ш	Ш							ш	#	
				-			. [					į .	-						-11	Н	-			*******			++	$^{+}$	-
																				H							H	H	
į																				Ш							Ш		
2000												1	.					-		+++	H						H	₩	-
No.	-											į.															Ш	$\parallel$	
- 1											LL	<u> L</u>		1				7			LL						للمل		lozanow.
	12.0		Ope	eating	8 My	la Eu	lince	Stim	991.19	aniline	Sir.					One	_ <i>Qo</i>	tte	n	18	10	-		1207					
	1	31 Vouch		20	37/24	200	31 708	10:1		arrs		,	-171	ا	line	30 Va	uch	11	08	1	716.	June	30	E1213Q	. //	178	Ш	17	16
1		o, outcom	4	9,	torg	Dog- Gan	3.1	" LESSICINE	,	0850	17.59.40	g	/			- 1			- i - i	144-	0		-  -	and a state of an artist the same			++	+-	-
			1	17	20000	0			1				1							魽	İ						Ш	Ц	
.			20	/v,	V03														- -	-			-				₩	+	-
	ĺ		2	17:	915				1											#			1				Ш	#	-
	gan			16.	5 8 76		İ		1											₩	-		++				+++	+	-
	gan	-1		19	545															Ш	I		$\blacksquare$				H	H	
١				(3 :	140				İ				1-	5					-	ĦĦ	-		+				+	$^{\dagger}$	
			5	7	1000														- -	11							$\mathbb{H}$	4	
13EA				5	1010													.		Ш	$\vdash$						Ш	$\pm$	
ľ			- 3	//	1915								,1						-	#	1	-	+			-	H	#	1
ľ				1	3672				eromania de la composición dela composición de la composición de la composición dela composición dela composición dela composición dela composición de la composición de la composición de la composición dela composición dela composición dela composición dela composición dela composición dela composición dela composición dela composición dela composición dela composición dela composición d			i			COLUMN TO SERVICE STATE OF THE PARTY OF THE	<i>m</i>	1	_			1					un rauneskou	-	-kulo	Acres
L	1915		0,	lerating	, y my	lg Exp	inse I	timplo	43	Oheno	Sir		**			One	-61	ang	6	fec	ar	d							
	Dec.	31 Voucher	- 1	2 /		Dec .				0760	17250	<u>.</u>			June	30 Va	uch	01	or	44	99	Jun	ر مور	P.a. E Inc	Int.	1007	Ш	4	99
			4	12	2030	Jan :	3-/	"	10	853	772578		-	4					+	+	+-	Í-	++			-	+	Ħ	+
- 1			. 20	· ·	502										- 1					H	-						$\blacksquare$	$\mathbb{H}$	
				16	1203	.  -							-							Ħŧ							Ш	#	
	0		2.	26	5975						.   .   .									₩	<u> </u>		++				++	#	-
	Jan	21	3	9	540															丗							Ш	Ш	
	-		1/.	3	282							ĺ								₩	H-	-	++			-	+	$^{+}$	+-
-	69		. 11	7	5230							1	<i>"</i>							盽							#1		
-	· .		8		12000	.	-			1			1						+	₩	$\vdash$	-	++			-+	+	+	100
		1	.3	2	338	:						1.								Щ			$\Box$				$\Pi$	I	
				•	82466	-	-		-		++		_  -						+	₩	₩	<u> </u>	++		-	$\dashv$	+	H	
	hard-					-						-								Ш	Ш			-			T	#	1

One Pattien Photographing 1 Parts per attell July 19 Parts per attell Scintilation of Electric sport x 190 Londing Machines 12243 Pouts per attach Photographing Petroleum Tailing 2002 2 Plating Drum for 20 Plaster mould) 4 >0 June 30 Chap. E ME. Petroleum Jailings Thank Depth Strang Lom for Battery Cang \$2005 21 Perforating Machines #25 Pressure Casting Preman a. w ) 50 Portable Business! 22 Photo of R. R. Eell Labor or mattl for Poppa George Phonograph \$ 2252 Photos (2) 50 Patterns as per ( 101 Photos J.a. E. Labor or matthe Planing & milling Blue Prints \$2293 Pattern (1) aluminum Catgo 12033 Polishing Machine \$2356 Pattern (1/ 5 Premium Phonog \$2351 Plates (2) Photographie Work for Legal Dek't 182037 Photo Work #2375 Pattery #1798B Phonameter to 6 Pattern Per apt \$2345 Photo Work test Speakers | \$2038 Patterno \$1910 41912 "2363' Patterns Patterns 1913 & 1914 \* 2366 Patterns Photographic Work for Mr Dyer ofc 7 Pattern # 1915 \* 2367 Punches & Dies Brography Mr Edison 2042 Pattern # , 908 + 1909 \$ = 368 Photo One Pattern 1850 Photographic Work Patterns # 1918 x 1919 \$ 2372 Patterns Eune 3. Vancher 12.23 June 30 Chiver E. B. B. a. 8 Patterno 1916+1917 1 2373 Ports + Covers Edison Phono UKs 12051 Put up & E. motor # 2378 photos Phonograph Horns 9 Patterns - (5) \* 2382 Printo (6) and Cabinets #2080 Pattern # 1934 # 239 2 Printing machine gy twomen of Battern # 1936 \* 239 4 thotography Conditions by Every 2224 Planter of the Mark 105 Photography Can Europe for 11 Photo whork \*205 Photography Will. Island States | 3209 Parttern 1446, #239 Photography Will. Island States | 3209 Parttern 1446, #239 Photography Will. Island States | 3209 Parttern 1446, #239 Photography Will. Polish up Car wheelg 1 Pattern # 614 Blick up us, white the Bads (10) (10) # 2403 Primary Batteries # 24 1 5 Plate (1) # 24 1 5 Plate (steel) # 24 1 6 Photos Prints Photography Work 13 Pata Greene of Mouris \$#2149 Patterns por Bpt-#2420 Photo work 1. 14 Patterns (3) # 2422 Penta Chlorophenol Pattern 1820 B-Binning up Justines # 15 Pattern (6) # 2425 Patterns (2) \* 2 # 2426 Pattern # 2 # 242 & Pohaloong P. R. G. Lom One Pattern #4xx8 Por Spank Cella 182181 Planing Lives Orimary Batteries (Nay) 22167 Pattern (1) #243 4 Pattern 2326 B 30 Tloucher 30 Sa. She Rune Print Dy mouth thotog 51 Patterns (5) Jobbers Convention \$2200 Printing (10) # 24 4 0 Patterns Photo work of news \ 51 Pattern (1) # 244; Photo work Thorso. Sales Wagon 12199 Patterns (4) # 2443 Photo " Pelze"-Pattern # 1332 (12) Petit a. n. # 2444 Ping (50) Lom. for 100 Prosecting Kinelozopes \$2464 Pattern Work Partern Hallocapus 1 4477 Jumen up Piatures Brinting Machines 2477 Jumen up Piatures Pattern # 1977 # 245 Dattern as per Satish Phillips C. 100 Pattern # 1977 L. & m. for Parts for 20 Disc ( \$2202 Parts To Submarine bell 2479 Pattern Phone L&M 17 Plates & Trames \* 249 & Patterns Photo Workly ! 18 Producer Gag \* 2564 Patterns 3022 Plates (2/ Thompson # 2600 auch Bars Poyer Chas Perforating Machines # 247 8 Press Die Bo Lom 100 Punch & Die \$2589 Pattern for Extender Hea

Oallerns Parlleys Ounch He Outleans 131,38 Patterns Cathern L 1312 Catterns Oatlern for Gear Guards ing Machine #31/5 Patterns Pallerno # 138 Stock Free Matter Work on Gulo Mark Patterno for Cast iron Rail # 38 Wallerns for ains 137 Cellernastor Call Sediment 15 Pattern 13425 Lemering machine Stay 14 Gallerney for Universal 134 Billern Work to make Carriage 129 Octurns Sharish Machine Motor Horo Batterns 13 43 For Welding Patterns #343 Calluns To blelding Mr oCong 13 203 - 13.0 Pattern Pattern Hork 13211-130 Pattern # 3437 Side Chelding Lostures Pattern Jatterna #3717-13 Dattern #344 Callew Clockon Q3 Patterin Ilaling Crance #37111-13 Catterwork on Daing Clar #311 glide Welding Wife Gutting Estra Stop on 131 Pallerms 1345 Datter Rock on Dieter Each Side of 20 Ruth Diew 13m Batterns Oaddle bomblete # 34 Luhrersing 03 Can Sides 13720 13235 Patterns/ H3 H4 Sattern Low (13 Can Sides) Ondell Blades Oallern Hoch as Required on Catterno Box Batt Work on Cig talin 13/16 2nd Behding Septures 583726 Vallent for Continuous Seduar & 324 Catterns 13 47 Outleen Hork Only on B 2 150 Region Holl Cabinet 373 Battern #3 476 Helding Carriage Pattern \$ 347 Patter Rock only Or Milding Comiget 3736 Pattern + 133 Gersonal Experimental Work. Patte, no for You Mould \$133 Gattern Clock Gallern Hork 35 30 rokex Corrugations die Tin Rollers 329 DlouBlok mily Toller & Reduction Jako Fattern Horkonstronk 35 Talatisfor Carlon Cile Rheatats #310 Tinning Up Boyes 38 Callun Rbork Produce Arw Kinetophone Sattern for Spindle Alef Studio Equipment 33 No Tallerno # 350 2 Naching machines Genning Up Bows Gattenvi Dun Obeket rip 135, Galler Morkow Hur Side 53 Oatturs for Oole mi Catterns Chrading 3312 Gattern Cattino Follow Holkas Leguises 53 Jastung for July Ly 1 W Caller Unk on Shot Helding putters # 353 Dellungfor Moladine Gattern Work on 54 arints A 3325 Hane Out & Caolings # 358 1 Gattein Verlo on Spotting System 157 Joddle Dpoper Work on ascentlins 5 Tallun Work on 3/6 Jule Clane de Bole Bate 413 (3336 Ringing markine #359 Clane Bue Casting Plunger Heads Pattern Horb on Countering int 33 in faller More to my July Starte 14 allow Blacks Drow Teres 1982 Time of C. R. Steel Gatem for Many or Ell. \$3377 Brushing machine + 3 Loi Callernson Downsond Carant ross Tallerne Work on Side Welding 55 Callery Horban Re. 147 Grindens machine Pattick Mr. govern shapp Machint 360 Tallern # 2955 Tatter Work on Hydrauli Daudis \$ 3 385 Oatlem for back Iron Grate Pattern "18 2 147 Oalfirm Hight Gatteen Everk on New automate 56 for Blacing Bars # 3603 Tholor of Window Firs Just 380 Orle Grinding machine! #338 Daller Chris for Ni 147 Patterna for Mercury laufos 13 83 436 14 Cademictor alum Hin Coster de 113 How Ladrate Corno hers Portable Outlity for laking 134 Callen Work for Chuck Hag 18 Patterns per Shetch 3648 Clether for Clutchon utokhoni Culture Out Hors \$3 40 V Oatterno 13652 Br Screw Machine #3 How Ohola Work, A Denning Up Boyco Hord Hook +392 136 53 Caller for Brending Mark 139 #316 Palguerfer Telm Mender #3 #3918 Partilecovery Plant #3

	P Politica and proceedings of marginary	Sheet No. 13 Name Address	Photographie Work	"Sheen & Powers # 2149
	men en met en en en en en en en en en en en en en	June 29 But former to some and the sound was a sure of the sound was a sure of the sound was a sure of the sound was a sure of the sound was a sure of the sound was a sure of the sure of	110 1165 117 11 110 1165 117 1165 117 1165 117 1165 117 1165 117 117 117 117 117 117 117 117 117 11	Burton 1 863 95 (20) 16 (20) 1
	THE REPORT OF THE PARTY OF THE	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	40 31.70 41 1992 99 125 100 1200 108 50 134 2000	." " bess 11 23 6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	потнативностителения подпавания	and 3 / a 11  and 3 / a 11  and 3 / a 11	141 60 142 11594 34 11584 39 57 57 57 68 1632 90 150	**************************************
	ARREST ACTIVIDADAS A ASTERNACIONE	1	9 2- 1/50 9 4 55 1/8 1/95 1/24 4/00 1/29 4/5744 17 1/20 36 324	
	пппы изосейлеранизестим.	0 ch 31 "	73 05 05 05 05 05 05 05 05 05 05 05 05 05	
the property of the second	PER A TOTAL PROPERTY AND PROPER	# " " " " " " " " " " " " " " " " " " "	23 1/41 68 200 81 344 97 700 126 160 127 87 113 420	
ANALY TYPE TO THE TOTAL THE TAXABLE PARTY.	ed novel 20 h. 20 kg of designate warmen ger	Nor 30	149 35771 29 400 30 1938 200 124 157154 44 15600	
		y .11	16 811 124 108 111 240	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

												COURSE - 1 - The Company of the Comp		
	C. A. M.													
	icet No	Pholograp	.1. 121	1 6.	und Pour	20		Sheet No		, ,		1		
	anse	Tholograp	this 11	orr M	12149			Name		tographi	Soor	k		
	maress					7.2 Vala 2 V		Address		G		F2149		
14.191	Brot Jowan	17/17/10/2	787	B +-2	Z	53701	Usala		1	670119	71 ///	1		-
3	1 Brot Lower	9 113305	5 Jan 31	Brof Dorwar	- 6961	25736		June 30 Bea	ughtoryard	6049	y June	to Drought Four	rasel	7
-	To Coucher	112 70	Alle turs	By 2.98. In In	x- 17090	14168		J.		ق	000	By The OEdin		
	* "	150 19	0	7	// 11					- 75	July.	4	77	
	. "	150 1272	51		// //				. 45		8.00	37		82
		10 12	0		/ 1 1 1 1			1 11	. 118	1 7	5 Oct	3-1 1 1		7/
		110 74	8		/ 1 11		1		, /25	1381	8 Nov	2-0 11 11 11		23
		118 211	'G	/			11	July 31	1 14	1201	of dec	31		33
	w #	19 11	2	1 /				(/_/		60				
	" "	104 16		1 /	1 1:				. 20					
	* *		0. 2	\ \ /					40	2				-
i		144 30							. 41	109				-
- 1	. n w	155 2335		/			4		, 80	940	1			†
8	* "			/	1		13		, 88	137				
	n "	19 39 4		/					. 89	60				I.
	м "	91 9	ro	/					129					4
-	• •	93 60		/				Cing 30		57	0			
į	н *			/			5 6 1	J		150	d			
- 1		11/2 30		/	1 1	+++-					5			
i		11939	2.0			193903		(	1/3		7			-
			1 1	Į.					. 48					1
1			1. 1								5			1
- 1			5.5		1 11				" 79	9	0			
	· Vomher		122012	1 By J A. Erland	m- 7239	102561	Ž.			16				
3/ 2	· downter	1/ 4	16 alr 3	1 1 1	7366	24016	1		11.6		3			
i		94 7	on May 3	/ . "	1188	244/2	- 18	Sept 30	124	37	8			
- 1 '		117 2	011				1		1 29	1/0				+
	. "	120 8.74	191				144		, 32					1
30	<i>"</i> "	120 8.74 37	35						" 46					
- 1	, ,	1/0		1	1				74		5			
	, ,	47 8	2/1						109	1,7,6,2	3			
	, ,		25		_			Oct 31	1.8					
	, ,		00		51 11				36					
	,	132 3	73		1		1		1 79	48	9		~~~	1-
		140 229					1		11 19	40				
3-1	4 7	14 5	10						1 12					1
- 1			41		1 1			Non 30		67	2			1_
			00		1 1					140	7			+
			00						48		3		menter a	
	"	48 4	15						. 79					
	n	52 1	67				4.		1 143		/			+
			68					Lcc/31	28		0			
	к "		00		1				1 44		/			
			78		1				4.5	3.5	2			+-
	: :	142 186	87						46	82	3			
امها		8	20						55					+
		18 13	00	1			4		67	668	2			-
		40 /	38				. <u>Grin</u> a a a a a			1 1 12	9		-	1
	·	#/	99						150	103	劉			1

Sheet No.	Sheet No1.8
Name Chotographiel Work.	Name Photographie Work by Thompson,
Name Chotographic Work	
Cuy 21 196 196 196 196 196 196 196 196 196 19	20 30 117 175 16 177 175 16 177 175 16 177 175 175 175 175 175 175 175 175 175
	apt 20 " " " " " " " " " " " " " " " " " "

Sheet No. 22 Portable Business Phonograph \$ 2252 Thotographie Work Address11398 Jams 1 Brug Sparound 6939 79/19 Bety 38 8488660 Som 7061-2500 Feb 28 By 6 Bushing 3489 5000 May 31 " J. A E. Sug " 4884 3000 Junes " " " 4267 Jan 31 Brought Forgon Tel 28 To Voucher may 3 1 70.68 8578 mar 31 By E. S. B In Sur 7205 7811 May 30 " " 7336 1811 May 31 " 1162 200 July 30 " " 17162 6560 July 31 " 7740 11/0 1/15/19 37/2 nov 30 . 95 51 7/20 91 20 Chr 30 56 42 May 31 50 July 30 73 1 8 July 31 in Dev 31 " 127 131 Dely 28 mar31 apr 30 7,6 Nov 30 63 73 Jan 30 111887 Jan 31 10 July 28 26 Mar 25 20 Mar 25 20 July 28 20 08 mar/ 31 By Jas In In 7241 6 May 31. marlo Do Voucher 119 169 Ch 30 " " " 310,3 31,03 Onay 31 locals 69 40 Fely 28 2 70 Hov 30 18 93 Dux 31 40 06 Jun 31 59 76 Febry 29 135 Mar 31 Mar/31 Ofr 30 May 31 June 30 may 31 Chung 31 Jeff 20 Oct 31 Nov 30 Jun 31 mar 31 apr 3.

Sheet No Name Address	Sheel No. 37 Name Photographic Work 1/2 2906
	191- So would go 32 2 191 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	Man 31 20 Lamber 85 110 Maris By JOB Sm Dongs 9 18603  The solution of the sol

Photographie Work. Grodue Three Kinetophone Studio Equipments. Address 577 1/2 30 20 570 1/2 30 31 17013 - 1000 31 1514 16 16 17 18 15 10 17 16 17 17 1551 16 17 17 1551 16 17 17 1551 16 17 17 From felio 501 8484 8577 8657 8776 8892 8985 9089 9163 9263 16519 14090 9964 81160 - 2482 - 2542 - 276 170 63 5497 147 5377 7475 1824 May 31 1000 1967 420 9479 9873 June 30 July 21 July 21 Left 30 Oct 31 Fely 29

Simulation  Name  Address  Children of Machine Continue Change and Machine Continue Change and Machine Change and Machine Children of Machine Chil	Sheet No	Marie Service	39 Shet No. 35.455
The state of the s	Name		Name Chotos of Motion Outure Olayers
May 27 1 15 1 15 1 15 1 15 1 15 1 15 1 15 1	Address		1914
Congress 1221 (All 1) 100 100 100 100 100 100 100 100 100			Moderaty " 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
			Cycle 21  20 1  1/(1)

U

Sheet No ... . Chenrel Recovery Stant Name Address


Sheet No.\_\_\_\_ holographic Hoch Mar 2 Me Includmin Serie 11 29 4 1074 14169 18761 17056 16057 11576 13776 1 19 Har 25th Such
1 10 0 Gpr 99 ""

66 36 Gyras 30 ""

66 36 Gyras 30 ""

1005 Hary 31 ""

13800 179 19 91 135 1169 17349 76 105 July 31



Rend Plant I a Edison

Sheet No. 50 a. Pierman Lator & moth for Address 1908 Sept 30 To Voucher 1993 1913 136 Hor 30 By LYM2m 8295 10 Teky 29 11 8613. Teorge Poppa Labor & mattfon 12 24th 30 By L+M. Invoice 482 1908 30 To Voucher 96

Shee No. 51  Name Brink- 2nd Mount, Photog Jobbug Conventur Address # 2-	200	Sheet No	Gallun Mor	k-on Olies	n/ Socket #3311	52
July 31 To Voucher 82 40 July 31 agant be Ing 20126  Pattern Work or Mickel Soil Sice #3280  1913  Mar. 31 Ja Lanker 120 315 Mar 12 Sy ESS ba Sur 7224  Chr 80 " " 110 113 Chr 30 " " " " 1362	3 45 1	93			1. 3 y & & 3 ba Sm-7833 5 y & 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1978 / 2563
C(1/3-0 1 1/10 1/10 C(1/10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	143					
Photographic Work of Phonograph Dales Wagon July 31 to Varcher 89 500 July 31 By 7. Ple In, ver any 31. " " " " " " " " " " " " " " " " " " "	# 2199 625 1364	1913 apri30 Jo	Oroducel Mrse!	Kenetophone 1912 210 May 136 MJ Jone	Studia Equipment #35 i 33. 1950 30. 1960	139.43
Qin Roller +3292		Many 31. 11	" 19" 19" 51" 64" 66" 69" 189" 199" 199" 199" 199" 199" 199" 19	1161 2450 3415 825 2016 84 444 455 208		
1913 Mar 21 20 Vamber 120. 522 Mar 31 By & & Mr Son 9286.	5,5	June 30	1 123 1 125 1 137 1 137 1 142 2 3 3 0 1 1 160 4 160 4 160	504 11.96 1.50 2.33 \$7,844 15.75 62.9 1.21 1.79 3.24		
			115	231d . 163		No.

53		56
Sheet No.  Name Address	Sallen North on thinting Lies # 3367	Shee No Partier Work on New Outsmalin Cole Granding Machines
May 31 To Chambe	11/2 11/3 11/3 1/3 1/3 1/3 5 5 8 bolor 9 1150 1181	General 30 To Chamber 125 3 desta Genera Cy & & 56 Dong bis 396 stg. Guly 24 1765 17753 17
1,13 May 31 20 Lunde Alful 30 " " Sfuly 31 " "	Pattern Nork on Lede He bling Marline 1333.  Let 160 60 1913 3184 8 & Bo In 1405 60.  123 1651 June 20 1656 174 1658.  179 4945 July 21 " " 9762 4745	
1913	ains of E. R. Stephony	1913 Refair Lat Vallen 1 291 . Ser Surgary 1 291 .
	Ler 144 . 550 May 31 By Chinis Chambridge 1902 . 550.  Talleron Park on Hoy drawlis Chees Dies	Sec 31 Unihar 15t VI or
1913 39 Je Howerd July 39 " " July 39 " " Duy 30 " "		

Sheet i	No	71/0		A	Sheet No.	~ /	e	58
Name Addres	R. House, e. J.	H. Lowers Lim			Name Address	Cleverna C.C	Sperimental ite	1916
apriso	Tomber de 103	130 Jely 28 LYM In 60 Jely 28 LYM In 25 Mar 31 " 193 Copr 30 " 300 900	8612 683 8646 25 8737 300 8813 900		May Some	50 793 173 73 28	101 July 1 19 19 19 19 19 19 19 19 19 19 19 19 1	15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
					Nov 3 a	176 177 46 48 80 147 155	01/ 1371/ 11/ 1/3 1/3 2/4	1, 200,000
					Des (3)	97 154 701 271	16 28 111 100 936 20	
Igul .	Oatlerwllor	rh for Chysking Head			Gely 19.  R. Mis. 178	276. 30 20 Dinnin	1 de 06 719 10134 1 Wy Bech S	The Mark
Mar 31	Woucher 106	8742 Mar 31 398 18 60 In	8813 107/g		May 31. Long June 30. "1	her 118	51 May 31. E 2215 June 30.	3 6 Jun Jew 6 21
- Valenta graph of the state of								

Pattered for Arinding Marking ( Sallient & 2975-2979 113968 338 May 318 thing Ills Ine hoor Cing 31. Low her 231 1397 Cing 31 By Edin & Bloody 1877 Jan Salters for Felow Mengston

61		A Su
Sheet No.		Sheet No
Name 'a.l. Address	Herris as per Shetch	Name Octtern as few Sketch 40bd
- Cara 31 Derection 321	ry Cong 21 Edwin Thom Hoch 10313 174	Cept 90 Lowher 100 178 Left 30 Estant Thom Mr. Smith 178
<u> </u>		
****		
-1914 Sadd	W. Stokes 13048	Callerns for balinet Tistury 5
John 30 Lean her 179 125 Part 25 Jack 39 145 Poly my Jack in San In 1811013 99	W. Shopes 12019  1 Left 30 Milandon Caldebrat 13 1760  1 Lang 19 Low Ser 30 1857	Sallerns for Expense State 1990 2 Selfand Stone Market ming 2264. 20 Col. 24. 1991 Och 30 Col. 20 Col. 24. 1050 0. 1998.
Dely ry Icedim In Sm. 11013. 73	21 Dery 29. Howher 30 731.	
	- The state of the	
	1.1	

63		AND THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.				64
Sheet	No	17.12 M 11		Sheet No.		
Nam Addr	e Ladlenselyfolk Li	het Shafting Lauger		Name Address	Clastian/13992	
Of the same real, as an	Lowber room 1505	1915				TIT
Sile p. 1.30.	Luncher . 200 15.08.	Left 30 Idwent Kinn Tick Sur. 10103.	15.08	Oct 31 Un cher 147	338 Oct 31 Elsin Ohma Hale Inn 10533	338
		1.4				
			1			
		2		والمناه المناه المناه المناه المناه المناه المناه المناه المناه المناه المناه المناه المناه المناه المناه		+
1						
			1.17	and the same of th		
				•		
			3			
				and the second s		
1.0	Pallir	Left 30 ESBlo Jar 1400.		(	Sattern 12996 sag Cet 31 Sand Hun Hale 14535	
Delf 3.	Loucher - 400	Sel 30 ESPlo Jur John	-78	Qel 31. Low her 199	13996 (A) 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	32.3.9
/					3237 CC1 27 Julio Onda 11400	32.5.9
						1-1
			HALL STATE OF THE			
	the state of the s	A second	H SDOOT			
						1111

Partern #3919 ... 60 Oct 31 town them the had not est. Gaddle Lempleles 11.101 Cuthid Service softm

67		- New	- Charleson												
	Sheet No						<b>I</b> A								68
	Name		12.	Idde Diades dec			Shee		-		1 ~				
	Address		3	acorrances aco	1		Nan Add		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	allerns z	los I.	pel lo a	eling		
79 890	Hills, pressure or , space, s. ,		-	1015			- Aaa	mre. was a					. 11.0 2.0		
Lice	30 Lander	20 %	3600	Plan 3 r Ja Edward La Si	rubal.	39 80	JF	03%	Uncher	22/	1.1.1.	D	Edwin Ohma Tireka)	2 10726	140
		125	10			Lini .	1	Lace 27	concre	1	3,52	2000	Desizi (CAZIIII) III -		
		212	-390							4 -4 14	1111				H-H
										1			i		
1								1. 1. 1.		4 4 14					
								4-14		of the first					
1										1					
	T112						200			1 - 1 - 1					
	4 - 1														
1	er energia de la companya della companya della companya de la companya della comp						2000 2000								
							762			+			·		
H							hold			1					
1										1					
-										1 111	1:4				
							38			4			the service provide		
				A comment of the second			198								<del> </del>
1			!				100	ants are minus							
		Catter	al La	Centinuous Regigier 1915 Dec 31 Edwir Chemial Pinks			1864			di	+1	r			
1011		7 1	7 1	1915 11078			WEST .	1915		O a		11030			T-1
منادد	31. Tomaker :	96 ivs	22	Lle c 31. letterit Chemical Viseke S	webgeg	18167-		De 31.	. Coucher	226.	1,30	Dec 3'	£ 80 60 Inv.	10704	135
		26	1317							+ + + + + + + + + + + + + + + + + + + +	1 - 1				
													· · · · · · · · · · · · · · · · · · ·		
	rate and the second second									+ ++					1::
							30.3			.					
							1	.1					<del>-</del>		
ļ										1			<u> </u>		
	er er						200								
	to the second of the second						40000 70000	4 - 4 - 1							-
					4		Charge								111-
					*			+		1	trito	· · · · · · · · · · · · · · · · · · ·	1		
		and the second second													
ļ															
										1-11					
							1						111111111111111111111111111111111111111		
Part of the control of															


,																
1.69			,	to the PERSONAL STATE OF THE PROPERTY OF THE PERSON OF THE			The same						*******			170
	Sheet No							Sheet No.								
11	Name	(2	011.	1 12981 B.						, ,	1	~				
	Address			11/031				Name		Lattern	2976c Z	ine of the	religiater			
7,64 084	right, the select al., second, a			1973				Address			/			NAME AND ADDRESS OF THE PARTY OF	THE RESIDENCE	
Lec	31 Journey	276	157	Dec 21 88 Bla Sur.	10709	127	1.	200	Join her	7.1		311	0.14 10	TILL	ПП	
						11177		- Kg = 10/	done her	226	206	Jer 31	8 t. Horchs Ince	10728	1	06
1			11.		4 - 4			000 27		/// 3	200	-/H21C 22.		10.878	HH	0.6
			1111			11.	194									
															1-1-1-	
											1++					
		d - 14 i L				14										
-									<b></b>						HH	
-															HHH	
ļ			1			11										
		1 11	111111			1111										
										+					HH	-
1															HH	
1																Total Contract
		1 111	11.1			Agreement of	1									
															HH	
										1 1				e de conservador	Hitt	
				and the second second			1000					i				
															1111	
		0.	1 1	1 2 100 11						e - kom na e mini N	internitriani. A. J.	vers amenamongón		ominos remanante	ind navior	
1911		Car	ums	lor z m Moreld Dec 181 - 268 desident				1017		Production	L.E.fryld	eienest fi	26:			
Dec.	31. Loucher	226	.326	De e 191 . Die Edward Such	104/8	326.		Jan 31	. Woucher	226	l de en	Dece	& Charles Sur	C-11270	90.	
			100				1-1	Sam 31	. 25 20 20 2 721 7	39	490	Jan se	L. C. Marine	10579	3.39	
						1111		0		39	11110	Fely 29		10976	510.	5-8
								n nitaryn, n		1118	373.06	Miss. 31.		nird	1224	53
								214.27		3.V 33	128/	Mars 81	Trucker ETTIERS D	11378	1525	3.3
							1800			126	118270	Jane 30	Trucker	26	3717	93
								Mar 21		35	118	17	EOTHERS D	1.11543	11.55	11
					1 11 11				· · · · · · · · · · · · · · · · · · ·	ا المرق	1.2.90	July 31	······································	11155	125	26
								160 20	,,	119 32 31	11,200 38 98 11.11 831.31			<del></del>	HH	
		- 11								31/	11.11					
						11.		era i		91 41-	831.37				444	
				The state of the s			30894 32031	May 31	- <del>-</del> <u>'</u>	J-7	175					
					1		1000		*	131-	12591					
								June 30		37	171591	-				
			1111			H		July 31		37 108 132	111231					
L						11:		Juney 31		1/2/	111116			+-+	HH	
			+			44	U									
			## #		F	H-1		- <u>i</u> -   -						4	ШП	
					†	11:								+-++	++++	- 3 9h
			1											+-+	HHI	
			-												Ш	
2000	water and the second		++	Linear Control		Letensenine										

Sheet No	,	20				I A	Sheet No. 100			•		
Name Address		Class	es ri			4.00	Name	Paln	Potit	Lomfor		
Totalia men, pe suat al, senar, s. r			1916				Address	0.0(5/1)	4 eur	a sill pool		
Gry 31 Land	176	16 167	Jan 31 Edward,	Lona Itholive 10571	16 47		1910		1910			
sky 29	176	957	Hely 29	11 10969	957		July 31 To vone sept 30 "	her 88	425 July	31 By Lom. 2.	m) 2461	-
							200 30 " "	12-9	150 sepen	20 ii n	" 2684 " 2983	
							Lipe 30 " "	2/	520 sept	30	" 4806	H
							act 31 " "	1.10	1854 nov	30	" 4956 " 5107	H
							200 30	115	325 may	30	• ກາຊ	
								119	200 June	29 4 1	6125	
							DEC 30 " "	122	3450	-4	/	
							may 31 . " "	140	3.60			
						1	June 29 " "	145	360 330 5019 2-30			H
						, 13						
							mesamen kodo ko a wa		<u> </u>		and a land of the same of the	1
						· LL		6. P	illips	L+m for 31 By L+m. 2	·	ne de la
							July 31 To Von	Sec. 88	3600	3. An Lan O		-
							J127 21 VVV		yacıy	31 12/2011.2	my 23/0	
								a managarana da managarana da da da da da da da da da da da da da	ļ.,			1
									1 1			3
												L
<i>Y</i>		Satte										
11.51. Louh		Patte 240	1628 Jan 31 & S. S. & S. &	2 Jun - 108 dy.	ziło							
:		Patte 240	Jan 31 Ed. S. E.	a Lozo - 1084y.	240							
1.31. Comh		Satta 240	16/28 Jan 31 Ed. S. E.	2 Jan - 1084y.	240							
1.31. Le mhe		Patte	16728 Jan 31 Ed St &	a Isr - 1084y.	240						4	
: 11. 51. Le senhe		Patte 240	16/128 Jan 31 ded St.	a Ison - 1084y.	240							
i. 31. Lounke		Patte 240	14 1 8 San 3 1 6 A St &	a I 1084y.	240						4	
14.31. Karanha		Patte	Jan 31 Ed St.	a J., - 1884.	240			Charles	Pages	Lon	r for	
31. Leanh		Patte 240	Jan 31 d. d. d. d.	a Ins - 1684.	240		(31° ) 20 Von	Charles	1	Lon Lon		
1.31. Combe		Patte 240	16.28 Jan 31 A. S. S.	a Las - 1884.	240		1910 31, 20 Von James 1, "	eliez 116 26	33 dec.	1 By Lom Is		
: 31. Le centre		Patte 240	Jan 31 & d. d. d.	a Law - 1664y.	240		Jan 31 " "	eleg 116 26	33 dec.	1 By Lom Is		
: 31. La con he		Palle 24c	Type Sand St. St. St. St. St. St.	a I., - 1.844	, ido		Jan 39 " "	eliez 116 26	1	1 By Lom Is	ug 3140 ., 3285	
1.31. Le curhe		Patte 240	Ton 31 de d. de b.	a I.s 108 by	2.40		Jan 31 " "	eleg 116 26	33 dec.	1 By Lom Is	1140 113285 114109 114338 114503	
i 31. Li mile		Patte 24e	Jan 31 Ed St.	2., 1864	2.40		Jan 31 " "	eleg 116 26	33 dec.	1 By Lom Is	ug 3140 ., 3285 ., 4109 ., 4318 ., 4503	
31. Leanh		Palle 24e	Jan 31 de d. de b	2 Les - 1864.	2.40		Jane 31 " " Jule 32 " " Jule 32 " " Jule 30 " " July 30 " "	eleq 116 26 117 118 112 52 119	33 200 22 Jane 20 May 100 June 200 July 780 2000 40 may 40 may	21. 12 of m In	3285 4109 4318 4503 5777	
: 31. Le carle		Patte 240	Jon 31 de Solo	a Ins - 1864.	240		Jane 31 " " may 31 " " Jule 32 " " Jule 30 " " Mod 30 " "	eleq 116 26 117 118 112 52 119	33 200 22 Jane 20 May 100 June 200 July 780 2000 40 may 40 may	21. 12 of m In	17 8140 18 3265 19 4109 11 4318 11 4318 12 4503 12 5777 17 7831 1830	
ist. Lunke		24e	Jun 3 . C. A. St &	a I.s 1.864	zilo		Jan 31 " "	eleq 116 26 117 118 112 52 119	33 200 22 Jane 20 May 100 June 200 July 780 2000 40 may 40 may	1 By Lom Is	3285 4109 4318 4503 5777	
i 31. La comba		Calle 24e	Tings Jan 3 de S. S. E.	a.l., 1086/y	2.40		Jane 31 " " may 31 " " Jule 32 " " Jule 30 " " Mod 30 " "	eleq 116 26 117 118 112 52 119	33 200 22 Jane 20 May 100 June 200 July 780 2000 40 may 40 may	21. 12 of m In	17 8140 18 3265 19 4109 11 4318 11 4318 12 4503 12 5777 17 7831 1830	
ist. Le cache		Calle 2de	16/28 Jon 31 & A. S. &	2. 2 1. E. E. E. E. E. E. E. E. E. E. E. E. E.	2.40		Jane 31 " " may 31 " " Jule 32 " " Jule 30 " " Mod 30 " "	eleq 116 26 117 118 112 52 119	33 200 22 Jane 20 May 100 June 200 July 780 2000 40 may 40 may	21. 12 of m In	17 8140 18 3265 19 4109 11 4318 11 4318 12 4503 12 5777 17 7831 1830	

45 Annies Au

			and the second of the second o		A CONTRACTOR OF THE PROPERTY O					
					W.					
Sheet No. 101					i i i	Sheet No of				
Name	Patte	mp.	as per Blue Brinto # 22			Name Patt	Encs # 192	7-1928-1929	1930 4 1931	
Address				93	- 1	Address			*23	8°2
1911	1 111	1111	1211	1	108	19 MARIE 10, MARIE & 1		1611		
mar 31 20 Voucher	116	805	mar 31 My Estely Ing 3637	7.758		apl 30 To Voucher	- 113	264 apl	30 Bylassle Im 3852	887
	117			- <del> </del>			114	96		111111111111111111111111111111111111111
4	118	335		77.08		4 W A N	1115	887		
	-	7700		1//						
				ووين المستلكات						
				1	- 1					
1 .				· · · · · · · · · · · · · · · · · · ·				<del> </del>		
									7	
		1	1							
				1	1					
		l.; ,	L	Lining		Committee of the commit				
	PH		1 811- 40015				0 ++-	* /	4	
	vaner	- 1.9	00 per Bpt # 2.345				allen	*1934	#2392	
apl 20 To Voucher	113	150	apl To By ESBE Ing 3832	5-18	100	1911 apl 30 20 Vouche		1.13 and	30 Bylas Ble, Jun 3851	384
	114	300	· · · · · · / · · · · · / · · · · · · ·		343			225 man	31 " " 4025	384
	115	5116	<del>-</del>	518	374			. 16		772
		0/0		3/0		may 31 "	116	23		thilt-
	1						716.	482		
					1000					
	7 7 1 1		to the second second		E10					
					150Mg .					
										441444
				4						
										111111
Artist and a first transfer of the		براناتا	la is bareasana abail as la	L		A resulted and the same success.	بأبال ومستحاس	بأديست احتسما		ala la la la la la la la la la la la la
	Patterns		10 × 1912 # 236	3	1			, *1936	#2394	
apl 30 To Voucher	113	3 000	1912 A 236	1.1.16		apl 30 To Vouche	113	172-640 3	o Bylastleg Jun 3855	CG
	114	600	7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -	7.7.76		4 4 4	114	344	7	111111111
	115	216			220		115	5-57		4444
		11/6		1116	2000					+++++
	.1.								T	11111
							-1			
										+++++
										+++++-
				li i i i i i i i i i i i i i i i i i i						
	4 4-111	1111					4-44			
	+	++			3077			-		
	1	++		-			1			+++++-
		111								
									1 . 1	

Sheet No	J. 16. Cowing L+m		Sheet No Name Address	5 <u>. 1211</u>	Cut Remova	ble Piece on Gattern	J # 3116
may 31 To Vouchel	59 500 may 31 kg Lom dur 4158	500	1912 Oct 31	To Voucher		O. + 21 B. ElBlon &	140 16
July 31 " " July 31 " " " " " " " " " " " " " " " " " "	3 525 July 31 " " 1339 " 1655" 16655	150 525 250	-				
July 31 " " Of 31 2. Lucky	104 998 July 31 " " 6268	9.18.	- Control of the Cont				
Nov 30 .	46 1132 Hor 30 " 8294.	1357					
Lev 31.	60 45 June 31 " 8179	759- 27.49					
Jan 31 :	45 400 57 2300						
75-	[ 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,				F. 11- 1- 1	( 80 + 1 - 1	
1917	Pattern # 144 G # 2399		12/2		) allern as pe	Shetch +3126 Oct 31 By 59HL June	
may 31 20 vouche	115 863 may 31 By Elwy Ins 4120	14.23	Oct 21	To Umaker	119 195	Oct 31 By E97th Som	(11, 135
	//7 //25						
							1 1
		.					and the second
The second secon							
			A.ii				
	Pattern # 6,4 # 2403		19/2		Oattern	1 . 0.747	
may 31 20 Voncher June 30 " "	117 42 may 31 By Essle, Inn 4030.	42-	Mor 30	To Woucher	124 426	Hor 3. By ESBb. Im	6726 426
June 30 " "	117 75 June 30 " 1219	1177					
l		i i i i i i i i i i i i i i i i i i i					<del> </del>
							- 1-4
				,			11 11 11 11 11 11 11 11



179 Sheet No	. /2.
Name Pattern 13141	Name Sattern for Staving Machine Motor 13175
There 32 to thender 124 good Kor 3 aly Card In byleg 520	Burger is Tomber 152 agas De 21 Other Moham Lees 2928
	telected To Comber 150 3928 Dec 21 College Mosters 6881 3928
Oathern #3150	Qut Pattern Racks in Slave. +3176
"Hor 30 Is Woucher 1211: 200 Hor 30 By 8914 to In Lage: got	Deage to Combon 100 1439 Deca, Amoire boay 1439
Photo from Megatives 13118	30 Pins 11318V
Der 31. In Vanher 18. 2403 Bely 26 By hony When Lyd 8ft, 263 5925.	Dec 31 To Vanher 155 333 Dec 31 Ellemind Mooding 333
1918 . 155 2349/ Lan 3' " 44 440	
1 10 101	
5925	

131				132
Sheet No		\-\ <b>\</b>	Sheet No	
Name	Plating Granes	\\ <b>\\\</b>	Name Callern Hork as Required on Satterns Assus	
THE SHIP PERK ST. STREET B. /			Address 13245	
Jan 31 To Youher	155 3698 Jan 31 Dans	- 6901 3698	Jan 31 Lo Tomber 155 10 Jan 31 Lang - 6959	7
Gety 28 " "	124 590 Tely 28 By 85860 2	- 691 3698.	Jun 21 Le Comber 155 10 Jan 3 Jun 6557 (24) 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	633
1913	The state of the s		6/3	643
Mar 31 Do Howher	120 217 Mar 21 By Go & Bon 140 878 Gh 30 " " "	In 7210 217	Mus 30 Tomber 120 210 Mar 31 Sy & 8. 3 to Jun 7218 Cyr 30 " " 160 160 Cyr 30 " " " 18 160	2101
CGW 30 1 11	140 878 Ch 30 " " "	In 7210 217! 878.	Mar 21 20 House 120 210 Mar 21 By 8.8.8 6 , Don 7218 Chr 30 " " 140 169 Chr 30 " " " 7218	168
	077 000	. 7861 679		
	raker - , establik kiloka II. a rastar daga ca wa a asaa			
Cut	ting Estra Stok on Each Side of so	Rubler Tim 13225	Ginning up Boyer Vardo	
Jan 31 To Youter	-101 703 Jan 21 In	4008 203		
		703	a a 134 15047	234
			100 211	234
			mar 31 20 Trucher 120 13255 mar 21 By E.S.B. ba Sur 1217 13	2581
	A Property of the Control of the Con	,		-
		. 271		
	+			+
		AND THE RESERVE OF THE PROPERTY OF THE PROPERT	A A A A A A A A A A A A A A A A A A A	
1913	Pattern	1-3235	Cigeon Holl Cabinet 13232	
Jan 31 To Vanher	- ws 128 Jan 31 dani	· 6908 178	Subject To Vunter 121 26/16 deby 25 Pyles Blog Im good 2	440
	Ψ			
				-
				.
				-
<del> </del>				
				+-1
				1
				-
				M Strage
		(1)	70.00	22 Detection

133 Patterns f3401 Sheet No. Name Pattern # 3260 887 Gortable Outfit for Taking Juntophone Tuture Out Jages Patterny +3262 3515 mar 01 By E&B ton In- 7235 mar 31 Do Lunter 120 Thos. Bronze #3403 Oattern Hork #3263 1693 Ach, 20 By ESB to Som

133 Gatterns 13401 Sheet No. Patterns #3411 Address 30 dy & 8 B 6 . S. 7626 5902 July 31 By & & B lo, Im 17/3. 5902 Patterns 143 405 Patterne 1 3415 210 516 Tholos of Motion Dicture Slayers 13413 Pattern 13417 7576 7718 7719 7720 1692 755 585 495 1465 3355 655 2420 14845 1290 Non 30 Dec 31 " arofit /Loss vest

	78		
137 Sheet No	W		138
Name Cactern 13421	l	Sheet No	
Address 13421	· •	Name Patterns #3429	
/9/9			
July 21 20 Lunder 129 370 July 21 ay & & Blo Sm 7963 370		July 31 To Wowher 129 Googlely 25	ay & & B. la San 7764 600
		γ',   Υ',	
	ין י		
	,		
/913 Pattern Work as Required on Ring Stock feed.			
7913		/413 Patterne , \$1,34 3	) 2-
July 21 To Months 129 3269 July 21 Cly & & Ob Son 9763 3269.		July 31 To Toucher 129 150 July &	ay 5.6.24, Inr 7813 150
			44.
	ı		
			4.5
	<u>'</u>		
	en en en en en en en en en en en en en e		
1913 Patterns for Pin Insulator Cutting March		/9/3 Cattern 1913 #3.	436
July 31 To Combin 129 1627 July 21 34 6.6. R. los Im 29 bil 1627 16 27 16 27 19 6 1. 18 19 19 19 19 19 19 19 19 19 19 19 19 19		July 21 to Louder 129 395 July 31	ay & & & & on Joy 1764 395
allely 31 " " 116 98 llely 31 " " " 7879 98	1.		
	I ·		
	J		
	14		
	· [ •		
	1.		1 14 50 20

of a				The state of the s		
134 Sheet No.	•		<b>A</b>	Sheet No		¥:39
Name Address	Patterns \$ 3437			Name Address	Gatterns #3456	
July 21 to Thomber	- 129   190 July 31 By & S. S. Son.	langodul gas		Crey 31 To Vormber	116 1849 Cong 31 By & & Bba In	7979 1840
J	Cort.				T	
July 31 To Comber	Gatting & sunt	2		Cury of So Tunk	Jactures 110 Cuy 21 (by 85 8 ba Im	7899
Ja Gathern Co	look on Jacing Collar Grinding Fix	ure 12 11 de 2	Ш	/212	Patturns 21/1	
Gely 31 to Tunker	129 1239 July 3 a, 8. 8. 8 bo b	7979 1239		Cany 31 de Vando	Jallins 3,163 - 116 1027 aug 31 24 ESS 6 Son Son	7179 1027

-

ill .		_
Sheet No	Sheet No	2
	Sheet No.	ĺ
Name Gatherwierek on a claring Tankal. Address	Name  Name  Address  Address	
/4/3	912	
ang 31 20 Worther 116 5169 ang 31 By 8 8 B lan Jogg 5169	Cyg 31 To Unicher 116 629 Cary 31 Cy 5886 a low 7899 620	. [
	Cery 2 To Unihar 116 429 Cery 31 ly 61816. In 7979 620	2
		-
		1
		-
		-
		200000
		9
Construence and Construence an		
1910 Cary 51 2. Chamber 116 11 2 2 Cary 20 23 25 28 60 2 2 19979 1122	7 /8/11/1	ı
1913 Sullerne #349H	Jew Teremal Experimental Work to Myst	4
Cing 31 20 Comber 116 1422 Cing 31 By \$ 8 8 60 Jon 7879 11/22	Sept 30 To Lowher 18 220 Sept 20 By MRM Som 1053 2556;	
		P
	Cct 3 " " 109 25327 Por 30 " 5281 13	,
	Cct 3- " " " " " " " " " " " " " " " " " "	-
	Mon 20 24y (13 Mon 20 300 300 300 300 300 300 300 300 300	9
	136 174	
	156 11749	- 1
	Jan 21 159 127 127 127 127 127 127 127 127 127 127	4
	46 46 46	
	19 69 600 129 129 129 129 129 129 129 129 129 129	
	127 127	
	Clety 28 " 29 /28	-1
The formation of the second state of the second state of the second state of the second secon	To folio 148	, and
1913 Cattern 13476	1913 Sattun Uprk 1948	.
Cyrig 31 2. Comber 116 109 Cur 31 dy ESB 60 In 1879 109	Deft 30 2 Vinha 109 2358 claft 30 By ESB 60 Jun 7991 2358	, ]
Deft 30 " " 109 9596 Seft 30 " " 7990 9596.		
Non 30 1/22 1/22 Oct 31 11 1 1/22 1/22 1/22 1/22 1/22 1/22 1		-
Non 30		
	■ 1 3	4.9

743	
Short V.	sheet No
Name Sorket Gorregating Die Hod 20	Name Pattern Work Address
7773	Address +3503
Dept 30 20 Under 109 15184 Sept 3. 24 8. S. B & Sur 7991 15134	Slept 30 To Lowher 109 4757 Slept 30 By E. S.B. bo Som 7992 4757
1913 Clar Blocked on Bottom of Tinning up Boffel 191	Pattern wat stag
Sept 30 To Comber 109 892 Sept 30 By Edd Calm 7991 892	Sept 30 In Lunder 109 501 Sept 30 By & S. S. B ba Sur 1995 501
1910 Plates for Carbon Bile Rhostofs 491	Q-1 1/2 / 2014 20 C
Get 30 de Louder 109. 3050 light 30 ly b. A. B. la Jor 1991. 3050. Pet 31. 125. 147. 3, 90 Non 30	1913 Patterns for Poole miling astery 5510 Deptito La London 109 1200 Sept 30 ay l. b. B. b. Son Juny 1992 1225
Sept 30 Is Vander 109. 3050 left 20 By 8. A. Bla Jarry 991, 3050. Sept 30. 105 Oct 31. 105	Dept 30 Lowher 109 1200 Sept 30 By S. S. B. Co Son 7999 1225
160 30 " 147 33/70 Non 30 " " 8215 33/95	

145	7	Sheet No			146
Sheet No.	là .	Name		1011	
Name Patterne 13517	ll l	Address	Clar (Ve	it 8 Casling a 13581	
		1919 Sec 31	Moncher 156	140 Ju 2181860	
Dept 30 In Vomber 109 280 Sept 20 By & S & 6. Im 1998 280	1 6	dec 31	Unweher 156	420 Ver 3183860	l
	Br		100		
	1)		And the second		
terminant of the common or the common of the control of the contro	19	ener i Senzaten e verdinatari bireri i ev	0. 21.1		
1913 Satterns for Lube Kinging Machine descrit	_5/-	1911	Gathern Chork	on 3/16 Luke Ringing	
Oct 31 To Lumber 127. 2156 Oct 31 By & S & bo In 8109 2156		Jan 31	Youcher 179	3218 Jan 31 Edin S. 32 5 Dely 28	
	ii -	very 28	11 13'11	\$333 cery 28	8561 25
	-				
	A				
		Adama			
	1				
	L. E.				
	5				
	<u></u>				
a HT	1		Jan. Marka	n 3/16 Lufe Stocks Bru	I'm marked
1915 Chints 1976s		1911		by Jan 31 Edisin S.	1/1
1978 20 20 Timber 1 state 1 29 Noor 30 Qu Biland Bind haber 8 1970 97 9 166 27 Mar 21 1720 97 97 97 97 97 97 97 97 97 97 97 97 97		Jan 31	Voucher 127	6 70 Jun 31 Eduson S.	Blog Som SHby by
apr 30 1 116 21 Cyr 30 " " 1821 35					
	<b>.</b> .				
	Ж.	1			
		2000	- Constant		4
	Sr				
	' ]				
		1			
	l l	P 1			

147	148
Sheet No	Sheet No
Name Pattern Vorkas Required in changing Lule Drawing Machine	Sans No
1. /. /	1911 0.11.11
Sany 20 Unicher 1977 2 202 John 30 latin & 8 la Sim 50 la Sin 2015 25 25 25 25 25 25 25 25 25 25 25 25 25	Mar 31 V milion 106 38 Mar 31 ll, m. R. J. Son 8926 38
3.130 2007 7.	116 19 Jungso 1 9017 575
	July 27 69 65 Cleb 30 " 0317 125
	136 1160 Sec 31 " 9578 307
	Dept 30 , 32 y from 21 96 y 16 156 4
	1 138 40 Chr30 " 905 2050
	Achy27 " 71 15 " 9956 805
	" 9v 330 7°37
	112 106
	Man 21 17 14 Jefolintes
1911 Patten for bash Iron Geate Bearing Pars	Ine Gersonal Experimental Works 13494 A
Jan 21 Coucher 129 197 Jan 3/ Whitein Suly 8507 197.	
you of which the second of the	" 74 30 Juny 30 " " " 9018 1 73
	. May 31 , 103 283
	" 105 01
	June 30 27 1573
land Callon Block for Nickydrale Grush of 36114	1914 Sattern plus
	1914 Cullenn ph 18 0 1914 Cyp 30 Gund Sola Son 8813 3599
Jan 31 Loucher 127 110 Jan 31 Edward Blo Som 8 468 110.	apr 30 Voucher 116 3877 apr 30 Edward S. Blon Im 8813 3877
May 31 . 1st wax May 20	
an 116 3.32 apr 30 " 8807 32	

149 Sheet No		V.	Sheet No	<u> </u>	V20
Name Address	Patterns 13652	X district	Name Address	Gallerns for Sam Oride Migers	
Caper 30 Voucher	116. 13 49 aprisations SB boulon 8813	13 114	apri su I	116 1639 aprol3860 Im	sent 11,29
1914 . Th	stographie Work for Insurance Immytory		to we'r	Pattern #2860B	
Chr30 Lowher	116 2232 Dec 31 By General Expense 307 .	2927	. May 31 Won	Pattern \$ 2360 B \$3690	- 8847 743
14,4	Tattern 31/2		1914	ains 436/2	The second secon
apr so - Vinahar	Tatternfight	7,2,1/3	Juni 30 Veru	her 29 324 June 20 4, Blain l. 11. Work	6 gero 6/7

131	152
Charles to	Sheet No.
Name Photo of Primary Lattery Plant, 13638	Name Scatternsfor Leell Sediment Semoning Marline Kyn
July 30 Louder 106 529 July 30 By Illdown Inc 9001 529 199 They 30 199 1903 149 100 100 100 100 100 100 100 100 100 10	aug 20 Uncher 90 1506 ag 30 2.1.86 mln grog 1506
Car 30 , 90 1/0 (1/30 . 9177 1/0)  Per 31 . 117 1/1 (1/4 0) . 9369 1/4  Per 31 . 157 1/7 (1/4 0) . 9353 1/37  Per 31 . 177 88 0/1 31 . 1493 PP	
144 Pallerns for aug Jan Coucher 1969;	1011 Callen Work to make pageings For Uzffring
June 30 Vacabor 106 1/0 June 30 Educar Sollown 8970 1/0. July 31 136 273, 9 July 31 1908 27319 9018 27319 900.	aug 30 Coucher 90 1069 aug 30 \$ \$ \$ 8 60 Son 9718 1069
1914 Gathern Work on Quelomated Machigan	Jather for M-20 Can Side Velding Fitzer
July 31 Vanher 136 5470 July 31 & & Ab Ino 7074 5470. July 32 " 90 966 Jug 30 " 9209 966. Deft 30 " 95 125 July 30 " 9311 135	Gug 30 Vomber 90 875 Gug 31 & 8 8 60 Sm 9713 825

153			
Sheet	No		Sheet No
Name			Name Cattern Work Only on B-2 Wilding Carriage Advass 43/35
Addre.	13924		Address #3735
Deft 30	Lowber go 1610 Dept 30 Blind Stonge Better fr 9311 1610		Sept 30 Souther 90 501 Sept 30 Samuel blog Son 9310 501
		. 10	
,	Satten Unk on Diefer Depressing as banf Sides		1914 Saller Work Only on G. 4 Welding Carriage 436
Deft 30		- P	Suff or Universe and of Self or Glimb & & ba Son gar 395
Sugar 20	Vounder go 1734 Dept so Educal Blog In 9311 1984		Slept 30 Vomber 90 895 Sept 30 Hum S.B. Con Son 9817 395
		-	
land :	Gathern Work for Q3 Can Side 2nd Bending Fittinger		Tadern Unk Only on G-6 Helding Cangger
Sept 20	Vomber go 6 so dept 30 ldwel & Blog In 1921 655		2/45 2/ 1/4/ 2 12/ 2
			31 ft 30 Compar go JOO Cept 30 Edward St Ga Jon gor go

155 Sheet No	Sheet No
Name Cuttern Work Only on A-8 Helding Conneggs	Nume Cattern Work only on a 5 Heldung Carragel
Sleft 30 Toucher 91 835 Sept 30 Plaine Sobon Lungs 17. 835	Slept 30 Comber 95 1110 Ship 30 Bernish 60 Ser 9317 1110
1914 Satter Work Only on an Helding Garraglagg	Satter Hockon Tube Books Stock Washing Machany
Sept. 30 Tomaher go 149 Dept 30 Edward Sto ban Son 9312 kgg	Syli 30 Yourher 91 1093 Sept 30 Hains & Bon Son 9317 1093 2096
Satten Book Only on Gor thelding Carriaghy to	a we is I was to all a second
Dept 30 Louder gr. 996 dept 30 Elein Sto In your ggb.	Gatten Workow New Side Unculating Send; testings of Cet 31 Don In Just 948

Sheet No. Pattern Work on Spot Helding Tisture #3959 Thomas lon of the Oranges Lym Address Voucher 115 111 Oct 31 & S B 60 Jon 94,6 11870 Pattern for Motor Drive attachment for Kingford Slane One basting \$2990 - 119 19 2000 31 Billion Ohmich Songell Gallem Horkon Shotting Tipling 2 Tillow Blooks + Sen Tier 43 824 in 144 29 30 214 28 Option Chanisholm 9736 836 Nov 30 8. S. B. Eg In 9008 836

	TO THE CONTROL OF THE
Sheet No Name Callerns on Scammed Grading Machine Address 13870	Sheet No  Name   Galler of 19 of B  Address   Address   A3143
Tely 28 Tomber 1149 67 gr Feby 28 Bylam 18 B burburg 711 67 gr	21/28 Turnher 147 510 32hy 28 Byldwin 11.8 barbon 9923 510
1915 Pattern # 2923	1915 Photo of Window Fire Tentous
Liky 28 Unuker 144 193 Zeky 28 poplaint & buden gyler 193	2 hy 28 Unmber 1114 3/1 2 hy 21 2 y & Clan Who English 550
Sallern 6 145 4 2021	Pattern for Macury Graps
1915 Sallern 1976 198 # 3836 264y 28 Hunhar 149 398 Februar Sham Webung 18 598	Mar) 21 Voucher 37 1057 Man 2, B, E. L. B. b. Jor 9518 1059

and the second state of the second state of the second second

161				and the state of t
		Sheet No.	~3	7.
Name Pattern for Alem Lier Gasting Advess		Name Address	Pallerny 18	
1975				
Mar 31 Lowher 371 142 Mar 31 By & B bodom 9811 14		may 31 Loucher	293 613 may 31	E & B bay In - 100511 613
		4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		775.4.73444		
	A THE STATE OF THE	Administration of the second o		
	and the state of t			
		0		
		100		
1916 Pattern per Shitesty,	-	/	Fallers 13920	
Mar 21 Louder 171 193 Mar 21 By ld Bbo Im 9813 19.		May 3) Voucher	13970	ESB 6a In 10000 130
77 mai 37 ay 201 50 2 m y 8 13		May 31 Unwher	293 130 May 3-1 251 367 June 30	ESB Ga Nor 10000 1369
	bol			
manana da da como manana de combinación de de de de de de de de de de de de de				
Jan Cattern for Clutchen Bis Serve Marford	i i i i i i i i i i i i i i i i i i i	1915	Satterns 13975	
apr 30 Tomber 252 618 apr 20 Edward Blo 60, 9939 668		May 31 Coucher	293 73 May 31	81 B ba In 10057 73

	The second secon
Sheet No Name Punch & Dichards 1924	Shees No  Name Satterns 13923  Address 15923
June 30 Turnham 67 386 June 30 by Ed. B. Candon 40104 1017	June 3.0 Same here 211 1447 June 30 Etime le hom. Wood 10113 1, 1447
Just a Voyagher 170 10 June 20 letin Chan Ho Surgery 3254	Jan Satternfizze
June 30 Vermber 179 10 June 30 Hamblem Hadens 179 3350.	June 30 Houcher 251 796 June 30 & & B & Sur 10105 796
Jave Chewl Clank	Jack Patter 12931
Herry 3. Homehar 164 bit Syme 3. Chand Charl HM 10161 1411 1411 1411 1411 1411 1411 141	Since 30 Unicher 201 478 June 30 & S B ton Son 10106. 428

	and the state of t
16	166
Sheet No	Sheet No
Name Patterns # 2970-2971 (Make me each) Address	Name Clane 50 5/6 Grider Address 13943
	8394
June 20 Voucher 201 190 June 20 By Ed. B. Con Sur 10107 1900	June 30 Coucher 251 Sor June 30 By & S. B. 6 a Sur/ 109 525
June 20 Voucher 201 1500 June 20 By 6 S. B. Con Sur 1010 8.	Culleys, poque
1915 aurn 13907	1915
June 20 Voucher no 1 1000 June 20 By & S. B. Contur 10108 15 AV	July 31 Louncher It 6 53 July 21 Edical Demod Marked Surveyor 8 8 7
	10 p 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	and the first an
June 30 Unercher 201 204 June 30 Manthema Who Some 1048 204	July 21 Joucher 25 6 1 160 July 2 6 8 B to Sur 1000 1600
June 30 Thereher 201 204 June 30 Standhon Who Son 1018 201	Suff 31 Toucher 256 Bor July 21 88 Blo In 10000 1600

Sheet No. Fattern for Bench Lather 3903 Pattern of low Boxes Name Address Our as Elian Chan Hock In 1885 7918 There for Ramplegood Clane Belster Clayler 1184 Jun 31 Edwar Chron Wha In 1888 Tattern your Jan 8. S. B. leadow recky Pattern for Gear Guardy 9547 aug 31 Jab In In 10009

Sheet No .\_\_\_\_ Sheet No .... Sattern for Scannerd Grending Machine Clatternstryeasi-sv. Name 38 Jan 21 Edien Chon Whilm 31 ES. B. los Inc. Satterne Jan 31 & SB lon Son Sallerme # 1999, 47.3,4 1916 -145 96 Jane 25 & S Ala Inc. Dallern S 1523, 1594, 1596, 2524 en 31 ESA balon Sur apr 3.

17/ ~ 172 Sheet No .\_\_ Sheet No .\_\_\_\_ Timing Up Bedes Patterne 2995-2916 Name Jan 21 8 S B Con Sur Voucher 126 1891 Fely 29 & & Blo In Tatterno for Back Sear Stand Server Catterns for Spindly Stop Voucher 176 128 Jely 29 Edin Thom Hohor 1982 aulleys Y Reduction July Cinning Up Brighost 2 cly 29 Edien Chem Who 10941 81 39 126 rg Fely 29 & S. B. lin Sour 12952

Sheet No ... Sattern 12183 B. Sheet No. Jutterns #30073-4-5-6-7.0 126 Sa Fely og & SB log Sm 119 Wary Mar 21 Ed Alen Son Calderne va prof. Skatefy,
19 1 Kole Mar & Whe limitain this uses Pattern 1299 13 1686 60 Fely 29 & S. B. lon Som 109 x3 60 Voucher 126 Olans t Extensing Bldg #19 Pattern 415 Sweep) 176 48 04 February 19 3aldiensburger 33211 238 Mar se hullheft stile

Sheet No..... Plunger Headle # 4137 (Llugs) 2 31 TA Elien Bret Carthe proget Mar 31 apr 30 Vancher ml 3rg apr of 125 he emg Report 94 18 2 apr 19 Desconal Experimental Work #3494 Pattern Jou Manged Ele #4138 Apr 30 Vouchers 9th 1 87th Apr 19 M. a Stateham by 114th apriso Voucher 9th 1100 aprin 29 500 13 C his Plane one Polster Plate # 4133 Partien 17983B 1911 \$4154 apr 30 Vancher 94 160 Apr of Elim Thom services 0 apr 30 Vander 94 41 apr 29 ES. B. S. Suiss

177 Sheet No.\_\_\_\_ - Ohoto of Mr E. Dawyer Patterns for The January Dhugh 94 17657 Gpc og El 10/20 Jul 11206 17657 Apri 30 Vaccepar May 3) Venetur 135 1 10 noy 31 EDB & Indison Patterns ar per Okelah # 416 x Pasdle Opoker # 4197 aprizo Taucher 9th 1029 apri 29 Ellin Jun 24 1100 may 31 Vancher 135 Parter #1875 Paddle Blader # 4198 91 5707 Epsig cron Eddle In 11200 4 38 11409 101 31 Vancher 135 430Mpg 31 26. E Inc. June 30

119 Photographic Work Pland and Operification 108 7687 June 30 E. Br. G. D. 11576 1667 Juni 30 Vancher 108 78 06 June 30 20 E her. Sulvitge Photov of Disc Phono Carte Photos of Mine Fareto porto Jame 30 Vancher 101 War Jun 3020 6 Son Julisig Jane To from Bottom of Bolster State Pholograph of Tray of 13" Celle

Name Place an Standard Pros Bolder Repairs on . Repairs on 23 Remodel Patterns 45 St. P. Morg 1975-100-7- Red Studebaker 1 2152 Roseil & Beennax Radium Experiment \$ 1520-100 Record Rolling 24 Rogera J.R. Lom 881 July 31 Toling Hone War 11957 -108 machine de \$ 2175 Ramsay J. W. Lom ag Testing \$ 25 Remove & Lating Lathe Repairs on mrs Edisons 108 Studebaker auto #1926 S 1 Ring Jesting Repairing Front auto machine 1 2178 Reduction Poto for use in new york Repair Waverly Mach 26 Ratchet-Blocks #301 Studio for mileage Flats JA 2186 Rogers O. a. Lom × 1955 100 - 8 - Repair Zinc Mould \$ 2204 Rosen + Bersuax Repairs on \*3024 Wourly Wagon # 1478 Russell & & 1 Repair Drile \$365° Repairs on 101 Rosin " A Beenax #3677 Pan american auto # 1979 Repair Steam Pump # 2253 Rings #3083 + Reis Chap Lim- 102 Retablitt Repairs on J. Miller X309.9 Studebaker auto # 1994 Rubber bottomp ( 28 Rotor, assembled #111 Repairs & Supplies on Drump J#2283 1 Stater 13124 for 45 P. mors auto 2004 Rails for Reduction; 102 Roug & Pattern H3128 Furnaces \$2288 Rough Tattun Repairs on Mr Soughes 6 #3/31 Columbia auto, \$ 1921- g Repairing Sprocket 7 232 Boug & Pattien H3112 Record Ending Mach, 2030 Repair to Marke new ( 29 Rong & Vallen Revolving drum for 1 10 Patterns 50. J. S. Mach, 235 Rong & Oatlen #3184 Separating Flake 12040 Repair Patterns \$2365 Rosin't Busward Preparation Rock Drilling 11 Repair Patterns #258 iRecovering Calluloid from Esp. by Electricitis 12044 Repair motorg # 24, Blubamber Dinarded her H3147 Reinforcing 12 Repair 6 Pats # 241 9 Rough Caltern H3166 Lamp Films 12046 Repairs + Suplies ; 30 Rough Gattern #3175 #3177 #3177 Record Exeriment 13 Balcock Electric \$ 243 oRuther & neulators en a.n. Petit 3#2047 Repair Patterns #2433 Repair Pattern Repairs & Rupplies ( 31 Rough Oallern) Repairs on Pan american auto ap 14 % Hutchinson auto \$2485 Relablit One Bearing per Instructions from Repair chaft #2486 Rough Tattern mr Edison 1 2057 Recording machines 3 - Rosen & Belswar Orefartin # 3703 Repairing Miers -1 15 for Dise Records 12496 Rough Pattern Scope for Silver Lake \$2050 Repairs Ete on 33 Rough Tattern foris, Retork with safety 16 anderson Electric 1250 9 Rough Cattern Valor of Thormaneton \$2.063 Repair Pola & Cours 1825 Nough Oatter #534 Randolph mrs J. F. Railg 8253 & Pough Oattern #5349 Labor of math 101 Regal 20 auto # 2656 Roll Down Copper Strept 325 Rolly For Rolling #260 Rough Tattern 17 Ratchets " \$2068 Repairs Et Thimplen #268 Pough Tattern nickel Juble 18 Rearning Machines 257 Repair Tottern Rolls to press Deam Rolls for Abordials 19 Rectifier \* 27th Tray & Catton.
Rolls for Abordials 19 Rectifiers \* 27th Tray & Catton. 13286 Rolls for Hydrate #3291 \$ 2085 Recording Blanks # 2827 Repair Tallens Trindings # 3313 20 Robinson & P. 10 Repairs & Supplies 50 \$2133 Panging Machines \$2575 for Electric Japa 6334 21 Repair amatures \$250 flower Because & September 3326 Repairing Lathe Reaming machines per Bpi- (4) 1 213 4 Repair armature \* 200 & Repair Pallem for 37 regains armature " er appear suism god:
2 hours Decarred & 250 Whilliam Barling & 1837
136 Restifier & 2910 from Gallon en
Rhavetalo & 250 Com Saday Machine St Record Cabinet 2136 Rectifiers (Steel) Rooney Mrs M. form. 101 Records (Cylinder) \$2914 Repair Deck

Repairs on Mrs Edward Stude hafer auto with Repair Valterns Bough Pattern 1.3396 Replace & Repair Machiney 3 4 23 87 1 1849 1122 L. 1 M. 13815 Cough Pattern 4. 33.90 Repair & Return 2 Freing Ool 8386 Lough Cattern # 339 2 Refair Siefor Staking Las teaf 1387 guy Dattern #3 400 Retain Sufflies for 4444 Egraph Calturn
Newy & Catton
Rose & Oatten
Beyed Catton
Beyed Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Rose & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Long & Catton
Lon 332 #3 127 Lehanthufflison Dord Culat 3825 8124 #342 Metairo Herphing Dodd 1899 #342 Metairo Herphing Dodd 1890 #342 Metair Pally w 1398 #342 Mack Horko #392 Sept 3 8824 43 13433 Repairs to Patterns 156 #3439 Lepan Heplacement 13734 #3409 Repair Heplacement 1374 #34 no Machy Ports Conductor #3979 31 #3HHI Re Lard J. 106 # suit Papair Catterno # suit Papair Catterno 3 4 8 6 7 37 Part le faire en Sattern Enter Profit 53 256 1987 #3 Hall hairs on Machinery 1 5 - White for the stay of 101 Rapair Bowder Lifter Rough Gattern 20 13489 136 78 Repairs on Velie Ceurs 79 Rous & Pattern Refair Junealing Och Cattures Roug & Gatterns Harge Repair Hupples for Sept 3 21 ¥4126 95 enind Y Repair Cocket Breaker Rolls #3502 Repairs & Supplies for Hor 3. ne h attern Bisis Lodge Cinto 456 120 Charring Jord Toming unis 136 Repair H Brass Scrun Biltur 13 Slep Dry for Chalmer I is 8 152 Repair Gallern for Extlosion 1 Law Oots 130 Rp. Onthing Jegs 4163 130 Rp. Onp forther Etimes 4186 43526 Rp Studitran dors 4136 Repair / Make Satting For Nove Sulphate Fough Pattern Rough Sattern Hough Sattern Mining & Sattern \$3550 # 3551 Refair Oulverner Shafe # 3563 Repair Oat Callenting #3575 Cosin Beesmad Repair One Reclifier Exhibit take fre hairon Make One Each Gath tones 1st Repairs on Valler 1 1075 a 1860 Repair Tulvering Mast 1843 Repairing head Ooreh Bersen 34 to Refuset Supplies to Superobile #38 Resistance Comprising Unite A3775 Repartementing Oct Catterns 13779

wer nemer the	W			The state of the s	entre contra d	-				2.00		-							al the second section	Service see.
	SA.	et No.							Vs.										District Control	
														Sheet No	D					
	Na:	me dress								édA. SM.			1	Name	Repairs on	J. mi	ller - S	ludebaKer Au	lis #1994	
			-	Michaele										Address		v				
	.					 				1		L	L. An	1908 Mar 31 To Vouc	1- 1-	111	1908	By 6 bW. Invoice		
	-	ļ <b>.</b>	<b> </b>			 								Mar 31 20 Vouc	ther 69.	1.20	mar 31	By 66W. Invoice	3.2-	180
	-			+		 		-	l		1			apl 30	84	1351	may 3		167	2053
								İ							85	6.76	July 31	· i · u · · · · · · · · · · · · · · · ·	313	3130
					-	 								may 31 " "	86	1233	seph 3	· · · · · · · · · · · · · · · · · · ·	363	6 3,50
	-				.				-		- 200			<i>y</i>	81	635	nov 3	)	605	6606
											-				82-	3.18	gule 3	n n	694	7956
										1000				July 31 " "	78	19.99	ginde 3	v	1125	1178
						 							4		79. 80.	131	sept 3		1300	10335
	1: 1					 •								ang 31 " "	54	6337	aple 30 may 3		1462	1373
	1							1	octor.		-				55	63-5-3	apre 3	ė, a a a	1999	1685
	-													Sept. 30 " "	95	37	may 3		2097	1380
	-					 -	· · · · · · · · · · · · · · · · · · ·				- Anna		1	nov 30 "	88	6608	ana 3	)	2619	14198
									1		- 1			η . η . η . η	89	4.46	cech 3	L	2854	1536
											- 1			2000	90.	1 5 6 3 3	non3	u	3091	43 93
	-					 								Dec 31	100	33	Fiel 2	( nuu	3474	21199
	1													1909 " " "	105		mar 3		3669	345
	İ										1		1	June 3 0 11 "	83	785	-			23731
	-			.		 									85	10 293	<u> </u>			
	-		- h											ang 31 " "	107	10354	-		-1	
	1			1							1		V	Sept. 30 "	111	293				
	Ī												I		112	. 1.47	100			
	-					 -							1	Och 30 "	113	10129				
															102	, , , 25				
		>												1910 30 " "	116	.1.1.14				
				.							. 10			4. 9. 4 4	117	126/27				
	1			.	-	 					- 1			n. 4 . 4 . 4 . 4 .		126.27				
				. 1									***	may 31 "	117	456				
	-					 							1	· · · · · · · · · · · · · · · · · · ·	118	912				l
						 - 1				i.,			- 1	June 30 "	7/9	14007				-
						 					1				92	33		*		1
											1		1	ang 31 " "	100,	14103				
						 								in the second of	97	700				
					1 1	 					-		A	Och 31 "	93	15177				
	1														94	524				
	ŀ												. 1	0 0 0 9	96	6723	-			
	-					 								200 30 "	126	1.4.60			4	H
				-		 							r le 🕮			2920				H
														Dec 31 "	129	1164				
						 									102	7.30			I	
		l			1-1	 	THE THE PARTY AND ADDRESS OF THE PARTY OF THE PARTY.							4 4 4	103	1460			+7H	HH
		20.000								7.77				ma/31 ", "		230			士台州	Sale I
				1	+										117	3555				
				-	+	+			1		-					+//		0.00	1938	

Repairs Wempplies for 45. H.P. morg auto \$2004 Repairs on J. V. Millerg Studelaker auto #1994 may 31 to voucher 115 not 30 To voucher 6.22 may 31 By E. C. uses In 40. 

Many Responses to supplicing for us All Mans and to supplicing for us All
And James 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
many 31
200 2000 1 100 2000 1 1000 1000 1000 10

Sheet No. 2 3 Repairs on Red Studebaker Repains on Red Studebaker \$2,52 Name Esto Standy 24 typed lynn 199 Address29 1/2 1911 Boot formand 104 1920 Sich 29 29 South 31 Agy brucker 104 1920 Sich 29 29 Bootspend 2029 Oct 31 ## 57 76 1.0473 Tel 29 " Sept 30 Cit 3 263 mg 31 sy mely 134 633 mg 31 sy mely 134 633 Cert 28 " Lemial Expense 163 127. idel Lec 31. may 31. " Mar 31 Apr 30 Oct 31 1.15 Nov 30 90 24 Oct 31 40. 

Sheet No	Repairs on Red Stude	taker 1215V		Sheet No. 3-0 Name Rey Address	pairs of Supp	blies J. Balcock El meotoe > not to	ective #2430 be charged with stator - only
Cepr 3. Low he	2 Dec 31 By Ch	fil 1 Love 322 229 11		1911 may 31 To Vouce	le 115	2734 may 31 By 6. ne	colai Im 4142 2738
May 31 " "	212 /624 293 /33 251 /329			June 30 " "	117	19 James 30 " 17 33 signer 30 " 17 33 signer 30 " 17 17 17 17 17 17 17 17 17 17 17 17 17	46.46
	251 1210 d			July 31 " any 31 "	111	108 200 30 . Jen	1 Expense 23+ 3573
augo,	27 2906			supe 30	108	14	
Oit 21 "	35 1170 177 48 8			Oct 31 " "	117	694	
Nov 30 "	116 25140		-	Dec 30 " "	119	100	
Dec 31 "	rel red	229//		mar 30 "	60	73,64 1912 992 mar 30 By 6.2	7365 vicolai Žer 0657 871
Jan 31 Louche Otely 29 "	116 887	127911		apl =0 " " may 31 " "	99	23 may 3 1 "	" 5879 23 5966 940 6015 2335 mele 139 70
Mds 21 "	3.0 1730			June 29 ". "	64	21 55 July 31 " 0	mele 139 3279 139 3279 Levelui Ind 6259 2390
apr 30 "	131 1933			gey 3 i " "	145	313 ang 31 " "	11 6404 18071
July 31 "	108 \$1.89 44 65 137 1050			n n n n	6.4 82	16 40 Oct 21 " 92 Hors 30 " 278 Febras " Gen	4679 1,089 630 630 val Experie 263 630
	17.7.7			ang 31 "	142-	8724	103 G.J. 49
				4 q q q	3'1 44 67	475 253 636	//
				4 4 4 9	108	12.5	74-14
				sept 30 " "	129	1931	
				Oct 31 "	33	1063	
				Nor 30 " "	149	3 44 5314	
				Des 2' "	12U 155 155	1 3 4 4 5 5 7 7 6 5 7 6 7 6 7 6 7 6 7 6 7 6 7 6	
				Bely 28 " "	124	15535	15535
				marsi 20 Vou	her- 120	23 Dec 31 By line	
				Chr30 May 21 "	140	23 1/ 2 1/ 3 1/ 3 1/ 3 1/ 3 1/ 3 1/ 3 1/ 3 1/ 3	
				all de "	129	75.5	
						1	

	Sheet i Name Addre											Sheet No3 Name	 Repo	rirs + Lu	pplies of Hr	itelimons	auto
	Addre.	ss				*	-					Address	7 - 9 - 0		gaces 15000	- commany	#2485
	T		1	T				1	111			1,647					
								4	4 4	1. 4	had 1	911	20 vonche	_	1911	30 By Hutch - I	, 1.11
-	-   -							+				2	- inco	117	85 July	21 By Halley - 2	41925
	-  -		1 - 1 -	4				11-				July 21		110	50 ang	3.1	4645
			ļ <del>i</del>					1		1-1	יחי	9 9	" "	, 111	1/2-		4664
			1			l- l		1		1 40		ang 31	" Invoice	4664	765 sept	30	4789
								1				0, 1	" Vouche	119	140 Cet	31	4944
								1				9 .9 .		120	255 gan	31	- רנים
														121	128 24	29 4	· lonz !
										11	- 1	sept 20	H . H	108	1649 mar	3-0 11 11 11	5855
	.   .											e 4	4 · · · · · · · · · · · · · · · · · · ·	109	825 apre	30 " " "	, 5515- 2
												act-31	. <b>n q</b>	112	1390 may	31 4	. 5964 3
			Li.					1				19/2 "		113	625 June	29 t "	. 6113
	-  -					ļ. ļ		1				5912 5"	. н	59	150 July	31	1 6256 13
								1		1		Fel 29		138	1 9 9 9 7		13
	-			1 . 1				1	2- 10-	1 - 1	ıJ.	oren 29	m	33	1 2 6 8		
			î -			l- i		ļ		ļ., ļ		* * * * * * * * * * * * * * * * * * * *		69	300		
- 1	- 1-			- [ ]				1 - 1		1		и и		71	5151		
1	- 1							1 1 1		1				95	600		
				:				1 10			1.			102	1500		
				1 1 1		1 1		1 - 1 -				6 11	1. 4	118	9.75		
į								1 11 1		1	1	4 4	. 6	133	30		
									1		4		N	142-	546		
								1	1		ı	4 11	n . i	144	33578		
- 1					1				1 1 1	1.3	il.	mar 30	4 4	21	876		
1								1		1	l l	и п	.n	110	313		
- 1	ı.İ.									1 :	1	9 .4	. 15.	126	40		
- 1	.									1 1		п п	K 0	177	697,39		
	1			1						1.1	1	apl 30	4 0	80	150		
- 1								1		1 :	. A	4 1		0-0	168		
- 1	1		1.0	1	1 .					1	less i	n 'n	n	108	665		-   -   -
	. [ .							1		-	1 m	" "		112	693		
								1 . 1 .		1		" "	4	114	277		
						1		1 - 1			· [1		*	142	1,		
	1					1		1		1		may 31		21	97-512	-	
	-							1 - 1 -			ŀ		. "	46	6 0		3.11
					1	1 1			- 1					66	260		
				1 1 1		1. 1		1 1			1 '		"	82	6/5		
				1 2 1				1 1					A	99	25-		
			- 1			1 1		1 1						120	284		
								1 1				N N	a . 9	138	50		
į								1 111			- 1	4 . 6		140	20264		
												June 29		/3	1/73/29		
									11:		1	11 11 11		C3	100		
İ.											12	4	· · · · · · · · · · · · · · · · · · ·	7.1	207		
			4							L	240			106	Se .		
				4 4						1	200	1	. 4	143	70		
				4144						ļ.,i	KV T	Que 3		143	122722		
- 1				1 [44]						1 1	3 5	July 31		30	36		
	4			444		ļ. ļ			- 1.1		ta li la	- 1 te		141	70		
				-i				1 1			1	1, 1,"	n "		12249		
								1		ļ ļ	1	ang 31	и и	31	1300		

Sheet No. 3 f Repairs & Eupplies To Houtehinsons auto # 2485 Repaire & Supplied to Soutchinions Cutiniti Address 135077 2520 Sept 30 By M. R. Heithimberson 1 Sept 30 20 Vomber 129 170 88 108 109 149 30 39 83 124 16 8875 Nor 30 137 Fely 28 170 Mar 31 By MR. Hutchison Sor 1290. 5858 12853 68 , 7571d . 7690 . 7818 . 7936 93 apr 30 104 104 May 31 115 118 125


17	in car	E.	001,720-0	-	die la	-	-500	N. Williams	Contract of	4.000	******	Jackson				-	_	-						_				_	-				-																								
	S	Sheer	No																			, etc. s									SI	icet Ne		32	_																						COLORGO
		Vam																													N	ame				Rec	cor	eli	in	7	rae	hu	·	o k	2 5	ي ر	2_0	Ro		a de	2						SHEEDING
ļ		1dd;	ress																			1.50	et in									ddress							. 0	,				0			(		*	8 Z	49	6					Section 1
	Ţ								1.					T						Ţ.	T							J	i			July July sept	31	2	00-	me	he	/	7.			9	,,	1911 Onle	. 71		7	- 2	- Q.	2	- 4	42.9	П	Т	-	95	
1												1		1										-	-		- 1					super	3 0		r -				10	۲.		50	619	Juli 2yli	-130	, 1	75.	- 11		"	4	723		H	678	16	
	-	.							-	.		- 1		-	-														7				4 9	1	4	. 4			10	0	1	1 34	181	nov	130		A:	IC		u	50	870		2	95	14-	
		-							1						1																	acc	3 /	1		. 4			71	1		685	84	dee Jan Reh	3 9		Α	•		y		58 92		1/2	7 7 7	\$70	
	1	1										-		- -	1						-	.														. 4			97			3 4 6	+	neh	2	9	n.			۰۰ ۷ <sub></sub>	24	138	ī.i.,	16:	24	15	
	1																											١			200			- "					10	2	11	329	2.5	mas	بقا	0	n	N.		•		المحد		1	1 1 5	10	
	-								1.		-	1		.   .	-						100							- /			17.44	,		1		h			11.	3		150	6.4	-										. ] [			
									W.T.						-					1											-			1		4			11:	-		254											H				
									-	1				1	ľ					1	- Contract	-		- 100							-	nov	20	~		W .			10	r .	1	790	0		1.	1								. 1			
										.					-						and the same							ı			1		n . n	. 13		" .			10				10		1	1					l.						
									-	1		1			١.														J		- 1					"			11	7		2.58			-								Н				
	-														ŀ						-			l line					8		-					4			.11	7	.i I.:	200	- 57														
{										Į					The state of the s						1.			- Personal			ŀ		7		-	dec	30			4 .			12		4	18	13			1								. [ ]			
	-	-								-	-	+			100																		4 (4			ü .			.5	1		18	-5		ŀ						1						
		į										Ī									1			1									e re						10	9		6 4	14		1							- 1					
	ŀ	İ					-		and the			1		1	1					-	- 1	-						1				6913		^		. 0			12	2-	10	50	3														
									-																			1			0	yan							4	2-		2 2	25-								1.						
		1							3					1.							1			- 0				1			1			^		"			10			9	08			ŀ							- 1		-4-		
	-	-							ALL REAL PROPERTY.			+		-							-	ŀ	A CONTRACTOR OF THE PERSON OF					1	ē-		-		4 . 4	~		4			12	4		-92	-6														
							.				İ			1	1						age of the	1		- Transport			n	١			- 1			-					13	2		13	0			1							ĊΠ	1:			
							1				-			1							7			-				4				Feli				•			132	7	15	718	-;-					•					11.				
																					7			Manners &			1	Ŋ			1	orea.	7	"					18			390	7	ů,													
							1	•	1		1	1									and and	1						1	i.					*		**			50			2 3		•	1		*,										
	-						ij				-	-		ì							-			- [			111				ì					.,			13			21				1											
	1						1				1			1.	ļ.						-						. 16		19	Ą.			. ^			"		-	13:			6	-0									- 1					i
							1	-		-		+		ŀ	-						-							1				•	4 4						144		,	27/	9		1.												
												1			į.					ļ											- 3	mar	30	٠,		"			2 :		1	720	٠		-						-						
	١.										1	1		-	-								.				ii.		- Si		1					. 0			7.	<u></u>		77											T.				
							-					- [															4:	*	-#		- 1								78			27	6		١٠	-							H				
	1													L	-												. 1	1			-								. 2	d.i.		24	18														
	ŀ						-  -					-			-						-		-											.,,		#			111			2 6	5.8		1	-											
		-									1	-								ļ	1			1			. /	7	1		onewan					• ., .			12			49			-	-					-		HÏ	-11	+		-
	L	ŀ								E	1	1		1							-	+						1			- August		"	- 4		4			12		4	150				L					1		ıll		11		-
		-									Ŧ	I			-																-	apl	10	"		." .			17	11	7	70	100		-	-							H	d	4		
											1	L	-								1													. 4		. "			108	-	- in	173	4			L					k.		4	1	d.	ü	į
	-	-		-	_		+			+	+	+		-	H				4		F	_	4	Ŧ				1	******	value or or other than	1	40.00	-4-		turner e		Martin		125		2/8	365	-7:		1	t			-		+	-		#	H		
NOTE AND ADDRESS OF		100					_			-		- Land			-		-			locarros.	-1	mot us	-			-		Æ			- 1		1				en near co		-Jerran	11			-	CONTRACTOR OF THE PARTY OF THE		1			on arran					11	世	_	J

Sheet No. 32	Sheet No33
Name Recording machines for sie Record # 2496	Name Repairs ate on anderson Electric #2509
1912 1912	
apel 30 20 Vonacher 126 24 apel 30 1247. A. E. hue 2mr 5707 57694	1911 9 20 Voncher 75 528 200 20 Voncher 26 4550 aug 31 " 35 5283 244 29 " 6 3500
128 245 may 51 , 5902 4043	and 31 " " 35 83 226 29 " 20.500 6 3500 25,550
136 70 June 29 " " 6044 3 4360 142 43527 July 3	" " 39 907
may 31 99 1105 ang 31 " " 6340 72674	act 31 " " 30 115113
" " " 122 30 dept 30 " " " 662d 600	78 10-
" " " 140 3.878 Kon 3-0 " " " 6735 32/68	10 8 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0
June 29 11 1 22 12/12 Jan 31 " " 68/17 52/17	no 30 " " 115 108
July 31 " " 145 2215 Thety 2-5 " " " 709d 1102	1 1 1 1 60 1 1 50
1 1 1 2 5	" " " 88 230 " 113 30
ana 31 " " 25 49574	11.7 620
0 11 11 11 123 85	Jee 30 " " 119 300-33
26 979	
109	12 12 13 19 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Oct 21 " " 129 3 , 24 77 9 1 1 1 2 9 1 1 1 1 2 9 1 1 1 1 1 1 1 1	mar 20 20 Vomale 126 25 Och 28 Sy Gen By Hence 263 1100
De 30 . " 124 3468	
Jan 31 " " 100 July	apl 30 " 142 2776 2776 2776 140
Chely 28 " 124 1/2075 363075	" " " 140 //33
	June 27 " " 1/3 3 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
mar as 2 2 Lucle 39 82/ Mar 31 sy 79 & Inc Im 7215 821	July 31 " " 139 375
	ang 31 " " 35 3 9 80
	1 1 1 1 1 1 2 2 2 7 9
	seper 30 " " 92 50
	Oct 31 " , 21 /200
	1 . 33
	Mon 30 " " 124 " 33 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	Duc 31 " 32 37667
	James 1 . Ivr
	(Acty 28 " 1211 1/10/07 14000
	7,007
	Mar 31 20 Lowber 22 11001
	118 301
	ap 30 n " 9 " 5700
	" " 27 /260/
	1 " 37   025
	77

OF-	***************************************			
33	Sheet No.		33	3
	Name	Repairs et on anderen Electric # 2539	, Sheet Na. Rehairs Lite on Condesson Glutar	
1	Address		; See No	1
17	pr 3 Dron	19 18 18 19 19 20 30 19 20 19 20 19 20 19 20 19 20 19 20 19 20 19 19 20 19 19 19 20 19 19 19 19 19 19 19 19 19 19 19 19 19	1911	ŧ
1,00	20	Townber 10 d 10 May of By Howher 48 240	Cype 30 Sucher go 11.32 Day 31 24 Carps 12 and 145 Carps 12 Carps 12 carps	
2	Cay 31 :	19 (1) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-
1	lay 31 .	" 22 466 40 455	Dura . 67 1563 .	-
	- 1	90 324	" 26 35	
		179 309	78 238	1
1	uly 27 "	64 90 3	, 136 4550 117.0 117.0	-
		124 7178	152 1535 16952 Sancos 138 37.0	
6	lug 30 "	3 900	at Olihan a 25 172	7
		44 455	" 51 S66	-
		77 70	Chara . 11 13 55	7
1 .	ept =0 ".	·	<b>П</b> :: " 70 583	
9:	of an	77 6675	7,5 166	
1	CF 3-1 "		June 20 757 7 1877 1	-
		78 156	June 31 75 7 7 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4
2	Zon 30 ".	124 1478 n 118 1100	June 1 257 7 12 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-
11	Dec 31	" · " · Mulin J. Z. S. · · · · · · · · · · · · · · · · · ·	B 85	-
~	Dec 31	430	90' 660	-
1 /	Jan 31	1551	11/2 20 11/1 20/12 1 12/2 1 12	-
	/-  -	1757 165 165 165 165 165 165 165 165 165 165	Constant V. Low 27 (Acc)	-
ن	rely ro	1 17 17 12 12 12 12 1 1 1 1 1 1 1 1 1 1		
11	1 1		Mar 32 12 13 13 15 15 15 15 15 15 15 15 15 15 15 15 15	-
1 5	Upr/ 30 Nay 31	" · 34 27 872 31 11	190 30 . M. 1311111111111111111111111111111111	4
"	uy 27	65. 70	Jane 30 6 350 60	
		87 200 22	76 760	-
	_	99 115	July 31 100 2316	
112	June 30	106 602		-
10	July 31	9 11650		
10		1/5 1/0 1/2 1/5 1/0 1/2 1/6 1/6 2 1/7 1/6 2 1/7 1/6		-
11-	7	184 1218		1
	lug 30			
		19 101 107 107 10 108		-
1		7 1 6 3 9 3 9 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9		-
4				


						V D			
							. ,	,	
		et No.					Sheet No. 36	_	
	Nam					· ·	Name 6	Repairs Es	to % Simplex auto \$2681
	Addr	dress					Address	, ,	×2681
				TIT			1911		11111917
					<del>                                     </del>		1911 act 31 20 vonels	31	120 deh 29 29 1 a Elsen 230 19947
							a a a a	49	Charles I and the second of th
	ļ ļ			-			1 1 1 1	113	250
-				-	1-1		* * 4 . 9	115	1,4,173
							20 30 " "	35	16 171
					4-4		1	12-2-	
				1	1-1		gan 3 1 " "	108	7150
							Ich 29 " "	138	14.15
							0 m m m	144	227
			<u>-</u>	+	+	· ]] ·			19947
					1.1		apl 30 " "	108	19947 300 Febr 28 By Jakan 263 16685
					1 1	د الله	Inday 31 "	140	
				+	ļ <del>]</del>		July 31 " " and 31 " "	129	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
				1	TT.	50	09-31 " "	97	1333
					1.5	, II.	Mon 3 " "	149	3948
					<del> </del>		Hon 30 " "	128_	12808
				-	1-1	1		/	13.25 Dec 31 By Til Edward 28th 166.85
					LI		apr 30 Do Vous	her 115	100 Dec 31 By 97 Edward, 281 78972
				-	<u> </u>	- #	" "	142	
					1	· · ·       · ·	June 30 " "	89 99 125	24/92
							" "	99	11.53 90 (1
					ļ ļ	II.	July 31 " "	9	40/700
				-	1-1	/A	0 /	182	2987
						los i	N N	1/2	<b>4</b> € 6
							any 30 ".	129 47 69 94	11/27
					ļ - <del>1</del>		0 , ,	69	51/2
					1.1		* * *	94	1970
							, ,	97	3.0
					1-1	1	2 1 1	97 99 116	469
					l t	11	Dept 30	91	- 15 E
					1 - 1	·   .	Oct 31 "	109 77	(2.英3)
		ļ l				11		84	240
		1			1-1			80	281 \
					1 2	1	* *	94	1988
				-	+	, JA .		100	2019
				+	1-1	· [ ]	Non 30 "	116	12019
					1-1			79	76
ļ							Dec 31 "	111	1897 17900
·	-			+				130	1014
						_1		154	11/5/
					1-1		Jan 31 "	156	1.5 / 5 / 5 / 5 / 5 / 5 / 5 / 5 / 5 / 5 /
	+		-	+++	1		Jun 21	47	\$75°55
				-	<del>      -   -   -   -   -   -   -   -   -</del>	<b>B</b>		1	Ships 20 th acres 1

Sheet No	Repaire etc % Simples auto	Sheet No Name Address	Repaire et of de	mples Gute
Broughton	19777 Jun 31 Drong Floryard 75977 (1975) 16 O Oct 31 June 31 Drong Floryard 75977 (1975) 16 O Oct 31 June 31 Drong Floryard 98 14 14 13 14 14 13 14 14 13 14 14 14 13 14 14 14 14 14 14 14 14 14 14 14 14 14	June 30	Dec 3	Be Brofittion 322 11929
/     "	(3) Jeg Dec 21 2, Oxfor iluso 20 1 , 2 7 2 3 3	<b>Y</b>	Unicher 14 139	+ <del></del>
w 31 "	31 1/2/13/1	7	175 037	/ 11/1//
n n	62 2896		143 574	
	46 207 67 900 83 391	July 31	93 1073	+
",	67 908 83 3911	July 37	93 701/39,008	+/
"		Sept 30	101 39008 193 191 191 165	
"	. 89 . 279		174 265	
"	99 92 96 98 98	59	192 1200	<del></del>
, ,	10% 37000°		91 1132	
hr30 "	37	1 Oct 31	93 120	
1	66 18		109 1035	<del> </del>
"	67 697 77 730 73 500	Hor 30	17/1 /1/3	<del>                                     </del>
	77 350		105 792	
4		7 Dec 21	212 1 2904	
y 31 ".	103 19921	11 Lec 21	4.26 11.7.19 1	/ <del> - - - -</del>
7 "	115 480	: Jan 31		<del>                                     </del>
ne 30 "	90 122.81		. 39 124	
lygi.	106 . 973	20/4/25	1.48 587	
(kg)	2 -28712 1 3 3 4 7	Jety25	1 29 294	
, ,	66 10	Mar/31	1 149 264 1 29 294 1 126 249 1 10 3 33	
"	79 6550	May 31	10 3733	
ر و ع	79 Lesses 90 18783	ii — — — — —	113 1910	
3/	113 250	A	144 500	+
	110 13081 000		135 1863	
- 30 .	109 11 110 1101	June 21	135 1863	
هٔ دور	126 1500	7	108 1093	
1 1	190 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			<del>                                     </del>
V31 Vouche	- 138 Mb2			
230 "	67 6224			<del> </del>
"	81 1368			1
. "	80 318			
	93 30			
, ,	118 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			I
9 31 .	119 3 2 1 5 6 5 0 2 1 1			<del> </del>
	62 49			
	68 260	4		
	29 88			<del> </del>
	161 3400.	1		<del> </del>
	135 40			
.   .	1852 323			
	(7.7.4) 可2.8:			<del> </del>
	29.6 255 25			
A STATE OF THE PROPERTY OF THE	The second secon			



Name Address  Name Address  No. 123  No		Charl M.	
## 1	and the second		
The state of the s		Address	Name Records (leglinder) \$ 2914 Address year Endring Reh 2 8-1913
Many 30 Manufacture 20 188 28 Manufacture grates 18 18 20 Many 30 18 Manufacture grates 18 18 20 Many 30 18 18 20 Many 30 18 18 20 Many 30 18 18 20 Many 30 18 18 20 Many 30 18 18 20 Many 30 18 18 20 Many 30 18 18 20 Many 30 18 18 20 Many 30 18 18 20 Many 30 18 18 20 Many 30 18 18 20 Many 30 18 18 20 Many 30 Many 30 18 20 Many 30 Many 30	Annual Color of the Color of th		127 20 20 Voucher 127 78 44 20 20 20 25 26 Enc and 50 87 44 44 65 6 20 20 20 20 20 20 20 20 20 20 20 20 20
			Mar 3 2 Limber 12 0 13 83 Mar 3, 24, 39 8 Smilmer 7, 63 1383 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " " 1580 Mary 30 " " 1
			92 62

Sheet No .. Records (laylinders) projet Recorded (Coylinder) Address 10 16 13 April 30 Berry H Toymand 8091. 54 74 80 116 ET Oct 2 Halldon Pacison 1846.
1869 Jec 30 " gold on Society 1866
1866 Jec 30 " gold on Society 1866
1866 Jec 30 " construction of the Society 1866
1866 Jec 30 " construction of the Society 1866
1866 Jec 30 " construction of the Society 1866
1866 Jec 30 " construction of the Society 1866
1866 Jec 30 " construction of the Society 1866
1866 Jec 30 " construction of the Society 1866 Jec 30" construction of 9097 9166 298 iosrx may 31. 9367 9355 9547 9642 Hov : Lec 31 9859 9888 No 29 58 11/8 10/12 Mar 3 85 apr 30 89 122 136 206.50 450 489 ang 30 Oct 3, Cifr 30 May 31 



Sheet No ... Repaired Supplies for Ford Center #3888 Name Address Let Che 3 Hillisdowerft him

SET Typing 30

Frill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30

Listill Let 30


Listill Let 30

Listill Let 30

Listill Let 30

List May 30 May 30 July 30 7.53 812 918 824 1344 1626 1458 1701 1411 2312 251 256 Cyro 21 Doft 30 Oct 31 Lov 30 Joshof. 104.85 89: 1.4 Jan 3.1 Tely 29 Mar 3.1 11/8 2127 2385 3515 mil apr 30 May 31 July 31 

Sheet No. Repair & Supplied for Ford flute Sheet No... 123 Jfr 3 Noonalable Soc 2900 All Jan 3 Noonalable Soc 2900 All Jan 3 Noonalable Soc 2900 All Jan 3 Noonalable Soc 2900 All Jan 3 Noonalable Soc 2000 All Jan 3 Noonalable Soc 2000 All Jan 3 Noonalable Soc 2000 All Jan 3 Noonalable Soc 2000 All Jan 3 Noonalable Soc 2000 All Jan 3 Noonalable Soc 2000 All Jan 3 Noonalable Soc 2000 All Jan 2000 Toucher XX Ghr 3. 251 256 10353 1 15.1% 106.13 1 Oct 31 177 212 Hor 30 Del 31 Jun 31 Del 29 Mar 31 Apr 30 May 31 11/35-1 11590 1 June 3. 25-411



<u> </u>		)			
Sheet No	·				48.
Name			Sheet No	Prince of the state of the state of	210
Address			Name	Repairs on Replacement of Machy's Lools	(Chind Dir)
			1075	1,01,5	- 12/12
			Celt 30 Vouch	Com 200 3 78 Scht 30 10 Edwin	Sund Dir todale 378
			Oct 31	511 1166 Oct 31 4	10478 2509 10616 9921
				70 60 Mar 30 .	Mandin tadda 378  notes 9  not
				177 589 Jan 01 "	10000 9509
l			Hov 30 :	118 1998 Stely 29 11	10931 25409
				211 25 June 30	10757 61811 10852 9539 10831 24469 1183 5355 11832 5323
			Dec 31	212 . 621/3	
			dec 31	220 //	
				226 5789	
			Jan 31 "	Repaired on Behlaument of Marky steeds.  1 20 3 1 1 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
		The state of the s			
				100 200	
				130 54	
				177, 227 130 511 146 86 4	
			Deby 29	53 6500	
				53 6509 84 172	
<b> </b>		and the state of t		107 412	
			Mar 31	50 500 81 100 100 400 114 17191 119 1835 4	
			Jame 30	1/1 17.31	
l: + -					
			4		
<b> </b>					
		· •			
ll					
		<b>B</b>			<del></del>
+					
t					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Repair Son Machinery of Diet Record Mifg Dir. 91 Lety 29 saldumburbor 10937 149758, 7 1/2 20 3 o 53 54 63 101

Sheet No. Name Repaired on Geduction Octor Toward , Sheet No.\_\_\_\_ Repaire & Supplied for Buick auto 119 94 128 135 142 76 Ppv 30 May 31 June 30 108 96 132 July 31

Sheet No. Chaire Leepfied for Sedge Cuts Name sai Maar 31 Mineraline 119 . 135 . 105 . 137 11437 Sheet No. Shar No. Repaire & Depples love Sim Lord Marte.
Address 1916 Name Address apriso Vonefur 67 94 131-1149 may 31 38 76 108 July 31 120

 	- Company							 																				
	heet No														Sheet No.		CASPONIA PROGRAMA								· · · · · · · · · · · · · · · · · · ·	-		- 50
	ame ddress							 				<u></u>			Name Address				Repa	ırV	atter	m	#331	3				LOSSIUS WITH BE
TT			T	TT	T		T	 	T	П	ПП										173	973					7:	
			1	1	1		L					1		<b>5</b>	71/3 71/ar/31	-20.	Vine	her	120		61/2	lar 31	1485	Blon	m yr	6	H	5611
			-	H	-		.		ļ	Н			H.										1				1	-
					İ.,	.	1		1	Ш																	H	-
-							-																				1	H
					1		1		1					<u> </u>									: :				H	<del> </del>
				H						-																		1
		1					1																				H	ļ.,
		1	-  -																						17		1	1
														## T													1	<u> </u>
		1								- 11	14																1	
		1	11.		1				1		П		門	4										*			1	
-							ļ		ļ		+++		II.														t	
					1									<b>7</b>														ļ
			-		-																						H	-
		1			1			 	ļ					#														
		ļ <u>-</u> -						 	ļ			<del></del>	- 1														H	
		1			1		1		ļ					-						1							1	
1		ļ							-		4									ii ka ii	- Jane					eroni i	Li	*****
1							;		1				· · · · · · · · · · · · · · · · · · ·	<b>A</b>	1013			e pai	wy Si	epplic	2.40	1.6.Le	etrici) By H By HI By The	api	13331			
 		·			+				ļ	-			········ #11	7	. Cyl 30	20	Your	her	37	54	67 2	Ju 31	By V	when	- /2	,	-	2.8.2
				.11.					1		111			<b>.</b> .					18	112	o o D	97.31	13,91	Edien	2.8	4	3.6	282
		1			· [	-					44			7		. 11			98	2	18	w.31	. a Grafi	712v=2	192	2	H	127
		1771		T	1		1		l: ::		111		1 7	4	044				140	13	48							
- 1				4			ļ		<u> </u>		111	· ÷ · · · · ·		<u> </u>	May 31				70	115	40						-	-
					1		i.				H		· VI			#			96	115	5 o				/			
ļ ļ			-   -	- 10					ļ.,		44				Jameso				142	181	6.3				ļ		+	-
					1		l: :				tii				0	1			411		24			/			1.	
1				-     -							111								115	2	20		i				H	-
					1		1						118	7			4		120.	17	7.2			/_			I	
1-1							-								0.4		пи.		129	1 2-3	16	****					+	<u> </u>
				11-	1		1			-	H		1.1		July 31		/		116	36	10			-/				
 							ļ.,			. [4]				<b>H</b>			n		69	$++\frac{1}{2}$	13						H	<del> </del>
				+	1		ł			++1	111		6		olefix 30				109	3/19	37	17 <sup>12</sup>		/				
  -				41.	Ţ		Ţ	 		TI.	Ш	1			Jan 31		Touch			370	-/3			l		-H	H	Н.
 1-+		1	H		+		ł	 		Hil	- - -				yan/31		courte		1/5	371	92						12	192
 III.				П.	1			 		111	Ш	1		■						H'						$-\Pi$	K	-
 $\vdash$		-	+	+-	-	-+-	-			+	++	-								Ш						H	13	
i amendos	CONTRACTOR CONTRACTOR	danne i e	-		77771111		-	 *******				The State of the S							- 2		1					HIT	143	1000

Rosin's Decesion Freparation 13330 Repair Gattern for Helding Carroage # 3373 1150 Cyr 30 By 116 Incline 9398 3500 May 31 Repair Tallers on Some Soading Machages Jo Toucher 11 410 May 31 Ly & SA 60 Jung 1855. Repairs for to S. F. Reduction Outs V boyers 315 634 16.88 Jung 30 . 6. 6. Who Inc. 7679 16.35 2573. 109 11073. 68911 2903 26.02 762 4.83. 5158...

Acfair One Rectifeir Eshibit Lable 19591

Jan 31 Lander 179 450 Jan 31 Handham Welson 5174 Repair Les & 13387 Je Jour 125 997 June 20 De Blangby Jun 30 To Mouher 125. 222 Jun 30 ty ESB bular gors. and Repairs or make one lack Date #1-72 for Sound

Repaire On Valtern # 15/5 B Repairing Rear Souls Servens at House # 3660 180 Jan 31 Edward & Blad S. 8468 1914 Repair Sulveryed Marh 131.33 Mar 31 Vomber 106. 5028 Mar 3, 3,28 Elm Im 8,909. Recitaly Demonstration Hork 2 deto Sept 30 JA Edin Su Im gres 28.43 32518 31079 136 138 33975 32518 94 May 31 135

- Welair Lie 13896 Repair dass Cathernel How Jung Coder 5722 Repairs of Dupplied for Ford aufson Micenelrant Edward Michael Cirture Jegeneral 926 Gerses 2 28 King Surger 908 . 18 119 May 31 " 1008 . 10192 5015

59		Village & State								.6
Sheet No			7 · · ·		Sheet No					6
Name	- Depair	130	Elberger Tumps		Name	- Repaired on	121/ac.	hinery for Disc Rear	1.212/2020	);-
Address					Address 1915			j. Long	18/1-	
Jely 19 Vonh	- 176,	32-1	Leby 29 Edwind Farm Horles 10989	377	1 /2ev 30	Julia 2	11.	Her 3a Michaelme In Deg 31 ". Jun 31 "		
Clfdr 30 .	- 176 14 135	5002	Mary 31 " " 1350 50	902		. 51	6.12	Deg/31 "	10750	6716
						10.00	136	Jan 31 "	10807	161829
						- × × × × × ×	1.9316			
					Dec 31	, ,	36			
						" 17	1200			1411
						* 7	198			+ + + -
						" 96	60			Ш
						. 37	1714			HH
						114	11.65			Ш
				1	<del>*</del>	, 131 , 132	341			
					<b>1</b>		750			
				R		200	17.71			
						. PW.	50			
					Jun 21	276	10270			
	,					, 39	.554			
						58	333			
	ان یا		عبابينين بالماليات المالية			13%	23 58	Commence in the Commence of th		illi.
	Lelening	Bra	he Bande			Rehairs 6)		ument Amache & Eau	HI Birde	fund Bld
Tely 29. Com	lar 176	378	he Bande	495.	Jan 31	dowher 39		much of Machy I Egy, Jan 31 Ohnel Dir Ilac July 29 "	HOFE	1
					yan si	" S6	260	Dely 29 "	10922	25779
						95	. 3.17			Hili
				10		1. 130	26			
					# 7 m	11/8	75336			1111
					Jany.ry.		98			illi
<del></del>					<u> </u>					HH-
									1	1111
									11	1111
· · · · · · · · · · · · · · · · · · ·										
					<b>Z</b>					
				P.	1					
				N					+	+++-
					<b>4</b>		414			
									1	++++
										Ш
							++		+	

Name Repair & French Files Pin in b Orling Gads. Repair & Return One Jum Pump July 31 Voucher 138. 135 July 31 Sin Re My B. 1114 Jupan Jim Murreager

Name Repair Horne Drive for Turn Papel. Repair Sleam Pump # 2253 July 31 Voneher 132 1138 July 31 Rin Mr. 1119 20 11789 July 28 To Voncher 102 63 - Feb 28 By Extely Ing 3444 1918 Charles Reis Lom for 04 Leh 28 By 24m Ing 3549.
120 may 31 " "659.
12 Jan 31 " " 7026. 29 Leg 31 2 tm Im 8418. Repairly Return Gonder Ply Due Cacker Rails for Reduction Turnaces & 220 males 117 29,70 mar 31 mg Elway mg 3672

	Secretary Control of the Control of
Sheet No	Sheet No. 1/2
Name Repairing Sprockets # 2326	Name Making Rugh Catting
Address	Name Making Rough Gallern #3112
to till out, in sout it, reals, s.	
1911 nul 31 Jo Voncher 117 563 mar 31 mg Ad B. b. Sung 5736 813	Oct 21 To Under 149 220 01 21 3, 280 6, In 1610 200
118 251 5/3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
371.3	
The second of th	
The second control of the second control of	
Market and the second of the s	
Control of the resonant sectors of the Control of t	
194 30 20 Vancher 113 67 296 0 \$ 1618 \$2365	Rough Pattern + 3128
1911 2 2 .C C 113 19 11 20 11 EARLO Series 3839 207	Bet 31 In Vanher 119 10 Oct 21 yell In 1610 10
apl 30 20 Vancher 113 69 apl 30 ay Estiles Inn 3839 207	Let 31 do Coucher 149 Ha Oct 31 Meld In 1610 Wo
207	
management of the second secon	
The same is a second of the se	
The second secon	
The state of the s	
Repair Puttering for Bushing & Frieding Machines #2381	Rough Pattern #3/31
101 20 To Voncher 113 543 apl 30 Bykettles Ing 2351 1628.	Oct 21 To Vomber ulg side Oct 21 By BB bo In the 140
apl 30 To Voucher 113 543 apl 30 Reporter Sung 2381 1628	Little als touther they the Oct Expelled to Sur like 190
may 3/ " " 115 /145	
1846	
1846	

113			***	-							- 18.													
1	Sheet No												Sheet	Ar.										114
	Name Address		Rong			#3	129						Name Addre	,		Recov	ering	bellu	loid y	lrom/	Blue An 3,49	nbevol		
79/2 Nev	- 20 To 2	Coucher .	1211	329,	1918 Hon	3 By ESB &	Lun	6926	329	29-			Hor 3	10 %.	Wourk " "	-	42 83 123 124 39	2 121	o Hor	-	at die I		,	5695
								A CONTRACTOR OF THE CONTRACTOR					Jan 3	21 "	А. И		155 155 124	51/2 73 4 61 11 72 3123	দিংত প্রত					1235
			L	L.L.																				
			R	ugh	Patter,	V H	31611								*************		R	1	7011	rn 13	.//	- or lesson or or	·	
13/2 Hen	- 30 Zo Z	Loucher	124	291	1912 Her	30 By El	balon Inc.	bysl.	25	2,2		1	Dec 3		· Low	1	/	I l	1/3/2	2/	len	1,		
										5					o won		Section of the sectio					6139		
				Annual and Annual and							c.													
													4	The state of the s										
			Rosin Y	Bees	Way G.	reparation	V 100									and the second	80	. 4	l Charl	t. i. c	# 3173		Lumba	
19/2 Her	30 J. O	Coucher	121/	10 44	Hor	reparation 30 dy BSB	la Im	6961	100	Δıς.			Deve		Vous	1		Tula	Bi	31 0	1 21/3	100		
7 (20)						-									. cone.	ner-3	17.3		auc	3/ \ \		8337		20136
			1					1																
										No. 1 Company of Control of Company of Control of Contr		4												
								F.		1					питеминиче									

Rubbert Insulators 13,199 Rebabbet one Dearing #3198 Des 31 Jo Vanhor 195 Melder 31 Source bear Ded 21 to Worker 100 100 See 21 allemin Made 1009 Refair Sattern #3189 Rough Tattern 13200 Den 31 J. Tomber 1100 Rough Oatterns + 3195 Rosin + Beesway Treparation #3405 Decl 31 To Townher 105 1211 Dec 31 Amount Janas to Toucher wor 1710 Pan sily Malin Sulling hear

717		
Sheet No.	_	Sheet No
Name	Rough Tattur 1340y	$\rho$ $d\sigma$
Address	# 3× 07	Name Koreg & Tattern 13241
19/3	1 159 beef Jan 21 In light beef	
Jan 31 Loloueto	153 6 My Jan 31 Samo 1988 642	Jan 31 Lander 100 05 Jan 31 L 1918 05 05 05 05 05 05
		183
harman hard and a second	and the state of t	
	Rough Tattern # 3215	Rough Gattern 13247
Jan's I. Vomh	155 Julyan a Davice local 71	Behyse do Tomber 124 486 Edy 25 galded In 7086 486
		Chayld do unuper 1211 Hole Chy 25 By Cather Juny 708 6 1180
	The state of the s	
	Rough Tattern # 3226	1913 Roll Down Copper Strip . # 3255
Jun 21 To auch	- 150 353 Jan 31 Amoir 6958 363	Tabyes To Toucher 124 113 Feby 28 By Edwint Thun Wholy 128 113
<b>Y</b>		
<u> </u>		
-		

119 Shoes No Name Rough Gattern 1412 1412 1412	Shee No 1. Name Long Cattern 1.3.89
Dely 28 30 Vomber 124 Sal Bely 28 By ESB by Son 7020 600  Brough Valtery #3291  May 31 20 Vomber 120 390 May 31 24 8 8 8 by Son Jun 7225 3951	June 30 To Louder 173 117 Jane 20 4 68 Bolon 1619 1171
Bound Cotton	S. Starter
1913 Jo Vinher 22 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	June 30 Te Vencher 190 111 June 30 Ty, St of Bladery 600 1111
Repair Pallans 112785	1913 Longh Jaden +33911
Refrair Gallans # 2265 Mar 2 2 Louder 120 19 Si Mar 3 24 8 8 8 6 1 Jun 1925 7711	July 31 Ja Lamber 1900 250 July 3 July 5 B bull of 21 250 July 31 19962 53

721				122
Name Sough Catter F3400		Sheet No Name' Address	Rough Gattern # 3427	
Jane 30 Zo Vanhor 125 369 June 30 dy & Sol & border	764 . 369	July 31 To Unwher-	7 29/2 July 21 21 Hainshall 199 422 Huy 31	7/40× 7/43 7911 2550
1913 - Anny & Gattern 2404		/	Rough Gatternh	
Dine 30 Intometer 100 Or Sine 30 By 6 S. B. Calm	762 210	July 31 20 Vanhar	Rough Castern 5416	
1,43 E. J. Ross Lym.	comment to make the bandwide term best Commission to A Cold Cold Cold Cold Cold Cold Cold Cold	/a.a.	Rough Pattern 15110	
	7700 97	July 31 to Unihar	Rough Pattern 13419 129 230 July 27 dy C. S. Blo. Im	7/13 230

Shees No Name Rough Pattern Address Psylvo	Sheet No Name Rough Cattern #3439
July 21 In Landon 129 283 July 31 By G. d. A. b. Smy 163 283	July 27 To Tumber 179 Solf July 21 ay 5. 5 Blo Son 17764 3 84
2 10 6	
1313 Rough Cattern 13422 July 21 To thunker 129 120 July 31 B & B & B & Bolo Sur 17/63 120	July 31 To Tomber 179 125 July 31 By 8 8 B ba Sur 7964 125
July 3, I demander 129 120 July 3, and & & Calo Son 1763 120.	
Poug & Cattern #3433	July 51 Lo Lunder 129 532 July 31 ay & Silla Sorgetin 532
1913 Rough Cattern #2433 July 3, In Knucher 129 1025 July 3, By E. & B. ba Imgght 1025	July 51 to Lucher 129 532 July 31 ay & Shiba Smyglet 532

Sheet No	Sheet No Name Bough Pathan Address Bollo
July 31 Z. Combor 129 541 July 27 Cy 58 Blo Son 7764 541	Cay 2, 2. Landon 116 185 Cay 2, Cay & & Bbalm your 185
1913 Themsary Repaire to Olider & Lefting Machinistins	P. L. Catton
1913 Muchany Repaire to Ocide & Sefting Manhygy 111 19 19 19 19 19 19 19 19 19 19 19 19	Long & Gettern youker  Cay 27 20 Lumber 116 god Cang 21 24, 5 5 3 bo Lary 879 god
140 Rong & Talton Joshog	P La C
Cuy 31 In Chamber 116 1999 Cuy 31 Cy 6 5 8 lin Imy 399 1999	Long & Togething 31 25 & S. D. Womber 116 13814 ang 31 By & S. B. Com Jaggy 1346

27	729
Short No. Repair One Cowder Sefter 13175	Shoet No Name Rough Cattern, Address
Address Hand Che Solvair Soll Cor	Address #3485
10 31 2 16 har 116 1050 General By 298 Indon 1924 1080	190
20 3, 2. Jamber 116 1050 Cues 31 24 J 98 Sweller 1920 1080	Dept 30 2. Lumber 109 . 221 Dept 30 By & 8B 60 Im 1990 . 221
A A C C	
Rough Statton 4 3 481	1913 Repair annealing Got Pattyggs   Deft 30 To Uniher 109 1141 Sept 30 by BbB la In 1991 1141 (Cet 3) " 1992 12453 Cet 30 12 2453 Cet 30 2453
pt 30 La Vancher 109 759 dept 30 ly Edwidd Charler 7990 759.	Delt 30 Jo Unember 109 1441 Sept 30 dy B. B. B. Co Jun 1991 1441
	Cet 31 " 122 2453
Repair on Velix autgrass	A Jan -
	1913 Rough Pattern \$3500
4 30 2 Tourster 109 152 Xeft 30 By With Miller ort 152 165 16	Sept 30 To Tunker 109 125 Dept 30 Cy 6. S. B 60 In- 7991 125

and the second second second second

9		Sheet No.		130
Shoot No Name Regard & Repair Tocket Bleaker-Polls Address #3500-		Name	- Nepair H Draw Screen Filter #35.9	
Address # 3502-		Address	13519	
Tept 30 To Vinker 109 1209 Sept 30 By & 6 UK Im 8039 1209		Oct 31 V.	when 42 1375 Oct 31 By 60 Wha Im	8273 2307
		- Section of the sect	111 10 Jun 31 "	8273 2307 8573 1570 8600 2305.
		765 30 Jan 31	1111 2307 42 1130	1,531.8,
		n. l. 20 "	124 100	
		acry r.	1,331,8	
		1		
Rough Pattern 183612		Control of the Contro	Repair Sattune for Explosion & Jang	Polis .
Left 30 To Vinder 109 739 Saft 30 24 8. B. bo Sin 7992 739		1913 Oct 31 20 21	1	
	T. C. C. C. C.			
				The state of the s
	4			
Repairs and Supplies Hupmolites		R	pain & make Sattur for Son Sulphates	
Det 31 To Voucher 26 2200 Oct 31 du MR Hem 8159 4275	L. Company		Jucher 122 grow Oct 21 dy & SOBa Im	8103 9255
" 122 1371 Noulas " 8405 1625		Ock 31 2. 2. Nov 30 Dec 31	156 26471 dec 31 "	8333 6471
5 " 100 3783 Chy28 " 8600 611		1		
10 Challen 1 8837 4310				
914 1 156 1129 May 21 8924 3700 201 21 177 247 Series 2 19619 3741 201 21 184 248 248 1 973 1 973 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
20 31 " " 1312 64 10 10 14 10 10 14 10 10 14 10 10 10 10 10 10 10 10 10 10 10 10 10				
190 3.0 a " //6 43/0 12ay 37 " " 115 375 1.066 3.0 " " 706 376/1				
July 31 " 35 108				
Jo Jelin 114 /06 vo 1 22	7			

Shoet No	Nome Address Bong & Sattern \$35/2.  How 3. To Comber 111 you Nor 30 Gf. 6360 Down 8779 907  Repair autoringer Staff 3563  Nor 30 Ja Knisher 1111 1100 1100 Nor 30 Gf. 6 Sandar 1266 1100
1913 Rong & Gatter 550 Non 30 90 Lowbor 1811 973 Nor 20 Gy & S. B. B. B. Jan 5728 973	
Novo 30 To Vander 1888 973 Novo 20 Gy 8 5 3 C. Jan 8778	100 Bo To Vander 144 How 20 Gold & Sundan sold 400
on 30 To Vender 1888 973 Nor 30 Gy & 53G, In 9>>8 973	145 Repair Outveringer Staff 3563 Now 20 To Window 144 400 How 20 By The & Sundam 1566 MA
on 30 To Lunder 1111 973 Hor 30 Gy & 5 BG, In- 9>28 973	143 Hot 30 To Kunhan 144 Han Now 30 By Ha & Sandary Sold HAN
	Nov- 30 Ta Uniham 144 dar Hor- 30 By M. E. Sundre Ball MA
Rose to Cattern	
193 # 3551	1913 Rough Catterns 593
113 20 To Kumber 141 853 Hor 20 Cy & & Bb Jour 9225 833	Non 32 Lo Unador 141. 05 Nor 32 Cty && Bo Don Jose 9 1. 54. 540 Ober 37 8545 54.

Resistance Comprising United Repair Lat Tallin 1295° #3595 51/19 Hor 20 8. b. B Condon Repair annualing Oot Sattypily Rosin + Deserval 1954 olo Nov 30 8 8 B. Eg Im gri8 Rosin + Bus warf 13 83 Repair One Reclifier Exhibit Table 1/2 See 31 8 Ohma Who In 8398

3000 100 Mary 1 Prophers 1 Repair Ministery welling 122 18 11 12 1 1 1 1 1 1 1 1 1 1 1 1 1			
The state of the s		Name Address	
Repair Selfy Status for State 1000 Man or By Salain Substanting of 1000 Man or By Sal	19 10 10 10 10 10 10 10 10 10 10 10 10 10	Chazo Uma	Norm 250 5034 Geft 30 by Heldinklushing 1911 5034 135 70 May 31 199 7013
Pack Hooks 1 10 May 31 24 18 Son Surgers 1000 368  Repair Level for staking yes trap  Repair Level for staking yes trap  Thanks Under 171 1000 May 32 24 18 86. Surgers 1000 990  Level 171 1000 May 32 24 18 86. Surgers 1000 990  Level 171 1000 May 32 24 18 86. Surgers 1000 990  Level 171 1000 May 32 24 18 86. Surgers 1000 990  Level 171 1000 May 32 24 18 86. Surgers 1000 990  Level 171 1000 May 32 24 18 86. Surgers 1000 990  Level 171 1000 May 32 24 18 86. Surgers 1000 990  Level 171 1000 May 32 24 18 86. Surgers 1000 990  Level 171 1000 May 32 24 18 86. Surgers 1000 990  Level 171 1000 May 32 24 18 86. Surgers 1000 990  Level 171 1000 May 32 24 18 86. Surgers 1000 990  Level 171 1000 May 32 25 18 86. Surgers 1000  Level 171 1000 May 32 24 18 86. Surgers 1000  Level 171 1000 May 32 24 18 86. Surgers 1000  Level 171 1000 May 32 24 18 86. Surgers 1000  Level 171 1000 May 32 24 18 86. Surgers 1000  Level 171 1000 May 32 24 18 86. Surgers 1000  Level 171 1000  Leve	60 350 73 409 97 77/8 99 180 199 183 199 169		
May 31 Lunder 36 1800 May 31 34 Million Swall Sund 1000 368 May 31 May 31 34 Million 10003 368  Repair Der Ster stations 300 Stap 1000 Jun 30	May 31, Nehair & Return & Twing Oots 1	1915	Repair Talleys 13908
Man 31 Lunder 171 10 00 May 20 24 & San good 1000 July 30 Lunder 31 60 June 30 14 & San Son 600 490 490 100 100 100 100 100 100 100 100 100 1	May 31 Zomber 86 78000 May 31 By Mildinghuburgsv 1 18010	May 31 Conce	
Man 31 Lunder 171 10 00 May 20 24 & San good 1000 July 30 Lunder 31 60 June 30 14 & San Son 600 490 490 100 100 100 100 100 100 100 100 100 1	P. Li - Niel day of this Man That	lair	Rack Hooks 13979
	Nav 31 Lunder 171 10 50 Mars 24 LS B 6. Surger 1050 UN 30 " 24 17 Chr 30 9938 354	June 30 June	her 311 660 June 30 JA & Inc In 10 149 99

137 Repairing Ford Towing Car Sheet No. Repairs to Patterns Address apr 30 Vouster 344 Carry Par. anie 577 June 20 Edimbhom. Whelm 10115 appeir and Dypping for Chalence Rito Repaired Replacement of the Chinery to of for fouland Dir. 1000 apr 29 02 B Mamous Ja & amilia Dir 10347 14.7 May 21 4x June 30 31 5 July 31 11/38 116 May 31 446 10 438 10688 1336 200 1/8 10957 2272 July 3 111 Repair Cabinet Jugo 14 1163 S. Reford Irm 94 161 8pm 29 E. P. Voko C. Ap 11715 50 Sept 30 & 1717 Som 10374

139 Nome Repairs to Mehoty Unill Grender Name Apair Stindebaker auto 108 362 June 30 66:MR. 6013 C 11972 135 1791 May 21 Paryol In 11439 Repair Hydraulie Valore 4717 Red Top Sprinklers x4193 170 1/19 31 Sht. Phende 11119 Junião Vancher 101 3 1/2 Junião PAE Sue Julivos \$ 5,40 may 31 Voucher Repair two Vacuum Hoeders april Tuta I Som Vacuum Moved Holders line so Vacaher 108

Name Reducing Parking of Bort Gener June 3 Voucher 108 1016 Jone 30 195 De Cartali 11476 Repaire to Dice Record Humbring Mark. 605 Jane 20 94 5 Inc. Snill 10 Rings for Parking Towder in Moule 1 Strain or mea dia or my humid where 82 M3 x Repairs V Dreppling for Hupmerte.

00 Special bello for Many \$2,189 Solution #1
Submarine Belly \$2,79 Solution # 13514 Kepair Gunging Machine Jas Manche Standard Oil Ga 13540 Labor & material for reakers for 200 - Separating State #25 the throw Claro thread Seconda ( #2014 Straighten Shaft #256 thegis Office W iscial Phono for 2 New Marine Belly #256 themith of 4911 can Coperment & 2020 Screen #259 & Shahmat " #3555 Speakers for 200 13365 31 Rive Mond m. S. 11738 Special Phono for 116 Rang Experiment | \$ 2025 Deren 22 Stuke Rosin + Busway Stereoscopic Photos \$ 2026 Smith H. H. Long Shipley Coust & Supply 9, 105 Stairing from 2 to 1 plan Small G. E. 10 5 Spec. Blilles for Goodrich Con 1363 Labor & matter \$ 100 stevens w. Lom 00 Meveno W. 200 10 The Althought Gooderch on 13622 4 spanning (1) 8 269 il lagard for braden plus his his his 32 Docapers 8 279 bland for braden both 1365 5 Shearman Machines 257 bland for bradenything his Lukering 15 Shaper & Creage 8 272 c Specification to be treated 83657 6 steel support 8273 durination wells 136570 Six Freed nuts for Welding mach 182032 Scrapers Spinning Machine 5 Shearing To for master Records \$ 2045 Shapend Press Seven Jule Stock # 2 bu 4 Stick of Rosent Becwart Frinding Machines ) 20 90 Spen wheel Substitute for Rubbin 7 Shaving machines 254 & Opeparation 1000 (#37,10 top in Battery Cang 12107 Safety switches #2754 Soryns Heo Mich Style 83145 \* 28 - Sloane, Mrs JE & MM Smith R. J. 120 Surdging mach 13689 \* 2'89 Special bell for amy Hary 100 steel though Labor + matil for #297 Dolution & 1 #2975 Defution & 1 8 Shaving Machines #3828 Shaving Machine model "B" 9 surdging attachm Soda Brinding \$ 2139 shafting Et # 2504 Ja fo for & chair 13, 82,42 Sally through auto #3023 price at hecording theshots machine Opring Testing \*302 Dulphonating Lettles Six alcombling Jigg 11 Surface off, \*
for a. 8" bells 12147 Simpson J. E. Lom 13108 Submarine Batteries Repair Laboralory Balance Storage Battery bells 12 Steel Dis Les 3' × 2' × 5 fts \$ 2,60 Syrface Eleter Schiffel Chap } Share Machelleus + 3129 Stoner Complete Shave Mach Brus hotolder #3125 Screenes July 31 Vancher 134 xor July 31 Ph. Hans SA.E. 100 Sand Glasses History ht Mars bases L' m for 101 Solid Concrete Bldg Sketches of Posts De The Commiscul Freight Cary \$ 2191 Single Unit Rectifier Bigles of Supplied Mach Unit Supplies mach block torrolphina Heate Asin Hodor Seling allem Others bis. 414 Steel annualing Toto Spec Swiff other beinds Band Stranger Theman .

- Sadolleld up Machen 1 13 Harago Willer lays
13 New Swiding 18 graph & 3225 Jahren Gree L+ml4 \* 2165 Straighten 2 Secur Press Screw 83239 1 Sharpen Haurnis to Shaving machine for Disc Relong masters \$ 2213 Hero Knives Submarine Cell \$ 223 a Sheet Steel & Bile Dies 102 Sharpen Two Mellinghous 2305 Saltzman a.L. 16 Solution Used for Sticking 335. Storage Battery belle 1 Jo Sag Righting outfile 12285 befluloid to Died brother Blank Set of Jamp Spring 2309 Smuth Roses # 233 Sharpen Milling Mach Culler # 309 special Tools Schober Geo Lom Submarine Cella # 2405 Shalls as Samples + 3406 sheet Iron Disco \* 2423 Schill Gend 2mm springs (9) \* 2423 Scull Len shed to store Lumbis \* 2497 Solution #1


		OLI CONTROLLED PROPERTY.		Sheet No. 2.5  Name Address	Shaving machines year Ending Febr 28-1913	* 29/2-
AMERICAN CONTRACTOR OF THE CON				1912 30 25 Voucha apl 30 """  man 31 """  man 4 """  Oct 31 """	126 28 apl 20 " " " 142 6152 man 1 1 " " " 140 1 145 6 man 1 1 " " " " 140 1 145 6 man 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	200 195 1604 175 1604 175 175 175 175 175 175 175 175 175 175
to game the second		MARKATAN TITLAN I'V I PARK I COLO	Complete Sta	Hon 30	129 4194 Jan 31 " "	71111 315
AND THE PROPERTY OF THE PROPER			The second secon	mai 2-	106 siro Marisi .	. ský i 520
and the second s						
	To the state of th			The state of the s		

				æ	
				Address	Sheet NoName Address
2				and the state of t	
O.F. 31	any 30	July 24 1 1 1	May 34 ""  June 32 ""	Cyr 30 Do Youther	Sheet No Name Address
96 60 108 109 109 325 35 35 36 36 36 36 36 37 40 39 40 30 40 101 101 101 101 101 101 101 101 101	111	59 232 1/4 07 109 35 111 264 117 73 125 61344 6 186 21 213 180 180 181 181 181 191 181 191 101 183 190	1160 254441	- 37 800 Chr. 303, 208 Inches 1393 27362 40 39 May 31 1 1555 13648 100 25 John 30 1 7661 25578	Lingle Unik Rectifier 110165

Sheet No Name Address	Single Unch Rectifier Forks		Sheet No	Single Unit Rectifier 1916	West ASS.
Nov George of the	1 del 3 de Juny 20 " " " " " " " " " " " " " " " " " "	100 100 100 100 100 100 100 100 100 100	Cuy so any of thousand	1 1345 0 Com 30 Dany H. Franks 10 10 10 10 10 10 10 10 10 10 10 10 10 1	ad 11/03/17 13/1/85 9364 13/3/15/3 9464 13/5/3 9464 53
2.11d Jan 31	136   188 (fle 30 " " " " " " " " " " " " " " " " " "	6763 18992 18992 185371 1996 1169 1183374	Sept 20	90 74867 18 356 18 19 9 66 40 65 1178 91 77	
ichy as	37 454 63 257 69 46 170 46 132 532 13 320 13 214		Oct 31	97 635 95 118878 1 19 37 17 11 15931	
, , , , , , , , , , , , , , , , , , ,	27 436 28 535 211. 38 26. 76 27		Nos 30 Dec 31 May 31	88	
navən ". Upv 30 ".	13 12 22 13 14 17 15 15 15 15 15 15 15 15 15 15 15 15 15				
	18 4 76 76 76 76 76 76 76 76 76 76 76 76 76				
nay 31	101 17 18 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
uly 31	27				
ing 30 .	70   100   135   136   138 24   33   138 24   33   138 24   33   138 24   34   34   34   34   34   34   34				

Control of the Contro

Sheet No	a trendis malik	Sheet No.	Sul a Wale	27
Name Address	WANTS	Name Address	Sulphonating Hettles 13 ghs	
		Cing 31 Balan	Anglillo 122 64790 august	31-19
		Voc	holder 79 1772 A Dat Inc.	
			81 1/2/2 Sept 30 "	1041 310535
			25 2646 Hor 30 .	10622 461616
			95 96 4 Mor 20 .	10677 583
			112 Vit Marsi "	11090 686
		Left 30	221 414 80	
			98 11200	
			93 1899 1 98 11200 10d 16644 118 47088	
			17.8 47.08.8 17.5 H.3.1	
			127 54	
			197 1383 187 1383 183 39	
			156 36040	
		· [1]		
		i i	196 57000	
		Qet 31	27 3 6 1 4 6	
		200	77 340.0	
		l li	30 218	
		W H	95 45	
	100		120 W/	
		Hor 30	177 1/890	
		11 Nov 30	16 231	
		A A	158 32	
		Jehn 29	717 29.0 729 19729 30 666	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Mar 31	29 1729	
		Thur 31	37	
	Annual Control of the			
	460			
		#		
		4-		
		. *		<del></del>
		12.		
		1		<del></del>
		388 · · · · · · · · · · · · · · · · · ·		



Sharper Y Eurnis & New Knives Sheet No. 562 

Name Sharper Leve Melling Letters # 2209

Opriso Le Loucher 4 418 Chriso Sp. S. B. C. Con Son 1973 1368. Roscow Smith 1913 Solution Used for Steeling Colluboid bed yn Sonder Chank. Apr 30 D. Tomber 140 20 Apr 30 By JUB San Dom 1960. 225. 1913 1913 Starpen Milling Machine Cutters 13393 ... Sport 30 Jo Lo Mouster 125 106 of June 30 18 98 86 Ca Sur 1655

Sheet No. Specification & Literations Special adv. Slides for Goodrichs Co. 113636 Mar 31 Souther 106 897 Mar 31 dy Ja & In Down 8910. 1500 10623. 65.12 3935 10839 10948 11057 ×3 81 23.96 10,00 1914 Stand for Toading their Stacked \$3600 apr 30 Vomber 50 260 Vol herical Recording Theatre 3.508.2 26.11.16 114 121 212 Dec 31

Spindle Silling Marking July 31 Voucher 137 2108 July 31 Sind ing Ser 11758 13.1111 Jun to Voncher to 1914 Jun 30 Mile Thunds 11541.

Sheet NoName Address			Sheet No
emaceration scenes			Gray 3: 20 ornale 134 soffing 21 on from had less of
			9.00 31 20 vande 134 85 9.0 11 ag low land lage 4.
			Jaco 31 135 135 137 137 137 137 137 137 137 137 137 137 137
<u> </u>			
			111 to Q St. 1 D. S.
			Oct 213 Vender us 210 Ot 21 By Cloto Jun 1100 21
<del></del>			Oct 312 Comber 1da 210 Oct 31 A, ElBbo Jur 440 21
		1	
	40.		
-			
			And the second s
			CI OUL
			Oct 21 Jo Vember 119 2210 Oct 21 2000 the Som 1604 221
			Oct 21 To Vember 149 2218 Oct 21 BDHbo In 6650 221
_			
1 1			
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1

- Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu		
Start School Server Start Star	Sheet No. 111	//2
Solid Connected Selly 2 20 2 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Name Sharing Markey Son of Adding	
Det so the lands of the state o	Address #3125	Name Oringle Unit Keclifier
Sold Concile alleg # 21 22 19 20 20 20 20 20 20 20 20 20 20 20 20 20	7972	512
Solid bonerell ally 1 21 24 18 51 18 18 18 18 18 18 18 18 18 18 18 18 18	Oct 31 To Coucher 12/9 Doid	
Solid Connected Seldy 2312 12 12 12 12 12 12 12 12 12 12 12 12 1		
Solid Connected Stelly 2012 1996  Solid Connected Stelly 2012 1996  Solid Connected Stelly 2012 1996  Solid Connected Stelly 11 a, Ribirtly, hely 260 1996  Solid Connected Stelly 2012 1996  Solid Connected Stelly 11 a, Ribirtly, hely 260 1996  There so is thember 20 2012 1996  Solid Connected Stelly 11 a, Ribirtly, hely 260 1996  There so is thember 20 2012 1996  There so is thember 20 2012 1996  There so is thember 20 2012 1996  There so is thember 20 2012 1996  There so is thember 20 2012 1996  There so is thember 20 2012 1996  There so is thember 20 2012 1996  There so is thember 20 2012 1996  There so is thember 20 2012 1996  There so is thember 20 2012 1996  There so is thember 20 2012 1996  There so is the solid 19		Jan 21 " 28 069
Solid Connectivability # 31 day 10 feet 1 3 1 da		
Solid Connectivability # 31 day 10 feet 1 3 1 da		91 168
Solid Connected Stelly # 3142  Solid Connected Stelly # 3142		
Solid Connected Stelly # 3142  Solid Connected Stelly # 3142		marley 2 Louder 29 150 may 24 A TOB Sur! On 17260 242 244
Sold Connected all of 2012  So		57
Box 2, 4 Limber 119, 900 Ct & Sy Ello bulan 1611 900  See 3, 12 St Linder 119 900 James 2 Lighten 18 Hold 1915 978  2015 1025 1025 1025 1025 1025 1025 1025		
Box 2, 4 Limber 119, 900 Ct & Sy Ello bulan 1611 900  See 3, 12 St Linder 119 900 James 2 Lighten 18 Hold 1915 978  2015 1025 1025 1025 1025 1025 1025 1025	<u> </u>	120 398491
Box 2 Jo London 189 grow Cot as a pt Blobolom 1611 grow Just 150 grows Just 150 g	Sand Glasses #3135	8 111 Gm. 1 111 1 4
Solid Concrete Stelly # 3142   There so Is templar so 302 Laty 28 24 1815 1844 laty 263 165 164  There so Is templar so 302 Laty 28 24 1815 1844 laty 263 165 164  There so Is templar so 302 Laty 28 24 1815 1844 laty 263 165 164  There so Is templar so 302 Laty 28 25 165 1844 laty 263 165 164  There so Is templar so 302 Landar 120 1713 March 1898 88 bin Juny 1925 1713 1844 1845 1845 1845 1845 1845 1845 1845	0 + 2 1 1 1 - 240 as 0 0 + 21 8 818 hal 144 as	123
Solid Concrete Stelly # 3142   There so Is templar so 302 Laty 28 24 1815 1844 laty 263 165 164  There so Is templar so 302 Laty 28 24 1815 1844 laty 263 165 164  There so Is templar so 302 Laty 28 24 1815 1844 laty 263 165 164  There so Is templar so 302 Laty 28 25 165 1844 laty 263 165 164  There so Is templar so 302 Landar 120 1713 March 1898 88 bin Juny 1925 1713 1844 1845 1845 1845 1845 1845 1845 1845	Dec 31 " " 155 1195 Dec 31 " " " 6837 1195	Jan 3 20 Chr 143 300 Jun 31 Bybotain & Wash - 9011 9998
Solid Concrete Stag # 3142   For so Is Unahar 30 30 30 2 2 24 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2	7083	Ochy 28 " " 124 5788
Flor 30 Is bomber 30 3026 Edy 38 By 1818 1844 263 Whole The Standard South Standard South Standard South South Standard South		19786
Flor 30 Is bomber 30 3026 Edy 38 By 1818 1844 263 Whole The Standard South Standard South Standard South South Standard South		
Flor 30 Is bomber 30 3026 Edy 38 By 1818 1844 263 Whole The Standard South Standard South Standard South South Standard South		
Flor 30 Is bomber 30 3026 Edy 38 By 1818 1844 263 Whole The Standard South Standard South Standard South South Standard South		
Flor 30 Is bomber 30 3026 Edy 38 By 1818 1844 263 Whole The Standard South Standard South Standard South South Standard South		
Flor 30 Is bomber 30 3026 Edy 38 By 1818 1844 263 Whole The Standard South Standard South Standard South South Standard South		
Flor 30 Is bomber 30 3026 Edy 38 By 1818 1844 263 Whole The Standard South Standard South Standard South South Standard South		
Flor 30 Is bomber 30 3026 Edy 38 By 1818 1844 263 Whole The Standard South Standard South Standard South South Standard South		
Flor 30 Is bomber 30 3026 Edy 38 By 1818 1844 263 Whole The Standard South Standard South Standard South South Standard South	Salid land to Colly Harda	
18 100 100 100 100 100 100 100 100 100 1		
Des 31 16		The second secon
Des 31 16	100	Mar 31 20 Voucher 120 1913 mar 31 By 6.8 Blo In 19235 1913/
Acty or " 16 37 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 20 10	
acty = 1 1 155 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	De 3 " " 1/2 / 1/2	
dely or a su this will mixely		
- Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu - Abdu	achy 28 " " SN game	
Mar 21 2 Loucher 68 1 dot Duls 24 RS+B 225 1 do	116716	
	Mar 21 20 Vanher 68 1404 Del 31 24 R. Et B 285 140	

1	
//3	114
Shoot No Name Special Exists for Kirret of home Records #32411	Shees No Name Solution, For Sticking belluloid to Sies Dowder Blank Address Jan 4
Jan 21 J. Lumber 150 17 God 25 John Michael Gggy 150 Carty 18 " 124 1628 1628	June 30 To Comber 175 470 June 30 Cty 90 6 Sullow 1694 725
1913 Side Welding Markine for New Glant 1 Equipogent	Shalte as Samples 1. 1
Och 28 La Voucher 124 2000 Och 28 By & B bo In 7074 200	July 31 In Vennehm 179 1 Mas July 21 By Edin Cheminum 64,7811 1460
mar 21 2. Lamber 120 411 mar 21 By & & Blooder 7211 UN	
Straighten Two Screw Tress Screws #3239	1 Jeo. F. Seullis
July 26 To Unihar 121 158 Feb 28 Edward Ohn Who Son 7136 155	Queg 31 20 Vomber 43 2015 Queg 31 By 2 rm dow 7947 2515

South Service State of		
Nome Address Split Short Changes of \$500 and the state of	·	118
Age 2 2 Leader 116 430 Congress, 200 20 Leader 1917 450 100 100 100 100 100 100 100 100 100 1	Sheet No	Sheet No
1512 Solution 15 4 3501  Solution 15 4 3501  Solution 15 4 3501  Solution 15 4 3501  Solution 15 4 3501  Solution 15 4 3501  Solution 15 4 3501  Solution 15 4 3501  Solution 15 4 3501  Solution 15 4 3501  Solution 15 4 3501  Solution 15 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Address /3 1448	Address #8855
May 3, " 115 god (1) 1 god	Dung 39 J. Wounder 116 1150 Camp 3/ Egy 20 & In Dun 1917 450	Then 30 I Tumber 184 163 Hor 30 By \$586 bon Son 5778 165
May 3, " 115 god (1) 1 god	- 1	
May 3, " 115 god (1) 1 god	of 1 + 5 4	le vale d
May 3, " 115 god (1) 1 god	1913 Tholadow 1913 # 3514	1913 Dherial hotografe 13365
	og man	May 31 155 900 (114  May 32 155 900 (114  My ob 23 156 1300  My ob 31 136 1303 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	S. A. Line ( +1	
Caly of Donales 26 1,88 Caly 20 J. of M. Jan 61 11.	105 0 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	
	See an analysis 27. 1330 Web of approximation 500.	tely 28 Camber 26 18 Feby 28 J. 28 M Som 8611 1 18

Shoot No Name & P. Spahn IIII	Shees No Name Shafte/+ Anchor Botte Aidress #3455
Dely 28 Smher 26 118 224 28 LV M Inr 3665 118	Apr 30 Louder 116 1997 Apr 30 Elim 5B bolim 2513 1997 May 31 " 15876 13
July Stukes Rosin V Beerway Arefr 13423	1914 Stand for Loading Weight Teppel
Mar 21 Voucher 106 2509 May 21 By J. A. Edwirdholm 8909 Y189	Apr 30 Vomber 116 748 Apr 30 Edwin 6. Ublas 8899 10.15 May 31 "15" 1161 100 100 100 100 100 100 100 100 10
low Stairway from Second to 1 at plan in Laborating	4m Specification of Literatury of
Chas 31 Lunder 1st 46 63 Dec 3 1 Sy tames liftence 302 4-663	July 30 Vacabor 106 613 July 31 Julian Atta Im 1944 6236 Gray 30 17 July 31 1904 620 620 620 620 620 620 620 620 620 620

		500		and a large of the company of the model
19 Sheet No Name Dubmarine Calle 13690		Sheet No Name Address	Mrs J. C. Strane Li.M.	120
June 30 Commer 406 31.11 June 30 Salvin Sobalus Saly 31 " 89 723 Suly 31 Gray 30 90 51 4 Diff 30 " 266 30 95 1011 Oct 30 Det 31 " 115 1169 Ger 20	9100 11169	Ret 31 Lunche	- 111 old Cet or Stm.	In 1297 364 1988 97 1963 50
Francisco 109 127 128 128 28 1 129 129 129 129 129 129 129 129 129 1	9019 11298 9619 9844 9449 9847 9739 6295			
1914 Sticks of Record of Burray Superator	9/10 1000	igul -	Special Saells for army 1 Narphing	
and 30 Loweler 81 288 Cay 30 10 Edin Snedm	7/79	0431 Hanski	- 115 1041 Oct 50 LLB Con	In girs 1011
1914 Screens 130 Mark Stulyager		1915	Solution the 138 ng (5 Sale	ons)
Sept 30 Lunder 90 bys Dept 30 Edin Brain Who	9387 672	Tely 28 Vanche	- 1 stop 555 tely 28 By talding	hush 9719 525

% I Sheet No a	121   Sheet No
Namo Aliderafor Geording Device Address	Name Sulphonating Lettles 13963
April 20 Secretar 754 2380 Chr 30 By 50 Eduin Bruder 9908 73 50  By 31 Hander 24 2380 Chr 30 By Mandyston 10 Sec 1	July 31 Unicher 50 355 July 31 Illidam Buc Im with 3719  199 199 199 199  101 195 191 195 191 195 195 195 195 195 19
1915 Shalts for Schair Tager	1915 Spindle Drilling Mayhine
1915 Dract You Napar 7 3915 In Josep 507	1918 Spiralle Irilling Markened  Oct 31 Secular 19 948 Oct 31 Sham Um Nob Day Kosts 99 19 11 10 Dec 30 10970 388843  Nor 30 18 40 408 10 10 Dec 30 10970 388843  18 40 408 10 10 10 10 10 10 10 10 10 10 10 10 10

1156 700000

Sheet No .\_ Sterrer Complete, Shaft & Impeller fromplete Name Address 1 Song 21 between to the Some vales? 713 70886 13372 341 11 Dec 31 59 Jun Acreens (Glomesh Stat) Screws & Kuts (500) 1930 1 ... 30 Elimb Land Hillor 10631 1930 37 13 June 20 1900 Feby 29 220 Mar 29 1700 May 31 39 1118 176 40 3908 225 1700 900 2426 10999 11395 may 2. Shaft + Impeller Compfely Sight Glass Legger 26 Jan 31 Edward Chem. Halo 10536 470 126 Fely 29 Mar 3,

Special Press Delling Climinustration & MI- Thenel Dir. 196 2 100 60 Mar 21 80 Holly die Son 11228 Mas 31 Apr 30 apr 30 Toucher 5×1 900 27 " " " 11/09 May 31 Jane 30 Upun Feer 1016 Opiders 14165 apr 29 Sathe Care my Kill - SI Apr 30 Voucher Apr 30 Voucher 67 20 Mass 74 660 May 135 3485 20 aper 19 SAE. Inc. 11 12 X A. 1124 11403 Repairer Supplies for logs of fire in Sand Mito Velling aldquiquetration of M. Lo Corne and aniline 11×80 ×71 42 11418 64319 apr 30 Voucher 33 Car 30 Venepus 67 93 618 9750 400 94 May 31 12 70 78 12500 12/22 13 1339 178 135 9,128 June 30

,41 Now Maps of Renill Coupling Driel Name Delling administration & & M. Thenol Din. 600 apring Thomas 10 7. 211277 18 3 7 4 June 30 106 ( Cherry & ) June 30 Voucher 37 76 90 37 July 31 41 79 12500 95 328 90 1420 8095 173 Descript Graving Boarfor J. Oquars Willing administration of TM. Andin Dir 31 of fully 30 ME andine 26 11671 103 108 July 31 12 45 79 388 1635 123 3.42 Ephinage Recording Shate Specification & Literature 13199 1000 full 30 E DAC Sullett May 31 Voucher 76 July 31 61 Valermen Stade Cepinder 115 June 30 Micha Musi Mal. 11480 Jame 30 Vancher 2699

Roldering From Handle Jelephone Repeater 100 Juno Belly # 2 mg & Muchical Complete by Inchestion \$1964

3 cature Goldt Orea 100 Junn of Planty # 2 mg Lich Cally Jungs

for Madium # 1742 Gramport Builty 2 30 dry Manigory

50 Corn work on 100 June Mark to Whally # 2 mg June Manigory

60 Corn work on 100 June Mark to Whally # 2 mg June Manigory

60 Corn work on 100 June Mark to Whally # 2 mg June Mark to #3570 #3570 13/12 rolls for trushing therehing mathen \$256, Total of a fromt nickel hydrates \$1766 Trush Heter 118. \$255 Nools for the release to 1/3814 Sur Shorography -1 Sult brailing ( 25 Reling Monteren with 42x 7 Cylinder \$207) machines \$ \$2579 Treating Bello with Viscore 2= \$2031. - Tools \$2573 Two Shells for Jule Drawing machines 2 Business mach & 3- 3 Thread Bolto . # 26 mould for aylesworth 2055 Tetrachloro -Jew Jube Loading ( 4 napthalone 1 2673 machines \$2058 Toolson Equipment # 282 Treastly Provi Sonding | Telebro (f. [2500) 1824 2 Machines of J. J. All Solf Line; E. 14. Elly 18 25 2 Strong by E. Hange son Josef Brott (8) 25 25 1 Treating Michel Blood 2003 January Levice 18 25 25 1 6 Dide for Jonder Blank Mixer Ru. Bon 7 45 July 31 Die Re mys Tensile etrength ( & Treating drow # 2916 Two A 4" Jop and & Tule Load Machines 3009 of Cements ) # 2106 Telfatre D. Im 100 2720 93 Courte drown paralleling 1 12 while sand Machines #30 5-3 + 6 white plane from the #2 wat the language Machines #30 5-3 + 6 white plane from the #20 1 1 Phene Runging Machines #30 5 5 - 6 white plane from the #2018 of the standard Machines #212 glatery Alberton & 20 10 the standard Machines #212 glatery Alberton & 20 10 the standard Machines #20 10 the standard 1336 Telephone attachment 12 Testing Boards Businesp From 2,18 Like Gocket Brushing Mach. # 318 Lule Cartering Mach. # 318 10 Corporating Machine # 3179 Charforating Machine # 3179 Jape Drying mach \*2185 Llike Grinding Mach. 13180 Three Disc Decord " 220 Kluck Dzawing Mach # 5/19, Microscopes ) 15 Tuk Dading Mach # 5/19, Oods for guilian Joage 18 22 Lick Drawing Mach # 5/29, Duppling Ele Joe Dtudebaker Buttery tilling Junel \ 16 Jahing Hypomus out of Lanks 323 Tube Drawing ( Theortolomost Janus 5555 machines -4-225 Swell Free Lung Man 1555, Jon Stown Glasses 1225 Lich Repming Mach 1355, Son Henry March 13:27 July Kenning Mich 13:25 Leveler Berning 1 March 13:25 ammaling Orly 18:25 ammaling Orly 18:26 algebra Grate House of Bastler 18:23 ammaling Orly 18:26 algebra Grate House Hold Bastler 18:23 and House House March 18:26 Henre Transfer March 18:26 Henre Transfer March 18:26 Henre Deaving Landet Hold 18:26 Level Bandon House March 18:26 Level Bandon House March 18:26 Level Bandon House March 18:26 Level Bandon House March 18:26 Level Bandon March 18 Just Loading Maching 338 Let Collainers Hacker 13409 Jank & Storing apparation of the Gooding Machine #394 Two castings #239a Jime Glasses Two Patterns Two Pep maple


ALIA (ALIANDATION AND AND AND AND AND AND AND AND AND AN				Shee No. Josle V. Equipment #2829 Name Golev amoral Necord Clark (Sarratment)
	The state of the s			FAURECISION PRIPAGONAL NELSO.
	and the second s		Fi	Nor 30 Drught toward 309 7911 Hor 30 Brought toward 3001111
				" " 109 296 Jan 31 " " 6971 103 40 24
		1		" " 123 99 /
				Dec 30 " " 121 8 37890
	1			20 175
				" " 32 Gran " " 33 1/pc
		The state of the s		" " 37 10175 " " 39 1300 " " 14 14
		1		7,300
		- Internal control of the control of	fe an	" " 116 May 14 " " 117 May 2017 " " 118 May 145 May 14
				" " 80 1064
			72	1. 100 100
			-	" " 125 670
				126 14561
				1. 1.5-2. 31.0
				1913 . 155 Step 5 9 5
				" " 1/9 63 " " 53
- 1				1 1 52/ 50
				" " 71 1756 " " 80 250
			5.	" · 80 250
1				" , 115 7700 " " 120 1200
				. " /31/2 /1/5 " / /35 352.
				1 11/3 225
	1			1 150 16
<b>52</b>		The second secon		ally rg " 10 988
				" " 19 3470
				" . 21 1/50 " . 21 1/50
			. [	, , 36 / /3
·\$	ignored and the second	WOOD AND AND AND AND AND AND AND AND AND AN	8	. 62 649
				1 " 60 7367
				1 91 20
The state of the s				

Sheet No. % Blue amberd Record Plant (Investment) Tools & Equipment Name 125, 3, 3, 22, 125, 133 " Townhor 18.1.15 " 9.9. Education In 5237 mar 31 20 Vunher 2116 Mar 31 3y J. A. & In Im 7250 1/2 5.811 131/81 Seft 30 746,12, 736,12 736,1 Oct 31 apr 30 79 103 

Many Just bonding Marsh property 15 1/4 1 200 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Day of James 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Shee	t No							New .		W	She	زز	3								× 9	
Dec 30  Dec 30	Dec 3	,	Nan Add	ress					 		ande Siste			Nar Ada	ie ress		Tube	Load	ing ?	raeh	inep	75	-1/4#	3009	
Dec 31 " " " " " " " " " " " " " " " " " "	Dec 31 " " " " " " " " " " " " " " " " " "											Constitution of the Consti		July July sept.	9 20 V.	" " " " " " " " " " " " " " " " " " "	90 129 73 88 89 121 82	323	191 91 91 93 24 93	2-29 2-31 2-31 2-30 2-30 2-30 2-30 2-30 2-30 2-30 2-30	By Es	Bly In	6171	3 15 9 7 0 5 7 7	2306 36925
Colyon " " " " " " " " " " " " " " " " " " "	Colyon " " " " " " " " " " " " " " " " " " "				Marie and Control of the Control of					THE REAL PROPERTY AND ADDRESS OF THE PROPERTY		anna franco de all'Edilli S.C.E.E.E.E.E.E.E.E.E.E.E.E.E.E.E.E.E.E.		Dec	# # # # # # # # # # # # # # # # # # #	# # # # # # # # # # # # # # # # # # #	119 123 124 116 119 156 155 48 53 54 104	- 1 1							
They so in the state of the sta	Chuzo " 19 100 Che 30 " " 1932 10639  Chuzo " 120 562 1 444 30 " " 1550 79  May 31 " 140 16627 7 30 " " 17788 1773  May 31 " 141 1948  July 20 " 141 1948									And the state of t		AND RESIDENCE AND AND AND AND AND AND AND AND AND AND	El e	Behy	7	" " " " " " " " " " " " " " " " " " "	155 39 91 121	2778	23 92 92 02 02						
					TO A REAL PROPERTY OF THE PROP		• •			Company of the Compan		manufacture and a second secon			30 "1 30 "1 31 "1 30 "1	2 one 200	119 120 139 140 142	7 7 7 7 7 7 1 06 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	42 774 00 0 CM 09 170 24 77 24 29 48	12/30 12/30 14/30 14/30	By E. S 6 1 "1 1" "1 1 "	B 6. In	7332 71184 7580		0639

 Sheet No		Shee No. 35 Name Inte Londing Machines (Space Buts) # .	3055
	The second secon	Jan 51 " " " " " " " " " " " " " " " " " "	64 935 40 10340 62 12325
		1913 Mar 31 2. Vomber 12.0 969 Mar 31 By 88Bla Sur 72	943 1

Sheet N Name Address	Shee No. 36  Name Jule Aringing Machine \$3082 Address 14
	21 1912 20 Vancles 129 36 25 Tang 31 By Eddle In 65 26 26 27 20 20 20 20 20 20 20 20 20 20 20 20 20
	1907 2 - 20
	150 Jan 30 110 120 Jan 30 11 11 110 110 110 110 110 110 110 11
	Janes 166 15147 Carlo 30 " 90 17653 Cliff 30 " 90 3 35 State 30 95 35 70



Sheet No. Taking Hypo Mud Out of Janks +3233 1256 Dety 28 " 1256 Dety 28 June 1 d. Loucher 100 1211 1371 Cfa so 2, JA & Sunder 9394 991 May 31 1516 900 July 32 1662 21 Sffy 32 179 16 50 Sec 31 18 19 1912 Jum of Smooth Hangers 13242 Berry S. J. Vencher 120 210 Pety 98 By Chimbhin 18th Sury 150

Sheet Vo.

Name
Attent

Alexandra Janes Ja Three Drawing Boards & Lables 13353 1913 May 21 To Lowber 1 d. 5928 May 51 By & & & Son 7 dy 8 Luke Reaming Machine 13251
Dely 28 To Lumber 124 1779 Dely 28 By as abo In 7050 1913 Lever Cin Assembling of gyes,
May 31 Lo Wouther WY 2360 May 31 Byld Don Lun yusa
John 30 " 120 " 1107 Junt 30 " " 160"

May 39, It limber 11, May 31.84 Kem In yest 11.  May 30 " 16 18 May 31, 24 Kem In yest 18  Spir 30 " 11 To the 19 " " 1300 50 50  Tusting Slower as per Shelt 18 18 22	Sheet No Name Address	- He. Dippett		Short No. 10le Name Address Finging Vinger Sets 1. 3088
Justing Downs as per Shith 49122  City to Down of the property of the state of the		11 may 31 by &1 106 18 Mars 1. 94 50 apr 29 "	111 In 1556 11	EST -
Just Declar & Commission front  Just 20 2018 Just 20 2018 Just 20 20 2018  Just 20 20 1770 June 20 " 1858 June 12 1770  July 20 1770 June 20 " 1858 June 1858 1875  July 20 1770 July 39 " 1870 1875  July 20 1770 July 39 " 1870 1875  July 20 1770 July 39 " 1870 1875  July 20 1770 July 30 " 1850 1850 1850 1850 1850 1850 1850 1850				
Just 31 Low her 193 2 2011 12 30 1 128 Sec Sec 1970  July 32 1 Low her 193 2 2011 12 30 1 128 Sec Sec 1970  July 32 1 10 10 10 10 10 10 10 10 10 10 10 10 1				
Just 31 Low her 193 2 2011 12 30 1 128 Sec Sec 1970  July 32 1 Low her 193 2 2011 12 30 1 128 Sec Sec 1970  July 32 1 10 10 10 10 10 10 10 10 10 10 10 10 1				
Just Coly & Campaning of the San Survey 3041 / 1970				Testing Blower as per Shetch # 19122
Gay 3 London 193 2011 1970 July 3 100 2 100 2 2011 1970 July 31 1970 J		Social In it. 6		Oct 21 20 Lunder Mg 185 Oct 21 By B3 Mahon 6655 188
Jang !! 1971 1836 1/2 32 1882 1884 1884 1884 1884 1884 1884 188	Bay 31 Loucher	273 2041 Par 31 408 C	Sur 100x2 2011-	
Testing Soards 1/3151  Les 30 1/7 10539 100 30 1/10 30 1/10 30 1/10 30 1/10 1/1	July 3-1. "	100 950 Chiggs	10338 4/23/2	
164 30 Journey 124 33 Nov 30 By Old Ha Some 6745 33.	July 31. "	50 1958 Lly 34 " 180 903 Chro31 183 33 Left 30 186 0 Let 31 " 181 1436 Mer 30	10338 4236' 10476 37717 1050 15657'	
	(1) 30 °	50 1958 Lly 34 " 180 903 Chro31 183 33 Left 30 186 0 Let 31 " 181 1436 Mer 30	10338 4236' 10476 37717 1050 15657'	Resting Foards # 3151
	(1) 20	50 1951 (1.6) 31 170 955 (24.93) 173 33 446 30 174 1856 (1.7) 3. " 170 1856 (1.7) 3. " 170 1856 (1.7) 3. " 171 1856 (1.7) 3. " 171 1856 (1.7) 3. "	10338 4236' 10476 37717 1050 15657'	Testing Soards # 3151  There 31 Is Lander 121 33 Hor 21 12 18 Wh In byyo 123  See 31 " " " 55" 47 or Dea 31 " " " 1677 1878
	(b) 30	50 1951 (1.6) 31 170 955 (24.93) 173 33 446 30 174 1856 (1.7) 3. " 170 1856 (1.7) 3. " 170 1856 (1.7) 3. " 171 1856 (1.7) 3. " 171 1856 (1.7) 3. "	10338 4236' 10476 37717 1050 15657'	Testing Doards # 3157.  There 31 In Lander 121 23 How 20 12 HOW In byy 1978.  19 10 Dec 31 " " 1579 1978
	(4) 30 "	50 1951 (1.6) 31 170 955 (24.93) 173 33 446 30 174 1856 (1.7) 3. " 170 1856 (1.7) 3. " 170 1856 (1.7) 3. " 171 1856 (1.7) 3. " 171 1856 (1.7) 3. "	10338 4236' 10476 37717 1050 15657'	Testing Soards # 3157  Nor 31 to Zonder 121 33 Nor 32 By Bill She In bygr 1555 490 Day 31 4 11 11 1679 49.

107 snot No Name Address Lucker Locket Stock Charforating Machines. 1319	Shoes No Name Yeat Borntainers of Racks/ pattress #3409
305 21 Some 155 21 32 Sharps Same 633 2132 3054	Jone 30 Ja Sumber 120 30 June 20 the Sid Ston Surgery 120 11952 July 31 " " " " " " " " " " " " " " " " " "
Tute Grinding Machine #3180	Jane 30 I. Toucher 180 06 June 30 By Invinitely 7596 06
Jan 31 " " 115 (1/63) Jan 31 " 1946 (1/69)	June 30 Is Lounder 1800 (06 June 30 By Immedially 1996)
dube Drawing Machines #3181	1913 Time Glasses to 430
Beg 31 J. Lamber 155 205 By 31 James 1534 205 James 31 154 1399 James 1 156 James 1944 1399 Berry 28 124 1, 20 Laby 28 7019 1/13	July 31 In Tumber 129 997 July 31 Cay 550 to Surger 60

Sheet No.	
Name Sealing Out lity	Sheet No Name Lura Out Live Lings Address Jose
Cong 31 To Commenter 116 1912 Cong 31 Sty C.S. A. ben Der 1978 1712- Sept 3- 28 13400 Sept 30- 7990 1574 109 1584 Sec 31, 158 14190	See 21 Trumber 106 310 der 218 61 M. Som 8091 315
his Three Studies Quet to boundlete 4 rock	Jan Three Miners Lampe July 45
Left 30 J. Churcher 18. 620 Sheft 30 By Fd & Son Son 8021, 73708	Mang 21 Tounder 106 stollar stray ElBlog In 1976 940 124
1913 July Cally 3564	Jum up H Tedutale 13677
Non 30 To Zamber 1111 16358 Hon 2020 Cd Bla Enr 3231 16358 Let 21 156 22239, dee 31 " 3246 22239,	May 21 Lowher 125 9 44 Onay 21 By E.S. Co. Sorr 8897 9 484

Sheet NoNameAddress	Time of Lepence Soring Food Lowing Carl	Shee No Depring Bord for Sepping Turing Pots Structure Tots
Lung & Unwher	1915	Mine 31 Verester 131 923 May 5 Mile Charles Com 1120 973 June 30 " 1088 9718 June 30 " 1088 9718
Sept 3. Zomeher	Look Lay 3he release to 10 pm	Jose Dragtemen Boards 11715- Jene & Toucher 71 ressence 5. Phone Websurg Dost
Jan 31 Zomber	Turn Sathe for Degraf Street	Two Maille Complinge und
	The state of the s	July 31 . 102 400 10 July 31 . 1194 1811

Name Los Pritare Frances Complete Name Two Diamond Tipping Machine 67.05 from 30 6 Phone Hiller 11 took 108 16 leve 20 29 Enclose 111/89 60 12 16 July 31 - 1149 Two Box Toune he to Die Ric. Plg Chesen July 31 Voneher 09 June 30 M. E. See Sin B. 11571 Two Grames for Cheron Cop Motor Diplom June to Jacober 101 1 1915 June 30 Mishe he 1100

Shen No. \_\_\_\_ Joneble Baker Vanter Stands 19 July 31 6 Oth, Contra 1175th Gorlor Bulletin Boarde 17xxx Two Bushings July Mound Grilling Machine July 31 Voucher 93 1456 July 31 Ph.E. In Control 1705

Name Three George Desapring Machines. 886 July 31 Miche Court Mint 11763 Three Doney of James por Meticas W.S. Coushed Stone Gy { 1 Valve bleaner 15919. Wester Bening Spider 14083 Shajira La Varnich Pote 144737

Valve Solaner 19919 wurth 6. 50 Norkon Gallernafor Stript 105 Name Address Olating Machine J 3301 1 Hork Indianing for 54 Labor & mattle for Workon Phono Kinelo \$1956 -1/5 May 31 / a. Elm Jan 10028 Gutomati Jub Linging Mach 3310 50-11 Ankow Tiller Strainer 3847 Weber P. Labor & matt for Wurth a 12 Hest Orange Town of IM 53 51 Work on Er Closion V Law Ook Labor of material for 2 lborkon Kefulim Tob 1 bovers 1 335 55 4 2006 Work as Leguin bop Salten 1 8358 b 3 Wood lbork for Shydrate 206 Waterproof leement Water still Chemical Room 1 20 Wax for Walter miller 2019 - + Work on Aree leels wolke st Labor & math for 5 1 de The Chaning Machine 1380 Wax moulding mach - \$ 2029 Heel Times Water still for Es Blo \$ 2034 Foodward Slant white g. It. 5 Hord Catter for Line hele Labor to matt for Vertical Bearings & Styles Work & material on #2] Stone by Bachman 182053 Hordward Operating Wachter George Hordward from bes Tely 29 taldionelne Som 100 Hereles Telephone Labor + matil Wilson 6:06. Nysker Gattans Labord matil Washing Frines out & Hooden Pattern Mar 31 of niches Obughant \\ 2.11 Stored Mayor
Welding Machine A - \$2.23 When & Medicine BeWalker D. W. \\
Walker D. W. \\
\text{Neursh G.} Labort matt Warden D K L Am for Warren les Warehouse Go Lom) Wood Rollerg # 2388 Workon 2 Castings \*239 Vein Impeller # 4196 Welding maching # 2 546 Workon Poto Covers Ele #26362922. may di Vanchus J.a. E hu. lax 11408 welding machine 35 work & matil 82 Wells Frango Espens 102 Wigel M. 102 132 Wooden Ciga West Oranger mps Warner SS to/89 Nord Handles Kinding Machine. Hocken Sel & Bottom Helding Machine Novd Callerns for SM. #325 West Orang Bus Dept 10: Hock on Strip Clating Mach 330

Jundalian 1977  Jundalian 1977		Shees No. 7  Name Work's Material on House & 2 by N. A. Backman \$2053  Address
100 year year year year year year year year		Journaled 3243043 forwarded 1266
Jundo 17 19 1 19 1 19 1 19 1 19 1 19 1 19 1		" " " 49 380 " " " 61 12
Junto 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		76 900
Junios 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		11 1 1/6 1/82 11 1 1/7 30/41
Judgo		011 11 11 11 21 972
June 30 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		4
Junt 30		" " " YE /425 " " " " " 53 570
Jund 30		"" " 66 373/2- "" " 68 204
July 31 " " " " " " " " " " " " " " " " " "		" " " 195" 33 " " " 107 ST40
July 31 " " " " " " " " " " " " " " " " " "		"" " 1/7 50257 "" " 1/7 50257 "" " 1/8 100573 25990 00/
July 31 " " " " " " " " " " " " " " " " " "		June de
July 31 " " " " " " " " " " " " " " " " " "		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
July 31 " " " " " " " " " " " " " " " " " "		50 95662 11 11 62 490
July 31		" " " 73 Y5" Y5" Y 1" Y 1" Y 1" Y 1" Y 1" Y 1" Y
972/71 1 1 - 66 3 0		9 - 389/92
972/71 1 1 - 66 3 0		"" " " \$\$ 99.14 "" " \$7 91351 " (11) 46
85 850		
		85 850
20ph 30 " " 100 + 10 (21) 26 (21) 66 (21) 66 (21)		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Sheet No. 7 Sheet No. Mordinard Claux # 3169 Work of material on House 1 ty P. a. Bachman #2053 Address 4800 7950 73630 73630 7173 41137581 seph 30 To Voucher apr. 71 121 19 9.7 25% 127 31/6474 11134 

Sheet No			Shee No. 50 Name Address  Shee No. 50 Number C. Wurth Labor & Martinal for
	***		1908 Mar 31 To Voucher 45 54 may 31 ay Som, Invice 63
			July " " 10 200 July 31 " " 930 July 31 " " 930 July 31 " " 930 July 31 " " 930 July 31 " " 100 July 31 " 100 July 31 "
			man 31 " " 15 125 apel 30 " " 1005-
			7,73
			1913
			Marca 22 Lumber 29 150 Marc 31 M Jm 1923.
			33 May 31 " " 8935
		T. C.	
		N/A	
			A 111
			O. Weber Labor & Material for
			1908
			mar 31 To Voucher 71 210 mar 31 au 81 m Inerice 60
			The state of the s
			apl 30 " " 86 396 and 30 " "
			apl 30 " " 86 396 and 30 " "
			apl 30 " " 86 396 and 30 " "
			Age 30 " 86 376 age 52" " 177  May 31 " 80 " 174 May 31 " " 277  July 31 " 80 " 177 July 33 " " 277  July 31 " 80 " 1923 July 31 " " 325"  auf 31 " 50 " 1923 July 31 " " 325"
			April 30 " " " " " " " " " " " " " " " " " "
			April 30 " 86 376 april 20 " " " " 77 " " " " " " " " " " " " " "
			Agel 30 " " " " " " " " " " " " " " " " " "
			April 30 " 86 376 april 20 " " " " 77 " " " " " " " " " " " " " "
			April 30 " \$6 376 april 20 " " " " " " " " " " " " " " " " " "
			April 30 " \$6 376 april 20 " " " " " " " " " " " " " " " " " "
			April 30 " \$6  376 april 20 " " " " " " " " " " " " " " " " " "
			April 30 " \$6 376 april 30 " 177  Ming 31 " 80 '177 Ming 31 " 172  Ming 31 " 80 '177 Ming 30 " 257  Buth 30 " 79 '577 July 30 " 257  Buth 31 " 80 '577 July 30 " 257  Buth 30 " 96 '77 July 31 " " 400  Leph 30 " 96 '77 July 31 " " 400  Leph 30 " 96 '77 July 31 " " 32 " " " 32 " " 32 " " 32 " " " 32 " " " 32 " " " 32 " " " 32 " " " 32 " " " 32 " " " 32 " " " 32 " " " 32 " " " "
			Aghe 30 " \$6 376 apt 30 " 177    May 31 " 80 '177 May 31 " 172    May 32 " 80 '177 May 31 " 172    May 32 " 179 '177 May 31 " 172    May 32 " 179 '177 May 31 " 172    May 31 " 80 '177 May 30 " 257    May 31 " 96 '277 May 31 " " 400    May 30 " 96 '277 May 31 " " 400    May 30 " 96 '277 May 31 " " 400    May 30 " 90 '385 May 31 " " 478    May 31 " 97 '225 May 31 " " 588    May 31 " 97 '225 May 31 " " 788    May 31 " 97 '225 May 31 " " 97    May 31 " 97 '225 May 31 " " 97    May 31 " 97 '225 May 31 " " 97    May 31 " 97 '225 May 31 " " 97    May 31 " 97 '225 May 31 " " 97    May 31 " 97 '225 May 31 " " 97    May 31 " 97 '225 May 31 " " 97    May 31 " 97 '27 '177 May 31 " " 97    May 31 " 97 '178 May 31 " " 97    May 31 " 98 '178 May 31 " " 1854 May 31 " " 1854 May 31 " " 1854 May 31 " " 1854 May 31 " " 1854 May 31 " " 1854 May 31 " " 1854 May 31 " " 1854 May 31 " " 1854 May 31 " " 1854 May 31 " " 1855 May 31 " " 1855 May 31 " " 1855 May 31 " " 1856 May 31 " " 1856 May 31 " " 1856 May 31 " " 1876 May 31 " " " 1876 May 31 " " 1876 May 31 " " " 1876 May 31 " " " 1876 May 31 " " " 1876 May 3
			Aghe 30 " \$6  396 apt 20 " 1177  May 31 " \$6  171 May 31 " 172  May 32 " 90  171 May 31 " 172  May 31 " 80  171 May 31 " 172  May 32 " 90  171 May 31 " 172  May 32 " 90  177 May 31 " 172  Auth 30 " 96  177 May 31 " 170  Auth 30 " 96  177 May 31 " 170  May 30 " 90  177 May 31 " 170  May 30 " 90  177 May 31 " 170  May 31 " 171 May 31 " 171  May 31 " 171 May 31 " 172  May 31 " 171 May 31 " 172  May 31 " 171 May 31 " 172  May 31 " 171 May 31 " 172  May 31 " 171 May 31 " 172  May 31 " 172  May 31 " 172  May 31 " 173  May 31 " 174  May 31 " 175  May 31 " 176  May 31 " 177  May 31 " 178  May 31 " 178  May 31 " 178  May 31 " 178  May 31 " 178  May 31 " 178  May 31 " 178  May 31 " 178  May 31 " 178  May 32 " 178  May 32 " 178  May 33 " 178  May 34 " 178  May 35 " 178  May 36 " 178  May 36 " 178  May 36 " 178  May 37 " 178  May 38 " 178  Ma
			Agh 30 " \$6  396 apt 30 " 177  Neag 31 " 80 '177 Neag 31 " 172   Dieth 30 " 79 '177 June 30 " 257   Buty 31 " 50 '177 June 30 " 257   Buty 31 " 50 '177 June 30 " 257   Buty 31 " 50 '177 June 31 " " 400   Agh 30 " 96 '76 '26 '26 '26 '26 '31 " " 32   Buty 30 " 96 '76 '26 '26 '26 '31 " " 32   Buty 30 " 90 '35 Thru 30 " " 58   Buty 30 " 90 '35 Thru 30 " " 58   Buty 31 " 97 '25 '26 '26 '27   Neag 31 " 97 '25 '26 '27   Neag 31 " 11 '17   June 30 " 11 '17   June 30 " 11 '17   June 30 " 11 '17   June 31 " 11 '17   June 31 " 11 '17   June 31 " 11 '18   June 31 " 11 '18 '18   June 31 " 18 '18 '18   June 31 " 18 '18 '18   June 31 " 18 '18 '18   June 31 " 18 '18 '18   June 31 " 18 '18 '18   June 31 " 18 '18 '18 '18   June 31 " 18 '18 '18 '18   June 31 " 18 '18 '18 '18   June 31 " 18 '18 '18 '18   June 31 " 18 '18 '18 '18 '18   June 31 " 18 '18 '18 '18 '18 '18 '18 '18 '18 '18
			Aghe 30 " \$6  396 apt 30 " 177  May 31 " \$6  71 May 31 " 172  May 32 " \$6  71 May 31 " 172  May 32 " \$7  77  77  77  77  77  77  77  77  7
			Age 30 " \$6  396 apt 30 " " " " " " " " " " " " " " " " " "
			Age 30 " 96 376 age 30 " 1777  Ming 31 " 80 " 1777  Ming 31 " 80 " 1777  Ming 31 " 80 " 1777  Ming 31 " 90 " 1777  Ming 31 " 90 " 1777  Ming 31 " 90 " 1777  Ming 31 " 90 " 1777  Ming 31 " 90 " 1777  Ming 31 " 90 " 1777  Ming 31 " 90 " 1777  Ming 31 " 90 " 1777  Ming 31 " 90 " 1777  Ming 31 " 91 " 1777  Ming 31 " 1777  Ming 31 " 1787
			Aghe 30 " \$6 376 apt 30 " 177  May 31 " 80 " 177 May 31 " 172  May 32 " 80 " 177 May 31 " 172  May 32 " 172  May 32 " 172  May 33 " 80 " 172  May 31 " 180 " 172  May 32 " 180 " 172  May 32 " 180 " 1
			Age 30 " \$6  396 apt 30 " " " " " " " " " " " " " " " " " "

Sheet No 51	Sheet No 1 0 2
Name a. Wurth Labor a material from	Name Wells Hango the Espress Lyn
Address	Address Address
70 8 / 19 8	1912
y 31 to Voricher 71 44 mar 31 By Lom. Invoice 66	may 31 20 voneler 43 450 may 31 By Ino X ory 1823 "
31 50 250 May 31 194 250 243 250 2	
2 31 " " 338 400	
7 31 " 36 Left ang 31 " " 44 25 35 30 " " 46 1 168 2000 30 " " " 465 168 2000 30 " " 465	
n 31 " " 104 1887 ach 31 " " 563 1857	
- 70 . 40 1 . col 21. cr 20 30	
71 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
2 31 " " 108 276 July 31 " " 1257 2676	
5 3/ " " " " " " " " " " " " " " " " " "	
1 31 Och 30 1494 336	
11 30 " 102 63 non 30 " 1576 363	(224 (34)
10 7 1700 21 11 1766	Mr. Higel I.M.
1947 135	Oct 21 20 Loucher 143 80 Oct 21 By Erm Sury 1680
1 3 5 1 W 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1/20 10 390 Jule 20 " " 2230 390	
ly31 " " 88 455 July 31 " " " 2378 455	
2690 540	
12h 3! " 96 456 (2ch 3! " " 2825 456  Prese to 113 72.38	
St. Wolks Labon & material for	
11 July 31 To Vouches 48 11 July 31 By frm. Inv. 328 11.	
11 31 " 42 52 aug 31 " " 2530 32	
	A second
Nico	Wooden Tegs #3182
	10 to 1 1 1 1 1 2 2 2 2 2 2
	Oct 21 Lo Voucher 149 1230 Oct 31 By Mchalow 6654 123
	Oct 21 Lo Voucher 149 1230 Oct 31 By Mchalon 6654 123
	Oct 21 Lo Voucher 149 1230 Oct 31 By Mchalow 6654 123
	Oct 21 Lo Voucher 149 1230 Oct 31 By Mchalon 6654 123
	Oct 21 Lo Voucher 149 1230 Oct 31 By Mchalon 6654 123
	Oct 21 Lo Voucher 149 1230 Oct 31 By Mchalon 6654 123
	Oct 21 Lo Voucher 149 1230 Oct 31 By Mchalon 6654 123
	Oct 21 Lo Jamber 12 1230 Oct 31 By Mchalon 6654 123
	Oct 21 Lo Jamber 12 1230 Oct 31 By Mchalon 6654 123
	Oct 21 Lo Jamber 12 1230 Oct 31 By Mchalon 6654 123
	Oct 2, to Junter 12 1230 Oct 3, By Mc Shalow 6654 123.


	Price	<i>y</i> -i		
103 Short No Name Address  Theil Orange Limprovement Ls	ague ague	Sheet No Name Address	Winder of Machine tailor	1040
Ling so Nide Wind Mor 30 Lm In-	6777 617 16 10387 273 1718	Der John	der-155 J. Eurai Sthen Hardree	lesso yes
				And Annual Control of Control of Alexander
S. G. Warner		7.000	Fork On Loft Bottom Helding Max	hine #3229
Hot 30% Comber 119 30 Hot 30 Low James 30 165 James 30 0	6790 30 9188 23 1160 163	Janes Lo Vous Pety 28 " 1952 Mar 21 20 Vous	124 38 Outy 28 By E & Bb Smi	
Wood Handles +3139		1013 1/20	od Tattern for Shaving Machen	id #3256
1000	6726 1503	dely 28 to Vouch		
				The state of the s
				and the state of t
	_			

		S. W. S. Commission of the Com				-
Sheet No Name Hist Orange Picel Sept: L. M. Address		Sheet No Name Address	Work on Expl	view i Tar Polis		
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Oct 3, 10 a	Womber 122	3/35 Oct 31 By L.S. 249 08 Nor 30 30 30 30 30 30 30 30 30 30 30 30 30	86n In 8104 " 8219	3135
			Vloor k an	Required on Gattyp		J
Work on Strip Plating Machine 13305 Par 3: 50 Vomber 120 1854 May Sy 8886 - In 1920 16541		913 Lec 31 26	-ubor 156	2030 Lec 31 8886	a Im 8351	2030
200131 Jo Wounder 120 16511/Mar 31 Sy 8586 on Door 17220 16511 1 10 20 16511 1 10 10 10 10 10 10 10 10 10 10 10 10						
Workon Patterns for Strip Stating machine #33 ob	JH	1914	Wood Wor	k For Hydrate larus	hegs/616	
20 3 2 2 Souther 120 30 90 May 13 By 65 8 bo Sur 7201 3090 V		July 28 U. Mar 21 apr 30	" 106 " 116	13 3 2 2 4 2 5 5 B & 23 1 8 Mar 30 " 1 24 8 9, Cyn 30 "	la Im-8561 8674 8813	434 23 18 2489
		Control to the state of the sta	The state of the s			
		Toy Addition 650, 5 cm				
	100					1

·	
N Committee Comm	Sheet No.
Sheet No	Name Wheel Cins
Name Wooden Carrying Casin for Miner Accords	1975
2n 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Tely 28 Voucher 147 961 Tely 28 Sy Edward humlich 9747 - 961
Man 31 Combin 106 214 Mar (3) 29 30 5 Ind Im 8713 414	
Name Uroden Carrying Caser for Kinela Records Address Address  Manne Wheel Clark \$38.31	
	1915 1916 1916 1918 1918 1918 1918 1918 1918
Man 30 House 116 86146 apr 30 Stains & 60 Jun 8814 86146	" 121 522 Cyp 320 " 9897 800
- 11.5 V9517 SUNCOO 4 5763 12340	apr 30 " 252 800
. 103 11 aug 30 " 9199 171	
July 31 " 136 1462	
my so " 90 //	
Unor kin Sommetion Will the Monufactured Stelm Cleaning Machines	Vooden Blocks per skefffy
	Man 31 Voucher 171 255 Man 31 By ESB bon Son 95 W. 255
tely 27 " 147 747 Deby 28 " 9714 747	


109 Street No Name Address Address	Shoot No Name Other Circl Address 13954
Get 30 Loucher 11 / 11. 1 31 6 th. Markalor 10001 5932	Jely 21 Van Leve 14 314 July 34 Edward Maker browk 344
low 201 if Most Sem	Jour Dirodward Front bon Som.
May 21 Lunder 93 168 May 21 12 2111 Sur 9980 168	July 31 Toucher not goo July 31 Invoice 10187 900
1015 Noodward Operating Clank	Mirelus Lelephonepyly
June 30 Vermber 193 H27 Gont 30 21 71 June 10163 1246 1075 1075 3663 1075 3663 1075 3663 1075 1075 1075 1075 1075 1075 1075 1075	aug 31 Monther 29 1949 20 177 1899 34 1899

TO A STOLE THE PARTY OF THE PAR



113 100-7/0" x 6" Wheel Pine Sheet No. a Much fabout of Matricefor 51 1733 July 31 CSIM. El. 711. July 31 Vonehir 110 apr 4 5 m 2d 1000 1657 20 Vouched 96 - 2 Wheele for Reduction Cols #4140 apr 30 Vaccher 91 You apr 29 chan rom ESB. C In 11199 Wheel Gins for Production Pots 4183 135 188 Mary 31 E.D. B.C. In 1134 1/80 11 280 Jun 20 . . . . . . 11364 1/80 May 31 Variation 135 111111

Name			Sheet No	6 Marie Me	419 S	rits for Than	o. Cabine	l
Address	and the second s		Address					-
		THE REAL PROPERTY AND ADDRESS OF THE PARTY AND						1
Committee on Assess			July 31 Vouch	e 1/34	113 Juga 3	1 6.0.7 Up, Gal	in 11151	
			. /					Ш
					H+++			-
								Н
							-	-
								-
		1						
		i i						
								+
								Ш
					TI			
		I						
				<del></del>				+
					++	+		
								- -
							-	
								Ш
								П
								77
	مستقدا الماط الماط الماط المستعدد	Commence of the last service of the						
A STATE OF THE PARTY OF THE PAR								
140	4   1   1				TITE			
	 37.7							 T
								-
110		Annua Annua						
			. 2					
			- 5					



# WEST ORANGE LABORATORY RECORDS EQUIPMENT AND SUPPLIES

The unbound correspondence, trade circulars, and other loose documents in this subseries relate to the purchase of equipment and supplies for the West Orange laboratory and other Edison interests. Many of the documents are unsolicited promotional circulars or routine letters involving the specifications, availability, cost, and delivery of equipment and supplies. Included are memoranda asking that materials be ordered requests for prices or samples; and letters acknowledging orders from, or shipments to and among, Edison's interests. Orders for equipment, supplies, and foundry work often include requisition numbers, voucher numbers, or laboratory project numbers indicating the experiment or the Edison company to be billed for the order. In most cases the information or materials were requested on Edison's behalf by members of his laboratory staff, including Alvin D. Caskey, Fred C. Devonald, and Frederick P. Ott. Some of the outgoing and incoming letters involve the work of Henry J. Harms, Jr., and George E. Small on Edison's concrete house. A small group of items indicates Edison's direct oversight of individual requests or purchases.

Less than 5 percent of the documents have been selected. In general, only items that indicate Edison's direct participation in the order, purchase, and receipt of equipment and supplies have been selected. Also included are several of the Harms and Small letters and a list of chemicals sent to the laboratory from the defunct New Jersey and Pennsylvania Concentrating Works in Ogden, New Jersey. Related documents that provide an overview of laboratory purchases and expenditures may be found in the laboratory account books.

ALFRED F. MOORE. DIAS, C. KING. ANTOINE BOURMONVILLE

Hlfred/I!Moore/

Aci300 § 203 North Third Steven Recei

Mr. Thomas A. Raison.

Laboratory, Orange, N.J.

pear Sir!

We are in receipt of your order #1458 for #25, #28 and
#50 B. & S. Gauge Iron Wire cotton covered. We herewith enclose
you a sample of #51 B. & S. Gauge soft iron wire, alice a sample
of #50 B. & S. Gauge bright iron wire, which are the only two sizes
we have in stpoke. Kinaly let us know if you can use either of
these on your wrder for #50,

In reference to the #25 and #28, we cannot make any less than one stone on these sizes, which would make about 6% lbs. each of the #28 and 12 lbs, of the #25.

Kindly advise us by return mail just what kind of iron wire you wish on the order, whether it is to be Norway or plain charcoal iron wire.

When the posted Change of combine wife want to some and wife come went to some and wife come went our rely was any of any



### NORTHAMERICANTRANSPORTATION(&TRADING: CO).

618 FIRST AVE.

SEATTLE, WASH., July 23, 1900.

Mr. Thos A. Edison,

Orange N.J.

Dear Sir:

Agreeable to the request of our Vice President, Mr.
W. H. Isom, under date of April 6, we are sending to you today by
express, charges prejaid, one box of Cape Nome sand, weighing 95
pounds and containing three sacks, one of sand in its matural state,
one of tailings which have gone through the rocker without mercury;
and the third of tailings through rocker with mercury.

Yours very truly,
NORTH AMERICAN TRANSPORTATION & TRADING CO.

Mya

Traffic Agent.

GENERAL INCANDESCENT ARC LIGHT CO.

579-578 FIRST AVENUE CO. 33: St

New York

or neven roSales Dept.PHK New York, Sept. 20th, 1900.

Thomas A.Edison, Esq.,

Orange, M.J:

Dear Sir:-

I beg to acknowledge with thanks receipt of yours of the 19th, inst, referring to two keyless sockets which you have sent me by express, and which I have received.

They are not, however, the sockets I want, and as the matter is a very important one apparently take the liberty of returning the blueprint herewith with the following explanation.

I have drawn on this blueprint a sketch of the socket which you sent me. It is one of the forms of old keyless sockets No.1 of the Bergmann catalogue and not the socket No.6 which I am looking for.

By reference to the blueprint you will readily recognize the difference, and I hope may be able to find one of the No.6 sockets.

The old No.1 socket is acorn shape. The No.6 socket is more of a barrel shape. In the No.1 socket the upper brass shell "A" simply checks or fits into the lower brass shell "B", and the two are held together by the copper screw ring "C", while in the No.6 socket the brass shell "A" is furnished with a male spun thread and the brass shell "B" has the female thread, and the two are screwed. together, and as I remember it, the insulating ring "C" is not a screw ring at all, but a slip ring, which is cemented into the shell ADDRESS ALL CORRESPONDENCE TO THE COMPANY.

"A". The shell "A" screwing into the shell "B", of course, no serew ring was necessary to hold them together.

Very respectfully yours,

Atty.for S.Bergmann.

TAE search for rotals + EART

**RERGMANN** 

Berlin N. den 19th. Nov. 1900.

GIRO-CONTO REICHSBANK

Thomas A. Edison, Esq.,

Llewellyn Park,

FERNSPR: MISCHLÜSSE:
AMT II, Nº 2600 u. 2652.
SD/Bm •
A.B.C. Code used

.Z NO

Orange.

MOTOREN UND DYNAMO-WERKE AKTIENGESELLSCHAFT.

My dear Mr. Edison,

I received from Mr. Bergmann your note, requesting me to secure for you a number of addresses and prices for " rare metals ", which I however understand to be for preparations of rare metals called " rare earths ".

The address you indicated in your note was very incomplete, but as you will see from the enclosed catalogue of E. de Haën Chemical Works " List " Hammover, I found the party you have been in relation with.

I eliminated three concerns that come into question, namely, The List Works at Hammover, Kunheim & Co. Berlin and Dr. O. Knöfler & Co. at Flotzensee, Berlin.

The two latter concerns only make the Thorium and Cerium Mitrates, while the concern E. de Habn makes preparations of a number of other rare metals, such as of Beryll, Calcium, Cerium, Didym, Krbium, Lanthan, Thorium, Titanium, Uranium, Yttrium, Zirkonium. All these in a number of different combinations.

I have written this concern for their best discounts for

## $Bergmann\text{-}Elektromotoren\text{-}\ und\ Dynamo\text{-}Werke\ Aktiengesellschaft.$

Thomas A. Edison, Esq., Orange, N. J. contd. 19th. Nov. 1900. -

different quantities and hope to be able to inform you about this by next mail.

Bergmann requests me to tell you that any order you have to place for any of these substances you had best turn over to us

and it shall have our best attention. A Cost,

Hoping to hear from you on this subject, I remain with
kindest regards,

Yours Faithfully,

Randolph gur his to watch Programed of have him watch Francisco of have him the material Warren, Ohio, April 16, 1901.

Laboratory Thos. A. Edison,

Orange, N. J.

Dear Sirs:-

Yours of the 10th inst., at hand and noted. I have written the Superintendent of our mine to forward us at once some gravel, and as soon as it is received will forward fifteen pounds of it, properly marked. It will probably be two or three weeks before we receive it, but as soon as it arrives will forward it and advise you also. If your machine works satisfactorily, we may be able to do some business with you.

Very Truly, Yours,

S. B. Palm,

Vice Pres. Vermejo Gold Mining
Co.

Mr. Thomas A. Edison, Orange, N. J.

Dear Sir:

Referring to your order handed the writer this afternoon, we take pleasure in advising you that we expect to be able to forward you within the next ten days, two sample castings, which we trust will enable you to make such arrangements as you have in view.

> Yery truly yours, BENJAMIN ATHATA COMPAN

Md1son, M.J., Nov., 25th, 1901.

ilat of chemical apparatus in box, marked #3.
Shipped to
Thomas 4. 245an,
Orange, N.I.


unoma a. Mison,
Orange, N.1.

2-1 gallon likeris 653444
11 garo, in the property of the proper

16 butter dishes;
2 pinsh cooks;
3 pinsh cooks;
5 pinsh cooks;
5 pinsh cooks;
6 pinsh No. 550 x 12-1/2 C.M filtering paper;
7 pinsh No. 550 x 12-1/2 C.M filtering paper;
7 pinsh No. 550 x 12-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filtering paper;
7 pinsh No. 550 x 10-1/2 C.M filteri

Mdison, N.J., Nov., 23cv, 1901.

				900	
1-2 ca	l. glass	bottle.	1/2	tull'i	marked, armen mainte C.F.
1-1-1/	a			Pull	marked carbonate soda CP.
-1-2	100		1/2	full:	marked, (not labeled)
1-1-1/2	2	•	1/2	full.	naukod, armenis sulfide M.H. 4; H.S.,
1-1		. "		full.	marked, Buffalo Litha watered Added
- 1-1-1/2	3 10			full.	marked, acatio acid, " ; ; ;
1-1	* 1 Sec. 1		1/4	full.	marked, ( not labeled )
1-1 qt			1/2	Dill.	market, N.H.4.H.SO.3.
1-1 "	4.	4	1/3	full.	marked, barrets,
1-1 "	AND A CO.	b	3/1	full.	marked, hotled linions ati,
1-1 "	4		1/3	full.	marked, phosphoric acid 50 %
1-1 "		9.00		full.	marked, blue vitrol,
1-1 "			3/4	full.	marked, ammoulum chlocide C.P.,
1-1 "	h	9/11/3		full.	marked, oxalic acid.
1-1 "		4	1/3.	full.	marked; untasidum Florid-ruandie och
1-1 "		1 - Marin 198	2/3	Tull.	murked, pottassius permanafate K.M.
1-1 "	- H	10.00		Lull.	marked, that Telegran Continues and
1-30 02			-1/2	full.	mirked wood tar to the Sale Sale Sale Sale Sale Sale Sale Sal
1-16 "	- 4	TO ME TO SE	374	CHILD	market and the common than the state of the contract of the co
1-20 0		1. P. 1.	1.3	full,	marked, carbonate and the barrens
1-20	0.5	10 30	1/3	· full,	marked, carbonate addition P. Torton markedy potanolym Resolt Counties
1-20 "		M. Polesti	3/4	rull,	marked, acetate lead company of
1-20 0				full,	marked, stehric ocid,
1-20 "			2/3	full,	marked, carbonate noda,
1-20 "	1.0	. 4	2/3	full,	marked, 72, ( campot read label) ) marked, ( campot read label)
2~20 "			10	full,	marked, ( dasmot read label )
1-20		44	,2/3	full,	marked, gun tuno,
1-12 "		March 1991	9. Per	Pull,	marked, metal merck 54 1
1-16 7				full,	marked, ammon molybdate, C.P.,
1-12		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		full;	marked, oxalic acid N.2.02 .04. A P
1-13 "		얼마 항목 살		full,	marked, sod hyposulphite, C.P. 1/34
1-12 "	MATERIAL STREET	12 cm 2		71111,	marked, Ra It 2,
1-12 5	121275	1020	3/3	13127	marked, salpho cyunide potass,
/11-12 "			1/0	THEE,	marked, phonotathe alkaline,
1-12 "	10 10 10 10	100		Tu14,	marked, Sodium phosphate C.P. 1/2/
1-12 "			241	Tull,	marked, sodius suscinate merk,
1-12 7				full,	marked, potassium hesulphate merk,
			10	Title,	marked, old migabone,
1-12 "			2.10	4 12.49	marked Semmon exclute N.H.4/2 03 0:
1-18 "		Section 1	1/2	a like	ranked another mared with a
1-6.					narrings, (no. labeled)
1-9 4	4.5		24	7 11.1.1	market ( not labeled )
40 9 9	1		Tie	Cully	carbolic acid,



ALLIS

ALLIS

TOTAL

AND DE LA RELSON,

ALLIS-CHALMERS CO.,

PRASER & CHALMERS, CHICAGO, ASYES IRON WORKING, CHICAGO, SCRANTON.

NEW YORK OFFICE,

Breed Exchange Bifg.

OCOTATIONS BURNOT, TO CHARGE WITHOUT MOTHER. ALL ADSTRUMENTS AND CONTINUENT LAWS DEPARTMENT AND THE RESERVED OF CONTINUENT CONTINUENT CONTINUENTS OF CONTINUENTS OF ADSTRUMENTS AND SHAPE APPROVAL OF AN OPPOSED OF THE COMPANY OF THE LETTER SETAINED IN COST THE COMPANY OF THE LETTER SETAINED IN

New York, Dec. 3rd, 1901.

Mr. Thomas A. Edison, Orange, N. J. As you conduct feel the

Dear gir:

On November 7th we had the pleasure of quoting you on urnace with some fittings. Not having heard from you stress

On Howember 7th we had the pleasure of ducting you on a small furnace with some fittings. Not having heard from you since we would like to know if you still wish these quotations held open.

in going over our letterwe notice a typographical error which might possibly have some bearing on your not placing the order, viz.: the three \$8 slag pots should be quoted at \$72.00 instead of \$726.00.

We also note that the price on the Breen blower has been given you as a price on a No. 1, while it is really the price of a No. 2. We do not exactly know how this mistake occurred, but the price on a No. 1 Shower should be \$190.00 instead of \$224.00.

Hoping that, you will pardon these mistakes, and also hoping to hear from you, we remain,

Yours truly,

ALLIS-CHALMERS COMPANY,

M. A. C

PO Must me

Hur Ballat 55 Lomps for Lomps 6ak - "Expent Dundaland Magnetic Separato"-chy to

Lowar Syndicate

kable/Address " Edisom/NewYork/" From/theLaboratory Thomas A. Edison! Change N. S. Sept. 10th, 1902. Mr. Thomas A. Edison, Stewartsville. N.J. Dear Sir:--Enclosed please find sketch of a special Fire Brick of which Mr. Chapman wants 200. Also find enclosed quotations from Sayre & Fisher Co., Sayreville, N.J. and Henry Maurer & Son, of New York, and also an order for same, which please O.K. if it meets with your approval, and return quotations with order and oblige. Yours truly. 200 - Say 225 for breakoge cof Maurer - cook does 62st work - Hour them pooled (Enclosures) un 666 -

## [ENCLOSURE]

	/37 Teronal	:0 <u></u>	) O SEP :	10_2 [2] 1902
41	1924 1944 1	When	Ku	1
20	O Special States	ick f		



andover, Mass. U.S. a. Dat. 15, 1905

Mr. Thomas A. Edison,

Orange, N. J.

Dear Sir:- We are in receipt of your favor of the 12th, and enclose you herowith sample of the thinnest rubber tissue which we have made. This is about 6/1000 thick according to our estimate. It may be possible to get this down to a thickness of 3/1000 but it would be an experiment with us and would probably cost \$3.00 to 05.00. In what quantities do you expect to use it? Of course if you could use in large quantities we would be glad to get it up for you, but if you only wish to use a few pounds you will readily understand it would hardly pay us to go to this expense. We do not believe it would be possible to get it down to tast them \$3/1000 of an inch. What width do you desire this? We should prefer not to make it over two feet in width, if we try it at all.

Awaiting your reply, as wring you if we can help you we will be glad to do so, we remain

Yours truly.

c/L

TYMER RUBBER /CO.

The sample sent is devon thousand arthur.

Thick, we want it not more than three

thousands, we come use it in affects

as narrow as two and had makes wade

Cornel gues turnty dollars for had and

Ground gure twenty dollars for half- formed of three thous mult - Cantony how which we will evou an future as of dopunds upon the work concerns we have



The ott

Mr. Thomas A. Edison, Orange, N. J.

Dear Sir: - We duly received your favor of the 19th, and are sending you today about 1/2 lb. of tissue rubber, which as we estimate it, is between three and four thousandths. This you will note, has quite a number of small pin holes. You speak however, of using this in small pieces, and we believe it might be possible for your experimental purposes, to cut out what you needed from these pieces. If not, undoubtedly by preparing and selecting stock, we could make a sheet, free from all imperfections, but there would be a delay of probably two weeks in getting the same rea-We are accordingly sending this. If not satisfactory, kindly return, and we will make for you a perfect sheet. We should also be glad at the time to hear whether this meets with your requirements in every particular; that is, as to quality and thickness. Yours truly,

C/M

muned 29 1903

TYER RUBBER CO. J. Carlton.

# [ATTACHMENT]

To the Postmanter,  The state of the special state of the
Jyer Rubber Co
the average Caliper is four and a half
Monsanollis I am now young five Thousandthe
and how is so stight a difference that the rubber
get it down to the Housandthe pur holes will
not matter providing I can get Cut beices out
2 makes in diameter that has none in
Me at regular amount to
offered for three thousandths
Jours Truly
Tu8





ITTI SSIES HOSH THRMANIETE

Brooklyn, N. Y. February 10, 1905.

Mr. J. F. Ott.

C/o Edison Labratory.

Orange, N. J.

Dear Sir:-

Again referring to conversation had with your brother to-day, we are prepared to furnish you with the samples made of steel which you have left with us, making no charge for these samples, but there will be a charge of \$60. for tools to draw off the shell which you have left with us in brass.

If the steel will answer your purpose as well as the sterling nickel, it would, of course, not be advisable for you to make these out of sterling nickel.

If, however, you care to place the order with us for the 300 pieces Sterling mickel, we are willing on the initial order, to charge you only \$15.00 for tools, and 50¢ each for the 300 shells, subject to a further reduction provided we can see our way clear to do so after having made these up.

Awaiting your reply, we are,

"Quotation."

Yours very truly, extereuno 6

P. S. We will make you a price in steel, you to furnish the material, at 15¢ each in quantities of 300, and in larger quantities we believe the price could be reduced to about one-half, at least we should say, not less than one or two thousand at a time.

NEW YORK & BROOKLYS

STERNAUCO,N

# [ATTACHMENT]

()	rder 300	Itele cell	of Ital	while	
	sel wild	Electron	e +20	hal	
C.	B- unil	turnel	2 - 7	epuse	
E	5 69. 2 60	Liv Tool	2 05 15-0	for zegl	)
	0.00.	10 -0	4 15 0	Jan 2001	·
	cely an	a funda	- order	o guran	
	wy are ho	The pay	er order	z look	
				,	
			Edin		
					-
				." 1	
			l <sub>i</sub>		
			<u> </u>		
					-
		h 14	* 1		
					)
					-
×					· · · · ·
		-			

Orange de 3 11/05 The word of them Mr y Transw gams truty J. a. Edisin Le J. O. OH you stated 10 in open and of 6000 for tools, provided there is no further thange for took, in placeing second order polye the som to Edison oftway Out Es, please rush this

1 po - alet

MERCK @ CO.

MANUFACTURING CHEMISTS NEW YORK.

June 1/05

T MEDCHE

ABORATORIES Founded 1668

Edison Storage Battery Co. Orange

N.J.

Centlemen:-

We thank you for your order of the 31st ult., which has had our prompt attention. We regret, however, that we were unable to include the 1 lb. Sodium Binoxalate, as we do not carry the article in stock. Our Laboratories manufacture the article and we shall be glad to import it for you. Please advise us if we shall do so. Yours truly,

Attested: m

MERCK & CO.

Binoxalate is the acid oxalate, (Halt of Sorrel) & find every Drug store in Orange Keeps in Olock - Do you consu It so rans that you have

SIDS - equil GEORGE MERCK

### MERCK @ CO.

MANUFACTURING CHEMISTS NEW YORK,

ST. LOUIS

G/EF/

and RAHWAY, N. J.

E. MERCK'S DARMSTADT LABORATORIES Founded 1668 Mn Thomas A Release

Orange, N.

June 7/05

Dear Sir:-

Replying to your favor of the 6th instant, we would say that Salt of Sorrel (POTASSIUM BINOXALATE), having the formula KHC204H20, is an entirely different article from SODIUM BINOXALATE (Sodium Acid Oxalate), having the formula NaHC204. As we advised you in our previous communication, we do not carry Sodium Binoxalate in stock, the article being in very limited demand, and we think there is some misunderstanding in your statement that you find it in every drug store in Orange. We shall, however, be glad to import any quantity of the article that you may desire.

Awaiting your further advices in the matter, we are, Yours truly,

Attested: ()

MERCK & CO.



R. Pietel Glasses

Engineering Instrus Supplies

g: Bive Prints
copticon and Projection
Apparatus,
oscopes and Laboratory
Capacita Supplies, cal and X-Ray Apr

Optical and Photographic Instruments and

> Supplies 918 Chestnut Street

December 27, 1908 490 Philadelphia,

Mr. Thomas A. Edison.

Orange, N. J. Dear Sir:

We are in receipt of your favor of the geth inst beg to advise you that we can supply you microscope as illustrated in the Satalogie, #156,

plain square stage like #120. We have on hand a binocular microscope #156 with the circular stage, which we can offer to you with objectives 1", 2/3" and 1/2" and one pair of eye-

pieces at \$82.50. This instrument is in first class condition but is slightly shop-worn, and for this reason we have placed the extremely low price upon it. No carrying case is included.

Under separate cover we are sending you later copies of the Beck catalogue. To estimate costs of these instruments,

count on the pound as \$7.60 and the shilling as 38¢ We would attach a plain square stage to the instru-

ment we have in stock without additional cost. There would be no substage appliances supplied.

We have on hand several thousand slides, covering all subjects and would particularly call your attention to our boMr. Thomas A. Edison,

tanical specimens, list of which we enclose. We can supply this

get of forty-eight slides at \$15.00.
We trust that we may be favored with your order, to which

Very truly yours,

Williams, Brown & Earle,

perterfe



# IAMS, BROWN & EARL

Engineering Instrum dupplies ductes, Eye Glass Thermometers

# Optical and Photographic Instruments and Supplies

918 Chestnut Street

Philadelphia,

Mr. Thomas A. Edison.

Dear Sir:

We arein receipt of your favor of forwarded by express the Beck Binocular mior objectives as per our quotation of the 27th inst

In assembling this instrument we have included a should you at any time desire the instrument for reflected light. The 1/2" objective supplied is of the better grade Beck series, having a large aperature and it is invaluable for binocular work.

We trust that the instrument will arrive safely and prove satisfactory.

Very truly yours.

Williams, Brown & Earle

Telephone Nos. | 1508 Madison.

W. M. SPELMAN,

Confractor for Plumbing.

130 WEST 28th STREET.

Mr. Thomas Edison.

Llewellyn Park, Orange, N. J

Trange, ii. J.

I take the liberty of enclosing you a blue print in conscion with a resisting manhole frame and cover. The cut shows a style of manhole which will resist surface water. The Interborough R. R. Co. has one in place at Fifty-eighth Street near Ninth Ave., New York City, and think very well of it, and we have endorsements from two other Companies in Massachusetts.

The N. Y. Edison Co. has one in their Yard at Fortydirst St. and East River, delivered at the request of Mr. Stephenson, Engineer, of the Duane St. office.

I have taken the liberty of communicating with you and enclosing you this print, and can refer you to any of the leading Engineers in New York City as to my standing. I would like very much indeed to take this matter up with you at your convenience, as I am firmly convinced it is indispensible.

We have other data which might be interesting to you. I would like very much to hear from you.

yours truly,

W Spelman



CHEMICALS ... CHEMICAL APPARATUS.

205 ro 211 THIRD AVE.

Mr. Thos. A. Edison.

Orange, N. J.

Dear Sir:

The Jewell Water Improvement us that they wrote you on the 29th ult., quoting on their Jewell Steam Still #430, 10 gallons per hour, and #440, 15 gallons pe hour. We wish to state that we are the eastern agents for the Jewell Water Improvement Company, and should you decide to place an order for either of these stills, we should be pleased to receive same. We quote you the same price as the Jewell Water Improvement Company, and trust we may be favored with your order, which shall have our prompt attention.

Very respectfully,

EIMER & AMEND.

s.u.

No. 14456 held and CONTRACT.

NEW YORK. Nov. 5, 1908.

SOLD TO Thomas A. Edison, Esq.,
Orange, N.J.

100 lbs. Elock Balata Rubber, ex store, @ 42% per lb.

Terms: Net cash in ten days from date of delivery here. Payable

in New York or Boston funds.

Cole The Search to having chapment as a miles as I must to by an Experient of at a miles as I must to by our for I month 200 BROADWAY.

December 21st,1908

Mr. P. Brady, Laboratory.

Dear Sir:

You recently sent me requisition covering 2,000 time sheets for the Laboratory.

I sent the requisition for printing them to the Researchese of Sewar, stipulating that it was to replied that it will be impossible to fill the order on this basis end that their charge for 2,000 will be \$5.75. will be \$5.75. You undoubtedly appreciate that the price of \$2.25 per thousand which I gave you over the telephone recently covered \$0.00 copies of the Time sheets for the Edison Storage Battery Company. The increase in the Bessex Fress price is due to the

The increase in the local decreased quantity.

Kindly advise me whether I shall fill

your order at \$5.75.

If you can use 5,000 copies of the form we will be galed to furnish them for \$10.75.

AMZ

NATIONAL PHONOGRAPH COMPAN

Catalogue.

April 5th.1909

The Concrete Steel Co.,

29 Broadway.

New York City.

Gentlemnn.---

We would be pleased to receive your entalogue and further literature you have published concerning reinforced concrete, etc.

We use the engineers for the Edison One Day House, designing and experimenting with the view of reclining interested in anything pertaining to Concrete Construction.

Yours very truly,

Heah. Eng'r,

144----

Resers. Henry J. Harms, Jr. & George E. Small, Hooh, Eng'rs.
Room # 31, Edison Laboratory,

West Orango, N.J.

нлн/лон.

### THE CONCRETE-STEEL COMPANY



### HAVEMEYER STEEL BARS FOR REINFORCING CONCRETE

DESIGNS SPECIFICATIONS ESTIMATES 20 Broadway, New York April 7th 1909.

Mess. H. J. Harms, Jr. & G. E. Small, Mech. Eng.,

Room #31, Edison Laboratory,

West Orange, N. J.

Dear Sirs:-

Replying to yours of the 5th inst., we are pleased to send you under separate cover a catalogue and other printed matter descriptive of the Havemeyer Bar, which we would be glad to have you consider in connection with the work you have in prospect.

You will find these bars the most economical for use in concrete construction. They have a uniform cross section, no metal being wasted in securing the strongest possible mechanical bond. They will bend readily in any desired angle and can be easily measured. Our bars are rolled from the very best quality new billet steel.

If there is any further information you desire, please call on us.

Very truly yours,

THE CONCESTES STEEL COMPANY.

Progldent

J.F.H. R.

HATIONAL PHONOGRAPH COMPAN

Quotations.

Gentlemen. ---

July 11th.1909.

Chicago House Wrecking Company, West 35th. & Iron Streets,

Chicago, Illinois.

Received your letter with inclosure, and have gond

Wish to say that we cannot place order with return mail as you expect. We are now completing the moulds, etc for the model house and will equip this complete for exhibition. It is only after sorted building operations commonce, that orders can be placed. The operation will not stop with 100 houses but will acquire, very soon, algentic proportions; we want to know beforehand, what the house will cost, complete, and on account of the very large number required of everything, expect yook hottom prices, and your price seems to high yet.

An stated before, thin whole ratter is in experimental stage yet, and we are just beginning to study up different things connected with it. If we cannot buy heating plant and plumbing at better prices, we simply will assuitable them cursolves.

Yours very truly,

PUEDARHONKI WARREST. Joseph O. Kieslich, PAINTER AND DECORATOR, REMOVED TO 315 W. 35th ST. 462 EIGHTH AVENUE, Estimates Furnished. To George & Somall Lear Dir! I saw a cut of The Edison Cement shouses in The Quenday Reveir and tokin up with The Idea that Thought of chaving one chield for any act, I ofohe to Mr Morris of The Edison Cement Co at 1133 Bores and asked him the particulars of The house He referred and Fold محدث and give one all Information De if you crowled the Hind conneght and give one particulars and put me on the way of having one their I avould be very than to fle I have a fine of ground one of the fines fasts on Ocean six and things Highway about 12 Mile. This and of There mant Buy Kace Trank

EBERNONE TREEST, JOSEPH O. KIESLIGH,

S LOCO GOO OO

ES DEPT.

# (Hicago House Wrecking (

PHONE YARDS 1900.

EFERENCE TO THIS I FETTE MENT

orF.M. street I.M. CHICAGO.U.S.A. July 22, 1909.

Geo. E. Small & Henry J. Harms, Jr., Mech. Engs.

Room #31, Edison Laboratory.

West Orange, N. J.

Dear Sirs:-

Replying to yours of the llth inst. We think we will be able to get this price on the complete steam heating plants for this building down to.....\$200.00 per plant, F.O.B. care Chicago, as outlined and covered by the specifications submitted you in our last letter. This, you understand includes the plant complete and all brand new material. This of course on condition that you will place orders in quantities as given in your letter, that is by the hundred.

In regard to all of the Plumbing Material, we also wished advise that we think we will be gable to get this plant down to something like \$75.00, including all the material to complete the entire installation of the material above the ground line. This price is almost considerable of the material above the ground line. This price is almost one of the material above the ground line. This price is almost one of the material above the ground line. This price is almost one of the material above the ground line.

However, before lining up any kind of exact proposition on this, we think we would prefer to have a little further suggestions from you, as to what your own tastes in the matter are. Go over our catalog carefully and make a selection from the various plumbing fixetures listed and give us some sort of line on what kind of fixtures you think would be the most suited for these houses. If you will make up a list in this way, we will be glad to make you our bedrook figures on cusattities.

Let us know if you would insist on using absolutely "A" grade plumbing fixtures; or, if you would consider using fixtures that are slightly damaged in the enamel, which we will carefully repair. Fixtures in this clas, we could make you a very low price on and at the

same time you would be getting fixtures that would present a very expensive appearance and you would of course get a much better quality that the exception of the slight bleminhes in the exception of the slight bleminhes in the enamel. While the present we repair as carrely as it is possible for us to do so and splained we repair as carrely last it is possioned by the noticed. We guarantee them, there defective places can carrely be noticed. We guarantee that there is nevery may.

These fixtures, you understand are what is know ks "B" grade fixtures. They are absolutely brand new fixtures, having never seen any service whatever, but they probably received some shight defect or rough handling in shipment and we classify them as "B" grade,

We of course can furnish you strictly "A" grade fixtures if you want them. We simply called this matter to your attention so that you would know all the facts and you can advise accordingly.

We trust you will let us hear from you again in the matter as soon as you are ready to take action and we assure you we will be glad to make you the very lowest price we possibly can.

We would like to be gavored with some of this business. Our latest general catalog and our special heating catalog are being mailed to you under separate cover.

Yours very truly,

CHICAGO HOUSE WRECKING CO.

Lab- equip

· ESTABLISHED 181

Jus 3/9/10

ARNOLD, HOFFMAN & CO, INC. PROVIDENCE, NEW YORK, BOSTON, PHILADELPHIA & CHARLOTTE, N.C. U.S.A.

EDWARD E. ARNOLD, PRES, WILLIAM H.HOFFMAN, TREAS, HENRY A.HOFFMAN, SEC. INDIGO, DYE-STUFFS,
STARCHES, GUMS,

Our Efferments of Com only

MANAGER. ALEAN

RK.N.T. (HS)

Mr. Thomas A. Edison 94

Dear Sir:

Referring to shipments of

Liquid Chlorine

from the Castner Electrolytic Alkali Oo., Ningara Falls, N.Y., for whom we are selling agents, they request that you place a standing order with them covering your probable nequirements so that they can arrange to take care of these regularly. We understand they will be about 2 drums a week for the present.

Regarding the cylinders, they state that these are somewhat different from those they use and they do not know what their capacity.

If possible, will you please advice them about what determine the cylinders are to be charged. If you have not a record of the pressure, please advice them what weight of

Liquid Chlerine

these cylinders would contain when you received them originally from abroad.

We regret having to trouble you, but the works need this information which we trust you will be able to furnish them.

Awaiting your reply, we remain.

Yours truly.

Arnold, Hoffman & Co., Inc., Agents.



Dear Sir:-

# The New Jersey Asbestos Company

Manufacturers of all Kinds of

# ASBESTOS GOODS

59-61 PEARL STREET

NEW YORK July 23, 1910.

Thomas Edison, Esq.,

aux 7/27/10

Orange, N. J.

We are in receipt of your phone message, requesting us forward you 5 oz. samples of all the grades of Ground Asbestos Asbestos Fibre which we handle.

The field for supplying you with these samples, is so large, that we would ask you to kindly give us some idea as to what you want to use this material for, and we think we will be able to send you samples of Asbestos which will be a good deal more useful to you, than if we sent them at random.

Thanking you for your inquiry, we remain,

Yours very truly.

The Mew Jersey Ashestos

#### PATENT SERIES

The Patent Series for 1899-1910 consists of: (1) one caveat (preliminary patent application) from 1907 relating to Edison's concrete house; (2) numerous case files for Edison's U.S. patent applications; and (3) a patent application book containing summaries of specifications by Edison and other laboratory employees for the period 1909-1912.

The Patents record group at the Edison National Historic Site includes an extensive set of case files relating to Edison's foreign patent applications. In addition, there are numerous patents by other inventors, many of which were subsequently assigned to Edison's companies. A finding aid is available. A related set of case files for Edison's U.S. patents can be found in the National Archives (Record Group 241, Records of the Patent Office). A complete set of the 1,093 U.S. patents issued to Edison appears in Thomas A. Edison Papers: A Selective Microfilm Edition, Part I, reels 1 and 2.

#### Numbering Systems for Edison's Patent Applications

Folio Numbers. These numbers were assigned by patent attorneys Richard N. Dyer and Frank
Frank
Folio numbers greand by the various Dyer partnerships to applications filed on behalf of Edison and other clients.
Folio numbers generally appear on the upper led corner of the application covers. They can also be found
on other patent-related documents such as Patent Application Book, PN-09-01-21. There are two series
of folio numbers: one beginning in the 1880s and continuing through 1901; the other beginning in the early
twentieth century and continuing into the 1930s.

Edison Case Numbers. These numbers, which are often preceded by the letter "E," were also assigned by Edison's patent attorneys, beginning in the late 1870s. Unlike the folio numbers, the case numbers were used exclusively for Edison's applications. Case numbers generally appear on the application covers and can also be found on other patent-related documents such as the patent application casebooks published in Thomas A. Edison Papers: A Selective Microfilm Edition, Part II. The case number system was discontinued in 1905.

Serial Numbers. These numbers were assigned by the U.S. Patent Office to applications filed by Edion and other inventors. A new sequence of numbers was used for each year. Serial numbers generally appear on the upper right corner of the application covers and on the correspondence between Edison's attorneys and the Patent Office. They can also be found on other patent-related documents such as Patent Application Book, PN-09-01-21

Patent Numbers. These numbers were assigned by the U.S. Patent Office to successful applications by Edison and other inventors at the time the patent was formally issued.

#### Caveats

Until 1910 the U.S. Patent Office permitted an inventor to file an official notice regarding work in progress. Caveats were valid for one year and could be renewed from year to year upon payment of a fee. If another inventor subsequently filed an application for a similar invention, the first inventor was so notified. Although Edison filed numerous caveats during the 1870s and 1880s, there is only one extant caveat from the period 1899-1910.

The caveat, which was executed on November 27, 1907, is entitled "Cement Buildings and Process of Constructing the Same." In addition to the typed specifications, the folder contains a draft in Edison's hand; two blueprint drawings; and a published letter to the Scientific American by H. J. Le Comte, an inventor who claimed to have anticipated Edison's idea for a concrete house.

Folio No. 355	With the second	Serial No.
Applicant		Address.
Thomas I	Edison Ll	ewelyn fark.
	) (	
Title Cement to	uldings and Proces	of Constructing to b
Filed Vorsessler	29.1984 Examin	ner's Room No
Assignee	1.	9
Ass'g't Exec.	Recorded I	iber Page
Patent No	Issued	
		•
	ACTIONS.	
1 94. 486 22	Action Acus 16	
2 6 2 50 2 6 5	205 1 Cor17	
	18	1. The state of th
	19	
	20	110
	21	
	22	
	/23	
9		1.2
×	.**	7

FRANK L. DYER, Counsel,

ORANGE, NEW JERSEY.

100 The abject of this invention is to mould a complete dweller of one operation, the sides roof partitions and floors being integer tolker founded - the interior with its classifiers wanted, ormanisable Carlind act interior with its classifiers, wanted, ormanisable Carlind act interior with the connection of the operation of the carlind act interior with a state of the operation of the carlind act in the carlind ac The enterther consent in Errolling a complete funce of cont view former of semonship Countries to destine bottled or denth together. The whole from a former to the contribution of the contributions of properties of the total selection of the contribution of the cont numbered especially a lapted for this work to reased to the top of the non troubly former the house of by me one of many distributed to the north thought former the house of by more than the standard of the comment of the standard of the transfer of the top + distribute the sending thus preventing the bolice of the top + distribute the sending thus preventing engrapher of the Component of the western - and continue to Elevating of the Comment with while the whole I von tel the whole I ron would petite house of filed to the highest point or an Estension culled a river going The insenting further consists in placing in the space between The run monday steel rods for reconferring the concreto, such rocks being held in position by removable fugar tollie non framer. The moralin fentiles Consists in providing numerous Vent closed by teter cloth upon seven of copies mes so that to during the pooling of the Coment where it flows through position of Coords of the torture channels are well lat betterpped at different grants to produce defeating results The mountain feether Consists in various defails of the mould be to assume the consist house the consist of a consistent with the consistency of t

#### PETITION

TO THE COMMISSIONER OF PATEMES:

YOUR PETITIONER, THOMAS A. EDISON, a citizen of the United States, and a renident of and having a Post Office address at Llewellyn Park, West Orange, in the County of Essex and State of New Jersey, represents that he has made certain improvements in CBMENT BUILDINGS AND PROCESS OF CONSTRUCTING THE SAME, and that he is now engaged in making experiments for the purpose of perfecting the same preparatory to applying for Letters Patent therefor. He therefore prays that the accompanying description of his invention may be filed as a caveat in the confidential archives of the Patent Office, and he hereby appoints Frank L. Dyer (Registration No.560), of Orange, New Jersey, his attorney, with full power of substitution and revocation, to transact all business in the Patent Office connected therewith.

Thro a Edisen.

#### SPECIFICATION

#### TO ALL WHOM IT MAY CONCERN:

BE IT KNOWN, that I, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park, West Orange, In the County of Essex and State of New Jersey, have invented an improvement in CHMENT BUILDINGS AND PRO-GRES OF CONSTRUCTING THE SAME, and desiring further to mature my said invention, file this my caveat therefor and pray protection of my right until I shall have matured my invention.

The object of my invention is to construct a building of a cement mixture by a single molding operation; all its parts including the sides, roof, partitions, bath tub, floors, etc., being formed of an integral mass of a cement mixture. This invention is applicable to buildings of any sort but I contemplate its use particularly for the construction of dwellings in which the stairs, mantels, ornamental ocilings and other interior decorations and fixtures may all be formed in the same molding operation and integral with the house itself. A house thus made is practically indestructable and is much more sanitary than houses as now constructed, and at the same time the cost of construction may be enormously decreased, and it is feasible to beautify such a house far beyond anything now possible in so oheap a manner.

To carry out my invention I first construct a complete double-wall house which forms a mold for the reception of the cement mixture. This mold is preferably constructed of cash iron sections removably connected together in any suitable manner, as by means of bolts, dowels etc., and adapted when the house is constructed and the cement, has hardened, to be taken to pieces and removed and used repeatedly for the construction of an indefinite number of houses. When the mold has been constructed and erected I connect a number of distributing pipes therewith. which are preferably arranged at regular intervals at the top of the mold, the said pipes being connected to a common source of supply which may conveniently consist of a vertical riser having a funnel shaped opening for the reception of the cement mixture. I preferably use for the molding operations, a cement mixture formed of crushed stone, quartz or similar materials having particles varying from one-fourth to one-half inch in diameter, say five parts: ordinary sand, say three parts, and Portland cement, say one part, although these proportions may be considerably varied. Enough water is used to form an emulsion having sufficient fluidity to flow readily to all parts of the mold. During the setting of the mixture the water enters into chemical combination in the usual way, and if any surplus water is present it will appear as a mere dampness which quickly dries out. In order to prevent settling of the crushed material during the molding operation and before setting commences, and the resulting objectionable seggregation of the ingredients, I find that by adding a comparatively small amount of fine clay to the mixture ( say 20% of the cement used ) the tendency to settling is greatly diminished, while at the same time the amount of water used is sufficient to give a high degree of fluidity to the emulsion and permit very successful molding. The cement being properly mixed is elevated by any suitable means, and poured into the funnel shaped open-

2.

ing in the riser, whence it is evenly distributed by the pipes to the different parts of the mold which is gradually filled up as the cement is poured in.

To guard against the trapping of air and consequent imperfections in the molded coment when finished, I provide at various points in the molde where air is likely to be trapped, as for example, in the floors and partitions, and wherever the cement has to flow through tortuous channels, a number of air vents which will allow the escape of the air but will prevent the escape of the cement. One way in which I may construct such air vents in by making openings in the molds which are closed by an outer screen, such as a coarse wire mesh, and an inner lining of filter cloth, through which the air may readily escape but through which the cement cannot pass. Other forms of vents may, of course, be used.

While a house of this character may be made of coment mixtures alone, a much better and stronger house may be constructed if the structure is reenforced with properly formed metal reenforcing rods. Such rods, if used, may be secured to the molds in any way that will afford proper support to the rods during the molding process, and which will not prevent the removal of the mold sections after the house is completed.

In the accompanying drawing forming a part hereof,
I illustrate my invention so far as it is at present completed, Figure 1 being a cross-sectional view of a mold prepared for the reception of the cement which is to form my improved house; Figure 2, a plan view of the same, and Figure 3 a cross-sectional view of one form of air vent.

The house which I have illustrated comprises a basement, two stories and a roof.  $\underline{1}_{i,\underline{1}}$  are the molds having spaces  $\underline{2}$  between them for the reception of the ce-

ment mixture; 3 indicates the air vents which I have shown placed only in the floors, but additional vents will of course be placed wherever it is desired to avoid the trapping of air. The vents as shown in the drawings comprise flanged openings 4 in the mold sections, these openings being closed by means of a coarse outer mesh  $\underline{5}_{i}$  and a fine inner mesh 6 which may conveniently he made of filter cloth. The reenforcing rods are shown at  $\underline{7}$  and are so positioned in the molds that they will give the greatest strength to the finished house. I have shown these rods supported in place in the molds by means of short sections of wire 8wrapped about the rods, the ends of the wires abutting against the inner walls of the molds, or extending through the molds, but any convenient supporting means for these rods which will allow the removal of the molds when the house is finished may be used.

The hollow riser 0 is connected to the top of the mold by means of pipes or troughs 10, and when the cement mixture is placed in this riser it will be distributed by the pipes to all parts of the mold. I contemplate using the sand which is removed in digging the cellar, in connection with Portland cement for forming the desired mixture, thereby very materially reducing the cost of construction. Openings are preferably made along the upper surface of the side and end walls, as at 11, through which long poles may be passed, so that during the filling operation these poles may be moved up and down, with a pumping motion, to better distribute the cement mixture throughout the mold, and do away to a large extent with the possibil- ity of an imperfect casting and the formation of air bubbles.

My invention comprises specifically:

A cement house constructed as hereinbefore set

forth.

An integral cement house molded at a single operation.

The process of constructing a house which consists in making hollow molds of all its parts and pouring a cement mixture into these molds to mold a house at a single operation.

The process of making a house which consists in setting up hollow molds for all its parts, arranging reenforcing rods between the molds, pouring a cement mixture

into the molds from the top thereof to form an integral reenforced coment house and thereafter removing the molds.

A mold section having an opening therein, closed by an outer layer of coarse mesh and an inner layer of fine mesh.

IN WITNESS WHEREOF, I have hereunto signed my name, this twenty seventhriday of Movember, 1907.

The A. Edison

In presence of:

Grank & Byer.

ama R. Klehm


State of New Jersey,) County of Essex.


THOMAS A. EDISON, the above named petitioner, being sworn, deposes and says that he is a citizen of the United States and a resident of Llewellyn Park, West Orange, in the County of Essex and State of New Jersey, and that he verily believes himself to be the original and first inventor of the improvements in CEMENT

BUILDINGS AND PROCESS OF CONSTRUCTING THE SAME, described in the annexed specification.

Tho a Edison

Sworn to and subscribed before me





An Inventor Who Claims to Have Anticipated Mr. Edison's Concrete House Idea.

To the Editor of the SCIENTIFIC AMERICAN:

An Interior base Colorent House Edition.

The No. 20, vol. xerli, November 16, 1907, at Section 11 No. 20, vol. xerli, November 16, 1907, at Section 11 No. 20, vol. xerli, November 16, 1907, at Section 11 No. 20, vol. xerli, November 16, 1907, at Section 12 No. 20, vol. xerli November 16, 1907, at Section 12 No. 20, vol. xerli November 16, 1907, at Section 12 No. 20, vol. xerli november 16, 1907, at Section 12 No. 20, vol. xerli November 16, vol. xerli Novem F >

nake it more practicable. Mexico, November 25, 1907.

## Patent Application Files

These files consist of formal patent applications, along with correspondence between Edison's attorneys and the U.S. Patent Office. Some of the folders also contain notes and drawings by Edison, draft specifications in Edison's hand and other specifications with Edison notations; memoranda from Edison to his patent attorneys; and related correspondence authored by or sent to Edison, his associates, and his companies. Included are applications pertaining to phonographs and phonograph records, motion pictures, storage batteries, ore milling, cement, and concrete buildings. There are also a few applications relating to electric lighting, telephones, telegraphs, and other subjects such as "flying machines."

Another set of application files for Edison's U.S. patents can be found in the National Archives (Record Group 241, Records of the Patent Office), The National Archives set is nearly complete and available on microfilm. For that reason, the formal specifications and the correspondence between Edison's attorneys and the Patent Office have not been selected in the case files for the successful applications in the Edison National Historic Site's collection. The selected material from these files consists primarily of notes, drawings, and draft specifications by Edison, along with occasional correspondence to or from Edison, his associates, and his companies. The case files for Edison's abandoned or forfeited applications have been selected in their entirety except for duplicates, printed patents by Edison and other inventors, and other printed material. In addition, two applications by Edison's son, William Leslie Edison, have been selected.

The files are arranged in chronological order according to execution date—the date on which the formal application was signed and witnessed. On the list that follows, each selected application file is noted with its execution date; folio number; patent number (for issued patents) or serial number (for abandoned applications); and case file title. In a few cases where the execution date could not be determined, the application date, if known, or other conjectured date is supplied in brackets. Case files consisting entire yof unselected material do not appear on the list.

Exec. Date	Folio#	Ser. # or Pat. #	Abbreviated Case File Title
02/06/99	2230	Pat. 663,015	Electric Meters
02/06/99	2231	Pat. 648,934	Screening or Sizing Very Fine Material
02/24/99	2242	Pat. 643,764	Reheating Compressed Air
04/10/99	2236	Pat. 641,281	Expanding Pulleys
06/21/99	1	Ser. 722,229	Fine Screening Plates
07/05/99	3	Ser. 724,246	Combustible Engines
08/22/99	2298	Ser. 729,121	Bricking Pulverized Material
09/12/99	2302	Ser. 731,137	Phonographs
09/12/99	2303	Pat. 652,457	Phonographs
10/20/99	2310	Ser. 734,695	Conveying Belts
10/28/99	2316	Ser. 736,350	Drying/Screening Ores or Other Material in Bulk
[ca. 1899]	2277	[dropped]	Portland Cement
01/03/00	2333	Ser. 823	Magnetic Separation
01/03/00	2334	Ser. 824	Magnetic Separators
01/03/00	2335	Ser. 825	Drying/Screening Ores and Other Materials in Bulk
01/24/00	2342	Ser. 3,456	Fine Screening Plates
03/28/00	2369	Ser. 12,069	Stock Houses for Storing
		·	Material in Bulk
04/10/00	4	Pat. 759,356	Burning Portland Cement
04/10/00	5	Pat. 759,357	Burning Portland Cement
04/30/00	2379	Pat. 657,527	Metallic Duplicating Phonograph Records
04/30/00	2383	Pat. 667,662	Duplicating Phonograph Records
05/15/00	2386	Ser. 20,556	Coating Phonograph Records or Other Articles
09/28/00	2430	Pat. 703,051	Electric Meters
12/21/00	2452	Ser. 41,373	Reversible Galvanic Batteries
[ca. 1900]	2469	[not filed]	Storage Batteries
02/23/01	2486	Ser. 49,453	Reversible Galvanic Batteries
02/23/01	2493	Ser. 52,926	Electrodes for Galvanic Batteries
05/07/01	2516	Ser. 59,512	Depolarizers for Reversible Galvanic Batteries
06/17/01	2536	Pat. 692,507	Reversible Galvanic Batteries
[ca. 1901]	2608	[not filed]	Electrolytically Active Finely Divided Iron
04/05/02	13	Ser. 102,109	Nickel-plating Articles
[06/04/02]	14	Ser. 110,159	Making Sound Recordings
[06/04/02]	15	Ser. 110,160	Sound Records
09/30/02	18	Ser. 229,245	Reversible Galvanic Batteries
10/13/02	19	Pat. 727,118	Electrolytically Active Finely Divided Iron
11/13/02	22	Pat. 852,424	Storage Batteries

11/13/02	27	Pat. 802,631	Burning Portland Cement Clinker	
11/13/02	28	Ser. 134,018	Portland Cement	
12/18/02	29	Pat. 750,102	Electrical Automobiles	
12/18/02	30	Ser. 138,428	Separating or Grading Apparatus	
12/18/02	34	Pat. 1,014,818	Giant Rolls	
02/16/03	42	Ser. 147,587	Storage Battery Charging Apparatus	
04/27/03	46	Pat. 775,965	Dry Separators	
05/25/03	48	Ser. 159,307	Dry Separators	
07/20/03	54	Pat. 775,600	Rotary Cement Kilns	
07/20/03	55	Ser. 166,520	Duplicating Tubular Sound Records	
07/30/03	57	Ser. 167,929	Screening Plates	
08/11/03	59	Ser. 169,334	Electromagnets for Magnetic Separation	
08/25/03	60	Pat. 772,648	Vehicle Wheels	
10/03/03	65	Pat. 850,912	Making Articles by Electroplating	
11/02/03	69	Ser. 179,716	Duplicating Phonograph Records	
11/11/03	70	Pat. 962,081	Recording Sound	
11/11/03	71	Ser. 180,999	Recording Sound	
11/16/03	72	Pat. 943,664	Sound Recording	
11/20/03	74	Ser. 182,427	Primary Batteries	
11/20/03	76	Ser. 182,428	Reversible Storage Battery	
11/20/03	77	Pat. 873,220	Reversible Storage Battery	
06/20/04	87	Pat. 861,241	Portland Cement	
07/12/04	107	Pat. 847,746	Electrical Welding Apparatus	
07/12/04	109	Ser. 217,881	Perforated Sheet Metal for Storage Batteries	
08/23/04	113	Pat. 970,615	Sound Records	
09/26/04	120	Ser. 226,776	Treating Graphite for Use in Alkaline Storage Batteries	
01/16/05	126	Ser. 243,492	Sound Records	
03/17/05	136	Ser. 251,001	Nickel-plated Graphites	
03/29/05	144	Pat. 882,144	Storage Battery Electrode	
04/11/05	149	Ser. 255,079	Sound Recording Apparatus	
04/26/05	154	Ser. 257,943	Electrode Unit	
05/20/05	169	Ser. 261,953	Phonographic Recorders	
05/20/05	170	Ser. 261,949	Methods of Recording Sound	
05/20/05	171	Pat. 963,362	Recording and Reproducing Sound	
09/28/05	190	Pat. 1,152,613	Burning Portland Cement Clinker	
10/11/05	193	Ser. 282,694	Cement Kilns	
[10/19/05]	197	Ser. 283,529	Production of Thin Sheet Metal	
11/28/05	209	Ser. 290,336	Making Metallic Films or Flakes	
12/06/05	211	Ser. 290,712	Storage Battery Receptacles	

12/06/05	212	Pat. 914,342	Storage Batteries
01/09/06	217	Pat. 858,862	Primary and Secondary
01/24/06	040	D.1.4.005.505	Batteries
[01/27/06]	219 220	Pat. 1,065,597	Cement Burning Kilns
02/01/06	223	Ser. 298,282 Ser. 299,484	Electric Automobile
		,	Feeding Apparatus for Cement Kilns
02/24/06	226	Pat. 964,096	Electroplating
03/17/06	227	Ser. 306,782	Electroplating
05/07/06 09/11/06	234	Pat. 1,059,661	Portland Cement
[09/13/06]	263 261	Pat. 962,823	Crushing Rolls, Cement
11/16/06	275	Ser. 334,411 Ser. 345,043	Shaft Bearings
11/16/06	276	Ser. 345,043 Ser. 345,044	Cement Burning Apparatus
12/28/06	280		Blast Furnaces
12/28/06	282	Ser. 352,417 Pat. 1,024,839	Concentrating Silver Ores
12/20/00	202	rat. 1,024,039	Phonographic Recording Stylus
02/23/07	296	Pat. 975,339	Duplicating Talking Machine Records
05/08/07	314	Pat. 876,445	Electrolytes for Alkaline Storage Batteries
05/28/07	320	Pat. 1,163,329	Filaments for Incandescent Electric Lamp
06/11/07	321	Ser. 378,891	Telephones
06/11/07	322	Pat. 861,819	Discharging Apparatus for Belt Conveyors
06/11/07	324	Pat. 954,789	Sprocket-chain Drive
06/18/07	325	Pat. 909,877	Telegraphy
[11/14/07]	351	Ser. 403,043	Filaments for Incandescent Lamps
11/21/07	356	Pat. R13,434	Discharging Apparatus for Belt Conveyors
02/04/08	379	Pat. 909,167	Water Proofing Paint for Portland Cement Buildings
02/04/08	380	Pat. 896,811	Metallic Films for Use with the Storage Battery Electrodes
02/04/08	381	Pat. 1,182,897	Recording and Reproducing Motion and Sound
03/13/08	384	Pat. 996,625	Phonograph Reproducers
03/13/08	385	Ser. 421,887	Phonograph Records
03/13/08	386	Ser. 421,884	Phonograph Records Case A
03/13/08	387	Ser. 421,885	Phonograph Records Case B
03/13/08	388	Ser. 421,886	Phonograph Records Case C
03/13/08	389	Pat. 999,762	Storage Batteries
03/13/08	390	Pat. 975,340	Phonograph Reproducers
03/13/08	391	Pat. 944,481	Artificially Aging or Seasoning Portland Cement
03/13/08	393	Pat. 1,013,869	Bearings
03/13/08	394	Ser. 422,650	Reproducing Motion and Sound

05/27/08	413	Pat. 909,168	Water Proofing Fibers and Fabrics
06/08/08	417	Pat. 993,294	Device for Feeding Pulverulent Material
[06/09/08]	527	Pat. 1.081.728	Spark Plugs [W. L. Edison]
08/10/08	422	Pat. 1,219,272	Cement Buildings
08/10/08	423	Ser. 448.292	Color Picture Exhibiting
	720	001. 440,202	Apparatus
08/20/08	436	Pat. 970,616	Flying Machines
10/10/08	428	Ser. 457,592	Phonograph Records Case E
10/10/08	430	Pat. 996,070	Rotary Kilns
11/20/08	439	Ser. 463,943	Water Proofing Material for Concrete
11/21/08	440	Pat. 1,148,832	Utilizing the Waste Heat in Kilns
12/09/08	442	Ser. 467.156	Treating Mold for Concrete
12/22/08	447	Pat. 1,123,261	Mold for Concrete Construction
01/27/09	454	Pat. 1,002,504	Crushing and Separating Fine Materials
02/18/09	456	Ser. 479,587	Phonographs
02/18/09	457	Ser. 479.586	Sound Records
03/02/09	458	Pat. 1,158,659	Phonograph Records Case A
11/04/09	547	Ser. 526,428	Air Pumps [W. L. Edison]
11/09/09	552	Ser. 528,323	Phonograph Reproducers
12/04/09	560	Pat. 1,056,517	Reproducing Sound
12/04/09	561	Ser. 532,074	Sound Reproducing Apparatus
03/19/10	587	Pat. 1.110.428	Forming Phonograph Styluses
04/14/10	588	Pat. 1,019,441	Sound Recording Apparatus
05/02/10	596	Pat. 1,041,983	Phonograph Stylus
05/19/10	600	Ser. 563,041	Can or Receptacle
05/31/10	602	Pat. 1,178,062	Moving Picture Apparatus
05/31/10	603	Pat. 1,036,471	Storage Batteries
06/13/10	607	Pat. 1.115.463	Electrode Elements
07/02/10	611	Pat. 1,167,637	Utilizing Waste Heat in Kilns
08/29/10	630	Ser. 579,706	Vehicle Wheels
10/04/10	645	Pat. 1,099,241	Rectifiers
10/21/10	655	Ser. 588,982	Sound Records
12/05/10	674	Pat. 1.184.332	Talking Machines
12/07/10	649	Pat. 1,110,382	Sound Modifiers
12/08/10	675	Ser. 596.537	Disc Sound Records
			2.00 000.10 1.000103

No. 2230	100		10.7091146
Thomas A &	dison,	Address.	<i>\\</i>
Title Improveme	euts in El	Estui Meter	_
Filed Mch. 17/99		Examiner's Room N	0. 85
Assignee			
Ass'g't Exec.	Recorded	Liber	Page
. Patent No. 66	3,015 Issu	ed <i>Slelmha 4,19.</i>	2n2.
· Rejected Apr. 11	ACTION		
2 Anewars Mick 3 Pepcatra Apr	26,1900. 17		
4 Amended M	ay 7, 1900. 19		
5 Howes no	01. 10,1900 21		
9			
10			
II			
12	27		
13			
15	30		

RICHARD N. DYER,
31 Nassau Street,
NEW YORK CITY.

The object of the enventer wille production of a very accorate, simple, and recliable meter for measuring Electric Cornents -The moention consents in recording the Convert by its Elichaliper water upon south ( subjecting a salvable salt of mercung to Electrolypis by a count fraction of the Current to 62 we as med, and dan Conditions to be made cohered, the melallic mecury out free by Elistrategois, 2 ether drops into a capelling bors of a gloss tube and send the amount rand off by means of an index as with a thermombin of the mercury is drapped into a ourptineer suspended in the Legion by a wire considered to a what with a retractile valute watch spring and the weight of Chameron so adde notation of Che shaft which the powler you to Dhaft poom

Which the weight of clamering is send off ducaccy Ball the tuck of the way beau previously.

Cat. Gracel -

A wthe cold Electrolylic cicl Containing Mecurous Metrate Salunaled to a point where it will not Crystaliza out cohen oubjected to a Compenser of 35 fahor -F to the meany Electrode Connected to the system by to a plalemen which sealed into the glass tube of inlersed on the Mercury C is a viry small plalentin we also sealed into the glass tube B. for 200 20 light moters or less the

draunter of the plane wie Should be about 1000 afan wow and about me wall Long for larger nucleus the total surface of plalina Charled increases, impropular to the lamps to be measured The two platua Electrodes are consider across a Churt through a resistance af about 1000 ohmo a portion of this resestance 62 mode of man wire, The other resistance who should be of

e nictal as the Obunt so that They will mutually Compensale for me Changes of lamperalue The Fran Resustance however Changes Is resistance queatly with Changes a & lamperaline and a sufficient quantily of Iron were is used that the dimenulum afrescase of the Solution by marcose of limperalum shall be bolomer of by a rise of 1 Resustance in the Francisco

The Resistance of the Elachotyte cell which I suplay if 20 lights is about 8 okum The ristance of the vial wine well depend capar its punly of well (se goverally several times that up the cell-The larger resistance coil is of inserted for the purpose efrendering any changes un cheresistema af the Cell other than that due to comperation a small percenta af the total resustance

for uslamon with full load The resistance cefthe Cell may go as low as 6 shum and with the smallest load it may go to 15 about curent this variation of the readings usale the mointain of 1000 ohm The change from 6 to 15 oh

The purer the Meanous Milnal & Men is the less will 62 the changes africialana due to variations/ aflow - The minny tock Should 62 tropple destilled in Vacuo -The mean The action of the meter is as follows. The shunt placed with main line has we will say 14 of 1 per cont of the total resistance when the maximum lawys we cucul for which the well measure - The meter will recove a Current of two of

nearry is deposited uparthe about 1000 afmolin deaugh they drap off with the receptable E and downthe 6 and of the Cap tube G. They do not pass ave the higher part of the bendy but collect & Coddesee logiller but not perfectly. The Column

formed to very much Graken in By The legues between Sections which have coalesced - at the end afamath the Column Extends up ento E of a la globule is formed-When it is desired to read the neter- The Derow S to Turned The Meany N in the U shape tube is forced down This cause the liquid out M to enter the Capelian tube K of force the whole dep the meany at G up with E of the

globule, any liqued that had Eulangled passes ugre globus The junction between the Capillia, being grown the mircung or Elimination of the legind to by now the one drawn


is turned until the Bottom of the Column is at Zero & leigth is read off by the scale the vert reading or it removed at ance to the Cattle, by opening the puch cock at BB = the latter is then close the water is newdung - The am leg, wo removed by run battle to very small thenthey for ten years


mor than to af an male The Check battle wh wed a collebrated capitle The Capill of 500 miles to asculani film parts after bor is after some diameter-

The Inay dray is afterded the Elicana in the same manner as the Capillian tube design the Exception that the mer globules produced Ey checkedying Idrap into a glass dish suspended from a platitum were two deared on a shaft to which is provided with a retractile cooled hair Opring - so adjusted as To the weight of the dish or fring h consoled to the fonti M Yalso hoff to Zero - a

around the scale - The Open so the scale is calibrated from the spring sothal Each diversion is undertis the deposit of me milligramm of hearing with at the End of the month movement of the the maximum under is noted + it to it it then carried around to the southern hunt from Zoro coloral cause the dish to descend to the bollar of the tube B the Valor of shirker the projection × reasong it up & duping the manny which Can be drawn off of any time of

boltom -





german places german elve tron severine hours us. y cell - ---


No. 2231  Applies	1002 ant. A. Edinon	Serial No	709,447
Title Modern of	(lpoots)	Statening & Sliging Examiner's Room No	
	Recorded	Liber	-
· Rejection	ACTIONS For >-1/99 16 Jany 20, 1900, 19	 	2. Ca.
3 h. from O. Strender 5 L. from O. 6' L. T. O.	Jeby 3 1900 18 Lety 21,1800 19 Med J/100 20 Med 26, 1900, 21	1./\	
7 Allowed Ap 8 mas fee four			
13 14	26	Mary Mary	45° 10° 10° 10° 10° 10° 10° 10° 10° 10° 10
		RICHARD N. DYE	R, u Street,


NEW YORK CITY.

load in con Tunous (vansit share) be of course malinal preferable The object of the invention is to occasion or size very fine unterial such a portland Commit, 1/8 of an unch Cube -If the screen slot by og across then 70 per cent of the Talal The mountion consects in carrying showed bettages -Continuously a practically constant tond of the sery much larger material to 62 If 012, 60 percent wall that is necessary - of it is among allempted to dimmon the among screened out and adding to this Constant load from the the products of Coarse material the prisents of Compling assistanting the cloq as wall as the walning, serens prefushy those describe This method applied to the my application files The produce the Constant Crushing + screening affortand Coment to show in fig ! of Coarse malrial necessary li Hemit Brian ful screenty of the fine moderable added to deplends upon the finemer of the latter - with a slat coy wite - 90 percent of the whole

It to an Elevator Mia 6 c are the 3 rallo fenstructed Thefining this Elevalor substantially as shown in ? delevers it to The Coursejor application out for fine grading they are N which delivers it to preferally placed horizontal the bank of screens, The instead of perpudicular a screens abstract the fine only one set of ralls used, The material adeliver to the pelmits of the whole of the Conveyor K gray to the strape work bring Done between one bins while the Course par afrally under great material passes down pressure, and go percent of ind the state of the material 1/6 wich cuts passe tello which y day Continue therallo is countifd at me paro to 150 medor atme from the brung the multimet from another is again delivered uparthe Cohveyor L by the chule E. Connected to E is a partagine mill for freeling hoportraller fiel for This material facts on the ongly the desired sprouted Conveyer L which delivers af the Coarse maldrest

to the rallo- and thus fee is starled # so adjusted that the Bythe oystem the persons rall trushes an amount Egnal and deept free, have great to the amount receive Capacity and material impossible from Conveyor H ,= to seem in any other manner The Courshing feed rall is is Enough Effected by this system not started with the The Conveyor + screen system has been loaded up with the proper amount of coarse walnual or which is making a Continuos Crawt Wharlbe prager amount is in transit to parent the scients do then work properly, the trad rall for the crusher





2242	(ave 1005 Serial No. 106,976	
Thomas St. Sdiss	Address.	•,
- Comas Or Sause	012	
27.44		
Title Milhad of and Appen	ather for Re healing Companied Air for main trea	6
		•
Filed Jeby 27, 189	9. Examiner's Room No. 35	
	<u> </u>	
Assignee Edinou-In	Lunder Comprences Shir Company	10
· · · · · · · · · · · · · · · · · · ·	Du 1/10 0.59	
assign Executive 74/17	Recorded May 4/99 Liber of Page 1/2	
	2011	
Patent No. 64	3764 Issued Feb., 20, 1900.	
	•	
<i>&gt;</i>	ACTIONS.	
· Nejectia Apr. 14	1/99. 16 Allowed Jany 22/9	2
2 Amended Ame 19	199. "Finas Fre fow Jany 2919	,
Rejected July 1/	190 17 Vines 20 500 July 2//1	0
L. to O. Aug. 15/9		
Tigetes Sep. 6/9		
6 Appealed Sept 7/9	79 21	
K from O Sepr 13,	199 22	
<u>junionim</u>	23	•
Aaring Oct 11/99 a	T 1 3111, 24	
L. to O. Depr 2019	99	
Ens. Ans Sep. 13/4	70	
Decision Oct. 27		
Li 2	77/2 27	
Anguaes nov.		
Nijuto Dec. 4.		١,
Amendea Dec. 6,	199. 30	
ta di Santa da Santa da Santa da Santa da Santa da Santa da Santa da Santa da Santa da Santa da Santa da Santa		

Yoursay Cause a pressure 6 eyand the Don of heat - It ocems to me the Expression is Exact. The fall of P takes place

No. 2236	100 4 Serial No. 711 340
Applicant. Thomas A. Edison	Address.
Charles M. Johnson	<del>-</del>
Title Mift, in Sofra die	,
Filed April 21, 1899	Examiner's Room No. 255
Assignee	
Ass'g't Exec. Record	ledPage
Patent No. 641, 281	Issued January 16, 1900.
~ )	ACTIONS.
· Negetia May 10, 1899.	<b>16</b>
2 Williard Me 29/9	9. 17.
3 Allowed July 8/99.	18
4 mile vie juli- Nie, 7,	////, 19
6	20
7	
8	23
9	24
10	25
IZ.	26
13	27 28
14	
15	30
)	

RICHARD N. DYER,
31 Nassau Street,
NEW YORK CITY.

aldiganding fully to take out potent in this be send papers of waney order but I look to me as if the papero were not a carde Ruli - HE also says the 9th = 9 mey reed the morning - Please put the Send Stra Gill to his addre

Folio No. /	2 5-7		Serial No.	722 20
Appli	cant.		Address.	
Nouse A.		Sec.	oellyn Pand,	1 2
V a				Salat year tomore.
0 .				
Title Fine Son	coming Calis	•		
Filed Linux 29.	1899	F.	aminer's Room No	243
Filed			animer s Room 1 to	
Assignee				
Ass'g't Exec.				0100
Ass g t Exec.	Recorded		Liber	age
Patent N	Vo	Issued		
	· · · · · · · · · · · · · · · · · · ·			
	ACT	IONS.		100
1 Repuba De	quet 10, 1899	16	- 4/	
	Lu. 19,1900			
	6. 3. 1900			
4 Americas	lan. 24. 1901	19		
5 Ayuta o	26. 13, 1901	20	······································	
	raid Lew 27, 1902			
	himo Marci vi it			
	in land 7, 1903			
9 Comen to C	. D. dearet 51, 190	24	les refu	
11 No Chamundsin O	rsız Uffamlarızıya		······································	34.
10 Cameradech		20		
13				36.6
14				
1 A A A				No. 1
			FRANK L. D	

ORANGE, NEW JERSEY

DYER, EDMONDS & DYER,
SPROIALTY,
Patents and Patent Caus

SI NABBAU ST., NEW YORK,
RICHARD N. DYER,
RECIETRATION RG. 400.
SAMUEL G. EGMONDE,

Detition.

To the Commissioner of Patents:

YOUR PETITIONER, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park, in the County of Essex and State of New Jersey.

PRAYS THAT LETTERS PATENT MAY BE GRANTED TO HIM FOR THE IMPROVEMENT IN FIRE SCHEMENT PROCESS OF MAKING THE SAME

SET FORTH IN THE ANNEXED SPECIFICATION; AND HE HEREBY APPOINTS DYER, EDMONDS AND DYER IA FIRM COMPOSED OF RICHARD N. DYER, SAMUEL O. EDMONDS AND FRANK L. DYER, OF NO. 31 NASSAU STREET, NEW YORK CITY, HIS ATTORNEYS, WITH FULL POWER OF SUBSTITUTION AND REVOCATION, TO PROSECUTE THIS APPLICATION, TO MAKE ALTERATIONS AND AMENDMENTS THEREIN, TO RECEIVE THE PATENT, AND TO TRANSACT ALL BUSINESS IN THE PATENT OFFICE CONNECTED THEREWITH.

Thomas a. Eduson

4 722 229

## SPECIFICATION.

TO ALL WHOM IT MAY CONCERN:

6

Be it known that I, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park, in the County of Essex and State of New Jersey, have invented a certain new and useful IMPROVEMENT IN FINE SCREENING PLATES AND PRO-DESS OF MAKING THE SAMES (Case No. 1009), of which the following is a description:

My invention relates primarily to improvements in screens for effecting a screening operation of particles of extreme fineness.

I have determined from experiment that the screening capacity of a screen plate depends almost entirely upon the thickness of the plate. I have employed sheet steel with punched slots, the latter being several times greater in length than in width, and with such screens I have determined that a plate, for instance, .010 of an inch in thickness having slots punched therein .006 of an inch in width will possess only a small fraction of the capacity of a plate having slots of the same width but being itself of a thickness of only .003 of an inch. I find that the thicker plate becomes rapidly clogged with particles of the material in process of screening, such as iron ore, thus reducing the screening capacity in a very short time to almost nothing, whereas if the plate is of less thickness than the width of its slots, it does not become clogged and can be operated for weeks without cleaning.

The objection which I have experienced in the use of very thin plates has been their liability to wear, and it is to the accomplishment of a process by which this objection

may be overcome that my present invention also relates. To

this end, the invention consists in the use of very thin plates having orifices, preferably slots, therein of greater width than the thickness of the plates, the width of the

water than the thickness of the plates, the width of the orifices being adapted for very fine screening.

It is the object of my invention to obtain the high

screening capacity resulting from the use of thin plates, and at the same time to secure durability thereof.

attention is directed to the accompanying drawing forming a part of this specification, and in which figure 1 is a cross-sectional view of a scroon plate embodying my present invention, and figure 2 a similar view illustrating the preferred process which I carry out for the partial hardening

In order that my invention may be better understood,

of such plates.

In both of the above views, corresponding parts are represented by the same letters of reference.

A represents a thin sheet-iron plate, suitably

hardened, as I will explain, provided with crifices, preferably slots, a therein. The relation between the thickness of the plate A and the width of the crifices a is such that the former dimension is less than the latter. In the specific instance illustrated I show a plate which is indicated as being .006 of an inch in thickness, and having slots a therein which are indicated as being of a width each of .009 of an inch. A Jan 24, Jaj 1.

In making my improved screens I prefer to proceed substantially as follows: A sheet-iron plate A is first secured, and the crifices a are formed therein preferably in a punch-press with gang-dies or punches. The plate, after having been punched with the crifices, is then dipped in a bath of molten cyanide of potagsium for a few seconds. It is then withdrawn and immediately laid upon a flat iron plate

such as B (figure 2), over which is located a corresponding

The sudden chilling to which the plate A will be subjected by coming in contact with the larger masses of the plates B and C, serves to harden the plate A and to keep it perfectly flat until cooled. Any tendency of the plate A to warp or buckle during the cooling operation is thus overcome. After the punched plate A has sufficiently cooled, it is then immersed in a water bath to dissolve off the cyanide of potassium, and after this bath it is dried and oiled in any suitable and usual manner. As a specific instance of a convenient process for the proper hardening of plates .006 of an inch in thickness having punched slots therein each of a width of .009 of an inch, I will state that the plate may be allowed to remain in the molten bath of cyanide of potassium for thirty-five seconds, and during this period the iron will become carbonated to a depth of about .001 of an inch on each side. The surface hardening to which the screen plate will be thus subjected between the plates B and C, will be of a very high order, while at the same time the inner portions of the plate will be left sufficiently soft and pliable as to allow the plate to be bent or otherwise manipulated. If the plate were allowed to remain too long in the bath of cyanide of potassium, it would be rendered objectionably brittle, since the absorption of carbon would progress entirely through the same.

plate C, which is allowed to drop upon the punched plate A.

above described for the proper hardening of screen plates of this specific character, it will be understood that surface hardening of said screens may be carried out by the usual method of cementation by packing the plates in character, leather etc. I consider the special process above described to be preferable however, since it is more expeditious and the depth of carbonation is under entire controly

Instead of the special surface hardening process

Having now described my invention, what I claim as now and desire to secure by Letters Patent is as follows:

 As a new article of manufacture, a very thin metal plate having screening critices therein of greater width than the thickness of said plate, substantially as sat forth.

Z

2. As a new article of manufacture, a screening plate made of hardened metal of extreme thinness and with

orifices formed therein of a greater width than the thickness of said plate, substantially as set forth.

5. As a new article of manufacture, a metal plate

having a hardened screening surface but with a malleable central portion, said plate being of extreme thinness and having orifices formed therein of greater width than the thickness of said plate, substantially as set forth.

4. As a new article of manufacture, a screening plate having hardened surfaces and a malleable central portion, said plate having elongated screening orifices formed

tion, said plate having elongated screening orifices formed therein, substantially as set forth.

5. As a new article of manufacture, a very thin

metal plate having screening slots therein of greater width
than the thickness of said plate, substantially as set forth.

6. As a new article of manufacture, a screening

6. As a new article of manufacture, a screening plate made of hardened metal of extreme thinness and with slots formed therein of greater width than the thickness of said plate, substantially as set forth.

7. As a new article of manufacture, a metal plate having a hardened screening surface but with a malleable central portion, said plate being of extreme thinness and having slots formed therein of greater width than the thick-

8. As a new article of manufacture, a screening plate having hardened surfaces and a malleable central por-

ness of said plate, substantially as set forth.

tion, said plate having elongated screening slots formed therein, substantially as set forth.

9. The method of making screening plates which consists in first forming a sorice of orifices in a sheet of malleable metal, and in subjecting the screening surface of said metal to a hardening process, substantially as set forth.

10. The method of making screening plates which consists in first forming a series of orifices in a plate of malleable metal, and in subjecting both surfaces of said plate to a hardening process, substantially as set forth.

11. The method of making screening plates which consists in first ferming a series of crifices in a plate of malleable metal, in dipping the plate in a carbonating liquid, in them subjecting the screening surface to a chilling action, and in finally washing the plate to remove such liquid, substantially as not forth.

12. The method of forming screening plates which consists in first forming a terries of crifices in a plate of malleable metal, in dipping the plate in molten cyanide of potassium, in then subjecting the screening surface to a chilling action, and in finally washing the plate to remove the cyanide of potassium, substantially as set forth.

13. The method of making screening plates which consists in forming a series of oritiess in a plate of malleable metal, in dipping said plate in a bath of molten cyanide of potassium, in chilling the percening surface of said plate, in maintaining the plate under a flattened presure until cool, and in finally washing the plate for the removal of the cyanide of potassium, substantially as set forth.


14. The method of making screening plates which consists in forming a series of orifices in a plate of mal-

leable metal, in dipping the plate in a bath of molten cyanide of potassium, in subjecting the plate to pressure between two plates of larger mass, whereby the surfaces of the screen plate will be chilled and the plate will be maintained under pressure during the cooling operation, and finally, after the said plate has been cooled, in dipping it in a bath of water for the removal of the cyanide of potassium, substantially as set forth.

Mitnesses : Oath. State of Mus Jersey 85.: THOMAS A. EDISON, THE ABOVE-NAMED PETITIONER, BEING DULY SWORN, DEPOSES AND SAYS THAT HE IS A Citizen OF THE United States, and a resident of Llewellyn Park, in the County of Resex and State of New Jersey; THAT HE VERILY BELIEVES HIMSELF TO BE THE ORIGINAL, FIRST AND SOLE INVENTOR OF THE IMPROVEMENT IN FINE SCREENING PLATES AND PROCESS OF MAKING THE SAME DESCRIBED AND CLAIMED IN THE ANNEXED SPECIFICATION; THAT HE DOES NOT KNOW AND DOES NOT BELIEVE THAT THE SAME WAS EVER KNOWN OR USED BEFORE HIS INVENTION OR DISCOVERY THEREOF; OR PATENTED OR DESCRIBED IN ANY PRINTED PUBLICATION IN THE UNITED STATES OF AMERICA OR ANY FOREIGN COUNTRY BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION; OR IN PUBLIC USE OR ON SALE IN THE UNITED STATES FOR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION

FOR FOREIGN PATENT HAS BEEN FILED BY HIM OR HIS LEGAL REPRESENTATIVES

DAY OF DOM



2-020. SIR: I have to acknowledge the receipt of the petition, specification, oath, and with Fifteen Dollars of the first fee payable thereon. The papers are duly filed, and your application for a patent will be taken up for examination in its order ... You will be duly advised of the examination. Case will be taken up for Very respectfully, examination in about one month.

ROOM No. 245.

If remainstalinus about to attract the "The Commissioner of Patents, Westington, D. C."

Any communication respecting this application should give the serial number, date of filing and title of invention.

DEPARTMENT OF THE INTERIOR,

ATTENT OFFICE.

Thomas A. Edison,

Care Dyer, Edmonds & Dyer,

New York Gity.

AUG LO JEON

AUG

7722,229, for Fine Screening Flates, and Process of Making the Same,

C. H.Duell.

Rule 41 of the Rules of Preside in this Office, provides that "A machine, a process, and a product, are separate and independent inventions, and claims for each must be presented in a deparate application." Claims 1 to 8, inclusive, are for an article which ordinarily forms part of a machine, and claims 9 to 15, for a method or process. Under the rule division is required, and in view of the decision in case of Rappleys, 85-6.9., 2096, it is required that division is made before action on the merits.

With the view of aiding applicant in making division reference is made to the fellowing: - Esala, 207,178, Aug. 20, 1676; Onetter, 255,325, Mar. 21, 1882; Berthelet, 479,617, July 25, 1892; and Gross, 585,325, May 25, 1897 - 21; in Willsy 0vs 3 Coal, Bifers & Boreans. 586,4150, 340,542, T. Butes, Artl 27, 1886, Threading Salving THOMAS A. EDISON THE SAME

FINE SCREENING PLATES AND PROCESS OF MAKING

FILED JUNE 29, 1899

SERIAL NO. 722,229

HONORABLE COMMISSIONER OF PATENTS. SIR :-

In the above entitled application, the following amendment is submitted:

Change the title of the invention to ---- IMPROVE-MENT IN FINE SCREENING PLATES ----

ROOM NO. 243.

In the petition, erase the words "AND PROCESS OF MAKING THE SAME".

Page 1, lines 5 and 6, erase the words "AND PROCESS OF MAKING THE SAME".

Page 3, after the last line insert ---- I do not claim herein the process involved in the manufacture of fine screening plates by the surface hardening thereof, either broadly considered or specifically, by dipping said plates in a bath of molten cyanide of potassium as explained, since that process, both specifically and generically considered, is embodied in a separate application .----

Cancel claims 9 to 14 inclusive.

Action on the merits is respectfully requested.

The several references to which the Examiner has called applicant's attention have been carefully considered. So far as can be determined, they all show ordinary screening plates of the usual thickness. Applicant's invention relates specifically to screening plates which are microscopically thin, whereby the effective screening of extremely fine material can be carried out. Applicant is entirely willing to acknowledge the references and any other ordinary

screening plates. In the sense of the specification, the expressions "very thin" and "of extreme thinness" mark a very wide distinction from anything that is disclosed in the references. The second claim is limited to a screening plate "made of hardened metal", the third claim to a plate having "a hardened screening surface but with a malleable central portion", and the fourth claim is limited to a plate having "hardened surfaces and a malleable central portion". The sixth, seventh and eighth claims are correspondingly limited to plates such as above recited having screening slots therein. There does not seem to be any question that these claims are fully distinguished from the references.

Vory respectfully,

Any Concord & Day .

Attorneys for Edison.

New York, January 19, 1900.

Roders No. 245:

All series in supplication for 'de la first benefit in distance responsing that application for 'de la first benefit in distance responsing that application for 'de la first benefit in distance and the distance of the last of first and the distance of the last of first and the distance of the last of first and the distance of the last of first and the distance of the last of first and the distance of the last of the l

This one has been further considered in view of assendment filed on the Soth uit.

The terms "every thin" (claims I and 0) and "extreme thinness" (claims 2, 3, 6 and 7) are realthing terms without openial or definite significance. A plate or serven may be thin, or very thin, or extreme thin or serven may be thin, or very thin, or extremely a management by mother Medical Societies hereign been made from plates and the serven plate of the plate, the thickness of plate when an appropriate of the plate of the p

THE PARTY Inverse an administration and the agent work or worder to be extricted out or trainered in the application man be specified and the prices point-indicated where the cursain or toisetted is to be made. All such insteadments must be our fluid or the cursain or toisetted is to be made. All such insteadments must be our fluid paper specifically fluid and written on plaines after of the paper specifically fluid and written on plaines after of the paper approach, give the paper specifically fluid and written on plaines after of the paper approach page that only in the page and th

St. J.

case hardening his screen place is foreign to the case under considerable, and the citations above hade are made many with the citations of showing the state of the art and not because they are the considerable of the state of

date.

ijij.,

THOMAS A. FDISON

FINE CORRENING PLATES AND PROCESS OF MAKING SAME

ROOM NO. 243.

FILED JUNE 29, 1899 SERIAL NO. 722,229

HON. COMMISSIONER OF PATENTS,

SIR:

Please amend as follows:-

Page 2, after line 25, insert -----In practice

I find that my improved screening plates can be made to vary in thickness between approximately .035 of an inch having slots .2 of an inch in width for the thickness plates, down to .006 of an inch in thickness with slots .009 of an inch in width for the thinness plates, and in the following claims where reference in made to very thin plates or to plates of extreme thinness, I have reference to plates not greater in thickness than .035 of an inch.

It is hoped that in view of the above unendment, by which a definite limitation is imposed on the claims, the case may be allowed. All the references show relatively thick plates, that is to say, plates having a thickness of at least four times the thickness of the maximum figure adopted by applicant. With very thin plates, such as applicant uses, case hardening is necessary. With relatively thick plates, such as the references employ, such an expedient is entirely unmecessary.

Very respectfully.

THOMAS A. EDISON.

His Attorneys.

New York, January 24, 1901.

ROOM NO.

ROOM NO.

All summaries that the state of the containments of the containment o

Please fluit below a communication from the ERAMMER in charge of your application.

#722,229, filed June 29, 1899, for Fine Screening Plates and Process
of Making Same.

New York City, N.

C HD well Commissions of Fatences.

This case has been considered in connection with amendment files (as. 20th, 1901.

The references of record and the reasons before given are alhered to and the case is finally rejested.

The case is now in condition for appeal to the Board of Amains 1-1-Onis.

RV-met---

Distates was

ROILE II every augustness the cancel word or points to be stricken out or inserted in the application mints to spouline and the prettine points indicated where the ensures or insertion; is 60 bg, index. All such mendments must be on about the prettine prettine from the papers protected field, and written for believe field of the inner. THOMAS A. FIDISON FINE SCREENING PLATES

FILMD JUNE 29, 1899 SERIAL NO. 722,229

HONORABLE COMMISSIONER OF PATENTS,

SIR:---

hereby appeal to the Exeminers in Chief from the decision of the Primary Examiner, who, on February 18th 1901, rejected for a second time and finally all the claims of the application, and in support hereof we beg to assign the following reasons of appeal:

ROOM NO. 243.

In the above entitled application, we

1. The Examiner erred in deciding that the references of record anticipate the terms of the claims.

2. The Examiner erred in holding that the refer-

ences of record anticipate the substance of said claims.

3. The Examiner erred in not allowing said claims.

An oral hearing is requested.

Respectfully,

THOMAS A. EDISON,

His Attorneys.

New York, January 27, 1902.

United States Patent I have to acknowledge the receipt of the APPEAL to the the fee payable thereon. Of the result due advice will be given. Very respectfully,

2-246.

UNITED STATES PATENT OFFICE,

WASHINGTON, D. C.,

Feb. 15, 1902

Thomas A. Edison,

Care Dyer, Edmonds & Dyer, Edison Laboratory, Orange, N.J.

Please find below a communication from the EXAMINER in charge of your application. #722,229, filed June 29, 1899, for Screening Plates and Process for

Fr. I. allen.

Answer to appeal.

Making Same.

application must be specified and the precise point indicated where the m tile gapers previously filed, and written on but one side of the paper.

In the United States Patent Office.

Application No.722,229, Thomas A. Edison, Fine Screening Plates and

Process of Making Same,

Filed June 29, 1899.

Before the

Hon, Board of Examiners-in-Chief,

On Appeal.

Dyer. Edmonds & Dyer for applicant.

Examiner's Statement,

The claims on which this appeal is based are the followings

- \*1. As a new article of manufacture, a very thin metal plate having screening orifices therein of greater width than the thickness of said plate, substantially as set forth.
- \*2. As a new article of manufacture, a screening plate made of hardened metal of extreme thimness and with orifices formed therein of a greater width than the thickness of said plate, substantially as set forth.
- \*3. As a new article of manufacture, a metal plate having a hardened soreening surface but with a malleable central portion, and plate being of extreme thimness and having orffices formed therein of greater width than the thickness of said plate, substantially as set forth.
- "4. As a new article of manufacture, a screening plate having hardened surfaces and a malleable central portion, said plate having elongated screening orifices formed therein, substantially as set forth.
- "5. As a new article of manufacture, a very thin metal plate having screening alots therein of greater width than the thickness of said plate, substantially as set forth.
- no. As a new article of manufacture, a screening plate made of hardened metal of extreme thinness and with elots formed therein of greater width than the thickness of said plate, substantially as set forth.
- 77. As a new article of manufacture, a metal plate having a hardened screening surface but with a malleable central portion, said plate being of extreme thinness and having

slots formed therein of greater width than the thickness of said plate, substantially as set forth.

\*8. As a new article of manufacture, a screening plate having hardened surfaces and a malleable central portion, said plate having elongated correning slots formed therein, substantially as sem forth.

The references on which the above-named claims were finally rejected are as follows:

207,178, Heald, Aug. 20, 1878; 255,325, Oastler, Harch 21, 1882; 479,617, Berthelet, July 26, 1892; 583,032, Cross, May 25, 1897,---

Mills, Ore and Coal, Sifters and Screens;

/ 340,542, Bates, April 27, 1886,--Thrashing, Shaking Screens; and

Workshop Receipts for Manufacturers, Mochanies, and Scientific Amateurs, " (3d Series, pp. 274, 281,) by C.G.W. Look----Patent Office Library.

" For answer to the appeal the Examiner respectfully submits the following extract from office letter of February 3, 1900;

The terms Pvery thin # (claims 1 and 5) and Pextreme thinness #, (claims 2, 5, 6 and 7) are relative terms without special or definite significance. A plate or soreen may be thin, or extremely thin, when measured by none standard, and thick, or very thick, when measured by enother. Metal soreens having been made from plates of different thickness of plate which applicant has selected for his purpose is merely a matter of degree and devoid of patentials movel; see series a matter of degree and devoid of patentials movel; as metal a sort of degree and devoid of patentials movel; as the series of extent and the hiddeness of the series of the

defined in the Oldaward Mines therefore meet his construction defined in the Oldawa. The Mines therefore meet his construction defined in the Oldaward Mines therefore meet his construction defined in the Oldaward Mines the Mines and Scientific Amsteurs, 3 describes, by C.G.W.Look, a copy of which may be found in the library or this office, as described (page 274) a process of case-hardening thin articles the Mines and them placing them "between 2 cold in the Mines and Min

showing the state of the art, and not because they are considered to have any special hearing upon this case. This plates having hefore we special hearing upon this case. This plates knowledge that a hardened plate or screen will better reside twomledge that a hardened plate or screen will better reside wear than a soft one, there is no invention in case-hardening a <u>pumohad plate</u>, whether of extress or ordinary thinness, in the manner in which unpunched or imperforate plates have been hardened.

Examiner,

Division XXV.

Room 243, U.S. Patent Office,

Feb. 15, 1902,

-201 DEPARTMENT OF THE INTERIOR, United States Patent Office, Washington, D. C., Fele, 17 Thos. A. Edison To Dyer. Exturned Fix Defer The appeal from the decision of the Examiner in the case of T. C. Edison for a patent for an improvement in Since Screening Plates Examiners-in-Chief, Neduesday Mar, 12/02 at 1 Pu If appellant, or his attorney, shall not appear at that time the hearing will be regarded as waived, and the case will be decided upon the record.

proper - lyon

Very respectfully,

F. J. aller

THOMAS A. EDISON

of the plates.

V

FINE SCREENING PLATES
FILED JUNE 29, 1899
SERIAL NO. 722, 229

BEFORE THE EXAMINERS IN CHIEF ON APPEAL.

## BRIEF FOR APPRILANT. The present invention relates to improvements in

screening plates of the type covered by Edison patent number 675,057 of May 28, 1901. In that patent the use of short stationary screens with slotted screening openings is disclosed, the idea being to give the material a maximum opportunity to pass through the screening openings. In conducting experiments for the screening of very fine material with screens having slots ranging from .2 of an inch to .009 of an inch, the ordinary stock sheets were slotted and material passed over the same. It was then observed that the screening effect secured became proportionately reduced as the width of the slots was decreased. It was finally discovered that with the very narrow slots, the thickness of the plates was relatively so great that many of the particles became wedged into the slots so as to clog the same and reduce the screening effect. It was found that by making plates always thinner than the width of the slots, as good results could be secured with very narrow slots as with wider slots. The invention of this application, therefore, consists, in the first place, of a screening plate, the

rapid wearing of the plates in use. What is done, there-

openings in which are of greater width than the thickness

The making of these plates of extreme thinness encountered another and equally serious difficulty, namely the fore, is to case-harden the plates so as to give them preforably a hard screening surface and a malleable central portion, so as "to allow the plate to be bent or otherwise manipulated" (page 3 lines 21-22). The preferable process described in the specification for case-hardening the plates consists in first punching the plate, then dipping it in a bath of molten cyanide of potassium for a few seconds, and finally chilling it between two cold plates of sufficient mass to quickly radiate the heat and also to prevent any warping or buckling of the screening plate during the cool-

ing operation (page 3 lines 6-7). The screening plate is then washed, dried and oiled in the usual way.

We know, of course, that plates for the screening of coarse material, such as coal for example, have been made of less thickness than the width of the screening openings, but with such apparatus the desirability of observing a definite relation between the width of the openings and the thickness of the plates had not apparently been observed. In order that the claims might be limited, therefore, to the making of extremely thin screening plates, we added to the specification by the amendment of January 24th 1901 the following statement:

"In practice, I find that my improved screening plates can be made to vary in thickness between mp-proximately. 035 of an inch having slots 2.0 of an inch in width for the thicknest plates, down to .005 of an inch inch in thickness with slots .009 of an inch in width for the thickness with slots .009 of an inch in width for the thickness plates, and in the following claims where reference is made to very thin plates or to plates of extrame thinness, I have reference to plates not greater in thickness than .035 of an inch.

## The claims are as follows:

"1. As a new article of manufacture, a very thin metal plate having screening orifices therein of greater width than the thickness of said plate, substantially as set forth.

2. As a new article of manufacture, a soreening plate made of hardened metal of extreme thinness and

with orifices formed therein of a greater width than the thickness of said plate, substantially as set forth

- 3. As a new article of manufacture, a metal plate having a hardened screening surface but with a malleable omital state and plate being of extreme thinness and having aloes formed therein of greater width than the thickness of said plate, substatially as set forth.
- 4. As a new article of manufacture, a screening plate having hardened surfaces and a malleable central portion, said plate having elongated screening orificos formed therein, substantially as set forth.
- 5. As a new article of manufacture, a very thin metal plate having screening slots therein of greater width than the thickness of said plate, substantially as set forth.
- 6. As a new article of manufacture, a screening plate made of hardened metal of extreme thinness and with slots formed therein of greater width than the thickness of said plate, substantially as set forth.
- 7. As a new article of manufacture, a metal plate having a hardened screening surface but with a malleable central portion, said plate being of extreme thimness and having slots formed therein of greater width than the thickness of said plate, substantially as set forth.
- 8. As a new article of manufacture, a screening plate having hardened surfaces and a maileable central portion, said plate having elongated screening slots formed therein, substantially as set forth."

These claims are self-explanatory and need not be specifically considered. It is sufficient to say that the last four claims correspond exactly with the first four, except that they are limited to the employment of slots as the proferred form of screening openings.

The Examiner rejects the 1st and 5th claims on cortain U. S. patents, and the remaining claims on those patents taken in connection with a publication which describes applicant's process as applied to the case-hardening of "thin articles", the Examiner's argument being that in view of the latter reference, no invention would be required to case-harden the plates of the several United States patents which he cities. In his answer to the appeal, the Examiner practically rests on his former letter of February 3rd 1900, in which he says:

"The terms 'very thin' (claims 1 and 5) and 'extreme trimmess' (claims 2, 5, 6 and 7) are relative terms without special or definite significance. A plate or series may be thin or very thin or extremely thin when measured by one standard, and thick or very thing when measured by another. Metal sorems having been made from plates of different thickness, as shown by the references before cited, the thickness of plate which applicant has selected for his purpose is merely a matter of degree and devoid of patentable novelty."

We direct the attention of the Examiners in Chief to the fact that subsequent to this letter, and in an effort to meet the Examiner's views, we submitted our amendment of January 24th 1901, in which the meaning of the terms "very thin" and "extreme thinness" was definitely explained, namely as relating "to plates not greater in thickness than .035 of an inch". So far as the references are concerned, they obviously cover plates which are of greater thickness. Heald describes a screen for sifting tacks, Castler a stone screen. Bates a flaxseed screen, Berthelet a cement screen. and Cross a coal screen. These screens are all used for heavy work and are all much thicker than .035 of an inch. Furthermore, the screens of Heald and Berthelet are of greater thickness than the width of the screening slots, so that these two patents can be disposed of on that consideration alone.

So far as the rejection of claims 2, 3, 4, 6, 7 and 8 is concerned, we submit that it is without justification. The appellant has produced a new article of manufacture consisting of a screening plate which, while having the proper proportions to give a maximum screening effect, is at the same time sufficiently durable for practical use. That invention was made as a result of the discovery that a screen

for the screening of very fine materials should be of even less thickness than the width of the slots, and the further recognition of the fact that screens of this extreme fine-ness could be made durable and sufficiently tough by a caschardening operation. We summit, therefore, that the decision of the Examinor should be reversed.

OOM

No.24,089.

U. S. Patent Office, March /5 , 1902.

Before the Exeminers-in-Chief, on Appeal.

Application of Thomas A. Edison for a patent for an improvement in Fine Sercening Plates and Process of Making Same, filed June 29, 1899. Serial No.722,229.

Messrs. Dyer, Edmunds & Dyer for appellant.

## The claims appealed are:

- "1. As a new article of manufacture, a very thin metal plate having screening orifices therein of greater width than the thickness of said plate, substantially as set forth.
- "2. As a new article of manufacture, a screening plate a made of hardened notal of extreme thinness and with orifices formed therein of a greater width than the thickness of said plate, substantially as set forth.
- "3. As a new article of manufacture, a metal plate having a hardened screening surface but with a malleable contral portion, said plate being of extreme thinness and having orifices formed therein of greater width then the thickness of said plate, substantially as set forth.
- "4. As a now article of manufacture, a screening plate having hardened surfaces and a malleable central portion, said plate having elongated screening critics formed therein, substantially as set forth.
- "5. As a new article of manufacture, a very thin metal plate having screening slots therein of greater width them the thickness of said plate, substantially as set forth.
- "6. As a new article of manufacture, a screening plate made of hardened metal of extreme thinness and with slots formed therein of greater width than the thickness of said plate, substantially as set forth.
- "7. As a new article of manufacture, a notal plate having a hardened screening surface but with a malloable central portion, said plate being of extreme thinness and having slots formed therein of greater width them the thickness of said plate, substantially as set forth.
- "U. As a new article of manufacture, a screening plate having hardened surfaces and mallocable central portion, said plate having clongated screening slots formed therein, substantially as set forth."

The references are patents to

Hoald, August 20, 1878, No.207,179; Omstler, March 21, 1882, No.255, 325; Hatos, April 27, 1886, No.340,542; Borthelet, July 26, 1882, No.479,617; Oross, Hay 25, 1887, No.583,032; Workshop Rocelpts for Hamufactures, &c. "

The references show screens of thin sheet metal having slots wider than the thickness of the metal.

They are ample as anticipations of those of these eppealof claims which rely on that particular of construction.

The operation is the same whether or not the plate be so thin as by the passage before the claims those plates must be.

The relative dimensions of the plates and orifices being the same, the operation will be the same regardless of the size of the screen. In other words, a thick screen having been so made, there can be no new invention in making that screen of the same proportions but of diminished thickness.

This applicant is dealing with the separation of grades of very fine material. He finds that the shots of the large serven must be narrowed or all of the material will pass through them. He makes them narrower, thus destroying their old size relatively to the thickness of the old serven, and then finds that the long purallel walls of the narrowed slots cause the fine material to pack in the slots. Thereupon he makes these walls shorter by using than plates, whereupon, having got back to the proportions of the original screen and obtained it in diminutive size, it works on fine material just as it did when of large size on coarser material.

We find nothing in these claims beyond making an old screen of proper size for the character of the material to be screened.

The other feature of the claims is the case-hardoning of the surface of the thin plates to make them strong and durable.

Case-hardening of metal plates is an old process, as is commonly known, and appears by the references cited for those purposes, and its result is the same on thick and on thin plates.

> We find no new invention in those claims. The ducision of the Examiner is affirmed.

J.G. Lieuwi Exmainers-in-Phier.

3rd. member absont.

THOMAS A. EDISON FINE SCREENING PLATES FILED JUNE 29, 1899

SERIAL NO. 722.229

HONORABLE COMMISSIONER OF PATENTS,

SIR:---

we hereby appeal to the Commissioner in person from the decision of the Board of Examiners in Chief, who on March 15th 1902 affirmed the decision of the Primary Examiner on all the claims of this application, and in support hereof we as-

In the above entitled application

sign the following reasons of appeal:

1. The Examiners in Chief erred in deciding that

the references of record anticipate the terms of the claims.

2. The Examiners in Chief erred in holding that
the references of record anticipate the substance of said

claims.

3. The Examiners in Chief erred in not allowing said claims.

An oral hearing is requested.

Respectfully,

Attorneys for Appellant:

New York, March 7, 1903.

UNITED STATES PATENT OFFICE. WASHINGTON, D. C.

Merch 15th.

On Appeal to the Commissioner.

Chiof Clerk.

In the matter of the Application of

Thomas A. Edison, Fine Screening Plates & Process of Making Same, Filed June 29, 1889, Ser. No. 722,228.

Sir:

appeal, from the decision of the Examiners-in-Chief, has been fixed for Thursday, March 26, 1903 at 10 A. M.

By direction of the Commissioner.

Very respectfully.

You are hereby informed that a hearing on the above

Thomas A. Edison. c/o Dyer, Edmonds & Dyer,

#31 Nassau Street,

New York, H. Y.

II. A. W.

DEPARTMENT OF THE INTERIOR.

UNITED STATES PATENT OFFICE,

WASHINGTON, D. C.

March 18th, 1902.

In the matter of the

Application of Beliann,

Pilot Screening Plotes, 2c.,

Pilot Interior and Bello,

Sor. No. 722,222.

Sir:

You are hereby informed that the hearing on the above appeal has been continued to Tuesday, April 28, 1903 at 10 A. H.

By direction of the Commissioner.

Very respectfully,

Thomas A. Edison,

c/o Dyer, Edmonds & Dyer,

#31 Massau Street,

New York, M. Y.

LETTER No.

DEPARTMENT OF THE INTERIOR, UNITED STATES PATENT OFFICE. WASHINGTON, D. C.

April 27th, 1903.

On Appeal to the Commissioner.

Chief Clork.

In the matter of the

Application of Thomas A. Mison Fino Screening Plates etc., Filed June 29, 1899, XSer. No. 722,229.

sir:

You are hereby informed that the hearing on the above appeal has been continued to Tuesday, May 5, 1903 at 10 A. M. By direction of the Cormissioner.

Vory respectfully.

Thomas A. Edison,

c/o Dyor, Edmonds & Dyor,

Edison Laboratory, Orange, N. J. MNITED STATES PATENT OFFICE.

THOMAS A. EDISON
FINE SCREENING PLATES
FILED JUNE 29, 1899
SERIAL NO. 722,229

Honorable Commissioner of Patents

Sir:

properly and adequately protected.

above entitled application, which it is respectfully requested may be accepted and entered. The purpose of this amendment is not to change or broaden the invention in any way, but to more clearly and positively identify the invention. While it is necessary, to secure a high screening officiency, that the thickness of the plates should be

The undersigned presents an amendment in the

less than the width of the screening openings, it is equally important that the plates should be as thin as possible. This feature has always been a part of my invention and I have made eath to that fact by a separate supplemental eath. Unless the amendment is accepted, my invention will not be

Very respectfully,

Thomas a Edwin

IN THE UNITED STATES PATENT OFFICE.

THOMAS A. EDISON
FINE SCREENING PLATES
FILED JUNE 20. 1899

SERIAL NO. 722,229

BEFORE THE COMMISSIONER
IN PERSON.

## BRIEF FOR APPELLANT.

The present application involves an invention of Mr.
Edison relating to screens for screening very fine materials.
The openings are preferably in the form of slots as covered
by Edison patent No. 675,057 dated May 28, 1901.

Prior to Mr. Edison's invention, the screening of very fine materials was an operation which was always attended by serious difficulties since the efficiency of the screens was extremely low. While with very coarse screens the efficiency might be fairly good, yet with very fine screens, measured in tenths, hundredths and thousandts of an inch, the efficiency would only be a small fraction of that secured with coarse screens. These low efficiencies in very fine screens have been accepted by manufacturers apparently as inevitable.

Under the old practice followed by manufacturers prior to Mr. Edison's invention and even at the present time, the openings in the screens were and are produced by means of punches, the thickness of the metal used being relatively great, and being determined largely by the capacity of the punches. In the case of extremely fine screens, the metal selected, was, in thickness, frequently double the width of the alots, and as the mesh was increased, the thickness of metal was also increased, but not in the same ratio, so that with coarser screens the thickness of the plates was equal to the width of the slots, while with very coarse screens, the slots were several times wider than the thickness of the plates. In every instance however, the plates were relatively

thick and were always selected with reference to durability and not to efficiency. Those facts appear from the affidavit of Mr. Chapman submitted herewith,

As a result of experiment, Mr. Edison discovered that in order to secure an efficient screening operation, a definiteratio between the thickness of the plates and the size of the screening openings must be observed. In other words. he found that the plates should not only be thinner than such width, but that the plates in fact should be made of the minimum practical thickness, the only limitations being the commorcial possibility of securing the plates of sufficient thinness and that their strength should be sufficient to properly sustain the load. This increase of efficiency is not to be measured by mere fractions, but is in fact, frequently as high as eight times that secured with fine screens antedating the invention. These facts are also explained from Mr. Chapman's affidavit, who points out the remarkable peculiarity of Mr. Edison's screens, namely, that although very much thinner than any screens heretofore proposed, they are just as durable as the much thicker screens, so far as concerns the total bulk of material which passes through them in their life-time.

In the original application, the specific character of the invontion was not as clearly set out as it should have been. The invention consists of more than merely making the plates thinner than the width of the screening openings, but consists in making the plates of a minimum thickness so long as they give proper support to the load, and preferably many times thinner than the width of the screening openings. A proposed amendment is submitted herewith, bringing out this fact and suggesting three substitute claims, the amendment being supported by a proper supplemental eath. It is appeal that this amendment may be accepted, and that the new claims will be considered on this appeal.

It is not necessary to consider the references in detail since it is evident that they do not show instances of the use of metal of a minimum practicable thickness, and hence do not abticipate, in substance at least, Mr. Edison's invention.

It is obvious that in the patents to Heald and to Berthe let, the thickness of the plates is greater than the width of the screening openings, so that these patents may be dismissed at the outset as having no bearing on the appealed claims. In fact it would appear to be Heald's idea, to make the slots with long parallel walls as shown in Figure 3 of his patent. So far as the patent to Bates is concerned, it is not possible to say with that degree of certainty necessary in the case of a reference, that the screening openings are wider than the thickness of the plates. Nothing is said in the patent as to the importance of this ratio, and in the drawings the screens 0 and R are certainly shown as being thicker than the size of the openings. Apparently the screen M is thinnor than the width of the slots M', but these proportions may be due to the caprice of the draftsman. Whether this is so or not, it is clear that the thickness of metal used by Bates is cortainly many times thicker than that which might be used. Furthermore, attention is called to the fact that with the only slotted screen of the Bates patent, the slots extend transversely of the travel of the material, and hence are no more efficient than round holes.

So far as concerns patents to Castler and to Cross, both of these references relate to ordinary coarse screens, which is practice with one inch slots, are made of metal about five-sixteenths of an inch, the width of the slots being somewhat less than four times the thickness of the plates. With coarse screens of this size, if. Edison has used metal only one-thirty-second of an inch in thickness, the width of the slots being 32 times the thickness of the plates, and the efficiency of the screens has been increas-

ed more than six fold. It is evident that all the references illustrate the common practice referred to in the affidavite of Mr. Edison and Mr. Chapman, the manufacturam merely solecting a suitable metal capable of being readily punched, apparently soledly with reference to durability and without any regard whatever for efficiency. Yet as above pointed out, the use of thicker metal does not result in an increase of durability, so that the Edison screens are not only cheapor, more efficient, and more rapid in operation, but they are also just as durable when the total bulk of material which passes over them is considered.

The Examiners-in-Chief, in their decision state that the references "show screens of thin sheet metal having slots wider than the thickness of the metal." While those proportions, epoaking generally, may be observed in the patents to Cross and to castler, it is evident that when the Edison invention is considered in its final analysis, it is not anticipated. No one so far as is known, prior to Mr. Edison, ever made the observation that the plates should be of the minimum thickness so as to thereby secure a screen of equal durability and of concasuly greater capacity.

The Examiners-in-Chief further state:

"The relative dimensions of the plates and orifices being the same, the operation will be the same, regardless of the size, of the server. In other words, a thick screen having been so made, there can be no new invention in making that screen of the same proportions but of diminished thickness. This shall can't is dealing with the constitute of the same properties of the same properties but of diminished thickness.

This whitesalt is doubles with the separation of grades of reply time satorial. Ending that the sales of the large strongs must be narrowed end at the large strongs must be narrowed to the large strongs must be narrowed to the large strongs their large strongs their large strongs their large strongs their large strongs their large strongs the the cld series and the flate state the long sparallel walls of the narrowed alots cause the fine material to pack in the slots, Thorougon he makes those walls shorter by using this plates, whereupon having set hack to the material strongs of the original series and obtained in indications of the original series and obtained in indications of the original series and obtained in the days of the original series and obtained in the strongs of the original series and obtained in the strongs of the original series and obtained in the strongs of the original series on coarse material.

This argument of the Exeminers-in-Chief is a mere assumption which has no real basis in fact. While with the Edison invention before them, it might seem to be a simple

and obvious thing to make the plates of extremely thin material, yet the fact remains that that was never done, and manufactuers of fine screens, without a single exception, always employed relatively thick material in the construction of such screens. This fact very clearly appears not only from the affidavits of Mr. Edison and Mr. Chapman, but also from the catalogue of the Allis-Chalmers Co., one of the largest manufactuers in the world, of screens of all sorts. The true explanation of the case is that no one prior to Mr. Edison ever discovered the cause of the low efficiency of very fine screens. If it was generally known by manufactuers that the reason why fine screens were so inefficient was because the plates were too thick, it might be admitted than no invention would be required to make the plates thinner. In that case however, there would probably be no necessity for the present appeal, because the Examiner would then have had no difficulty in finding complete anticipations, as it is inconceivable that manufactuers of fine screens knowing how their efficiency might be increased, would content themselves with the manufacture of fine screens which were of very low efficiency. When the microscopic character of fine screens is considered, it is submitted that the inward eye of the imagination was required to produce the invention here claimed rather than the exercise of ordinary mechanical skill or judgement as suggested by the Examiners-in-Chief.

It is thought therefore that the claims should be al-

Respectfully submitted,
THOMAS A. EDISON

Lowed.

IN THE UNITED STATES PATENT OFFICE.

THOMAS A. EDISON
FINE SCREENING PLATES
FILED JUNE 29, 1899
SERIAL NO. 722,229

BEFORE THE COMMISSIONER IN PERSON.

Affidavit of Cloyd M. Chapman.

State of New Jersey
County of Essex

Cloyd M. Chapman, having first been duly sworn on eath doth depose and say as follows:-

I am by profession a mechanical and mining engineer and was educated at Connell University. For more than four years past, I have been employed by Mr. Edison as a mining engineer and during that time have been almost continuously employed on experiments relating to mining processes and involving the screening of fine materials. These experiments were conducted by me at the Edison Laboratory, Orange, New Jorsey, and also in New Mexico. In these experiments, I determined conclusively, that in the screening of very fine material, the use of thin plates permits of a much more efficient screening operation, than when the screening openings are formed in relatively thick plates. For instance, with soreons having .01 inch openings, formed in plates say .02 inch in thickness, the efficiency is no more than 20 % of that secured when the screen plates are about .006 inch in thickness. The best results were secured where the plates

Steel or iron plates less than .006 inch in thickness are not now available, and in this material screening slots have been formed variant from .009 to .056 inch. In the first gass (.006 to .009) the plates have been to-thirds

were as that as possible, although of course, there is a limit to the possible thinness of the plates to make them strong enough to carry the load of material. as thick as the width of the slots, and in the latter case. (.006 to .150) the plates have been only one-twenty-fifth as thick as the width of the slots. The highest efficienc-

ies are secured when the plates are many times thinner than the slots are wide; in fact, the plates should be of the minimum thickness. In the case of the 1009 inch screen, greater efficiency would be secured with metal only 1001 inch or less in thickness, but such metal cannot be obtained.

I have however, used brass plates only .003 inch thick with

increased efficiency.

I have found as a result of my experiments, that with very fine screens ranging from .009 inch unwards, in width of the screening openings, the efficiency is just as high as with very much coarser screens, provided the proper ratio of thickness of plate to width of screening opening is maintained. In the practical manufacture of fine screening plates, it is not yet known by manufacturers ether than Mr. Edison that the ratio between the thickness of the plates and the wigth of the slot has anything to do with the officiency of

the screen. It is the aim in fact of all manufacturors of fine screening plates to use relatively thick metal, apparently in order to secure the greatest durability. The thickness of metal employed by other manufacturers depends largely on the capacity of the punches, it being obvious that a very fine, relatively sharp punch must be used on thinner metal than coarse punches, and also that slet punches can be used on coarser metal than round hole punches. An example of the present practice followed by the manufacturers of screen plates, is shown in catalogue of Alia-Ohal-

Allis-Chalmers Co., is one of the largest and best known man ufacturers of screen plates in the world. On page 15 of this catalogue is given "A Table for Funching Needle-Slot-Screens", which are the kind of screens particularly refer-

mers Co., which I attach herete and mark Exhibit A. The

red to by Mr. Edison in his patent application. needle-slot-screens wary in width of slot from .0135 inch up to .058 inch and the thickness of the metal varies from .022 of an inch to .065 inck. In every case, the metal is considerably thicker then the width of the slots. If the Allis-Chalmers Co., had appreciated the important results which are derived from the use of excessively thin plates they would punch their .058 inch screens in metal .022 of an inch or less, in thickness, since by doing so they would produce a screen having a much greater capacity and efficiency than the screen which they sell. The Allis-Bhalmers Co., however, merely follow the accepted practice and since their .058 inch punches are capable of perforating thicker metal than their .0135 inch punches, they use the thicker motel in preference to the thinner metal. The fact that all manufacturers before Mr. Edison selected material largely with reference to the capacity of their punches instead of with regard to the efficiency of the screens, is illustrated by the table on page 34 of this catalogue, in reference to round hole screens. A round or square punch is obviously less capable of perforating a sheet of a given thickness than a slot punch. Consequently the maximum thickness of metal which can be used in a round hole screen is less than with a needle-slot-screen. This fact is shows for instance by the .05906 inch screen referred to on page 34 of the catalogue. The width of the screening openings in this screen is only about .001 of an inch more than that of the .058 inch screen referred to on page 13. Yet in the case of the needle-slotscreen the thickness of metal used is .065 inch, while in the case of the round hole screens the thickness of metal used is .049 inch.

The use of relatively thick metal by the Allka-Chalmers Co., and all other manufacturers, does not secure relative durability, since the efficiency is so low that the load of material has to be passed over the sergens for a corresponingly greater period of time, and consequently the wear is very rapid. Thus with an Edison sereon having six times the officiency of an Allis-Ohalmers screen, only one sixth the material requires to be passed ever the former to secure the same bulk of screened material as the latter, and, speaking generally, the wear will be only one-sixth as great, and

consequently the plate may be made only one-sixth as thick.

A relative reduction of the metal to this extent would result in a greater increase in officiency than 600 per cent, so

that the Edison screen is fully as durable, if not more so, then the old screens.

The Allis-Chalmars Co., estalogue referred to was pub-

Lished in Fobruary 1992, and was renedved at the Edison Laboratory in April of that year. So far as I know, no one prior to the date of Mr. Edison's application, other than Mr. Edison over made a very fine screen in which the plate

was thinner, and preferably very much thinner than the width of the screening openings, or observed that the ratio between the thickness of plate and width of clots, has any bearing on the question of officiency.

Cloyo M. Chapman

Sworn to and subscribed hofore me this /ch day o.

NO. ARY I UBLIC, STATE OF NEW JERSEY COMMISSION PROMES FERMINAY, 1908.

-4

IN THE UNITED STATES PATENT OFFICE

IN PERSON.

THOMAS A. EDISON

SERIAL NO. 722,229

FINE SCREENING PLATES : BEFORE THE COMMISSIONER

FILED JUNE 29, 1899 :

Affidavit of Thomas A. Edison.

State of New Jersey
County of Hesex

Thomas A. Edison, on oath doth depose and say as

I am the applicant above named, I have read the affidayit of Cloym M. Chapman, verified on the / day of which 1903, and find that Mr. Chapman has correctly stated the facts in reference to my invention and also in reference to the practice followed by other manufacturers of fine screens at the present time, and for years prior to my invention. As a practical instance of the practice followed by

As a practical instance of the practice followed by other users and makers of fine screens, I recall the following incident:

About the time that the above application was filed, I used a large number of fine screens involving the invention here claimed, at my ore milling plent at Edison, N. J. Very superior results were secured with those screens; in fact the efficiency was very much higher than with any screens then known. The New Jersey Zinc Co., had a plant located at Franklin, N. J., a few miles from Edison, and were using ordinary fine screens punched in relatively thick plates but with very poor results. Officers of the New Jorsey Zinc Co. frequently complained to me of the poor efficiency of their screens and were always surprised to hear of the high efficiencies which I was sceuring. I finally losized the New Jor-

sey Zine Co., a set of my screens, and told them to have the

screens reproduced. Rither on the instructions of the Zino Co., or on the manufacturers judgement, the reproduced screens made for the company were constructed of considerably thickor metal than the set which I leaned the company, so that when installed they were as inefficient as these previously used. Neither the Zine Co., not the manufacturer of their screens could explain the less in efficiency, and finally attributed the less to differences in material, and in conditions of operation. It was not until I examined the

screens thus installed by the Zinc Co., that I saw what the

trouble was.

Thomas Aldeon

Sworn to and subscribed hofore mo this 4 day of April 1903.

Braun L. Ayen

UNITED STATES PATENT OFFICE

THOMAS A. EDISON

FINE SCREENING PLATES

FILED JUNE 29, 1899

SERIAL NO. 722.229

HONORABLE COMMISSIONER OF PATENTS

SIR:

I desire to amend the above entitled application by crasing from line 11, page 2, to Line 26, page 2, including the matter introduced by amendment of Jan 25th, 1901 and by substituting the following:

----- Fine screening plates constructed prior to my invention and ranging in mesh or width of screening openings below .2 inch, have been of extremely low efficiency. With such screens only from 10 to 20 % of particles sufficiently fine to pass through the screening openings, would in fact pass through such openings. These low officiencies were regarded as necessarily characterizing very fine screens. With the prior screens, the screening openings in the form of round or square holes or slots, have been punched in metal plates, the thickness of which has been largely determined by the capacity of the punches. Obviously, the cutting capacity of a punch is determined by the ratio between the cross sectional area and the perimeter of the opening, and consequently a round hole punch of the same diameter is more efficient than a square hole punch of the same diameter, while a slot punch is still more efficient For this reason, it is a fact that with fine screens constructed prior to my invention and having reference to any particular mesh, slot screens have been of thicker metal than round hole screens, which in turn have been thicker than square hole screens. In the prior practice, manufacturers have not necessarily used the very thickest metal which

can be perforated by the different punches, but apparently. having in mind the single question of durability, the prior screens have been formed in sheets as thick as practicable. It may be stated generally, as illustrating the practice followed before my invention, that with screens of a minimum mosh, plates of a maximum relative thickness have been employed, sometimes almost double the width of the screening openings, while as the mesh increases the proportionate thickness of the plates has not been retained, so that in the case of considerably coarser screens, the width of the screening openings becomes equal to the thickness of the plates, while in the case of very coarse screens (say an inch or more in mesh), the width of the screening openings is several times greater than the thickness of the plates. In this practice however, manufacturers have been guided solely by the question of durability and not of officiency. and so far as I know, no one prior to my invention ever surgested the cause of the low efficiency of fine screens or

the officiency of the screen.

I have determined from experiment that the screening capacity of a screen plate depends almost entirely upon the thickness of the plate and have found that in order to secure the maximum efficiency the plates should be of the minimum thickness, preferably very much thinner than the width

observed that the thickness of metal used in proportion to the width of the screening openings determines, in any way,

of the screening openings. At the present time sheet iron or steel cannot be secured in plates of an available size, thinner than .006 of an inch, and in this material I have formed screening openings ranging from .009 of an inch up to .15. In the latter case the thickness of the plates has been only one-twenty-fifth of the width of the screening openings, while in the same of the .009 inch screen, the thickness of the plate is two-thirds the width of the screen-

it is impracticable at the present time to use metal less than .006 inch in thickness because thinner metal is not av available, but more efficient results could be secured if motal only .001 of an inch or even less could be obtained. The possible thinness of metal which can be actually used is determined also, to a certain extent, by the character of material being screened, it being obvious that in the screening of a very gritty, erosive material like iron ore, the wear on a very thin plate would be more objectionable than in the case of a soft material such as a ground Portland Coment mixture or "chalk", previous to calcination. When, however, the plate is thick enough to resist ordinary wear and strong enough to support the load, I find that the question of durability is unimportant, since the enermously greater efficioncy of the screons makes their cost practically negligible. For example, in one set of screens which I have used in practice, I passed more than 50,000 tons of material over each screen before the latter became worn sufficiently as to require removal, and each screen was then replaced at a cost . of less than \$2.00. Morcover, I find that when the attempt is made to secure durability by the employment of thicker metal, the officiency of the screen is so reduced that although the screen lasts longer, no more material passes through it before it becomes worn out, than would be the case with a very thin screen of much greater efficiency. For this reason, my improved fine screens when made of metal as thin as practicable to give the necessary strength, are not only enormously more efficient and consequently more rapid in action, but are as durable as far as capacity is concerned, as the very much thicker screens which were made prior to my invention. My invention therefore consists of a screen formed with

ing openings. In the case of the screen last referred to.

Winvention therefore consists of a screen formed with screening openings, preferably slots, in a motal plate of the minimum practicable thickness, whereby its efficiency will be consisted inches and all will be greatly increased without a proportionate sacrifice of durability, and the invention preferably consists of such a plate having a case hardened screening surface, and a malleable central portion, all as I shall herewith describe and claim.

It is the object of my invention to obtain a very high screening capacity resulting from the use of plates of a minimum practical thickness without a proportionate sacrifice of durability. In order that my invention may be better understood,

attention is directed to the accompanying drawing forming a part of this specification, and in which Figure 1, is a cross sectional view of a screen plate embodying my present invention and Figure 2, a similar view illustrating the preferred process which I carry out for the partial hardening of such plates.

In both of the above drawings corresponding parts are represented by the same letters of reference. A. represents a thin sheet bron plate suitably hardened

as I will explain, provided with orifices, preferably slots. a, therein. The relation between the thickness of the plate A and the width of the orifices a, is such that the former dimension is less, and proferably very much less, than the latter. In the specific instance illustrated, I show a plate which is indicated as being .006 of an inch in thicking of a width each of .009 of an inch. This screen may be

ness and having slots a, therein, which are indicated as bet considered as representing the minimum width or fineness of mosh and as representing the maximum retio between the width of slot and the thickness of the plate. I have pointed out, that at the present time, metal loss than .006 of an inch in thickness is not available, but if such metal could be secured it should be employed. From this minimum width of slot. the sercons may be increased in mesh without an increase in thickness of motal. With some materials, a screen having a

15. inch mesh can be formed in the same plates. The bost results are secured in practice when the width of the screening openings is not only greater than the thickness of the plates, but when such width is many times (30 or more) greater than such thickness.

The reason why my improved screens are more efficient than the screens used prior to my invention, is that with the latter, the thicker plates become clogged with particles of the material in process of screening, thus reducing the screening capacity in a very short time, to almost nothing, whereas, if the plate is much less in thickness than the width of the slots, it does not become clogged and can be operated for weeks without cleaning.

Cancel the claims and substitute the following.

- (1) As a now article of manufacture, a screen having openings formed in a plate of minimum thickness, loss than the width of said openings, and sufficient only to offer propor support to the material passed over the same, substantially as and for the purpose set forth.
- (2) As a new article of manufacture, a screen having slots formed in a plate of minimum thickness, less than the width of said openings, and sufficient only to effer proper support to the material passed over the same, substantially as, and for the purposes set forth.
- (3) As a new article of manufacture, a screen having openings formed in a plate of minimum thickness, less in width than said openings, sufficient only to offer proper support to the material passed over the same, and having a hardened screening surface and a malignable central portion, substantially as and for the purposes set forth.

A supplemental eath is filed herewith, in order to

Very respectfully, THOMAS A. EDISON

by Fraun C. Ann his Attorney.

Orange, N. J., May 4, 1903.

State of New Jersey County of Essex

s.s.

THOMAS ALVA EDISON, whose application for lettors patent for an improvement in FIRE SCHEMING PLATES, Serial No. 722,229 was filed in the United States Patent Office on the 29th day of June 1899, having been duly sworn, deposes and says that the subject-matter of the foregoing amendment was part of his invention, was invented before he filed his original application, above identified, for such invention, was not known or used before his invention, was not patented or described in a printed publication in any country more that two years before his application, was not patented in a foreign country on an application filed more than seven months before his application, was not in public use of cheat in this country for more than two years before the date

Thomas atdison

Sworn to and subscribed before me this 4th day of

of his application, and has not been abandoned.

Maus L. Hyer

.

0

United States Patent Office.

Ex parte Thomas A. Edison.

Pine Screening Plates.

Appeal from Examinors-In-Chief.

Application filed June 29, 1899, No. 722,229.

Mr. Frank L. Dyer for applicant.

This is an expent from a decision of the examiners-inchief affirming the rejection by the examiner of the following claims:

"1. As a new article of manufacture, a very thin metal plate having screening orifices therein of greater width than

the thickness of said plate, substantially as set forth.

2. As a new article of canufacture, a screening plate made of hardened metal of extreme thinness and with ortifices formed therein of a greater width than the thickness of said plate, substantially as set forth.

"3. As a mee article of manufacture, a metal plate having a hundred servening surface but with a mulleable central portion, and plate being of extreme thinness and having orifices formed therein of greater width than the thickness of said plate, substantially as set forth.

4. As a new article of manufacture, a screening plate having hardened surfaces and a malicable central portion, said plate having elongated screening orifices formed therein, substantially as set forth.

As a new article of manufacture, a very thin metal plate having screening slots therein of greater width than the thickness of said plate, substantially as set forth.

46. As a new article of manufacture, a screening plate made of hardened metal of extreme thinness and with slots formed therein of greater width than the thickness of said plate, substantially as set forth.

Y. As a new article of manufacture, a metal plate having a hardened soreening surface but with a malleable central portion, said plate being of extreme thinness and having slots formed therein of greater width than the thickness of said

C

a O

×

plate, substantially as set forth.

18. As a new article of manufacture, a screening plate having herdened surfaces and a calloable central portion, said plate having slongated screening slots formed therein, substantially as set forth.

The references are as follows:

Heald, August 20, 1878, No. 207,178;
Oastler, March 221, 1662, No. 255,388;
Rates, April 27, 1876, No. 340,842;
Berthelet, Fuly 26, 1892, No. 479,627;
Gross, Bar 25, 1887, No. 563,031
Terkshop Roccipts for Manufacture, &c. 160k.

These patents show screens made of sheet metal and they are provided with openings which are wider than the thickness of the plate.

In some of these patents the openings are formed in the shape of slots and in these the width of the slots is greater than the thickness of the metal plate. The applicant contends that in his invention the width of the openings in the plate has a ratio to the thickness of the plate, but that the plate must be as thin as possible, its thickness being limited only by its capacity to support the material being screened. These alleged difforences are ones of degree merely, and do not amount to invention.

The case hardening of the metal plate is a common expedient as shown by the references cited by the examiner and its result is well known. This feature does not confer patentability on claims which include it.

The decision of the examiners-in-chief is affirmed.

F. allen.

Commissioner.

•

May 26, 1903.

C C

LETTER NO. И. А. У. DEPARTMENT OF THE INTERIOR. UNITED STATES PATENT OFFICE. WASHINGTON, D. C. May 27th, 1903. In the matter of the Application of Thomas A. Edison
Fino Sereening Plates &
Process of Enking Same.
Filed June 29, 1889,
Ser. No. 723,229. On Appeal to the commissioner. 51r: You are hereby informed that the decision of the Examiners-in-Chief has been affirmed by the Commissioner. Please find enclosed herewith a copy of the decision. By direction of the Commissioner. Very respectfully Acting Chief Clork. Thomas A. Edison, c/o Frank L. Dyer, Edison Laboratory Orange, H. J.

Folio No. 3	Serial No. 1/22/
* <b>)</b>	
Applicant.	Address.
- 1 N C - 1	
100000000000000000000000000000000000000	-1010
2.0	
7	
Title Sept Con South	To Criginal
· \\	
Filed Luly 6, 1900	Examiner's Room No. 382
47 - FT - T	
, 1	
Assignee	11.1
Ass'g't Exec. Recorded/	Liber Page
The Ville	
Patent No. Issue	:d
——————————————————————————————————————	
ACTION	<b>s.</b> 1
1 2 4 200 00 (1 00 to 10 29 16.	
2 Landing Com State 2, 26 17.	
3 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
4 00 100 100 100 100 100	
5 Charles SAT 6 18720	
6 destalled of a 10, 3021	
4.1	
9 amended Lugar 25, 1903 24	
10 Finally Te fred Oct 13, 1903, 25	1
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
13	
14 29	
15	
젊을 내용 이 아니라 그 모양이다.	FRANK L. DYER,
	Counsel,

And the second second second

The second secon

DYER, EDHONDS & DYER Datenta and Patent Causes



To the Commissioner of Patents:

YOUR PETITIONER, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park, in the County of Essex and State of New Jorsey,

PRAYS THAT LETTERS PATENT MAY BE GRANTED TO HIM FOR THE IMPROVEMENT IN COMBUSTION ENGINES

SET FORTH IN THE ANNEXED SPECIFICATION; AND HE HEREBY APPOINTS DYER, EDMONDS AND DYER (A FIRM COMPOSED OF RICHARD N. DYER, SAMUEL O. EDMONDS AND FRANK L. DYER), OF NO. 31 NASSAU STREET, NEW YORK CITY, HIS ATTORNEYS, WITH FULL POWER OF SUBSTITUTION AND REVOCATION, TO PROSECUTE THIS APPLICATION, TO MAKE ALTERA-TIONS AND AMENDMENTS THEREIN, TO RECEIVE THE PATENT, AND TO TRANSACT ALL BUSINESS IN THE PATENT OFFICE CONNECTED THEREWITH.

## SPECIFICATION.

TO ALL WHOM IT MAY CONCERN:

Be it known that I, THOMAS A. EDISON, a citizen of the United States, residing at Llevellyn Park, in the County of Essex and State of New Jersey, have invented a certain new and useful IMPROVEMENT IN COMBUSTION ENGINES (Case No. 1020), of which the following is a description:

My invention relates to improvements in combustion engines, and my object is to produce a relatively simple device wherein high efficiency may be secured.

In an application for patent filed by me February 27, 1899, Serial No. 706,976, I describe an improved device whereby heat may be imparted to compressed air by directing a portion of the air through an enclosed source of burning combustible, and preferably by directing the remaining portion of the compressed air into proximity with the source of burning combust\tble so as to be heated therefrom by radiation and convection, the portions of the air so directly and indirectly heated being reunited and being used for any industrial purpose. I have discovered that the heat so imparted to compressed air results in a very great increase of the efficiency thereof, whereby I am enabled to utilize the air so heated in an engine cylinder for the performance of useful work, and to operate by said cylinder a compressor for the compression of the air. By thus compressing air under favorable conditions and utilizing it in an efficient engine cylinder, I am enabled, by interposing a suitable heating device between the compressor and said engine cylinder, to secure a very considerable surplus anergy at the shaft, and

thereby obtain a combustion engine wherein a relatively large parcentage of the energy derived from the burning combustible may be converted into useful work.

My invention therefore consists in the combination with an air compressor, of an air motor or engine connected thereto and driving the same, and a heating device interposed between the compressor and motor, and by which air compressed by the compressor may derive heat directly, and proferably also indirectly, from a source of burning combustible, the added efficiency thus imparted to the compressed air serving to operate the motor with a sufficient excess of power as to be utilizable in the accomplishment of work.

In the preferred embediment of my invention, I omploy a single-acting compressor and a single-acting engine or motor, both commetted to a single shaft, the heating device being carried adjacent to the cylinders of both the engine and compressor, whereby a very simple, compact and light apparatus will be secured.

In order to improve the efficiency of the apparatus, I employ relier or wheel bearings for the shaft and for the cross-heads of the compressor and motor, and by means of which friction will be reduced to a minimum.

In order that the invention may be better understood, I have illustrated in the accompanying drawings a good form of my present invention, and wherein figure 1 is a plan view; figure 2 a side elevation; figure 3 an end view; figure 4 a longitudinal section through the shaft and engine oylinder; figure 5 a section taken at right-angles to figure 4. The line of section being through the inlet valve of the engine; figure 6 a view taken on line 6-6 of figure 4; figure 7 a section through the compressor; figure 8 a sec-

tion on line 8-6 of figure 7; figure 9 a vertical section through the heater; and figure 10 a diagrammatic view, showing the reconstrator.

In all of the above views, corresponding parts are represented by the same numerals of reference.

l represents a base, preferably cast, from which is carried a plate 2 by the standards 3, 3. The plate 2 carries a compressor cylinder 4, an engine cylinder 5, and a

heater 6. The compressor is preferably of the single-acting type, its cylinder being provided with a long plunger piston 7 therein, said piston having a series of concentric grooves 8 to form an air packing. The piston rod 9 of the compressor connects with a cross-head 10 carrying the anti-friction rollers 11, which work in the guides 12 bolted proferably with the plate 2, said guides being connected at their lower ends by the braces 13. The antifriction rollers 11 are made as large as possible in order to reduce friction to a minimum. The connecting rod 14 of the compressor connects the cross-head 10 with the crank 15 of the shaft 16. top of the compressor cylinder 4 is provided with a cast head 17 made hollow (see figure 7), with a diaphragm 18 separating the inlet and discharge chambers. The inlet chamber is provided with a port 19 opening into the cylinder and normally closed by an inlet valve 20 of well known form, the valvo and its casing being introduced into the inlet chamber through the plugged opening 21. In the outlet chamber is normally scated a discharge valve 22, which may be introduced through the plugged opening 23. Both the in-

normally maintained seated by spring pressure, as shown.

The engine cylinder 5 is, like the compressor, also preferably single-acting, and is provided with a jacket 24

let valve and discharge valve 20 and 22 respectively are

Preferably this piston is filled with a packing of mineral wool or other suitable non-conducting material, as illustrated, in order to prevent loss of heat by radiation. piston rod 25 of the engine cylinder connects with a crosshead 26 similar in all respects to the cross-head 10 and provided with antifriction rollers 27 which work in the The connecting rod 29 connects the cross-head guides 28. 26 to the crank 30 on the shaft 16. The cranks 15 and 30 are preferably so disposed that as the ongine piston starts on its operative or down stroke, the piston 7 of the compressor will start on its operative or up stroke, the intention being to oppose the greatest resistance at the compressor with the greatest effective energy at the engine cylinder. The engine cylinder 5 carries a relatively small valvo casing 31 provided with an inlet opening 32 connected with the ports 33, 33, as shown. Leading into the engine cylinder 5 is an inlet port 34, and normally covering said port is a piston valve 35 which works in the valve casing 31 between the ports 33, 33, whereby the said piston valve will be always balanced in said valve casing. The valve 35 is operated by an air-packed valve rod 36 connected at its outer end to an arm 37 mounted on the rock shaft 38, said rock shaft carrying an arm 39, which connects by a rod 40 with a lever 41 having an antifriction roller 42 at its end working on a cam 43 carried by the shart 16. A spring 44 maintains the roller 42 always in contact with the cam 43. 43 is so formed that at each rotation of the shaft 16, the valve 35 will open and close the inlet port 34, the opening taking place at the commencement of the down stroke of the piston, and the closing of the inlet port being effected aftor the piston has partially completed that stroke, whereby

and a plunger piston having a suitable air packing, as shown.

AUG -2

an expansion effect will take place, as will be explained. The engine cylinder 5 is provided with an exhaust port 45 normally covered by a valve 46. The stem of the valve 46 connects with a lever 47, the other end of which connects by a rod 48 to an arm 49 carried on the rock shaft 50. 51 on the other end of this rock shaft connects by a rod 52 with a lever 53 carrying a roller 54 which works on the cam the funct of the thorne visite state of the cum 43. A A spring 56 is employed to keep the roller 54 in constant engagement with the cam 55. The cam 55 is so proportioned as to open the valve 46 on the up stroke of the engine piston, and to keep it open during the entire up stroke. desired, an exhaust pipe 57 may connect with the exhaust port 45 and lead to any desired place, the lever 47 working in a slot in said pipe. Preferably, however, the exhaust gipe 57 leads through a regenerator, as shown in figure 10, and as will be explained, whereby a saving in the operation will be effected, by absorbing heat from the products of the exhaust.

e cylinder 58 provided with a grate or grid 59 therein, on which is placed a quantity of proferably solid combustible upon as very fine pea or anthreatte coal or coke. I prefer to use a solid combustible for this purpose, since the products of combustion are practically free from defeatt, and hence do not clog or otherwise interfere with the proper operation of the motor. The cylinder is provided with a bottom 60 bolted in place and having a central opening therein through which ash may be removed. This opening is adapted to be closed by a cover 61 secured in place by a screw 62 working in a bridge-piece 63. The top of the cylinder

application for patent before referred to. It consists of

The heater 6 is of the general type described in my

yout

58 is provided with a similar cover 64 secured in position in the same way. Surrounding the cylinder 58 is a jacket 55, whereby a heating chamber 66 will be formed on the outside of said cylinder. A pipe 67 loads into said heating chamber at one side, and a pipe 66 leads out of the said chamber dissectively opposite thereto. A by-pass pipe 69 leads from the pipe 67 into the bettem 60 of the heater, and a corresponding pipe 70 leads from the top of the heater into the pipe 68. A valve 71 is interposed in the pipe 67 so as to danks a drop in the pressure between the pipe 67 and

the pipe 68, and thereby produce a flow of air through the by-pass pipe 69, heater 6 and pipe 70. The pipe 69 is proferably provided with a valve 72 therein, which may be closed when a new quantity of combustible material is to be placed

within the cylinder 58. The arrangement of piping when a regenerator is not used is shown particularly in figure 1. An inlet pipe 73 leads to the inlet chamber of the compressor, and an outlet pips 74 leads from the outlet side of the compressor to a suitable receiver or reservoir 75, in which a supply of compressed air will be maintained. I prefer to use a receiver or reservoir interposed between the compressor and heater in order that smoothness of operation may be secured, and to prevent the heater from being directly subjected to the intermittently recurring action of the compressor. coiver 75 acts in the apparatus in very much the same way as the air cylinder of a force pump, allowing a practically uniform flow of air at a substantially constant pressure to pass into the heater. From the receiver or reservoir 75 the pipe 67 leads to the heater, and from the heater the

pipe 68 leads into the jacket 24 of the engine. From the jacket 24 at a diametric point a pipe 76 leads to the valve

chamber 31 of the engine.

Instead of connecting the exhaust pipe 67 directly with the atmosphere, I profer to direct the exhaust through a regenerator interposed between the receivor or reservoir and the heater, in order that heat may be absorbed from the products of the exhaust and an economy in that respect there.

by offected. Such an arrangement is shown particularly in figure 10, wherein the pipe 67 is divided into a plurality of branches 77, each branch being provided with a dacket 78 consected with the exhaust pipe 67, as shown. In this way, most of the heat earried by the products of the oxhaust will be absorbed by the relatively cold air passing from the receiver to the heater. I prefer to employ a regenerator of

coiver to the heater. I prefer to employ a regenerator of this general type, wherein the hot exhaust air travels in an opposite direction from the incoming cold air, since in this way the exhaust air will during its passage through the regenerator be constantly subjected to fresh quantities of cold air and the heat will be more effectively extracted therefrom than if the reverse operation took place.

In the operation of all hot air ongines with which I am familiar and which, so far as I know, offer the elesest analogy in general type to my present dovice, the offective horse power at the shaft has been always enormously lower than the indicated horse power in the cylinder. This loss of power is due to the friction which is necessarily generated in engines having a relatively large mass. In order that an economy may be effected in this respect, I provide

the working parts of my improved engine with wheel or relier bearings, whereby friction will be very greatly reduced. To this end, I provide the cross-heads of the engine and compressor cylinders with wheel or relier bearings, as I have already explained, and I interpose between the upper

ends of the connecting rods of both the engine and compress-

-7

or and the respective cross-heads thereof a roller bearing 79 (see particularly figures 4 and 5), and between the lower end of said connecting rod and the respective crank a roller bearing 80 is used, and I carry the main shaft 16 in wheel or roller bearings 61 mounted in dust-proof boxes 82 (see figure 4). In order further to reduce friction, I dispense with packing rings on the pistons of the engine and compressor cylinders and utilize instead thereof the concentric grooves already described, which constitute air packings, and I finally prefer to air-pack the stem 36 of the main engine valve for the same reason, and also the valve itself, as shown. By thus dispensing with all frictioncreating packings, and by providing the working parts of the engine with wheel or roller bearings, as explained. I am onabled to produce a device of this general type, wherein a very much loss disparity between the offective and indicated horse powers will be secured than with any hot air or similar engine herotofore constructed.

In order to secure uniformity of rotation of the shaft 16, I employ one or more fly-wheels secured to said shaft, as shown.

The operation of the device will be as follows:
A suitable, preferably solid, combustible, of which instancos have been given, is placed on the grid or grate 59 of the
heater 6, and said combustible is ignited in any suitable
way, as for instance by burning wasts, after which the cover
64 is placed in position and clamped down so as to exclude
exterior air from the cylinder 58. The shaft 16 is now
given a few turns by hand or in any other suitable way, and
the compressor will be started. At each down stroke of the
compressor, air will be drawn through the pipe 73, past the
valve 20 into the compressor cylinder, and on each up givele

reservoir or receiver 75, and the air therein will be placed under pressure. In order to increase the efficiency of the compressor, it is obvious that it should be maintained as cool as possible, whereby the heat due to compression may be permitted to radiate therefrom. For this purpose it may be cooled by a water jacket in the well known way, but preferably it is provided with a series of cooling wings 83 (figure 8), as is common. The compressed air from the reservoir or receiver encounters a resistance at the valve 71; and a part of the air will therefore be forced through the pipe 69 into the cylinder 58 in direct contact with the burning combustible material, and heat therefrom will therefore be imparted directly to the air. The air from the chamber 58 passes out through the pipe 70, and in entering the pipe 68 meets and mingles with the remaining portion of the air from which it was deflected, which portion has reached the pipe 66 by passing through the heating chamber 66 around the cylinder 58. In passing through the heating chamber, the air will be heated by radiation and convection. as will be understood. By regulating the valve 71, any dosired drop in pressure may be produced between the pipe 67 and the pipe 68, and in consequence any desired quantity of the air may be deflocted to the heater. I find from experience that it is only necessary to deflect through the heator a vory small quantity of the air, only sufficient to support combustion, but that the amount of heat absorbed directly therein will be a very much greater proportion than will be absorbed by the air from which it was deflected by radiation and convection in the heating chamber 66. highly heated air from the heater enters the pipe 68 and passes into the space enclosed by the jacket 24 of the en--9-

the air will be forced out through the valve 22 into the

gine so as to impart heat to the cylinder 5, and from the jacket the air passes into the valve chamber 31. commoncement of the down stroke, the compressed air, from which some heat has been extracted in the jacket 24, enters the cylinder 5 to force the misten thereof downwards, and after said viston has moved part way on its stroke, the Twalve 35 will be closed so as to cut off the air. For the completion of the operative stroke of the engine. I rely upon the expansion of the air in the cylinder due to the absorption of heat from the houted walls of the cylinder. so that when the operative stroke of the piston has been complated, the temperature of the air therein will be much reduced. On the up stroke, the cam 55 opens the exhaust valve 46. and the air from the cylinder will be forced out of the same. When a regenerator is employed, the air from the engine cylinder will be directed through the jackets 78, so that heat from the exhaust air will be extracted therefrom and absorbed by the cold air passing from the reservoir into the beater.

The cycle above described will be repeated throughout the operation of the engine. By regulating the valve 71 to adjust the flow of air through the heater, the consumption of the combustible therein can be regulated and the apoed of the engine thus adjusted. When it is desired to replenish the supply of combustible material, the valves 71 and 72 are closed so as to cut off the engine and maintain the supply of air in the reservoir 75, after which the cap 64 is removed and the fresh material deposited upon the grid or grate 59. If any considerable quantity of ash accumulates in the bottom of the heater, it may be removed at this time through the cap 61. If desired, the ripe 70 may be provided with a valve corresponding to the valve 72, so that

during the operation of replenishing the supply of combustible material, both of said valves may be closed and the valve 71 allowed to remain open. In this way sufficient neat will be received from the walls of the heater 6 as to keep the engine in operation for the short time required to supply the desired combustible material.

Having now described my invention, what I claim as new therein and desire to secure by Letters Patent is as follows:

engine cylinder, an aar compressor, and a heater for heating the compressed air priot to its admission to the engine cylinder, said heater being supriied with a solid combustible and the air being directed into actual contact with said combustible to support combustion thereof, substantially as

In a combustion ongine, the combination of an

2. In a composition engine, the combination of an

angine cylinder, an air compressor, a heater for heating the compressed air prior to its admission to the engine cylinder, said heater being supplied with a solid combustible and the air being directed into actual contact with said combustible to support combustion thereof, and a regenerator located between the compressor and heater and connected with the engine exhaust, substantially as set forth.

3. In a combuttion engine, the combination of an engine cylinder, an air compressor, and a heater for heating the compressed air prior to its admission to the engine cylinder, said heater being amplied with a solid combustible, a part of the air being directed into actual contact with the combustible to support cambustion thereof and the remaining portion of the air being directed into proximity with

Vinc 's Paun

::le \_ 5 Juli

set forth.

Me Same

the combustible so at to be heated by radiation and convection, the air thus directly and indirectly heated being reunited before entering the engine cylinder, substantially as set forth.

- 4. In a combination engine, the combination of an engine sylinder, an air compressor operated therefrom, and a heater for heating the compressed air prior to its admission to the engine sylinder, said heater being supplied with a noille combinatible and the air being directed into actual contact with said combinatible to support combination thereof, substantially as set forth.
- 5. In a combination engine, the combination of an engine cylinder, and ar compressor operated therefrom, and a heater for heating the compressod air prior to its admission to the engine cylinder, said heater being supplied with a solid consustible, a part of the air being directed into actual contact with the combistible to support combination thereof and the remaining portion of the air being directed into proximity with the combistible so as to be heated by radiation and convection, the air thus directly and indirectly heated being remnited before entering the engine cylinder, substantially as set first.
- 6. In a combustion engine, the combination of an engine cylinder, a compressor operated therefrom, a resolver connected with said compressor, and a heater between the receiver and the engine colver and the engine colver and the engine colver and the engine colver and the engine colver and the engine colver and the engine colver and the engine colver and the engine colver and the engine colver and the engine colver and the engine colver and the engine colver and the engine content and colver
- 7. In a combination engine, the combination of an engine cylinder, a combinescor operated therefrom, a receiver connected with said compressor, a heater between the receiver and the engine cylinder, and a regenerator between the receiver and heater and behaves de with the exhaust of the engine, substantially as add forth.
  - 8. In a combustion engine, the combination of an

1900 c 2 1900

ing "S room

ALE SHOW

aus - 2 thui

AUG - 2 1900

ongine cylinder, a compressor operated therefrom, a receiver connected with said compressor, and a heater supplied with a burning combustible, aid from the receiver being directed into actual contact with said combustible to support combustion thereof, substantially as set forth.

In a combustion engine, the combination of an engine cylinder, a compressor operated therefrom, means for cooling the compressor, and a heater between the compressor and the engine cylinder for heating the compressed air before its admission into the engine cylinder, substantially as set forth. / 10. In a combustion engine, the combination of an

engine cylinder, a heating chambor surrounding the same, a heater for heating air a conduit for conducting the heated air from the heater into the heating chamber of the engine. and a conduit for conveying the air from said heating chamber into the engine cylinder, substantially as set forth.

VM. In a dombustion engine, the combination of an engine cylinder, a hoating chamber surrounding the same, a heater for heating air a conduit for conducting the heated air from the heater into the heating chamber of the engine, a conduit for conveying the air from said heating chamber in. to the engine cylinder, and a regenerator through which the air passes before entering said heater, said regenerator being connected with the exhaust of the engine, substantially as set forth.

3 12. In a combustion ongine, the combination of an engine cylinder, a heating chamber surrounding the same, a heater supplied with a solid combustible, means for forcing air through said burning combustible to maintain combustion thereof, a conduit for conveying the heated air from the heater to the heating chamber of the engine, and a conduit

for convoying the air from said heating chamber into the engine cylinder, substantially as sot forth.

4 25. In a commustion engine, the combination of an engine cylinder, a heading chamber surrounding the same, a compressor operated by the engine, a heater, a conduit connecting the compressor with the heater, a conduit connecting the heater with the heating chumber of the engine cylinder. and a conduit connecting said heating chamber with the cn-

gine cylinder, substantially as set forth. 5 M. In a combustion engine, the combination of an engine cylinder, a heating chamber surrounding the same, a compressor operated by the engine, a heater, a conduit connecting the compressor with the heater, a regenerator in

said conduit connected with the ongine cylinder, a conduit connecting the heater with the heating chamber of the engine cylinder, and a conduit conjucting said heating chamber with the ongine cylinder, substantially as set forth.

18. In a combustion engine, the combination of an engine cylinder, a heating chamber surrounding the same, a heater supplied with a solid combustible, a compressor operated by the engine cylinder, a conduit connecting the compressor with the interfer of the heater, whereby air from the compressor will be directed into contact with the burning combustible to support combustion thereof, a conduit connecting the interior of the heater with the heating cham-

heating chamber with the entine cylinder, substantially as set forth. In a combustion engine, the combination of an ngine cylinder, a heating chamber surrounding the same, a

per of the engine cylinder, and a conduit connecting said

ng said heater, a conduit for conveying air within said

Jacket, a conduit for conveying air from the jacket to the heating chamber of the engine cylinder, a by-pass extending between said conduits and including the interior of the heater for conveying a portion of the air into direct contact with the burning combustible to support combustion thereof, and a conduit connecting the heating chamber of the engine cylinder with the interior of said cylinder, substantially as set forth.

4 27. In a combustion engine, the combination of an engine cylinder, a mating chamber surrounding the same, a heater supplied with a solid combustible, a jacket surrounding said heater, a conduit for conveying air within said jacket, a conduit for conveying air from the jacket to the heating chamber of the angine cylinder, a by-pass extending between said conduits and including the interior of the heater for conveying a portion of the air into direct contact with the burning combustible to support combustion thereof, a conduit connecting the heating chamber of the ongine cylinder with the interior of said cylinder, and a compressor operated by the engine cylinder for supplying air to the heater, substantially as set forth.

Aff. In he combustion bugine, the combination of an engine cylinder, a heating chamber surrounding the same, a heater supplied with a solid combustible, a jacket surrounding said heater, a conduit for conveying air within said jacket, a conduit for conveying air from the jacket to the heating chamber of the engine cylinder, a by-pass extending between said conduits and including the interior of the heater for conveying alportion of the air into direct contact with the burning combustible to support combustions thereof, a conduit connecting the heating chamber of the engine cylinder with the imperior of said cylinder, a commerca-

sor operated by the engine pylinder for supplying air to the

May Stans

Wells than

heater, and a receiver between the compressor and said heator, substantially as set forth.

If In a combustion ongine, the combination of an engine oylinder, a heating chamber surrounding the same, a suddictable with state of laid tarting detection, heater for heating air, a conduit connecting the heating chamber with said heating chamber, a conduit connecting the heating chamber with the interior of the cylinder, and a valve for admitting air from the heating chamber into the engine cylinder during a part only of its operative stroke, whereby an expansion effect thereof will be secured, substantially as

20. In a combustion engine, the combination of an engine oylinder, a heating chamber surrounding the same, a heater for heating air, a conduit connecting the heater with said heating chamber, a conduit connecting the heater with said heating chamber, a conduit connecting the heating chamber with the interior of the cylinder, a valve for admitting air from the heating chamber into the engine cylinder during a part only of its operative stroke, whereby an expansion effect thereof will be secured, and a compressor operated by the engine for supplying air to the heater, substantially as set forth.

In a combustion engine, the combination of an

engine cylinder, a heating chamber surrounding the same, a "Medical through the same of th

forth.

set forth.

engine sylinder, a heating chamber surrounding the sense, a heater supplied with a solid burning combustible, means for directing air through the heater into direct contact with said combustible to support combustion thereof, a conduit connecting the interior of the heater to said heating chamber, a conduit connecting the heating chamber with the interior of the cylinder, and a valve adapted to admit the air from said heating chamber into the interior of the cylinder, and a valve adapted to admit the air from said heating chamber into the interior of the cylinder during a part only of the operative stroke of the engine, warreby an expanding effect will be secured, substantially as set forth.

ongino cylindor, a heating chember surrounding the same, a heater supplied with a solid burning combustible, means for directing air through the heater into direct contact with said combustible to support combustion thereof, a conduit connecting the interior of the heater to said heating chamber, a conduit connecting the heater to said heating chamber, a conduit connecting the heating chamber with the interior of the cylinder, a valve adapted to admit the air from said heating chamber into the interior of the cylinder during a part only of the operative stroke of the ongine, whereby an expanding effect will be secured, and a compressor operated by the engine for forcing air through said heater, substantially as set forth.

(24. In a combustion ongine, the combination of an engine sylinder, a heating chamber surrounding the same, a heater supplied with a solid burning combustible, means for directing air through the heater into direct contact with said sombustible to support combustion thereof, a conduit connecting the interior of the heater to said heating hamber, a conduit connecting the heating chamber with the in-

terior of the cylinder, a valve adapted to admit the air from said heating chamber into the interior of the cylinder during a part only of the operative stroke of the engine, whereby an expanding effect will be secured, a compressor operated by the engine for forcing air through said heater, and a receiver between the compressor and said heater, substantially as set forth.

ongine oylinder, a heater, a jacket surrounding the heater, a conduit leading into said jacket, means for foreing air through said conduit, a conduit loading from the jacket to the engine cylinder, a by-pass connecting the first of said conduits with the second of said conduits and extending through the heater, and a valve in the first of said conduits for causing a drop in pressure of the air, whereby a portion of the air will be directed through the heater, substantially as set forth.

on a combination engine, the combination of an engine cylinder, a heater, a jacket surrounding the heater, a conduit leading into said jacket, means for forcing air through said conduit, a conduit leading from the jacket to the engine cylinder, a by-pass commesting the first of said conduits with the second of said conduits and extending through the heater, a valve in the first of said conduits for causing a drop in pressure of the air, whereby a portion of the air will be directed through the heater, and a source of burning combustible in the heater, into direct engagement with which a portion of the air will be directed, substantially as set forth.

93. In a combustion engine, the combination of an ongine cylinder, a heater, a jacket surrounding the heater, a conduit leading into said jacket, means for forcing air

No

through said conduit, a conduit leading from the jacket to the engine eylinder, a by-pass connecting the first of said conduits with the second of said conduits and extending through the heater, a valve in the first of said conduits for causing a drop in pressure of the air, whereby a portion

of the air will be directed through the heater, and a compressor operated by the engine cylinder for forcing air into the first of said conduits, substantially as set forth.

engine cylinder, means for supplying hot air to the same, an

inlat port therefor, a valve chest over the inlet port, two entrance ports into the valve chest, and a valve located between the entrance ports and normally closing the inlet port of the cylinder, whereby the valve will be maintained in balance, substantially as set forth.

29. In a combustion engine, the combination of an engine cylinder, a shaft driven therefrom, a compressor driven from said shaft, and a heater between the compressor and engine cylinder, substantially as set forth.

engine cylinder, a shaft driven therefrom, a compressor driven from said shaft a heater between the compressor and engine cylinder, and a reconcrator between the compressor and heater and connected to the exhaust of the engine cylinder, substantially as at forth.

50. In a combustion engine, the combination of an

31. In a combination ongine, the combination of an engine cylinder, a shaft driven therefrom, a compressor driven from said shaft, a receiver connected with said compressor, and a heater between said receiver and engine cylinder, substantially as set forth.

32. In a compusion engine, the combination of an engine cylinder, a shaff driven therefrom, a compressor

-19-

Jrº/

ine, 3 fain

- 10

AUG -2

driven from said shart, a receiver connected with said compressor, a heater between said receiver and engine cylinder, and a regenerator between the receiver and heater and comnected to the exhaust of the engine, substantially as set forth.

33. A hot air or combustion engine, provided with whosel or roller bearings on its moving parts, substantially as set forth.

10 734. A hot air or combustion engine, having an airpacked piston and provided with wheel or roller bearings on its moving parts, substantially as set forth.

55. A hat air or combustion engine, having wheel or roller bearings on its cross-head, connecting rod and shart, substantially as set forth.

A hot air or combustion engine, provided with an air-packed piston, an air-packed controlling valve, and wheel or rollon bearings on its moving parts, substantially as set forth.

37. In a combustion engine, the combination of an engine cylinder, meaks for supplying hot air thereto, a cross-head operated by the piston of said cylinder, and roll-or bearings carried by aid cross-head, substantially as set forth.

36. In a combustion engine, the combination of an engine cylinder, means for supplying hot air thereto, a cross-head operated by the piston of said cylinder, rollor bearings carried by said cross-head, a compressor operated from the engine cylinder, rollor bearings cerried by the cross-head of said compressor, and a heater between the compressor and said engine cylinder, substantially as set forth.

39. In a combustion engine, the combination of an engine cylindar, means for supplying hot air thereto, a cross-head commended with the piston of said cylindor, roll-or bearings for said cross-head, a main shaft, a crank on said shaft, a commenting rod between said cross-head and crank, and rollow beakings between said commenting rod and

crank, substantially as set forth.

40. In a hot arr engine, the combination of an engine cylinder, mount for supplying hot air thereto, a cross-head connected with the piston of said cylinder, roller bearings for said cross-head, a main shaft, a crank on said

shaft, a commercing red between said cross-head and crank, roll or bearings between said connecting red and crank, and roller bearings for said shaft, substantially as set forth.

- Ca

THIS SPECIFICATION SIGNED AND WITH	NESSED THIS	5th DAY OF	July	189 9.
	THOM/	AS A. EDISO	n.	
litnesses :	Æ	omab. Cl	Ed.	oon_
1. FRANK L. DYER				
2. J. F. RANDOLPH.				

## Oath.

State of New Jersey

County of Essex:

)

THOMAS A. EDISON, THE ABOVE-NAMED

PETHIONER, BEING DULY SWORN, DEPOSES AND SAYS THAT HE IS A Citizen OF THE United States, and a resident of Llewellyn Park, in the County of Essex and State of New Jersey;

THAT HE VERILY BELIEVES HIMSELF TO BE THE ORIGINAL, FIRST AND SOLE INVENTOR
OF THE IMPROVEMENT IN COMBUSTION ENGINES

DESCRIBED AND CLAIMED IN THE ANNEXED SPECIFICATION; THAT HE DOES NOT KROW AND DOES NOT BELIEVE THAT THE SAME WAS EVER KROWN OR USED DEFORE HIS INVENTION OR DISCOVERY THEREOF, OR PATENTED OR DESCRIBED IN ANY PRINTED PUBLICATION IN THE UNITED STATES OF AMERICA OR ANY FOREIGN COUNTRY BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, OR IN PUBLIC USE OR ON SALE IN THE UNITED STATES FOR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION, FOR FOREIGN PATENT HAS BEEN FILED BY HIM OR HEL LEGAL REPRESENTATIVES. OR ASSIGNS IN ANY FOREIGN COUNTRY.

THOMAS A. EDISON.


SWORN TO AND SUBSCRIBED BEFORE ME THIS 5th DAY OF July 188


L. F. Randolph


NOTARY PUBLIC. for

New Jersey.


(SEAL)









Inventor Thomas A Causin







The papers are duly filed, and your application for a patent will be taken up
for examination in its order

You will be duly advised of the examination.

Very respectfully,

Case will be taken up for examination in about six weeks.

C. N. Diell Commissioner of Putents.

31 Masson St, Mry City

Norts.—In order to constitute an application for a patent, the inventor in by law required to furnish his patition, specificational, and drawings (where the nature of the case admint of drawings) and to pay the required fee.

No application is considered as complete, mor can any official action be last thereon, instill all its parts, as here specified, a

.

PHONOGRAPH DICTATION. Messre. Dyer, Edmonde & Dyer, 31 Nassau Street,

New York.

Calle Address "Edison, New York;

Dear Sire:

In reply to your favor of the 15th inst., I beg to enclose you herewith the blue prints and drawings mentioned in your letter.

Trom, the Laboratory Thomas A: Edison.

Yours truly, J. F. Randolph,

Room No3.5....

United States Patent Office,

WASHINGTON, D. C., Oct.6, 1899.

Thomas A. Edison, C/o Dyer, Edmonds & Dyer,

#31 Nassau st.,

N. Y. City.

Please find below a communication from the EXAMINER in charge of your application.

Combustion Engines, Filed July 18, 1899, Serial #724,246.

C. H. Duell

The pivotal supports for levers 41 and 53, shown in figure5, should be lettered and described.

On page 1, lines5- 6, the words "case No. 1010" should be canceled. The description from line 19 of page 1 to line 13 of page 2 is indistinct. It is understood that the heat imparted to the compressed air would add to the total energy, but it is not clearly brought out how such addition of heat would result "in a very great increase of the efficiency thereof".

The description of the packing grooves as "concentric grooves" is objected to as incorrect; the several grooves do not have a common center.

The description on page 4, lines 10 - 15, is indistinct. .If the description on page 5, lines 24-28, is meant to state that RULE 73. In every amendment the exact word or words to be stricken out or inserted in the application must be specified and the precise point indicated where the ensure or insertion is to be made. All such amendments must be on specis of paper

Case No.

a solid combustible contains less volatile hydrocarbons than a fluid combustible, it should be amended to clearly so state; at present, its meaning is not clear.

The several statements throughout the description that the valve 71 is for the purpose of causing a drop in the pressure between pipe 67 and pipe 68 are objected to as indistinct.

The matter contained on page 8, lines 16 - 18, is wholly in the nature of advertisement of amplicant's apparatus, and should therefore be canceled.

The description on page 10, lines 7 - 13, is indistinct and partly incorrect. Since the walls of the cylinder can be no hotter than the air which has impurted heat thereto, they cannot impurt heat to said air until the tamperature of the air has been lowered by expansion. The initial expansion of the air is due to the heat contained in it, but, of course, afterthe air has cooled down in expanding a small amount of heat would be absorbed from the cylinder walls.

In the several claims which cover the engine cylinder, air compress or, heater, or receiver, the connections between these elements should be directly included.

The words "said heater being supplied with a solid combustible" occurring in the claims, is not a proper patentable limitation, and should be canceled.

The words "air being directed", occurring in many of the claims, are objected to as indistinct and functional; the means for "directing" the air in the manner referred to should be directly included in such claims.

**#724,246.** 

of the engine".

Claims 19, 20, 21 are indistinct and functional in the words "a valve for admitting air...into the engine cylinder during a part only of its operative stroke"; the construction and arrangement by which

through which the air passes before entering said heater".

the valve is enabled to perform its function should be specified in the claims.

Claims 22, 23, 24, are indistinct and functional in the words " a valve adapted to admit air...during a part only of the operative stroke

Claims 25, 26, 27 are indistinct in the words "a valve...for causing a drop in the pressure of the air, thereby a portion of the air will be directed through the heater".

Claims 29, 30, 31, 32 are functional in the words "a shaft driven therefrom", "a compressor driven from said shaft"; the connections for driving rhe shaft and compressor should be directly included in the claims.

Claims 34, 36 are indistinct in the aords "air packed piston".

Claim 36 is further indistinct in the words "air packed controlling valve".

```
Claims 1, 4, and 29 are rejected on: - # 26,081, Oct. 4, 1853, Woodbury et.al.; # 33,799, Nov. 26, 1861, Shaw; # 20,325, Oct. 24, 1871, Rider; # 20,778, Feb. 24, 1880, Fell;
```

#248,688, Oct. 25, 1881, Anderson;
(Air and gas Engines, Caloric).

Case No. 2 Paper No. 4 ==

724,246.

Claims 2, 6, 7, 8, 30 and 32 are rejected on Woodbury, Shaw, and Fell, cited.

Claims 3, 5, 25, 26 and 27 are rejected on Shaw, Fell, Rider, and Anderson, cited.

Claim 9 is rejected on the references cited against claim 1, taken with:  $\boldsymbol{\cdot}$ 

#324,060, Aug. 11,1885, Woodbury et.al.;

(Air and gas Engines, galoric).

There would be no invention in providing the compressors of the first group of references with cooling means; such an arrangement being common, as shown, by Woodbury (324,060) and penney, cited.

Claim 9 is further rejected on: - #569,672, Oct. 20, 1896, Von Querfurth;

#569,672, Oct. 20, 1896, Von Querfurth; (Air and Gas Engines, Caloric).

Ohims 10, 13, 19, 20, and 21 are rejected on Von Querfurth, cited, and on: -

#373,820, Nov. 29, 1887, Eckerson; (Air and gas Engines, Caloric).

Claims 11 and 14 are rejected on the references cited against claim 10, taken with Woodbury (10,081), Shaw, and Fell, cited.

Claims 12, 15, 22, 23 and 24 are rejected on Von Querfurth, cited.

Claims 16 and V are rejected on Anderson, Rider, Shaw, and Fell,

cited. There would be no invention in providing the cylinders of the references with he ating jackets; such a construction being common, as shown, for example, by Eckerson and Von Querfurth, of record.

Case No. 3 Paper No. ....

**#724,246.** 

Claim 18 is rejected on Show, Fell, and Von Querfirth, cited.

Caim 28 is rejected on mckerson, and Von Querfurth, cited, and on:

(Air and gas Engines, caloric).

Claim 31 is rejected on Woodbury (10,081) Von Querfurth, Eckerson, Fell, and Shaw, cited.

Claims 53, 58, 37, 38, 39, and 40 are rejected on the references cited. It does not constitute invention to provide the moving parts of any apparatus with roller bearings fro the purpose of reducing friction.

Claims 34 and 36 are rejected on : -

#232,158, Sept. 14, 1880, Waterhouse et.al., (Air and cas Engines, Caloric).

As to claim 36, there would be no invention in substituting the common form of packing grooves for the valve-stem packing in Waterhouse

engine.

THOMAS A. FIDISON

COMBUSTION FRATRES FILED JULY 18, 1899 SERIAL NO. 724.246

HONORABLE COLUMISSIONER OF PATENTS, S I R :-

Please amend as follows:

Page 4, line 26, after "l6" insert ----- The pivot of the lever 41 is carried by a suitable supporting bracket 47 -----

The Official draftsman will please mark the bracket which supports the pivot of the lever 41 with the reference numeral 41', and charge the same to our account.

Page 5, line 8, after "43" insert ----- The pivot of the lever 43 is carried by the support 41' -----

We note that the Examiner objects to the words "case No. 1010" on page 1 of the specification. We call his attention to the fact that all of applicant's applications are identified by applicant's own case number, and that no objection whatever to this practice has been raised.

By the matter on pages 1 and 2 which the Examiner does not understand, we mean that the imparting of heat to the compressed air permits the latter to operate an engine, which in turn operates the compressor with surplus energy for accomplishing work.

Page 4, line 11, erase the word "concentric". The matter on page 4 which the Examiner does not understand, means that since the engine and compressor are

both single-acting, the cranks should be so disposed that the compressor piston will move on its compression stroke as the engine piston moves on its down or expansion stroke. Page 5, line 26, erase "deposit" and substitute ----

1 Case No. 3 Paper No. 2

volatile hydrocarbons ----

We do not see why the Exeminer objects to the statements in the description that the valve 71 is employed for the purpose of causing a drop in the pressure between the pipe 67 and the outlet pipe 68. This is the true function of the valve in quastion. If the valve were not used, hardly any air would be deflected through the heater, since the passage around the jacket would be of very much less resistance. By employing the valve 71, a choking effect is secured, whereby there will be a drop in the pressure beyond the valve in just the same way as when a pressure-reducing valve is employed.

If the matter on page 8 to which the Examiner objects is incorrect, we will crase it; if it is correct, we see no objection to it. So far as applicant knows, he is the first person to employ wheel or roller bearings in engines of this type; so that we think there is ample basis for the statement in question.

As we understand it, the statement of the Examiner oriticising the matter on page 10, conveys exactly the meaning which we wish to convey by the matter in question. The walls of the cylinder are heated by the heated air surrounding them, and excluding losses by radiation etc., the temperature of the cylinder walls would normally equal the temperature of the surrounding heated air. As the air in the cylinder expands and its temperature is reduced, it absorbs heat from the cylinder walls, and hence performs an added increment of work.

heater being supplied with a solid combustible", occurring in the claims. In applicant's former application Serial No. 706,976 referred to in the introductory portion of the specification, the claims were appealed to the Examiners in

We note that the Examiner objects to the words "said

Chief and were expressly limited to the solid combustible material. After the appeal in the application in question was decided, a divisional application was filed on the apparatus, and the present Examiner requested us to furnish an additional view actually showing the solid combustible. We believe therefore that this objection should be withdrawn.

Brase claims 1 to 18 inclusive, 29 to 33 inclusive, 36, and 37 to 40 inclusive, and change the numerals of the remaining claims to 1 to 12 inclusive.

remaining claims to 1 to 12 inclusive.

We note that the Exeminer rejects present claims 1
to 6 inclusive (former 19 to 24) on the patent to Von Querfurth and the patent to Eckerson. All of these claims are limited to the operation of the admission valve in such a way as to produce an expansion effect. We do not find any similar description in either of the references. Furthermore, present claims 3 and 6 are specifically limited in the ombination to a receiver between the compressor and engine oylinder. Neither of the references show this feature of the combination. Furthermore, the fourth, fifth and sixth claims are limited to the employment of a heater of the type burning a solid combustible, into direct contact with which the air is admitted. Neither of the references is of this character.

The 7th, 8th and 9th claims are all limited specifically to the employment of the valve in the conduit leading into the jacket of the heater, by which a drop in pressure will be secured beyond the jacket to effect a revoluble flow of air through the solid combustible irrespective of the resistance thereto. This seems to be an entirely new feature in the combination. In the Anderson patent, air is admitted to a jacket around the heater, and from the jacket it divides, part going beneath the grate and part above the grate. The opening above the grate is never closed, while

used merely regulates the single stream of air. In the Fell patent all of the air passes into the heating chamber. and a single valve is employed for regulating the flow into the same. In the Shaw patent a shunt is provided around the grate through which air can be deflected, a damper being employed in the heating chamber to cut off the products of combustion therefrom. Although this damper does to a certain extent regulate the flow of air through the grate, it is not located as claimed, and does not provide for a drop in pressure as explained. By employing a regulating valve in the conduit leading to the heater, as covered in the claims, a perfect regulation is secured, while the valve is not subjected to the intense heat of the heating chamber, as is the case with the damper of the Shaw patent. We note that the Examiner rejects the 10th claim (former 28th) upon the patents to Eckerson and Von Querfurth in connection with the patent to McTighe. The latter reference, we submit, does not show the special construction of admission valve which is made the subject of the claim. The claim in question calls for a valve chest having two entrance ports and an outlet leading into the cylinder, with a valve normally closing the outlet and located between the two en-

trance ports so as to be maintained in a balanced condition.

We do not find the equivalent of this construction in the

McTighe patent, and if the Examiner insists upon this refer-

Case No. 9 Paper No. 92

the opening below the grate can be regulated. The Examiner will therefore see that if for any reason the grate became obstructed, all the air would tend to flow above it. With applicant's suggestion, by interposing a valve in the pipe leading to the jacket, the jacket can be almost entirely out off, so as to cause the entire pressure to pass through the grate. In the Rider patent, all the air from the compressor passes through the grate, and the only valve which is

ence, we request that its pertinence be indicated under the rules.

Regarding claims 11 and 12 (former 34 and 36).

against which the patent to Waterhouse et al has been cited, we respectfully request reconsideration thereof. So far as applicant knows, he is the first to employ antifriction

bearings in a combustion engine. We submit that when in addition to this suggestion the further suggestion of employing airtight pistons and valves is made to produce a device wherein friction is reduced to a minimum, a sufficient

basis for an allowable claim is laid.

Very respectfully,

THOMAS A. EDISON,

New York, August 2, 1900.

Case No. 9 Pager No. 4

2-246.

All confinations respecting this application should give the serial number date of filing, and title of invention.

DEPARTMENT OF THE INTERIOR.

United States Patent Office,

WASHINGTON, D. C., Aug. 20, 1900.

Thos. A. Edison, C/o Dyer, Edmonds & Dyer,

o byer, manonus & nyer,

#31 Nassau st., N. Y. Citv. U. S. PATENT OFFICE AUG 20 1900

Please find below a communication from the EXAMINER in charge of your applicate

Combustion Engines, filed July 18, 1899, Seriā #724,246.

C. H. Duell Commissioner of Patents.

The criticism urged against the description on page 10 in the search of the criticism urged against the description on page 10 in the search of the criticism to much heat which may be imparted to the engine either in the search of the criticism the walls of the cylinder or in the ing work directly in the search of the cylinder and it is impaterial whether or not the heat is first given gout to the cylinder walls and the remaining heat utilized in doing search, or whether all the heat is utilized in doing work.

Claims 1, 2 and 3 are rejected upon the references of record.

The valve set forth in these claims for cutting off the supply of air

before the end of the stroke is common in all steam engines.

Claims 4, 5 and 6 are rejected being aggregations since it is

thought that the peculiar kind of heater bears no relation to the engine system.

Case No. — Spect No.

**#724,246**.

divided out of this case.

Claims 7, 8 and9 are rejected upon the references of record.
Claim 10 is for a valve gear construction while the remaining
claims are for a caloric engine. These are separate and distinct
inventions and should be the subject matter of separate applications.
For this reason no further action will be taken until claim 10 is

Cld ms 11 and 12 are rejected being an aggregation between the peculiar kind of piston and a peculiar kind of bearing and further the same does not amount to invention in view of roller bearings used in analogous connections in: Diamond\_#473,839, April 6, 1892;
(Bicycles, Forke, Spring).

W.A.H .

Case No. 3 Paper No. 3

THOMAS A. EDISON

COMBUSTION ENGINE FILED JULY 18, 1899 SURIAL NO. 724.246

ROOM NO. 35.

HONORABLE COMMISSIONER OF PATERTS.

SIR:-

We note that the Examiner still criticises the description on page 10, but as we understand his criticism it only questions the expediency of applicant's construction and not its operativeness. Since the air in the jacket 24 is of the maximum temperature, and since the air expanded in the cylinder is of reduced temperature, it seems inevitable that there will be a conduction of heat through the cylinder walls, producing an increased expansive effect in the expanding air. Such an operation we believe would take place, but as to its relative efficiency, no opinion is expressed.

We note that the Examiner still rejects claims 1 to 9 inclusive on the references of record. We have examined the references and have compared them carefully with the rejected claims. After making such comparison we are still of the opinion that the claims should be allowed, and therefore ask that they may be reconsidered.

So far as claim 10 is concerned, we take issue with the Examiner in his ruling that the claim covers only "a valve gear construction". In drawing the claim we took pains to include in the combination the necessary operative parts with which the valve cooperates for the production of a complete combustion engine. Reconsideration of the Examiner's ruling on this claim is therefore requested.

Case No. 3 Paper No.

We note that the Examiner now rejects the lith and lath claims on the ground of aggregation. We call his attention, however, to the fact that by the adoption of the double expedient of air packing the piston and valves and using roller bearings on the moving parts, the element of friction is very greatly reduced and an engine obtained of materially increased efficiency. The citation by the Exami-

ner of the patent to Diamond does not strike us as being pertinent, since the reference is entirely outside of the art with which applicant is dealing.

Should the Examiner adhere to his rejection of the 10th claim, it is asked that such action thereon be taken as will permit the question of division to be brought to the attention of the Commissioner on petition. Should be still reject the remaining claims, it is asked that such action be taken as will permit an appeal.

Very respectfully,
THOMAS A. RDISON,
By

His Attorneys.

New York, August 6, 1901.

Case No. 3 Paper No. 1/

Room No....89.c. contentionfore should be addresse "The Commissioner of Patents,

All commy "cations respecting this application slicald give the sorial number date of filing, and title of invention.

DEPARTMENT OF THE INTERIOR,
UNITED STATES PATENT OFFICE,

WASHINGTON, D. C., September 16, 1901.

T. A. Edison,

C/o Dyer, Edmonds & Dyer,

Edison Laboratory,

Orange, M. J.

Please find below a communication from the EXAMINER in charge of your a

F. S. allen.

This case, as amended August 9th, has been considered.

Serial No. 724,246; filed July 18, 1899; "Combustion Engine".

It is still thought that claim 10 covers subject-matter independent of that covered by the other claims. The previous office action as to division is therefore repeated. It is noted, howover, that the said claim is apparently anticipated by the patent to Millholland, 92,630, July 13, 1869, (Steam Valves, Piston valves).

Applicant's post office address should be stated in the petition.

In line 15, page 3, "with" should read to

The reference numeral 41' should be placed upon fig. 5.

The laudatory passage contained in lines 16 to 28, page 8, is unnecessary to a full presentation of the alleged invention,

Case No. 2 Paper No. 2

RUE 73. In every assendment the exact word or words to be stricken out or inserted in the applie enterns or insertion is to be made. All such amendments must be on sistents of paper separate from the

point indicated where the but one aide of the paper.

and the precise and written on

13

·

and should therefore be erased.

The state of the art is farther shown by the patent to Gale, 17,855, July 2, 1857, (Steam Engines, Pistons).

Case No. 3 Paper No. 5

Same Offices

Dyer, Edmends & Dyer,
Samuel & Brands,
Secretary, Detects, so Patent Causes,
France States to the
THOMAS A. EDISON
SUBJECT-MATTER: Joyn but time Gargine File
FileD
FileD
EXAMINER'S ROOM NO. 3 2 26 6
EXAMINER'S ROOM NO. 3 2 26 6

HONORABLE COMMISSIONER OF PATENTS,

In the above entitled application, please address further communications to us at our office, No. 31 Massau Street, New York City.

Very respectfully,

Augustion Attorneys of Record.

THOMAS A. EDISON COMBUSTION ENGINES FILED JULY 18, 1899 SERIAL NO. 724,246

ROOM NO. 89

15

HONORABLE COMMISSIONER OF PATENTS,

The Official draftsman will please opply the reference numeral 41' at the bottom of figure 5 to

ply the reference numeral 41' at the bottom of figure 5 to the bracket on which the lever 41 is pivoted, charging the cost of the same to our account.

Very respectfully,

Attorneys for Edison.

New York, August 15, 1902.

Case No. 3 Paper No. 6

THOMAS A. EDISON COMBUSTION ENGINES FILED JULY 18, 1899

SERIAL NO. 724,246 ROOM NO. 89

HONORABLE COMMISSIONER OF PATENTS,

SIR:--

In a separate communication sent herewith, we have requested the Official draftsman to apply the reference numeral 41 at the bottom of figure 5 to the bracket on which the lever 41 is pivoted.

Page 3 line 15 erase "with" and substitute ---to---Cancel claim 10.

We are not able to locate the "laudatory passage" to which the Examiner refers, as the matter contained between lines 16 and 28 on page 8 seems to be quite unchiectionable. If the Examiner will identify the matter in point, we will be glad to erase it if, as he says, it is unnecessary to a full presentation of the alleged invention.

Very respectfully, THOMAS A. EDISON,

.

Attorneys.

New York, August 15, 1902.

Case No. 3 Paper No. 6 ....

All communications respecting this nephleation should give the serial numbe date of filing, and title of invention.

DEPARTMENT OF THE INTERIOR,

UNITED STATES PATENT OFFICE,

Thos. A. Edison.

WASHINGTON, D. C., Oct. 15, 1902.

C/o Dyer, Edmonds & Dyer,

S. PATRICT UTTION OCT 15 1908

LOROLD ... N. Y. City ou on the TRACE

Please find below a communication from the EXABINER in charge of your application?

Combustion Engines filed July 18, 1899, Serial #724,246.

Fi. I. allen.

Commissioner of Patents.

This case, as amended Aug. 16, 1902, hus been considered.

Beginning line 19, page 1, and ending line 18, page 2, cancel all matter as being income stent with the state of the art as a statement of invention.

The corrections of the formal errors noted in the prior letters.

with which compliance has not been made, must be a made before the

case issues.

Olding 1, 2, and 3 are rejected on You Querfurth, of record, in view of the common use of out off slide valves,

Clams 4, 5, and 6 are rejected as aggregations for the reasons before stated and on Shaw, of record.

Claims 7, 8, and 9 are rejected on the references of record, particularly Shaw.

"diams 10 and 11 are still hold to be improper combinations for the reasons previously given and are rejected on the references of record, particularly waterhouse et.al., in view of Risenbuth.

Case No. 3 Paper No. 2

82.01 3

2017

.

"The Commissioner of Patents,
"The Commissioner of Patents,
Washington, D. C."

SIR:

This office is in receipt of your order of Aug, 2 for copies of patents 12630 water

In reply you are advised that copies of all the patents ordered, that are in print, have been mailed this day, except those enumerated below, the supply of which is exhausted. As the appropriation is insufficient to reprint all exclusived copies, special reasons must be given before the reproduction of any patent will be ordered.

The balance of your remittance, S....., will be returned by registered mail.

By direction of the Commissioner.

Respectfully.

	6 M. Ineles M Onies Clerk
	:
1.5	

730665m3-0

INITED STATES PATENT OFFICE.

Thomas A. Edison,

Combustion Engines. Filed July 18, 1899. Serial No. 724,246.

Hon. COMMISSIONER OF PATENTS.

led application as follows:

Sir:-

Room No. 218.

I amend the above entit-Page 1, line 10, beginning with "In" erase through

the word "work", line 13, page 2. Claims 1, 2 and 3 (originally 19, 20 and 21), line 3 of each, after the word "air" insert "independent, and outside, of said heating chamber". Erase claims 10 and 11. Reconsideration of the claims as now presented is respectfully requested.

The patent to VanQuerfurth relates to an engine of a totally different type from that invented by applicant in as much as the air is heated by the combustion of oil, and the heated air is then intermixed with steam before entering the working cylinder. With this reference the heater comprises practically an oil burner, and this heater is located in a jacket or casing surrounding the cylinder. With applicant's invention the heater is an independent element, quite outside of the engine jacket, and communicates with the latter by a separate conduit which is made a positive

element in the first three claims. So far as claims 4 to 9 are concerned, it is respectfully submitted that they are not adequately met by the patent to Shaw, on which they are principally rejected. Shaw does not employ the jacket surrounding the working

heater differs in details from that covered by the claims in question. These claims relate to applicant's specific apparatus, and cover no more than the special advance in the art which applicant has made. If the applicant is disposed to adhere to his former actions, it is hoped that the number of references cited may be curtailed as much as possible in order to facilitate the presentation of the case before the Examiner's in Chief. So little time is allowed at the arguments before that tribunal that it is a hardship to have to review a large number of references, some of which may be more pertinent than others. Of the references cited it is thought that the examiner can very properly limit them to two or three without receding in any way from his position. Very respectfully, Thomas A. Edison. Orange, N. J., August 25, 1903.

(2)

Case No. 3 Paper No. 9

2-260.

ROOM No.....382

Paper No......14.
All communications respecting this pplication should give the serial number.

DEPARTMENT OF THE INTERIOR,

UNITED STATES PATENT OFFICE,

WASHINGTON, D. C.

T. A. Edison,

Frank L. Dyer, gar Edison Laboratory, Orange. U. S. PATENT OFFICE, OCT 13 1903 MAILED

New Torsey,

Please find below a communication from the EXAMINER in charge of your application,

Combustion Engines-; Filed July 19, 1899; No. 724,246.

F. J. allen.

This case as amended Aug. 27, 1903 , has been considered.

Attention is called to the formal error, noted in the prior official

The architect of claims 1, 2, and 5 is not material and said claims there are rejected on the references of record ested, against

Claims 4, 5 and 6 are rejected on the references of record.

Claims 7, 8 and 9 are rejected on Shaw.

Applicant may consider this a final rejection if he so chooses.

The principal references are Shaw, Vontmerfurth, and Fall.

Mallaca

Case No. 5 11 per 1 3. 10.

No. YYG8	Silicant.	Serial No. 7	29,1×1
Chomas Co	August 1	Cewlly a. Orange,	rg.
_	she art of Bricks	ug Pulvenzed	Halen
Filed Clug, 31	-/899 E	xaminer's Room No.	49
Assignee			
Ass'g't Exec	Recorded	LiberPa	ore H
	<del></del> .	,	
Patent	No Issued		N. Sylver
	· · · · · · · · · · · · · · · · · · ·	· \	In 1
Rejects .	ACTIONS.  Off. 30199. 16	E. Brang	7. ng. <b>.</b>
2 Spueded	Aug 27/1900. 17		,
3 Clejetha.	Sefr. 18, 1900. 18	, p	
	Nov 281900	1 m	
- Appealed		1.3	
5 Exer Aus	Dec. 7, 1900 20+	A War	
5 Exis Aus 6 Hearing set fo	Dec. 7, 1900 20 10 Dec. 19, 1900 at 200 pm.	of the	
5 Ext. Aus Mearing set fo 7 " changes "	Lee. 7, 1900 20 20 20 20 20 20 20 20 20 20 20 20 2	of the state of th	
5 Exis Aus 6 Hearing set fo 7 " changes to 8 Appeal argus	Dec. 7, 1900 20, 10 Dec. 19, 1900 20, 1900 20, 1900 20, 1911 20, 1910 20, 1	and the second	T.
5 Exis Dus olkaring pet fo 7 " changed to 8 appeal argue 9 Bruf J	der 7, 1900 20 12 der der M. 1900 13 20 12 12 12 12 12 12 12 12 12 12 12 12 12	art I was	
5 Ester Due 6 Hearing set fo 7 " changed to 8 Appeal argue o Druf 5 Additions Prey	dec. 1, 1900 20 10 10 10 10 10 10 10 10 10 10 10 10 10	of the second	
5 Ester Due 6 Hearing set fo 7 " changed to 8 Appeal argue o Druf 5 Additions Prey	der 7, 1900 20 12 der der M. 1900 13 20 12 12 12 12 12 12 12 12 12 12 12 12 12	a land	
s Err Arus or Karing set fo or " changed to a Upper argue or Deuf or Alations Brig or Selectory	dec. 1, 1900 20 10 10 10 10 10 10 10 10 10 10 10 10 10	Laudoned	
5 Ester Due 6 Hearing set fo 7 " changed to 8 Appeal argue o Druf 5 Additions Prey	dec. 1, 1900 20 10 10 10 10 10 10 10 10 10 10 10 10 10	Laudoned	

RICHARD N. DYER,
31 Nassau Street,
NEW YORK CITY.

DYER, EDMONDS & DYER.

SPROIALTY.

DATCHES AND DATCHE GAUSES,
31 NABEAU ST., NEW YORK.

RICHARD N. DYER, HEGISTRATION HO. 402 BAMUEL O. EDMONDS, REGISTRATION HO. 41L

# Detition.

#### To the Commissioner of Patents:

YOUR PETITIONER, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park, in the County of Essex and State of New Jersey,

PRAYS THAT LETTERS PATENT MAY BE GRANTED TO HIM FOR THE IMPROVEMENT IN THE ART OF BRICKING PULVERIZED MATERIALS

SET FORTH IN THE ANNEXED SPECIFICATION; AND HE HEREBY APPOINTS DYER, EDMONDS AND DYER, A FIRM COMPOSED OF RICHARD N. DYER, SAMUEL O. EDMONDS AND FRANK L. DYER, OF NO. 31 NASSAU STREET, NEW YORK CITY, HIS ATTORNEYS, WITH FULL POWER OF SUBSTITUTION AND REVOCATION, TO PROSECUTE THIS APPLICATION, TO MAKE ALTERATIONS AND AMENDMENTS THEREIN, TO RECEIVE THE PATENT, AND TO TRANSACT ALL BUSINESS IN THE PATENT OFFICE CONNECTED THEREWITH.

Thomas a Ledison

#### SPECIFICATION.

TO ALL WHOM IT MAY CONCERN:

clear and exact description:

Be it known that I, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park, in the County of Essex and State of New Jersey, have invented a certain new and useful IMPROVEMENT IN THE ART OF BRICKING PULYERIZED MATERIALS (Case 1012), of which the following is a full,

My invention relates to the art of bricking pulverized material, and particularly to the bricking of pulverized ore and coal, but the improvement may be carried out with any other finely divided substance which it is desired to form into compact, solid bricks or briquettes.

In my patent No. 465,261, dated December 15, 1891, I described a soluble rosin soap, such as resinate of soda, as a binding material for finely pulverized ore, and such a binder, owing to its high cohesiveness, is especially appliable for the purpose. The objection to the use of a rosin soap such as resinate of soda in this art, is its solubility and it therefore was necessary, when such a binder alone was used, to observe special care, in the storage and transportation of the bricked material, in excluding water therefrom.

My present improvement is designed to overcome this objection, and by its means I am enabled to use a soluble rosin scap as a binder in the bricking of the finely pulverized material, and to obtain resulting bricks, briquettes lumps or other aggregates which shall be entirely waterproof and therefore stable in the presence of moisture. My invention resides in the discovery that when a heavy hydrocarbon or other non-water soluble and non-acid material of high boiling point is added to a very viscid solution of a

rosin soap such as resinate of soda, an emulsion is formed. which may be added to the pulverized material, and that when the mixture in the form of bricks, briquettes, lumps or other aggregates is baked to drive off the water, the soluble rosin soap in hardening will bind all the particles firmly together, while the non-water soluble and non-acid material in the binder will simultaneously form a thin film over practically all the particles of material so as to make the resulting product entirely waterproof. By thus employing a soluble rosin soap as a binder for pulverized material, wherein the mixture is purely mechanical and without any chemical action taking place between the binder and the material. I am enabled to carry on my present improvement in connection with any material in pulverized form, to use a relatively small proportion of binding substance, and to effect the baking at relatively low temperatures, whoreby the danger of overheating in the cars or place of storage is overcome, while by making use of a heavy hydrogarbon or other non-water soluble and non-acid material of high boiling point in the binder. I secure a product which will be entirely unaffected by water, and which can therefore be transported in open cars or stored in exposed piles.

bricking of iron ore, for example, I prefer to proceed substantially as follows: A rosin scap, preferably resinate of soda, is first secured, which may be of the proportions described in my said patent, to wit, of 1 part of sods and of about 12 parts of common rosin. This rosin soap is dissolved in water in a sufficient amount to impart a thick. molasseslike consistency. To the solution so obtained is added preferably a thick hydrocarbon, such as the residuum obtained from the distillation and manipulation of crude petroleum, and having a very high boiling point so as not to -2-

In carrying out my present improvement for the

be volatilized during the process of baking. The proportion of the residuum so added depends largely upon the character of the binder desired and upon its own characteristics, but ordinarily good results will be secured by the addition of about 20% by weight of the rosin soap employed. The residuum is thoroughly mixed with the rosin soap solution to form an emulsion, which, owing to the heavy consistency of the hydrocarbon residuum, will be sufficiently permanent for the subsequent operations. A sufficient quantity of the emulsified binding substance so secured is intimately mixed with the ore in a suitable mixing machine, with or without the presence of slight heat, and the mixture is then formed under great pressure into bricks or briquettes in a suitable bricking apparatus. The bricks or briquettes so produced are then baked in an oven at a temperature of preferably between 400 and 600 degrees Fahrenheit until the proper result is secured. The first action of the heat in the baking oven is to drive off the free water, during which operation the resinate of soda or other rosin soap will become very hard and will bind the particles of the ore together. After the water has been driven off and the rosin soap solidified, the residuum or other hydrocarbon employed will, under the presence of the heat, spread over each particle to form a waterproofing film thereon, and in this way the resulting product will be entirely unaffected by the presence of moisture. It is therefore necessary that the baking of the bricks or briquettes should proceed to the point where the free water will be entirely expelled, and where the hydrocarbon or other non-water soluble material employed has had an opportunity to flow over the particles as explained. If the baking is discontinued before the water is driven off, the hydrogarbon or other non-water

resulting waterproofing thereof will not be secured; while if such material were not used, the resulting product would be entirely unstable in the presence of considerable moisture. When lighter pulverised materials than iron ore are to be bricked, the quantity of the resinate or other rosin scap requires to be augmented, owing to the increase in the bulk of the material.

Instead of making an emulsion, as explained, by adding the non-water soluble material to the viscid solution of rosin scap, it will be understood that the rosin scap solution may be first mixed with the pulverized material. and that the proper proportion of such material may be after wards added to the mixture so secured and intimately assoclated therewith, after which the composition will be formed into bricks or briquettes and then baked; but I find that the results which are secured when this procedure is followed, are not as satisfactory as when an emulsion is first formed, and I prefer to carry out the invention in the manner which I have described in detail. Non-water soluble residuums not of an acid nature and therefore not combining with bases, like soda, and which are suitable for this process, are produced from the distillation of fatty acids and other industrial operations, but petroleum residuum is preferable on account of cheapness and its neutral character in relation to alkalies.

While it is also preferable that the composition of the pulverized material and the improved binder should be first formed into bricks and then baked, it will be understood that the composition can be baked in mass, as I have described in my said patent, and afterwards broken up into lumps or aggregates in any suitable way.

Having now described my invention, what I claim as new therein and desire to secure by Letters Patent is as follows: described In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in adding to the pulverized material a binding substance composed of a soluble rosin soap and a non-water soluble non-acid material having a high boiling point, and in subjecting the mixture so produced to heat, substantially as set forth. bricks, briquettes, lumps or other aggregates, the improvement which consists in adding to the pulverized material a binding substance composed of resinate of sods and a nonwater so uble non-acid material having a high boiling point, and in subjecting the mixture so produced to heat, substantially as set forth. bricks, briquestes, lumps or other aggregates, the improvement which consists in adding to the pulverized material a binding substance composed of a soluble rosin scap and the residuum obtained from the distillation of petroleum, and

as set forth.

4. In the art of forming pulvorised material into the art of forming pulvorised material into the pulvorized material a au thurs of the pulvorized material a au thurs of the pulvorized material a

in subjecting the mixture so produced to heat, substantially

AUG 27 1990 binding substance composed of resinate of soda and the residuant obtained from the distillation of petroleum, and in subjecting the mixture so produced to heat, substantially as set forth.

AUG 27 3990

AUG 2 7 1000

etic 2.7 1900

AUG 27 1900

Aug. 2.7, 1980

AUG 27 1900

ment which consists in forming an emulsion by adding to a different viscid solution of a rosin soap a non-water soluble non-acid material having a high boiling point, in adding such

emulsion to the pulverized material, and in subjecting the composition so obtained to heat, substantially as set forth.

6. In the art of forming pulverized material into bricks, briquettes lumps or other aggregates, the improvement which consists in forming an emulsion by adding to a viscid solution of resinate of soda a non-water soluble non-acid material having a high boiling point, in adding such emulsion to the pulve ized material, and in subjecting the composition so obtained to heat, substantially as set forth.

7. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in forming an emulsion by adding to a viscid solution of a roam scap the residum obtained from

the distillation of petroleum, in adding such emulsion to the pulverized material, and in subjecting the composition so obtained to heat, substantially as set forth.

8. In the art of Coming pulverized material into bricks, briquettes, lumps of other aggregates, the improvement which consists in forming an emulsion by adding to a viscid solution of resinate of soda the registrous obtained by the distillation of petroleum, in adding such emulsion to the pulverized material, and in subjecting the composition so obtained to heat, substantially as set forth.

9. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in adding to the pulverized material a binder composed of a soluble rosis soap and a non-water soluble non-acid material having a high boiling points in

forming the composition into bricks or briquettes, and in baking said bricks or briquettes, substantially as set forth

10. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in adding to the pulverized material a binder composed of resinate of soda and a non-water soluble

non-acid material having a high boiling point, in forming the composition into bricks or briquettes, and in baking said bricks or briquettes, abstantially as set forth.

11. In the art of ferming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in adding to the pulverized material a binder composed of a soluble roath soap and the residuum ob-

tained from the distillation of betroleum, in forming the composition into bricks or briquettes, and in baking said bricks or briquettes, substantially as set forth.

12. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in adding to the pulverized material a

binder composed of resinate of soda and the residuum obtained from the distillation of petroleum in forming the composition into bricks or briquettes, and in baking said

position into bricks or briquettes, and in baking said bricks or briquettes, substantially as set forth.

13. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improve-

ment which consists in first making an emulsion by adding to a viscid solution of a soluble rosin spap a non-water soluble non-acid material having a high bolling point, in adding

said smulsion to the pulverised material, in forming the pulverised material into bricks or briquettes, and in baking said bricks or briquettes, substantially as set forth.

14. In the art of forming sulverized material into the constant of the constan

cid solution of relinate of soda and a non-water soluble non-axid material having a high boiling point, in adding said emulsion to the milverized material, in forming the pulverized material into bricks or briquettes, and in baking said bricks or briquettes, substantially as set forth.

15. In the art of forming pulverized material into bricks, briquettes, lumps of other aggregates, the improve-

mentionic consists in formula an emulsion by adding a viscid solution of a soluble rosts seep to the residum obtained from the distillation of petroleum, in adding such emulsion to the pulverized material, in forming the pulverized material into bricks or driquettes, and in baking said bricks or briquettes, substantially as set forth.

bricks, briquettes, lumps or other aggregates, the improvement which consists in forming an eulision by adding to a viscid solution of resinate of soda the residuum obtained from the distillation of petroleum, in adding such emulsion to the pulverized material, in forming the pulverized material into bricks or briquettes, and it baking said bricks or briquettes, substantially as set 19th.

16. In the art of forming pulverized material into

-8•

THIS SPECIFICATION SIGNED AND WITNESSED THIS 2 2 DAY OF August 1899

Thomas Q. Edison

Mitnesses :

J. G. Burn

Oath.

State of New Jersey Ss.:

THOMAS A. EDISON, THE ABOVE-NAMED

PETITIONER, BEING DULY SWORN, DEPOSES AND SAYS THAT HE IS A Citizen
OF THE United States, and a resident of Llewellyn Park, in the
County of Resex and State of New Jersey;

THAT HE VERILY BELIEVES HIMSELF TO BE THE ORIGINAL, FIRST AND SOLE INVENTOR OF THE IMPROVEMENT IN THE ART OF BRICKING PULVERIZED MATERIALS

DESCRIBED AND CLAIMED IN THE ANNEXED SPECIFICATION, THAT HE DOES NOT KNOW AND DOES NOT BELIEVE THAT THE SAME WAS EVER KNOWN OR USED BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR PATENTED OR DESCRIBED IN ANY PRINTED PUBLICATION IN THE UNITED STATES OF AMERICA OR ANY FOREIGN COUNTRY BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION OR FOREIGN PATENT HAS BEEN FILED BY HIM OR HIS LEGAL REPRESENTATIVES OR ASSIGNS IN ANY FOREIGN COUNTRY.

SWORN TO AND SUBSCRIBED BEFORE ME THIS W DAY OF August 1889

M. Mandalph NOTARY PUBLIC.

(SEAL)

NOTARY PUBLIC.

All constituted stars abstract to a statement to William 1, CC **  **The Constituted stars of Parish, CC **  **DEPARTMENT OF THE INTERIOR,
United Plates Patent Office,
Washington, D. C., Auf. 31, 1879.
Sur:  The eath accompanying the application of

who has failed to attach thereto, or place on file in this office, a certificate of his official character, as required by Rulo 47, which reads as follows:

\* 9 \* "An oath taken before a notary public or magistrate will not be accepted unless a certificate of the official character of the person administering the oath, stating the date of appointment and term of office, is filled. To deviate the necessity of a separate certificate in seein application, a certificate may be furnished with the request that it be filled in the Patent Office for general reforemce."

Eagli Gertificate must have a ten-gent revenue stamp applied thereto and canceled by the user.

In order not to delay the examination of this application, the same has been forwarded to the examiner, who has, however, been instructed not to pass the case to issue until the provisions of said rule have been observed.

By direction of the Commissioner:

Very respectfully,

6. V. Shepard.
Chief Clerk.

Norm.—If the eath is administered by a notary public in a country foreign to the United States, the certificate of his official character must also state that he is authorized by the laws of his country to administer an eath.

Base 1012

All communications should be addressed to "The Commissioner of Patents, Washington, D. C."

DEPARTMENT OF THE INTERIOR,

No.729121

Cnited States Gatent Off

2-020.

SIR:

I have to acknowledge the receipt of the petition, specification, oath, and wing of your alleged Improvement in At 1 04 Price and

*V* 

with Fifteen Dollars as the first fee payable thereon.

The papers are duly filed, and your application for a patent will be taken up for examination in its order

You will be duly advised of the examination.

Very respectfully,

Case will be taken up for examination in about one month.

Commissioner of Patents.

My City,

Norm—In order to constitute an application for a patent, the inventor is by law required to furnish his petition, specificatio costs, and drawings related to mature of the case adultis of drawings) and to pay the required fee.

No application is considered as complete, nor can any official action be had thereon, until all its parts, as here specified, a

.

Room No. 149.

ulentions respecting this

DEPARTMENT OF THE INTERIOR

A.M.H.

UNITED STATES PATENT OFFICE.

WASHINGTON, D. C., Sept. 30, 1899.

Thomas A. Edison,

Care Dyer, Edmonds & Dyer,

31 Nassau St..

New York, N. Y.

Please find below a communication from the EXAMINER in charge of your application.

Mo. 729,121, filed Aug. 31, 1899,-"Art of Bricking Pulverized Materials".

C. H. Duell

In claims 1, 2, 3, 4, 5, 6, 7, 8 the forming of the mass into bricks, briquettes, lumps, or other aggregates should be expressed step in the process or the introductory clause

thereof amended to correspond. 13, 14, 15, 16, the introductory clause which includes lumps or aggregates is inconsistent with the recital of the step of forming the material into bricks, or briquettes.

In claims 1, 2, 3, 4, 5, 6, 7, 9, 9, 10, 11, 12, 13, 14, 15, 16 the resinate of soda or soluble soap should be specified as being in a state of aqueous solution.

Claims 1, 2, 5, 6, 9, 10, 13 and 14 are the same in substance, and claims 3, 4, 7, 8, 11, 12, 15, and 16 are also the same in substance, there being substantially but two claims

which could be properly prosecuted.

The claims are each rejected on:
U. S. 125,556, Apr. 16, 1872, Breinig, (Artificial Fuel, Comp.); and see also:

U. S. 594,739, Hov. 30, 1897, Hanson, (Artificial Fuel, Comp.).

Ex'r Div. 3.

RULE 73. In every amendment the exact word or words to be stricken out or inserted in the application must be specified and the precise point indicated where the emaure or insertion is to be made. All such amendments must be on sheets of paper separate from the papers previously filed, and written on but one side of the paper.

CHOMAS A. EDISON,
ART OF REICKING PULVERIZED MATERIAL,
FILED, AUGUST 31, 1889,

}

Room No. 149.

HOE. CONTISSIONER OF PARTIES,

Sir:

SERIAL NO. 729,121.

number of the claims, and with the idea in view of prosenting the invention in as clear-cut a form as possible, we wrend by erasing claims 6 to 16 inclusive, said claims being specific to the five claims which now remain in the case. Present claims 1, 2, 3, 4, and 5, line 1 of

In view of the Examiner's criticism as to the

In each of said claims, lines 1 and 2, erase the words "of forming pulverized material into bricks, briquettes, lumps, or other appropates".

each, before "art" insert -- described -- .

Claims 1 and 3, line 4 of each, after "of", and claims 2 and 4, line 4 of each, before "resinate" insert -- an aqueous solution of--.

Claim 5, line 4, before "solution" insert --aqueous--.

Reconsideration of the claims as now presented is respectfully requested.

As applicant points out in the specification

with the processes described in his patent No. 465,281, objection was encountered in practice ewing to the non-stable character of the agaregates in the presence of considerable moisture. In said patent applicant was granted claims broadly to the method of mixing ores with any resinate, such, for instance, as resinate of soda, so that the claims of the present case are dominated by said

uum having a high boiling point. The presence of this added ingredient does not affect the highly tenacious character of the resinate, while it enables a minutely thin water-proof film to cover the particles of the material. Obviously, the non-water-soluble residuum must have a high boiling point, since it is required to withstand the relatively high temmerature of the baking withvolatilization. We do not perceive the pertinence of either of the reforences cited, particularly when the present amplication is viewed in the light of an improvement on a process already broadly patented to applicant. Hanson's patent describes the raking of fuel blocks of highly condustible hydrocarbons, principally refined petroleum (from 75 to 65 percent), thick turpentine (13 to 8 percent), and pine resin (5 to 2 percent), such hydrocarbons being mixed with a scap formed by saponifying margarin and cocoanut oil with caustic soda. We do not see how this can be said to relate to applicant's art, but if it were admitted that the particular fuel block composition of Hanson were used as a binder for pulverized material, it will be seen that applicant's result would not be secured, since the potroleum forming the larger bulk of the binder is highly volatile. In the Breinig patent, the inventor sooks to make a combustible binder for the manufacture of fuel bricks, by saponifying resin and asphaltum with a suitable caustic alkali. The inventor states: "By preference I may use the resin or asphalt--2-

patent, and the present application, if issued, would not broaden applicant's monopoly already secured. In order to remedy the defect in the putented process, applicant describes an addition therete consisting in adding a relatively small proportion of a non-water-coluble residus either the one or the other clone, but stating that to offect the appointfaction of the asphaltur alone a large proportion or alkali is required. We think there can be no doubt but that it was Freinigs idea to use only a resin scap as a Mindor, and not to use a non-water-soluble, high boiling point ingredient for forming a water-proof coating to the particles, as with applicant's invention.

Reconsideration of the claims is, therefore, respectfully requested.

Yory respectfully, THOMAS A. RDISON,

y.

His Attornoys.

31 Wassau St., New York,

August 27, 1900.

2-246

Room No...1494

The Commissioner of Paten

Washington, D. C."

Thomas A. Edison,

A.M.H.

DEPARTMENT OF THE INTERIOR,

UNITED STATES PATENT OFFICE.

Care Dyer, Elmonds & Dyer,

31 Massau St.,

New York, H. Y.



Sept. 18, 1900.

Please find below a communication from the EXAMINER in charge of your application.

No. 729,121, filed Aug. 31, 1899,-"Art of Bricking Pulverized Materials".

C. H. Duell Commissioner of Putents.

Amendment and argument filed Aug. 28, 1900, have been enbered and considered.

Soluble rosin soap is always a resinate of sodium or potassium, hence the difference in the terms in claims 1, 2 and 5 and claims 3 and 4 is immaterial. Also, to entitle the resinate as "viscid" in claim 5 is immaterial.

The claims are again rejected on the patent to Breinig, of record. The composition constituting the binder does not concomplete tain sufficient caustic alkali to effect the saponification of the other ingredients.

patent filed sul one year after

made by the

Extr Div. 3

RULE 73. In every amendment the exact word or words to be stricken out or inserted in the application must be s and the precise point indicated where the emure or insertion is to be made. All such amendments must be on sheets of paper separate from the papers previously filed, and written on but one side of the paper

THOMAS A. EDISON
ART OF ERICKING PULVERIZED MATERIALS

FILED AUGUST 31, 1899 ROOM NO. 149.

HON. COMMISSIONER OF PATERIES,

SIR:

In the above-entitled application we

ceases defined in said claims are not ratentable inventions in view of the state of the art;

2. The Examiner erred in rejecting said claims

2. The Examiner erred in rejecting said claim on the reference of record; and

3. The Examiner erred in not allowing said claims.

An oral hearing is requested.

The appeal fee of \$10. is forwarded herewith.

Very respectfully, THOMAS A. FDISON.

His Attorneys.

New York, November 28, 1900.

Washington, D. C. Nov 30-1900-, 180 SIR: the fee payable thereon. Of the result due advice will be given. Fery respectfully,



## UNITED STATES PARKET OFFICE.

In re application of Thomas A. Edison Piled Aug. 31, 1889, Ser. No. 729,181,

Exeminers-in-Chief.

Before the

"Art of Bricking Pulverised Hetericle",

On Append.

......Div.S.Dec. 7, 1900.

Exeminer's Statement.

### The claims finally rejected are:

- "In the described art the improvement which consists in adding to the pulverized paintain all a binding substance composed of an emenus solution and emenus solution of the pulverized partial partial and an emergency of the protection of the prote
- "2. In the described art, the improvement which consists in adding to the pulvarized external a binding substance exposed of an equients solution of resints of soda and a non-exter solution for resints of soda and a non-exter solution for resistance to be a substantially as est forth or retaining to produced to heat, substantially as est forth.
- "S. In the described art, the improvement which consists in adding to the pulvarized reterrial a binding substance composed of an expects solution of a soluble rotati seep and the residence obtained from the distillation of petroleum, and in subjecting the mixture or produced to heak, substantially as set forth.
- "4. In the described art, the improvement which consists in adding to the pulverized material a binding substance composed of an equence acculation of residued so add and the residues obtained from the distillation of retroleur, and in subjecting the mixture or produced to back, substantially as set forth.
- "5. In the described art, the imprevenent which consists in founding an evaluation by adding to a visoid aqueous schiffian of a real new a non-water schilm enemand material having a first beilt in the constant and evaluation to the militarised interfair, and in subjecting the overconstant on obtained to have substantially as

The reference cited is:

U. S. 125,656, Apr. 16, 1873, Breinig, (Artititial Puel Compositions)

The claims in this case relate to a process of making one brick, but the claims are not limited to the use of pulverulent ore, and cover process of forming bodies consisting in mixing pulverulent material of any kind with rosin seap in solution as a binder and an edditional binder which is water-proof and non-acid such

as a distillate, and particularly petroleum residuus. The reference relates to the remifacture of fuel bricks in which the pulverulent raterial is bound together by roain soap and a water-proof material, such as asphaltum or petroleum residuum, etc. In the detail description, see lines 12-37, second column, puge 1 of the printed specification, the proportions in which the impredents are used are three pounds of roain, one and one-half pounds of vater-proof exterial and one-half pound of caustic alkali. The applicant has urged against this reference that the water-proof material was suponified as well as the roain, but the applicant was informed the quantity of alkali specified in the potent is incapable of so acting. It is at least doubtful if petroleum residuum is capable of suponification; see:

Principal Circulary, 1865, r., 73, mbleet "Goal Cil in Scan".

But if it were, in view of the fact that the sepenific value of rosin is found to be 174.7 to 194.3; see
Chemical Analysis, Odis, Fats and Waxes, Benedikt, Lewkowitsch, McMillan & Co., Lordon and Hew York, 1895, p. 187, the one-half pound of caustic alkali is not quite sufficient to saponify all of the three pounds of resin.

It is submitted that the processes as set forth in the claims are fully anticipated in the patent cited, and that the claims were properly rejected.

The claims have been objected to by the Examiner on account of their needless number, but the Examiner has not refused to entertain the appeal because of the formal objections, since if anything should be found to be patentable in the case, the claim which most clearly expresses it may be selected and allowed.

Respectfully submitted,

Ex'r Div. 3.

Room No. 242.

Room No. 242.

Roundiness available a subreased to

to Generalizer of Pointsts,

Westerlangton, O. C.

On the Company of the C

United States Patent O

Washington, D. C. DEC . 19

Thos A. ledieou Do Dyer, Edwards + Dyer, 31 Rassaw St.

SIR:

The appeal from the decision of the Examiner in the case of .....

At of Bricking always (Naturals pool and Maturals prof and Maturals prof and Maturals prof and May 3/ 1899, Sorial No 129, 12/, will be heard by the

If appellant, or his attorney, shall not appear at that time the hearing will be regarded as waived, and the case will be decided upon the record.

Very respectfully,

C. A Duell Commissioner of Patents

act of Bicking Vulverized Walerals
gred august 31, 1899, Scriet No. 1629, 121, will be neard by the
Examinero in Chief, at 1 PM Fix Medicaday January 9, 190

If appellant, or his attorney, shall not appear at that time the hearing will be regarded as waived, and the case will be decided upon the record.

The appeal from the decision of the Examiner in the case of

Very respectfully,

C. A Duell

.... for a patent for an improvement in

THOMAS A. EDISON

FILED AUGUST 31, 1899 SERIAL NO. 729-121

ART OF BRICKING PULVERIZED MATERIALS

BEFORE THE KAMINERS IN CHIEF ON APPEAL.

## BRIEF.

The present application relates to improvements in the bricking of finely pulverized materials, such as iron ore.

Mr. Edison, early in his work in this field, discovered that certain resin scaps possessed great adhesive-

ness and binding qualities, and he therefore obtained a patent, No. 465,251 dated December 15th 1891, covering broadly a resinate and specifically resinate of soda as a binder for pulverized ores. A soap made by saponifying a resin such as rosin is obviously water soluble, and great difficulty was experienced for this reason in protecting the original briquettes from dampness. They required to be always protected from the weather, to be transported in closed ears, and in every way to be carefully handled.

The objections indicated were of such a serious nature that Mr. Edison applied himself to the production of other binders which would not be soluble. He found that by dissolving resin in petroleum, by adding the solution to the pulverised ore, and by heating the same to relatively high temperatures to drive off the petroleum, resinate of iron was formed, which bound the particles intimately together and which was non-water-soluble. The

briquettes thus formed were entirely waterproof. In order,

however, to volatilise the petroleum and to form the iron resinate, the baking temperatures were necessarily high, involving increased cost of production. Furthermore, it was found that the briquettes could not be immediately loaded upon the care without danger of fire, so that special appliances were necessary for cooling them before loading. The iron resinate binder is covered in Edison patent number 509,428 dated November 28th 1693.

Mr. Edison then applied himself to the discovery of a binder which would possess the waterproof qualities of iron resinate and would necessitate only the use of the relatively low baking temperatures of the alkaline resinate of his first patent. What he does at the present time, and what is made the subject of the present application, is first the formation of an aqueous solution of a suitable resin soap such as resinate of soda, and the addition thereto of a thick, waterproof, non-acid material having a high boiling point, such as petroleum residuum, the latter forming an emulsion with the solution. This emulsion is then added to the pulverized material, and the latter formed into bricks or briquettes of the proper shape, which are then subjected to a temperature sufficient to drive off the water but not to volatilize the hydrocarbon. It has been found that as soon as all the water in the binder is driven off, the alkaline resinate acts to intimately bind all the particles of the material together, while the heat causes the hydrocarbon to spread evenly throughout the mass, coating each particle with a waterproofing film. Thus the briquettes are impervious to water, while the high temperatures necessary with the iron resinate process are entirely evoided.

The claims which are appealed over, both generically and specifically, the improvement in the art consisting in the addition to the material of a binder comprising an aqueous solution of a rosin soap such as resinate of soda and a non-water-soluble non-acid material having a high boiling point, such as the residuum obtained from the distillation of petroleum, and in finally subjecting the mixture to heat.

All of the claims are rejected by the Examiner on U.S. patent to Breinig No. 125,656. We submit that the Examiner's explanation of the reference is not only incorrect, but in our opinion unfair. In the first place, the Examiner improperly quotes the reference in order to support his argument; in the next place, the Examiner refers to the reference as disclosing a feature which is not referred to therein; and finally, the Examiner, admitting that the reference on its face is not pertinent, disregards its plain language, denies its statements, and refers in support of his own position to two references which are not of record and which have never before been sited.

In considering the reference, the Examiner states that it \_\_\_\_

"relates to the manufacture of fuel bricks in which the pulverulent material is bound together by room seep and a waterproof material such an asphalbum or petroleum residuum etc."

An examination of the Breinig patent fails to disclose any-

an examination of the Breinig patent fails to disclose anywhere a reference to <u>rosin</u> as the material from which the scap is to be made. Breinig refers generally to the manufacture of a scap by the use of any

"alkali with a caustic base of such nature that it will saponify in hot or cold contact or boiling with fats, oils or resins", and throughout the description no particular resin is referred to. If the Examiner in his statement means that Breinig refers to rosin or colophony (the particular resin referred to by Mr. Edison), then the statement is without

foundation. So also is the Examiner's statement that

Breining refers to "a waterproof material". Such is not the fact. It is true that Breining refers to the use of "asphaltum", either natural or artificial, but it will be seen that it was Breining's idea to saponify the asphaltum so as to form a soluble seap. Thus he says, at the top of the second column page I, that his process "consists in saponifying the resin or asphaltum or both", and in describing the process, in the same column, he states:

\*I slowly add the resin and asphaltum, having previously powdered the same or not as I may deem best, and continue the heat upon the solution until the end resin and asphaltum shall be resolved and saponification effected.\*

Thus it would be as correct for one to state that ordinary toilet soap is waterproof because one of its original ingredients considered alone is of a water-repellent character, as it is for the Examiner to state that with the Breinig reference a waterproof material is utilized in connection with the binder. When the Breinig reference was cited, we called attention to the fact that it appeared entirely clear from the description that either a resin or asphaltum or both could be used, but that in every instance the material was saponified. In his answer the Examiner doubts "if petroleum residuum is capable of saponification". but he argues that even if this were so, "the one-half pound of caustic alkali" referred to in the specification "is not quite sufficient to saponify all of the three pounds of rosin". It seems to us that this language of the Examiner is again more in the nature of the argument of an advocate than that of a statement calculated for the instruction and guidance of the Examiners in Chief. If it be a fact that petroleum residuum is incapable of maponification, it does not follow therefrom that artificial or natural asphaltum is incapable of saponification. If, how-

ever, Breinig was in error in referring, as saponifiable materials, to resins and to asphaltum either alone or together as examples of such materials, when as a matter of fact the resin alone is capable of being saponified, then a person carrying out his suggestion would of course utilive the saponifiable material and not the other. In other words, if a patent, in addition to describing an operative structure, refers also to an inoperative structure, then in the consideration of the patent and in the interpretation of its claims, its readers apply themselves only to its operative parts. What the Examiner does in the present case, however, is to deny the statements made by the patentee, while at the same time he adheres to the entire specification and holds that the asphaltum is not saponified, but that it remains unaffected and forms a waterproofing ingredient. What he should have done, if he considered asphaltum to be incapable of saponification, would have been to disregard the suggestion of Breinig for the use of asphaltum and to regard the patent only as covering the use of a resin. Having thus refused to accept the patentee's statements as correct, and having construed the Breinig patent as covering an entirely different invention from what he describes, the Examiner continues, that even if it be conceded that petroleum residuum is capable of Saponification, "the one-half pound of caustic alkali is not quite sufficient to saponify all of the three pounds of rosin", and the inference is to be drawn that the asphaltum used is entirely unsaponified. In the first place, we call attention again to the fact that the Examiner misquotes the reference when he states that rosin is used. The patent in giving a specific instance of desirable proportions states that three pounds of "resin", and not rosin,

is employed. It may be true that one-half pound of caustic alkali is not sufficient to saponify three pounds of rosin, but there may be many forms of resins which could be fully saponified by a much smaller quantity of alkali. The Examiner also failed to note the statement in the patent "that to effect the saponification of the asphaltum alone, a large proportion of alkali is required", from which it must appear that the alkali is always used in sufficient proportions to completely seponify not only all of the resin, but all of the asphaltum. This is further emphasized by the subsequent references in the patent to the fact that the binder used is in the form of a "liquid soap", which is mixed with the material. It seems to us, therefore, entirely clear that with the Breinig patent the patentee's idea was to use either a resin or asphaltum alone or combined, and to completely saponify the same to form a liquid soap as a binder, and that in no instance did Breinig suggest the incomplete saponification of the asphaltim so as to leave the same as an uncombined waterproofing ingredient, as suggested by applicant.

We believe therefore that for these reasons the present invention stands on a foundation of entire novelty, that in fact the Breining patent is not so closely allied to that invention as applicant's prior patent, which it is the object of the present invention to directly improve, and that therefore all of the claims should be allowed.

Respectfully submitted.

Attorneys for Edison

T. A. FDISON
ART OF BRICKING PULVERIZED MATERIAL
FILED AUGUST 31, 1899
SERIAL NO. 729.121

## ADDITIONAL BRIEF.

Since the argument of the appeal, we have again submitted the Breinig reference to our client, who calls our attention to a point which we emitted to make on the argument. With the Rdison invention it is necessary that the heat should not only drive off the water of the solution, but also that it should melt the hydrocarbon and cause the latter to flow so as to spread over all the ore particles to coat each with a waterproofing film.

Thus the specification states that the heat to which

the briquettes are subjected may be so high as 6000 F. the other hand, with the Breinig invention, the mass whether molded or not is simply dried "by artificial or natural heat". Assuming, therefore, that in the Breinig composition the asphaltum or other heavy residuum is not saponified, it would not be affected in the slightest degree by a more drying heat, and would be as idnort and -- so far as its waterproofing qualities are concerned -- as valueless as the "pulverized quartz or fine sand" which also are used by Breinig. What is necessary is that the composition should be subjected to a baking heat in an oven whereby the desired operations will take place, the water being first evaporated, and the residuum then melting and running throughout the mass to coat the individual particles. We suggest, therefore, that each claim be amended by inserting after "heat" the following ----- sufficiently

amendment if in their opinion the case presents invention.

It seems to us that the putent ought to be granted

for the reason that if the Breinig patent is to operate as a bar it must be found (1) that rosin is the particular resin to which Breinig refers, (2) that a liquid and hence soluble some is not formed as Breinig denorable, and (3) that the heat used by him is very much greater than that necessary to perform a drying operation. We do not believe that the reference can be so construed.

Very respectfully.

Attorneys for Edison.

New York, January 11, 1901.

1 copy

No.23,235

U. S. Patent Office, Jan. /5 , 1901.

fore the Examiners-in-Chief, on Appeal.

Application of Thomas A. Edison for a patent for an improvement in the Art of Bricking Pulverized Enterials, filed August 31, 1899. Serial No. 729.121.

Messrs. Dyor, Edmonds & Dyor for appollant.

The claims appealed are:

"1. In the described art the improvement which compared adding to the pulverized material a binding substance composed of an aqueous solution of a soluble routs so and a non-vater soluble mon-acid material having a high boiling point, and in subjecting the mixture so produced to heat, substantially as set forth.

\*2. Up the described art, the improvement which consists in adding to the pulverized material a binding substance composed of an aqueous solution of rusimite of soda and a non-water soluble non-acid material having a high boiling point, and in subjecting the mixture so produced to heat, substantially as set forth.

3. In the described art, the improvement which consists in adding to the pulverized material a binding substance composed of an aqueous solution of a soluble rosin sony and the residence obtained from the distillation of petrolous, and in subjecting the mixture as produced to beat substantially as set forch.

"4. In the described cartillo improvement which consists in adding to the pulvorised maturial a binding substance composed of an aqueous solution of resinate of soda and the residuum, obtained from the distillation of petrolumn, and in subjecting the mixture so produced to heat, substantially as set forth.

"b. hi the described art, the improvement which consists in forming an emulation by adding to a viscid aquounds solution of a rost soap a non-water soluble non-act satorial having a high boil ing point; in adding such emulation to the pairwrized satorial, and in subjecting the composition so chained to hear, substantially as set forth."

The reference is patent to

Breinig, April 16, 1872, Wo.125,656.

The specification of this application generally states

the nature of its invention as follows:

"My invention relates to the art of bricking pulverized material, and particularly to the bricking of pulverized ore and coal, but the improvement may be carried out with any other finely divided substance which it is desired to form into compact, solid bricks or brienettas."

And it also states:

"When lighter pulverized materials than iron ore are to be brioked, the quantity of the resinate or other rosin soup requires to be augmented, owing to the increase in the bulk of the material?

50 the invention applies to rulverized materials generally, and especially to coal and ore.

Breinig's patent discloses an invention for bricking coal

The invention is a heating material. The ingredients are
as follows:

Breinig.	Edison.

Soda, Rosin,	1, 6,	10% 60%	1 6.4%
Residuum of Petro-		30%	
leum	3,	3076	0.2.616,6 9

Broinig's printed specification has "resin" as its resinous ingredient. In such a coarse mixture we should interpret this
to be the cheap and common resin known as rosin. But we are not
compelled to so interpret it, as the original specification in the
file of the application for his patent, which went to patent without any anendment, used the word rosin in the formula and in every
place in the specification excepting once, being on the 17th line
from the bottom of column 2 of page 1 of the printed specification

So the ingredients of the two compositions are the same and the proportions substantially the same, and neither the patentee nor the applicant limits the invention to any particular proportion, nor does the applicant intinate that there is any especial utility in any particular proportion.

The contention on behalf of the applicant is that the patentee's invention is a composition in which the asphaltum is saponified, that anyone attempting to practice that invention would necessarily make a composition in which the asphaltum is saponified and field; that in his composition the asphaltum is not saponified and

that no one could get from the specification of the patent any idea of a binder in which the asphaltum is not seponified; and that for these reasons the patent does not disclose his binding material.

We cannot concur in such an interprotation of the invention of the patent.

The specification of the patent discloses a specific composition made of specific ingredients in a specified manner. A formula directs the public as to the ingredients and proportions to be used and the specification states the manner of compounding thum and submitting thus to molding and to a drying, in natural or artificial heat.

That composition so made and used as a binder for coalbrick, is the invention of the patent. That composition is what the public now have a right to use, the ratent having expired. It is not the theory of action which controls in the interpretation of a patent. The theory of a patentoe may be entirely erroneous and yet the thing which he invented may be protected by his putent.

The applicant may have been of opinion that the asphaltum was superified in the particular composition which he specifies as exhibiting his invention, and he may have been mistaken as to that. But whether he was or not is of no consequence. He made known to the public a specific composition for bricking coal. That is his invention. It now belongs to the public who have nothing to do but to make the composition and to use it for its useful purposes, refigardless of whether or not the asphaltum in it is superified.

Also this patentee had a monopoly of his new bricking material although he may not have appreciated all of its qualities.

Yet it does not follow that he did not appreciate them because he did not mention them. It is to be premused that he intended his brick-fuel to be weather-proof by putting in the asphaltus, and It is not to be presumed that he would so make it as to nullify the usefulness of the asphaltum.

As this applicant has and claims no more than the bricking material of the jutent in ingredients, proportions and manner of making and using, he gets only the utilities of that material.

The decision of the Examiner is affirmed.

Maniners-in-Chief.

Case No. 1012, Abandoned, Filed Aug. 31, 1899.

Improvements in the Art of Bricking Pulverized | Material.

Claims.

- 1. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in adding to the pulverized material a binding substance composed of a soluble rosin scap and a non-mater soluble non-acid material having a high boiling point, and in subjecting the mixture so produced to heat, substantially as set forth.
- 2. In the art forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in adding to the pulverized material a binding substance composed of reminate of soda and a non-water soluble non-acid material having a high boiling point, and in subjecting the mixture so produced to heat, substantially as set forth.
- 5. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in adding to the pulverized material a binding substance composed of a soluble rosin scap and the residuum obtained from the distillation of petroleum, and in subjecting the mixture so produced to heat, substantially as set forth.
- 4. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in adding to the pulverized material a binding substance composed of resinate of soda and the residuum obtained from the distillation of petroleum, and in subjecting the mixture so produced to heat,

substantially as set forth.

- 5. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in forming an emulsion by adding to a viscid solution of a rosin soap a non-water soluble nonacid material having a high boiling point, in adding such emulsion to the pulverized material, and in subjecting the composition so obtained to heat, substantially as set fort.
- 6. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in forming an emulation by adding to a viscid solution of resimate of soda a non-water soluble non-acid material having a high boiling point, in adding such emulsion to the pulverized material, and in subjecting the composition so obtained to heat, substantially as set forth.
- 7. In the art of forming pulverized material into bricks, briquettes, lumps and other aggregates, the improvement which consists in forming an emulsion by adding to a viscid solution of a rosin soap the residuum obtained from the distillation of petroleum, in adding such emulsion to the pulverized material, and in subjecting the composition so obtained to heat, substantially as set forth.
- 8. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in forming an emulsion by adding to a viscid solution of resinate of soda the residuum obtained by the distillation of petroleum, in adding such emulsion to the pulverized material, and in subjecting the composition so obtained to heat, substantially as set forth.
- In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improve-

ments which consists in adding to the pulverized material a binder composed of a soluble rosin scap and a non-water soluble non-acid material having a high boiling point, in forming the composition into bricks or briquettes, and in buking said bricks or briquettes, substantially as set forts.

- 10. In the art of forming pulverized material into brioks, briquettes, lumps or other aggregates, the improvement which consists in adding to the pulverized material a binder composed of resinute of soda and a non-water soluble mon-acid material having a high boiling point, in forming the composition into bricks or briquettes, and in baking said bricks or briquettes, substantially as set forth.
- 11. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in adding to the pulverized material a binder composed of a soluble rosin scap and the residuum obtained from the distillation of petroleum, in forming the composition into bricks or briquettes, and in baking said bricks or briquettes, säbstantially as set forth.
- 12. In the art of forming pulverized meterial into bricks, briquettes, lumps or other aggregates, the improvement which consists in adding to the pulverized meterial a binder composed of resinate of soda and the residuum obtained from the distillation of petroleum, in forming the composition into bricks or briquettes, and in baking said bricks or briquettes, substantially as set forth.
- 13. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in first making an exclusion by adding to a viscid solution of a soluble rosin scap a non-water soluble non-acid material having a high boiling point, in adding said emulsion to the pulverized material, in forming the pulverized material into pricks or briquettes, and in

baking said bricks or briquettes, substantially as set forth.

14. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in forming an emulsion by adding a viscid solution of resimate of soda and a non-water soluble non-acid material having a high boiling point, in adding said emulsion to the pulverized material, in forming the pulverized material into bricks or briquettes, and in baking said bricks or briquettes, substantially as set forth.

15. In the art of & rming pulverized in terial into bricks, briquettes, lumps or other aggregates, the improvement which consists in forming an emulsion by adding a viscid solution of a soluble rosin soap to the residum obtained from the distillation of petroleum, in adding such emulsion to the pulverized material, in forming the pulverized material into bricks or briquettes, and in baking said bricks or briquettes, substantially as set forti.

16. In the art of forming pulverized material into bricks, briquettes, lumps or other aggregates, the improvement which consists in forming an emulsion by adding to a viscid solution of resinate of soda the residuum obtained from the distillation of petroleum, in adding such emulsion to the pulverized material, in forming the pulverized material into bricks or briquettes, and in baking said bricks or briquettes, substantially as set forth.


No. 2302 6 6. 1013	Serial No. 1017
Thomas a. Edwar	Address.
itle Infts, in Thonog	aples
iled September 21-1899	Examiner's Room No. 219
ssignee	
ss'g't Exec. Recorded	Liber Page
Patent No Issued.	
ACTIONS	
Pejatis Cot. 25/899. 16	W. C.
Agment Dec 8/899 17	
0 - 1	//
Agreeded Sec. 4, 1900. 19	, , , , , , , , , , , , , , , , , , , ,
Reposed Dre 15-1900. 20	· · · · · · · · · · · · · · · · · · ·
Argentis Nov. 8-190! 21 Rejected Nov. 20,1901 22	July July
1	1 /
23	W. M.
25	e und
24 25 26 27	
( ) 27 27	
28	
30	

31 Nassau Street, NEW YORK CITY. Dyer Jakethi out in france
England & Jermy a
anotre as well -

Object of the unsetten is to With the Circular Culler proluce very loud suproduct on wax + repreducer of Down on plano fiction ball too of an welf if the Recorder is made The inventor Consects Common Very serviture-The The use of as sensibile or with of too of an uch deaphramic Juearda as: is insufficient to gwz is passe ale of proportioning theregan eageth coulding The number of liveal at alloane time, canon per well so that The the unlandocom to cut with frie steet lefth of indulalin thopewad oung theols will not use up the ourface hence there luce BE and Cut into The paralell Echos of wisproduce record - Upto the present due to these ovalappen time The with have been

indentalins, to obviate the I proportion the space for recording to the Herstofore it has been the sensitive of chefreader proofice to use recording ; The most generaler Krufas fram 35 to 40000 which it is practicable drample - the to use requires as Qualler the deamiter opace & Educh a given of there and my Krufs Sep 75 Wied per Hel the greater clause the of Even with case with depth of the indulation very loud downed there on any given threads per cs/a slight lope well without the but of threads or less indentation Cotten out in necessary to ablain the adjacent becord maximu he will will

Velocity to good the maxim If the drawler smode doudnes blace I not be Very wuchless than less than 150 ft per minute any quealer speed loso 30/1000 - The way to not Cut properly the 6 ottom not moternally macron of chemdentalines 62mg the Conducis + orbugh The best Corbineral dramet co from 30 to 25/1000 Frame of this segre sumplonged with a tylender well 15 or less threads per que, in wed gives the best results - The surface



LAW OFFICES

DYES, EDMONDS & DYES,

DEFINATION

DITENTS AND DITENT CAMES,

SI NAMEJO ST., NEW YORK,

RIGHTFANDER NO. 425.

EMULTICO, EDMOND,

EMULTICO, EDMOND,

## Detition.

To the Commissioner of Patents:

YOUR PETITIONER ZHOMAS A. EDISON, a citizen of the United States, residing and having his post office address at Llewellyn Park in the County of Essex and State of Now Jersey,

PRAYS THAT LETTERS PATENT MAY BE GRANTED TO HIM FOR THE IMPROVEMENT IN PHONOGRAPHS

SET FORTH IN THE ANNEXED SPECIFICATION; AND HE HEREBY APPOINTS DYER, EDMONDS AND DYER, A FIRM COMPOSED OF RICHARD N. DYER, SAMUEL O. EDMONDS AND FRANK L. DYER, OF NO. 31 NASSAU STREET, NEW YORK CITY, HIS ATTORNEYS, WITH FULL POWER OF SUBSTITUTION AND REVOCATION, TO PROSECUTE THIS APPLICATION, TO MAKE ALTERATIONS AND AMENDMENTS THEREIN, TO RECEIVE THE PATENT, AND TO TRANSACT ALL BUSINESS IN THE PATENT OFFICE CONNECTED THEREWITH.

Shows a Edison

## SPECIFICATION.

TO ALL WHOM IT MAY CONCERN:

Be it known that I, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park, in the County of Essex and State of New Jersey, have invented a certain new and useful IMPROVEMENT IN PHONOGRAPHS, for which the following is a specification:-

My invention relates to various new and useful improvements in phonographs, and the object of the invention is to provide a phonograph wherein the reproduction secured may be improved both in loudness and in quality. The standard phonographs and allied talking machines are provided with cylindrical phonograms, in which a spiral record groove will be formed, having a pitch of one hundred threads per linear Experience has demonstrated the superiority of the type of recording device described in my patent No. 430,278, by which will be obtained a record composed of a series of more or less connected gouges, waves or depressions, all of greater width than depth, and presenting in cross-section at any point an arc of a circle, due to the curved cutting edge of the recorder. Since the width of the space in which the record is formed is limited to .01 of an inch, a restriction is imposed upon the depth to which it may be permissible to form the record in the blank.

In order that the recording device may not exceed the proper limits, relatively insensible disphragms are employed, but even when disphragms of this character are used some of the depressions or waves are cut to so great a depth that they lap over upon the adjacent record already formed and upon the space to be occupied by the record to be out upon the next rotation of the blank. This overlapping of the
record results in the production of echoes, or, in other
words, in the accompaniment with the sounds reproduced by
the engagement of the reproducer with the record groove, of a
faint reproduction of the sounds produced by the engagement
of the reproduction with the overlapping or extended portions
of the adjacent record. The formation of these ochoes in
the reproduction is objectionable.

At the present time, in the talking machine art, the circular recording devices have been made with a diameter varying from .055 to .040 of an inch. Although with a reording device of less diameter the depth of the waves or indentations of the record could be increased without overlapping, this could only be done at a sacrifice of the quality
of the record, since with recording devices having a diameter considerably less than .050 of an inch, the composition
of the blank will not be out smoothly at the bottom of the
record.

What I propose by my present invention is the production of a phonograph wherein a recording device may be employed having a curved cutting edge, said recording device being sufficiently large to secure the best commercial results, say from .025 to .030 of an inch in diameter, and to employ therewith a very sensitive diaphragm, or, if the present diaphragms are used, to make possible the recording of sounds of increased volume without overlapping of the record-

sensitive a diaphragm as possible for actuating the recording device and proportion the number of threads per inch of the record with respect to the sensitiveness of such diaphragm,

In carrying out my invention, I preferably employ as

so that the diaphragm will be free to respond to original sounds to actuate the recording device in the formation of a record groove which shall be free from overlapping, of relatively great amplitude and free from objectionable roughness.

In order that the invention may be better understood, attention is directed to the accompanying drawing, forming a part of this specification, and in which

Figure 1 is a diagrammatic view, showing a circular

recording device in cross-section and illustrating the rebording device cutting a record in a phonograph blank having a pitch of one hundred threads to the inch, the record being but to the maximum depth which can be secured without overlapping;

Figure 2, a corresponding view of my present improvements;

Figure 5, a corresponding view, showing the extent of overlapping which would take place if my improvements were employed in connection with a phonograph blank having a pitch of one hundred threads per inch; and

Figure 4, a cross-section, through a portion of the blank, of the recorder and diaphragm of the general type shown in my said patent.

In all of the above views corresponding parts are represented by the same numerals of reference.

1 represents a phonograph blank which is made of the usual soaplike composition; 2, the recording device, having a curved outting edge; 3, the pivoted lever carrying said recording device; and 4, the diaphragm connected to the lever by a link 5, said diaphragm being preferably of as great pensitiveness as possible.

ing device as having the outting edge in the form of a true circle, as is desirable. Heretofore it has been the practice to make the recording devices with a diameter ranging from .035 to .040 of an inch, as indicated in figure 1. The vertical lines 6, 6, 6, in figure 1, illustrate the extent in width of the available surface on the phonograph blank having a pitch of one hundred threads per inch. The recorder 2, in figure 1, it will be observed, has entered the blank to an extent to occupy the entire distance between two of the lines 6, 6, so that the record which is being formed is of a maximum width, if the production of echoes is to be avoided. as is desirable. Taking the depth indicated as a maximum possible at the present time to secure in the art, it is the practice to so adjust the recording device that it will normally engage or track the record to about half this extent. so that in making a maximum vibration overlapping will be avoided as the diaphragm moves towards the record, and the Hanger of the recording device leaving the surface of the blank will be overcome upon the return movement. It is difficult, however, to realize these ideal conditions, and at the present time almost all records are partly characterized by the objectionable overlapping referred to. In order that the extent of the vibrations possible with a recording device of the diameter indicated, working on a blank having a pitch of one hundred threads to the inch, may be properly controlled the diaphragms by which the recorders are operated are made preferably relatively insensible or else care is taken not to impress upon them sounds of too much volume. Referring to figure 2, the recording device 2:18

. In figures 1, 2 and 3, I show the head of the record-

Referring to figure 2, the recording device 2:15, represented as having a diameter from .025 to .030 of an

inch, and the record with which such a recorder comperates is provided with a pitch of not more than seventy-five threads per linear inch, as indicated between the lines 7, 7, 7. Obviously the space allowed for the formation of a record in this instance is considerably more than at the present time, and since the diameter of the recorder is slightly less, the entire space to be occupied by the record can be utilized in the formation of indentations of considerably greater amplitude than is now possible. The difference in the amplitude of vibrations which it is possible to secure with my present improvements is graphically shown by a comparison of the two figures. Since vibrations of much greater amplitude can be secured with my present improvements, the recorder can be adjusted to track to a correspondingly greater depth than is now foasible, and the diaphragm 4 can be made correspondingly more sensitive or can be impressed with sounds of correspondingly greater volume. By thus observing the correct proportions between the sensitiveness of the diaphragm or the volume of the sounds impressed thereon and the width of the space offered for the making of the record, it is possible to obtain phonographic records which are of greater amplitude than have been heretofore secured, not characterized by an objectionable overlapping upon the adjacent grooves. The extent of overlapping which would take place if an attempt were made to use a sensitive diaphragm with a phonograph blank having a pitch of one hundred threads per inch, the assumption being that the record shall be of as great an amplitude as I have shown in figure 2, is very clearly illustrated in figure 3, from which it will be seen that the record which is being formed has overlapped almost halfway upon the record already formed at the right, and upon

the left has occupied almost half the space which is to be taken up in the formation of the record at that point when the blank has made a complete further turn.

Having now described my invention, what I claim as now and desire to secure by Letters Patont is as follows:
1. In a phonograph, the combination with a record-

ing dovice having a curved cutting edge and a diaphragm conmeeted to said ricording device and adapted to be impressed by original sounds, of a phonograph blank with which the recorder cooperates to form a spiral record groove having a pitch sufficiently coarse to allow for the formation without overlamming of the Merressions representing an abnormal am-

2. In a phonograph, the combination with a re-

plitude, substantially as set forth.

cording davice having a curved outting edge and a diaphragm of high sensitiveness, of a phonograph blank with which the recorder cooperates to form a spiral record, the pitch of which is proportional to the sensitiveness of the diaphragm, to allow for the formation without overlapping of waves or depressions of an abnormal amplitude, substantially as set forth.

13

M

In a phonograph, the combination with a record reference of the party of the property of the p

4. In a phonbyraph, the combination with a recording device having a curved cutting edge and a diaphragm of high sensitiveness, of \$\rightarrow\$ phonograph blank with which the re-

Secretal 1900 April 1000

DEC -4 1900

corder engages to form a record groove having a pitch of not more than seventy-five threads per linear inch, substantially as set forth.

5. In phonograph, the combination with a recording device having a curved cutting edge with a diameter of not less than .os of an inch, and a diaphragm connected to said recording device and adapted to be impressed by original sounds, of a phonograph blank with which the recorder co-operates to form a spiral record groove having a pitch suf-

DEC - 4. 1900

ping of depressions representing an abnormal amplitude, substantially as set forth.

6. In a phonograph, the combination with a recording device having a curved outting edge with a diameter of not less than .025 of an inch and a diameter of

ficiently coarse to allow for the formation without overlap-

not less than .025 of an inch, and a diaphragm of high sensitiveness, of a phonograph blank with which the recorder coperates to form a spiral record, the pitch of which is proportional to the sensitiveness of the diaphragm, to allow for the formation without overlapping of waves or depressions of an abnormal amplitude substantially as set forth.

3 % As a new article of manufacture, a phonogram

having a record cut spirally on its surface, said record being composed of a series of more or less connected gouges or whether the series of more or less connected gouges or whether the series of t

having a record out spirally thereon with a pitch of not less than seventy-five threads per linear inch, said record being formed of a nortice of more or less connected gouges or depressions bearing a definite relation to the second of th

-7-

THIS SPECIFICATION SIGNED AND WITNESSED THIS 12 DAY OF Sup 188 9

Shomas a. Edwar.

Mitnesses :

La Pandreph . Edicon & Hagerly

Oath.

State of New Jones, County of Excer

88.:

THOMAS A. EDISON

, THE ABOVE-NAMED

PETHIONER, BEING DULY SWORN, DEPOSES AND SAYS THAT HE IS A citizen OF THE . United States and a resident of Llewellyn Park, in the County of Essex and State of New Jersey;

THAT HE VERILY BELIEVES HIMSELF TO BE THE ORIGINAL, FIRST AND SOLE INVENTOR
OF THE IMPROVEMENT IN PHONOGRAPHS

DESCRIBED AND CLAIMED IN THE ANNEXED SPECIFICATION, THAT HE DOES NOT KNOW AND DOES NOT BELIEVE THAT THE SAME WAS EVER KNOWN OR USED BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR PATENTED OR DESCRIBED IN ANY FOREIGN COUNTRY BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, OR IN PUBLIC USE OR ON SALE IN THE UNITED STATES FOR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION FOR FOREIGN PATENT HAS BEEN FILED BY HIM OR HIS LEGAL REPRESENTATIVES OR ASSIGNED IN ANY FOREIGN COUNTRY.

Shor 4. Edison.
WORN TO AND SUBSCRIBED BEFORE ME THIS 12 DAY OF SUPER. 1897

(SEAL)

J Randolph NOTARY PUBLIC

ij

Ecase to 10/3 1 Theer Fig.1 .035 to .040 "025 "030 Fig. 3 .025 .030 Fig.4 Witnesses: Inventor Att'ys. Society of 1880.

Washington, D. C., Spl. 7..., 1899

Sir:

I have to acknowledge the receipt of the petition, specification, oath, and drawing of your alleged Improvement in the 1885 part of the petition, specification, oath, and strawing of your alleged Improvement in the 1885 part of the petition of your alleged Improvement in the 1885 part of your alleged Improvement in the

Norze—In constitute an application for a putes, the inventor is by har router of family, and continued for a putes, and family and family family and family for the continued for the consideration of the consideration of the consideration for the consideration for the consideration for the consideration for considerat

0.000

Room No. 219 
Eccentralizations should be addressed to
"The Commissioner of Patents,
Washington, D. C."

application straid give the serial number date of fling, and title of invention.

October 25,1899.

J. H. D. HANNER STATES PATERING

UNITED STATES PATENT OFFICE,
WASHINGTON, D. C.,

Thomas A. Edison,

MAILED. OCT 25 1899

Care Dyer, Edmonds & Dyer,

U. S. Patent Office

New York, H.Y.

Please find below a communication from the EXAMINER in charge of your application.

for Phonographs, filed sept. 21, 1899, serial number 731, 137.

#31 Massau Street,

C. H.D. Was BLC.

Claims 1, 2, 3, 4, 7 and 8 are rejected on

Jacques, #413,282, October 22,1889, Phonographs. The model shows threads of a pitch less than 75 per inch, in fact about 50 per inch, there are waves of less depth than width and the threads are characterized by freedom from overlapping.

Oldins 5 and 6 are rejected on Jacques as above, in view of Edison \$450,278, June 17,1890, Oraphophones, which latter shows cylindrical either the size of which relative to the pitch of screw being a matter of judgment and convenience than invention.

RULE 73. In overy amendment the exact word or words to be stricken out or learned in the application must be specified and the precise point initiated where the ensure or insertion is to be made. All such amendments must be on sheets of paper separate from the papers previously fields, and written on but one side of the paper.

THOMAS A. EDISON

SERIAL NO. 731.137

FILMD SEPTEMBER 21, 1899

ROOM NO. 219.

HONORABLE COMMISSIONER OF PATENTS,

8 I R :-

The Examiner's attention is directed to the fact that the first six claims are all limited to the use in the combination of a recording device having a surved cutting edge. The use of such a recording device resulted in the objectionable overlapping which applicant refers to in his specification, which overlapping is overcome by applicant by means of the invention recited in the specification. The patent to Jacques cited by the Examiner against all the claims, does not employ a recorder having a curved edge, and it would therefore be immaterial to Jacques whether the threads of the record were of one pitch or another. Jacques refers in his patent only to the employment of a "sharp pointed stylus", which could not possibly out a curved record So far as the seventh and eighth claims are concerned, each of said claims is limited to the formation of a record which shall be of greater width than depth. This is not the case with Jacques, since the use of a sharp pointed stylus would inevitably result in the production of a record having a greater depth than width. The remarks of the Examiner as to the fifth and sixth claims seem to have been incorrectly transcribed by the typewriter.

Very respectfully.

Attorneys for Edison.

New York, December 8, 1899.

2--071,

Room No. 219
All communications about the address
"The Communication of Patents
Worklands No. 219

J. H. D . UNITED STATES PATENT OFFICE.

pplication s. And give the serial number, date of filing, and title of invention.

ATENT OFFICE, 191

Thomas A. Edison,

Care Dyer, Edmonds & Dyer,

MAILED.

#31 Massau Street.

New York, N.Y.

DEC 28 1899
U. S. Patent Office

Please find below a communication from the EXABINER in charge of your application.
for Phonographs, filed Sept. 21,1899, serial number 731,137.

C. H. Duell

The claims in this case are all rejected on the patent to Jacques of record. The model in said patent has a record, the pitch of which is approximately fifty threads to the inch. This record appears to have been cut with a curved tool and the gouges are breader than they are deep. There appears to be no operlapping on this record.

The claims are furthermore rejected on the patent to Edison of record. The difficulty that applicant is endeavoring to cure by the means set forth in this application is well known in the

RULE 73. In every amendment the eract word or words to be stricten out or inserted in the application must be specified and the precise point indicated where the ensure or insertion is to be made. All such amendments must be on sheets of paper sepontate from the types previously life, and written on the consider of the specified paper speciment from the consideration of the condition of the specimen to the condition of the specimen to the condition of the specimen to the condition of the specimen to the condition of the specimen to the specimen of the

#731.137.

art and the means by which he undertakes to cure it are not such as amount to invention over the patent cited but amount merely to a matter of calculation. If two grooves overlap, it would seem to be quite obvious to any one skilled in the art who are should wish to prevent this overlapping to make the grooves of greater pitch, and it is also a matter of mere mechanical calculation and not a matter of invention to make the stylus of less diameter as a means of giving the groove the same depth as before without giving it so great a breadth.

It is not known what is meant in several of the claims by a spiral record, the pithh of which is proportional to the sensitiveness of the diaphragm. This expression is altogether indefinite. It would be impossible in any particular case to say whether or not the pitch of the record was proportional to the sensitiveness of the diaphragm which made it.

Claim 7 is rejected on any well made phonograph record. Claim 8 is objected to on the ground that applicant has not set forth a record in which the gouges or depressions bear a definite relation in breadth to depth. The ratio of the breadth of a groove cut by a curved stylus to its depth depends on the depth of the groove, The deeper the groove, the less would this ratio be.

THOMAS A. HDISON PHONOGRAPHS FILFD SEPTREFER 21, 1899

SERIAL NO. 731,137

purposes set forth .-----

ROOM NO. 219.

HONORABLE COMMISSIONER OF PATENTS,

S I R :-

Without prejudice, we amend as follows:

Onneel claims 1 and 2, and substitute:
----- 1. In a phonograph, the combination with a recording device having a curved cutting edge representing a

shallow are of sufficient extent to be only partially engaged with the recording material in recording sounds of abnormal emplitude, and a diaphragm commected to said recording device and adapted to be impressed by original sounds, of a phonograph blank with which the recording de-

vice cooperates to normally form a shallow spiral groove therein, the relative lateral feed of the blank and recording device giving to the record groove a sufficient pitch to prevent the cutting edge from overlapping in the recording of much abnormal sounds, substantially as and for the

Change the numeral of claim 3 to 2, and in said claim, line 2, erase the word "curved", and after "edge" in said line insert ----- representing a shallow are of

sufficient extent to be only partially engaged with the recording material in recording sounds of abnormal amplitudeCancel claims 4, 5 and 6, and change the numerals

of claims 7 and 8, to 3 and 4.

Present claim 3, line 4, after "depth" insert

representing at all sections relatively shallow ares

Fresent claim 4, line 5, erase "bearing a definite relation in breadth to depth", and substitute ----- and representing at all sections relatively shallow arcs -----

The subject-matter of claim 1 is designed to take the place of claims 1 and 2 which have been erased, but to set forth more clearly applicant's advance in the art, and at the same time to distinguish from the patent to Jacques which the Examiner refers to and wherein the record is made with a pointed recorder. By the expression "the pitch of which is proportional to the sensitiveness of the diaphragm in erased claim 2, and the expression "a diaphragm of high sensitiveness" in erased claim 4, applicant meant that as the pitch of the record was increased, the sensitiveness of the diaphragm could be also increased. Such a construction being in fact a part of applicant's invention and necessarily following from the increase in the pitch of the record groove, a claim on the latter feature manifestly includes the former.

The claims as now presented are fully distinguished from the Jacques patent, wherein it is stated that the record is formed by a "sharp pointed stylus". If the model on record shows a record which "appears to have been sut with a curved tool", it must be a fact that the model does not represent the Jacques invention. We assume, however, that by the expression "sharp pointed stylus" Jacques has reference to a stylus made as sharp as practicable, and that therefore the extreme autting edge thereof may be formed on a curve of relatively small diameter, or, in other words, that the stylus is microscopically considered, relatively blumt. A record formed with a stylus of this character could not possibly overlap, even if the pitch of the record groove were made finer than the precent standard.

Applicant's prior patent does not meet the claims as they are now presented, because, as stated in the specification of the present case, with a record formed of the standard pitch, overlapping is inevitable, and this is the case with the reference.

Yery respectfully,

THOMAS A. EDISON,

His Attorneys.

New York, December 4, 1900.

2-246.

Room No. 219 X Ill occumunications should be addressed to "The Commissioner of Patents, Washington D. C."

di

All come Trientions respecting this application should give the serial numb date of filing, and title of invention.

J. H. D. UNITED STATES PATENT OFFICE,

WASHINGTON, D. C., December 15,1900.

Thomas A. Edison,

Care Dyer, Edmonds & Dyer,

#31 Nassau Street, New York,N.Y. MAILED.
DEC 15 1900
U. S. Patent Office



Please find below a communication from the EXAMMER in charge of your application.

for Phonographs, filed Sept. 21,1899, serial number 731,137.

C. H. Duell Commissioner of Patents.

Claim 1 presented in the amendment filed the 7th inst., and claims 2, 3 and 4 are rejected on the grounds of rejection and the references cited of record. The devices claimed in claims 1 and 2 seem to involve merely the use of the devices shown in the patent of Jacques and applicant's patent cited, in a way that experiment, experiment, experiment, experiment, oxperiment, oxperiment would suggest. There appears to be no novelty in the mechanical parts referred to in the claims.

Claims 1 and 2 define combinations of parts and claims 3 and 4 define the phonograph record as an article. Since records

ROLE 73. In every amendment the exact word or words to be stricken out or insected in the application must be specified and the precise point indicated where the ensure or insection is to be unade. All such amendments must be on sheets of paper septantic from the papers proviously field, and written on but one side of the paper.

have acquired a distinct status in the art as a separate subject of manufacture and sale, division must be required to the end that claims for the combinations of parts be defined in one application and claims for the record be prosecuted in another application, applicant electing which alleged invention he will further prosecute in this application.

THOMAS A. HDISON

FILED SEPTEMBER 21, 1899 SERIAL NO. 731,137

HONORABLE COMMISSIONER OF PATENTS.

SIR:-

We note that the Examiner still rejects the new first claim, as well as the remaining claims as amended, in view of the patents to Jacques and to Edison of record. The issue between the Examiner and ourselves seems to be only a question of opinion, on which we have al-

ready expressed our views as fully and clearly as possible.

EXAMINER'S ROOM NO. 219.

In requesting a reconsideration, therefore, for the purpose of appeal, we reiterate the arguments which have already been made, and express the hope that the Examiner may favorably entertain the claims in view of the meritorious character of applicant's invention. A rejection on the ground of lack of invention where the references admittedly are in-

sufficient, should not, we submit, be taken except in the clearest kind of a case. That, we believe, is not the situation here. We note that in his last letter the Examiner for the

first time raises the question of division, but we hope that
that question may be held in abeyance until the appeal is
definitely settled. Should the appeal be unsuccessful, applicant would in this way be relieved of the expense of filing a separate divisional application; whereas on the other
hand, if the case were divided, a favorable decision as to
one set of claims might not necessarily carry the other
claims in its terms. It is therefore only as a matter of

expedience and economy that we make the request at this time.

Very respectfully,

THOMAS A. HOISON,

His Attorneys.

New York, November 8, 1901.

Room No....219

All communications about the addressed to
"The Commissioner of Patants,
withington, D. C."

2-246.

All communications respecting this plication should give the serial number, date of filing, and title of inventions

DEPARTMENT OF THE INTERIOR,
UNITED STATES PATENT OFFICE,

WASHINGTON, D. C.,

November 20,1901

Thomas A. Edison,

Care Dyer, Edmonds & Dyer, #31 Nassau Street, New York, N. Y.

H. D.

MAILED. NOV 90 1901

U. S. Patent Office

Please find below a communication from the EXAMINER in charge of your application.

for Phonographs, filed Sept. 21,1899, serial number 731,137.

F. J. allen, Commissioner of Patents,

This action is made responsive to the letter from applicant dated the 8th and filed the 9th instant.

The office can add no other grounds of rejection of the claims to those of record. Applicant seems simply to have proportioned existing parts in such a way that the sound groves may not overlap without making any substantial structural change.

Applicant's attention is invited to the following enderanted decisions that views unfavorably statements of result, function in claims... See ex parte Schweitzer 97 0.G.,1271,in

view of which claims 1 and 2 are objected to. The claims are all again rejected in view of former grounds of rejection. Referring to the matter of division, final action in this matter will be deferred in view of the conditions referred to in applicant all enter above referred to.

confinent the sense word on mode to be an other and

RULE 73. In every amendment the exact word or words ure or insertion is to be made. All such assembles or me Sure Offices

Dyer, Edmends & Gyer,
must Strong,
Specialty: Patents & Patent Consist.
Specialty: Patents & Patent Consist.

Table-littress Tenerm-Year York Tel. No. 2910, Cort.

Men Mark November 10, 1902.

Orange, N. J. Han lieue can be no aucention in the lieue can be not account in the lieue

On September 21st 1899 we filed for you an application (E. 1013) covering an improvement in phonographs consisting in making the threads 75 to the inch instead of 100 to the inch, and preferably reducing the diameter of the recording device to from .025 to .03 of an inch instead of from .035 to .04 of an inch, as at present used. The general idea was to secure very deep records without overlapping. The Examiner rejects the case, and if anything further is to be done it must be by way of appeal, which requires to be taken before the 20th of this month. We wish therefore that you would give the matter your early attention, in order that we may take the appeal, if necessary, in time. The position of the Examiner, broadly speaking, is that no invention would be required to overcome overlapping merely by increasing the pitch of the feed, or by reducing the diameter of the recorder, or by both of these expedients. No reference has been cited showing the invention specifically. We believe that the Examiners in Chief would be disposed to sustain the Examiner in his rejection, and therefore doubt if the appeal

would be successful. Our view of the case therefore is that

d B

the application should be dropped, unless of course you can suggest some argument which would support the patentability of the invention.

12

ours truly,

FLD/AL

THOMAS A. EDISON

IMPROVEDENTS IN PHONOGRAPHS
FILED SEPTEMBER 21,1899
SERIAL NO. 731,137

OUR NO. 2302. EDJSON'S NO. 1013.

## CLAIMS.

1. In a phonograph, the combination with a recording device having a curved cutting edge and a diaphragm connected to said recording device and adapted to be impressed by original sounds, of a phonograph blank with which the recorder cooperates to form a spiral record groove having a pitch sufficiently coarse to allow for the formation without

overlapping of the depressions representing an abnormal amplitude, substantially as set forth.

2. In a phonograph, the combination with a recording device having a curved cutting edge and a diaphragm of high sensitiveness, of a phonograph blank with which the recorder cooperates to form a spiral record, the pitch of which is proportional to the sensitiveness of the diaphragm, to allow for the formation without overlapping of waves or depressions of an abnormal amplitude, substantially as set forth.

3. In a phonograph, the combination with a recording device having a curved cutting edge and a diaphragm connected to said recording device and adapted to be impressed by original sounds, of a phonograph blank with which the recorder engages to form a record groove having a pitch of not more than seventy-five threads per linear inch, substantially as set forth.


- 4. In a phonograph, the combination with a recording device having a curved cutting edge and a disphragm of high sensitiveness, of a phonograph blank with which the recorder engages to form a record groove having a pitch of not more than seventy-five threads per linear inch, substantially as set forth.
- 5. In a phonograph, the combination with a recording device having a curved cutting edge with a diameter of not less than .025 of an inch, and a diaphragm connected to said recording device and adapted to be impressed by original sounds, of a phonograph blank with which the recorder coperates to form a spiral record groove having a pitch sufficiently coarse to allow for the formation without overlapping of depressions representing an abnormal amplitude, substantially as set forth.
- 6. In a phonograph, the combination with a recording device having a curved cutting edge with a diameter of not less than .025 of an inch, and a diaphragm of high sensitiveness, of a phonograph blank with which the recorder coperates to form'a spiral record, the pitch of which is proportional to the sensitiveness of the diaphragm, to allow for the formation without overlapping of waves or depressions of an abnormal amplitude, substantially as set forth.
- 7. As a new article of manufacture, a phonogram having a record out spirally on its surface, said record being composed of a series of more or less connected gouges or waves having a greater width than depth and further characterized by freedom from overlapping, substantially as set forth.
- 8. As a new article of manufacture, a phonogram having a record cut spirally thereon with a pitch of not less


than seventy-five threads per linear inch, said record being formed of a series of more or less connected gouges or depressions bearing a definite relation in breadth to depth, substantially as set forth.

No. 2203 Serial No. 731,153 Applicant. Thomas a. Chi. Axaminer's Room No. Assignee Ass'g't Exec. Liber ACTIONS. Percet det. 25, 1899. annul Die 30 " . Puetes January 13, 1900. 18 A numeral Janagry 22, 1900. 19 ron O. Febry 12 1900 20 Muded Feby 21, 1900 2 from 0 mel 13 1900 m mat HAllet Apr. 19,1900 - Amuiled May 9, 1900 25 13 Aclowed Im 2/900 RICHARD N. DYER. 31 Nassau Street, NEW YORK CITY Rush The polent le confect de year cauxe year as year cauxe year a confect de year at a confect de le confect de l

The improvement converts in using The abject of this invention is to the recorder to reproduce - the chia Slightly of the Copping dispense) The moention consists in the fise of with a reproducing point almost idential that the charding point now generally used excepting that the Edge is Hounded to prevent culling that record when Ireproducing Bay using a reproducer of this The present method of recording Character the Gearing takes place clian across the grows now universally used in Cupped cercular recorder of the For indentation made by Gall reproducer - figs ! the recorder as in the Case with the ball and the total bearing surface is not very much less than with the Ball Cut theilh this

form can follow to the ballom form the bearing line is finer stean follow I down into an The form of reproductor fourt indulation where the Gall also permits very perfect aproducts Cannot as shown in fig 4 wow unwoolly used without the necessary of increasing the Dufuce valorily above the usual one Ayer Claum the Circlin reproduce I clam us such a way that hence the overtones which are see the formed by and undentaline ve they can't Evade it -Close logether the bottom of the it increases loudness & gralty pour count sereached by the ball form whereas the wefer very much JOE Sept 21899 JOE






Various withouts of design the pant be cause there appears only one way Linetia of that is to make the bearing the cercle the sauce The augher of coile & 62 45 to the or approximately the Rame as that afthe recorder no matter what that circle or shape is at then the material or form of the reproduce

a winterial -

bearing or contact area-

Jak

-10 101-14 1-14



No. 13/0 E. 10 M. Applicant. X Nomas C. Educon	Serial No. 734695
Title Inft, in Couveying Bette.  Filed October 25 1899, Examiner's Room No. 255	
	i Liber Page
Patent No.  AC Legetes Nov 18-1899. 2-Myuded Nov 5, 1900.	TIONS.
3 Rejected Nov. 23/900.	
7	23 24 25
12 13 14	27 27 28 38 39

31 Nassau Street, NEW YORK CITY.


The object of this invention is to improve upon the present conveying belt and success dement the webs The wenten consists of the use with an ordinary flat conveying belt of the sides whereby the necessary of turning up the belt by pulleys or to the Heretofore Conveying belt & using for conveyoraly ores etc have not been used flat as the ore som speaks over the whole with of the balf of then over the sides

This action famp due to the faction of the best saggest the best saggest the best saggest to the practice to turn up the Edge of the best to turn up the Edge of the best of the process of time up or angle plelujo - These are expensed to all these dust out them the flat pully. The are is carried on only a

partin of the Gelt in crease

the war at that point and the balt X is the ordina the Constant Concaving of the Cotton or rubber belt. but together with the wear in the tentar Causes the Gelt near the Edges are secured ropes about 14 to 12 dearly to fail + Tear apart in the These ropes are served to the Center Dang Gefore any affecting but by perforating the belt was take place over the purpolpart of the belt, on Each and a of the rape the By well are well and the war with furfaretion Sufficient to punt bearding belt gofrawhile to Ga passed through the conditions of I want are prefusely the cream is nearly the same if the ruter watch of the locing posses on the i ig I shows the preferable -deptde from one hale

to the other it is at an figo 6 show the rope with this in fig 3 = fig 2 the Gelt luraped over it & seem shows the End of the ropes fig 4 a conveying bell with AB- These pulling fully are the ig of shows a strips of Utek Getting rivited on full wealth afthe delt but while & shows the plys of the pullage which support belt aplit with the rope the under pall of the belt userled between the phys c fig 4 are not the full of then severed - as for w a 6 ply telt is oplit. width brugless in gung 3 ply + Each sede width thankle space between the rapes on the Clam Engling Jak



DYER, EDMONDS & DYER.

PRODUCTS

DATENTO AND DATENT CRUSCS,
31 NAMEAU ST., NAW YORK.

HIGHARD N. DYEN, REGISTRATION NO. 410. BAMUEL O. EGMONOS, REGISTRATION NO. 41.

## Detition.

To the Commissioner of Patents:

your peninonem EMIMAS A. EDISON, a citizen of the United States, residing and having his post office address at Llewellyn Park, in the County of Essox and State of New Jorsey.

PRAYS THAT LETTERS PATENT MAY BE GRANTED TO HIM FOR THE IMPROVEMENT IN CONVEYING RELTS

Stauf

SET FORTH IN THE ANNEXED SPECIFICATION; AND HE HEREBY APPOINTS DYER, EDMONDS AND DYER (A FIRM COMPOSED OF RICHARD N. DYER, SAMUEL O. EDMONDS AND FRANK L. DYER), OF NO. 31 NASSAU STREET, NEW YORK CITY, HIS ATTORNEYS, WITH FULL POWER OF SUBSTITUTION AND REVOCATION, TO PROSECUTE THIS APPLICATION, TO MAKE ALTERATIONS AND AMENOMENTS THEREIN, TO RECEIVE THE PATENT, AND TO TRANSACT ALL BUSINESS IN THE PATENT OFFICE CONNECTED THEREWITH.

Thomas a. Edison

## SPECIFICATION.

TO ALL WHOM IT MAY CONCERN:

He it known that I, THOMAS A. EDISON, a citizen of the United States, residing at Llevellyn Park, in the County of Essex and State of New Jersey, have invented a cortain new and useful JEPROVINGENT IN CONVEYING BELES (Case No. 1018), of which the following is a description:

My invention relates to various new and useful improvements in conveying belts adapted for transporting material in bulk, such as iron ore, coal, grain, etc.

with the conveying bolts as now made it is the practice to run the belts on supporting pulleys, and to concave the upper or carrying surface by the employment of angle-pulleys placed at suitable distances apart. The inclination of the angle-pulleys makes it very difficult to satisfactorily lubricate them and to insulate them from the dust, while the general arrangement is objectionable since practically the central portion only of the belt is subjected to wear, and in consequence the conveying belts herotofore used generally become entirely worn at their central portions while showing hardly any appreciable wear at their edges.

The object of my invention is to provide an improved conveying belt and supporting pulleys for the same, by which angle-pulleys are dispensed with, while in use the material will be distributed over substantially the entire surface of the belt so as to reduce the wear.

In order that the invention may be better understood, attention is directed to the accompanying drawings forming part of this specification, and in which figure 1 is belt and the manner of mounting the same; figure 2 a vertical section through figure 1; (and figures 3, 4 and 5 de tello of mulifacetions.)

a perspective view showing the preferred construction of

In all of the above views, corresponding parts are represented by the same numerals of reference.

The belt 1 is made of the usual or ordinary material. preferably cotton or rubber, and is passed over the end pulleys 2, 2, which may be any desired distance apart. The bolt 1 is provided, at or near each edge, with a confining rim or portion, by which the material in process of conveyance will be prevented from escaping. Preferably for this purpose I employ at each edge of the belt a rope 3 having a diameter of from one and one-quarter to one and one-half inches, and which is secured in place to the belt by means of a lacing 4 passed through perforations in the belt and forming loops over each rope, which loops are preferably about one-half inch apart. In this way the ropes 3 will materially strengthen the belt, while by securing them in place by means of lacings as explained, the ropes will be firmly and rigidly held in position and will practically constitute a part of the belt. When the supporting pulleys 2, 2 are a considerable distance apart, intermediate pulleys 5 are used to support the upper or carrying surface of the belt, said pulleys being mounted on horizontal axes and extending the entire width of the belt. The return portion of the belt is supported by pulleys 6, also mounted on horizontal axes but of less width than the belt, in order that the ropes 3, 3, or analogous portions, may clear the pulleys 6. ( Instead of securing the ropes 3, 3 to the belt near the sides thereof as explained, each edge of the belt may be turned over upon a corresponding rope 3, as shown in

0001 is 1900

1905 5 1906

instead thereof the edges of the belt may be split, as shown in figure 5, and the rope 3 inserted in place between the plies, which are then sewed together, as shown in figure 5. While I prefer to use a rope, as explained, at each side of the belt, it will be understood that any other suitable material may be used for this purpose, and in figure 4 I show as an example of a further modification the employment of two strips 7, 7 of lather or any other suitable material secured one on top of the other and riveted or otherwise secured to the belt at each side thereof.

Having now described my invention, what I claim as now and desire to secure by Letters Patent is as follows:

1. As a new article of manufacture, a conveying belt having rim portions at each side thereof, substantially as set forth.

2. In a conveying apparatus, the combination with the supporting pulleys mounted on horizontal axes, of a conveying belt carried by said supporting pulleys, and rim portions for said belt at each side thereof, substantially as set forth.

In a conveying apparatus, the combination with the supporting pulleys mounted on horizontal axes, of a conveying belt carried by said supporting pulleys, rim portions for said belt at each side thereof, intermediate supporting pulleys for the conveying portion of the belt of a width equal to that of the belt, and supporting pulleys for the return portion of the belt of a width less than the distance between the rim portions thereof, substantially as set forth.

The As a new article of manufacture, a conveying belt having a rope secured to its outer face near each side thereof, substantially as set forth.

3 %. As a new article of manufacture, a conveying belt having a rope secured to its outer face near each side thereof by means of lacings, substantially as set forth. THIS SPECIFICATION SIGNED AND WITNESSED THIS 20 DAY OF DETOLUTIONS

Mitnesses:

. J. F. Pandseph 2, Edwin E. Hagerty

Oath.

State of New Jersey } 55.:

THOMAS A. EDISON

. THE ABOVE-NAMED

PETITIONER, BEING DULY SWORN, DEPOSES AND SAYS THAT HE IS A United States and a resident of Llewellyn Park; in the County of Essex and State of New Jersey:

THAT HE VERILY BELIEVES HIMSELF TO BE THE ORIGINAL, FIRST AND SOLE INVENTOR IMPROVEMENT IN CONVEYING BELTS

DESCRIBED AND CLAIMED IN THE ANNEXED SPECIFICATION; THAT HE DOES NOT KNOW AND DOES NOT BELIEVE THAT THE SAME WAS EVER KNOWN OR USED BEFORE HIS INVENTION OR DISCOVERY THEREOF; OR PATENTED OR DESCRIBED IN ANY PRINTED PUBLICATION IN THE UNITED STATES OF AMERICA OR ANY FOREIGN COUNTRY BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION; OR IN PUBLIC USE OR ON SALE IN THE UNITED STATES FOR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION FOR FOREIGN PATENT HAS BEEN FILED BY HIM OR HIS LEGAL REPRESENTATIVES OR

Thomas A. Educos ME THIS 20 Th DAY OF October 1899

Case 2310 1 Bhook Fig.3 Fig.4 Fig. 5 Inventor Eduon Witnesses:

ø,

NOTE.—In order to contilute an application for a patent, the investifer is by law required to farminh his patition, specification atth, and drawing of where the nature of the case administ of drawings) and to pay the required fee.

No application is considered as complete, nor can any official action be had thereous, until all its parts, an here specified, are fermiabed in does form by the unwenter or applicant.



All constitution respecting this replacement of the policy of the serial number of the serial number of the serial number of this serial number of the seria

WASHINGTON, D. C., "OV. 18, 1899.

T.A. Edison.

Care Dyer, Edmonds & Dyer,

31 Massau St.,

Mew Mork, City. ".Y.

Please find below a communication from the EXAMINER in charge of your application.

for Conveying Relt, filed Oct. 25, 1899, #734,695.

C. H. Duell Commissioner of Palenta.

This application has been examined.

The claims are all rejected on Hardy, 315,141, April 7, 1885, (Driers, Endless Carriers;) Holland, 416,704, Dec. 3, 1889. (Ore & Coal Washers;) Rowers, 575,142, Tan. 12, 1897, (same class;) Dodge, 37,615, Feb. 10, 1863, (Conveyers, Endless, Belt;) Erennan, 396,136, Jan. 15, 1889, (same class); Ridgway, 632,750, Sept. 12, 1899, (same class,) or Praithmaite, 435,389, Sept. 1890, (Lawn Howers,) Grass Catchers.)

The state of the art as above disclosed would seem to preclude the allowance of any claim on the subject-matter presented

NLEATS. In every amendment the exact word or words to be arricken out or in-c-ted in the application must be specified and the precise point isolatened where the creature or insertion is to be made. All such amendments must be on shorts of paper separate from the papers previously filed, and written on but one side of the paper.

THOMAS A. WDISON CONVEYING BRIAT FILED OCTOBER 25, 1899 SERIAL NO. 734,698

ROOM NO. 255.

HON. COMMISSIONER OF PATENTS.

SIR:

 $\label{eq:weakler} \mbox{ we amend the above-entitled application as } \\ \mbox{ follows:-}$ 

Cancel figures 3, 4 and 5 of the drawing.

Page 2, lines 3 and 4, erase "and figures 3, 4 and 5 details of modifications".

Same page, beginning with "Instead", fourth line with bottom, erase through "thereof", line 10, page 3.

Cancel claims 1 and 2, and renumber the remaining claims.

The first claim covers applicant's suggestion of supporting a rimmed belt upon driving rollers which extend the
width of the belt and upon intermediate rollers which are
avranged between the rim portions. The second and third
claims cover applicant's improved conveying belt provided
with a rope to form rim portions secured on the outer face
near each side. We submit that these claims are allowable.

In the patent to Hardy, the belt is provided at each edge with a rope solely for strengthening purposes, as is common in many arts, for instance in the manufacture of clothing. This patent does not show the shortened intermediate rollers.

The patent to Braithwaite shows a helt with a rope on the under side, which cannot, of course, form a rim, and this patent also fails to disclose the arrangement of supporting and intermediate rollers claimed.

upon a rope at either side, and not a belt provided with a rope on its outer face. This patent also fails to disclose the claimed arrangement of supporting and intermediate ropes

The patent to Ridgway shows a rubber belt lapped over

The patent to Brennan, Jr., shows a conveyor formed of ropes with separate links strung upon them, and not a bolt having a rope at each side on its outer face. The driving rollers of this patent extend the full width of the belt, and there are no intermediate rollers, as claimed.

The patent to Dodge fails to disclose the intermediate rollers and shows a belt having elastic rims, and not one with a rope on its outer face at each side.

The patent to Bowers shows no supporting or intermediate rollers, but discloses simply a rimmed belt, the edges of the rims being strengthened with royes.

The patent to Rolland shows a conveyor made of slats carried on top of supporting ropes, which is entirely different from the construction claimed.

It is hoped the case as now presented may, therefore, be allowed.

Respectfully,

THOMAS A. EDISON,

His Attorneys

New York, November 5, 1900.

Room No. 255
All sourceardeations alvaid to evidenced to
"The Commissions of Patents,
Washington, D. C."

2-246.

All conditions respecting this opplication should give the sorial number date of filleg, and title of invention.

DEPARTMENT OF THE INTERIOR,
UNITED STATES PATENT OFFICE.

WASHINGTON, D. C., Nov. 23. 1900.

T. A. Edison,

Care Dyer, Edmonds & Dyer, 31 Nassau St.

New York City.

Please find below a communication from the EXAMINER in charge of your application.

for Conveying-Belt, filed Oct. 25, 1899, Ser. No. 734,695.

Commissioner of Falents.

Claim 1 is rejected on Heck, 323,325, July 28, 1885, (Conveyers, Endpage 80t, )Fig. 4, or St. Clair, 445,488, Dec. 23, 1890, (Conveyers, Endthat less.)

Claims 2 and 3 are rejected on Hardy, of record. Nothing is said

In these two claims as to the purpose of the rope. However, in view by of the other references of record, the use of a rope as a substitute of the other references, and any other kind of a flange would not be patentable over the references,

The claims are all rejected.

RULE 73. In every assendment the exact word or words to be stricken out or inserted in the application must be specified, and the precise points indicated where the crusters or inaction is to be made. All such amendments must be on sheets of paper appearant from the purpus particular field, and written on best one side of the paper.

Case No. E-1015,

Dropped,

Filed October 25,1899,

improvements in Conveying Belts.

Claims.

- As a new article of manufacture, a conveying belt having rim portions at each side thereof, substantially as set forth.
- In a conveying appearatus, the combination with the supporting pull-ye mounted on horizontal axes, of a conveying belt carried by said supporting pull-yes, and rim portions for said belt at each side thereof, substantially as set forth.
- 5. In a conveying apparatus, the combination with the supporting pulleys mounted on horizontal axes, of a conveying belt carried by said supporting pulleys, rim portions for said belt at each side thereof, intermediate supporting pulleys for the conveying portion of the belt of a width equal to that of the belt, and supporting pulleys for the return portion of the belt of a width less than the distance between the rim portions thereof, substantially as set forth
- 4. As a new article of manufacture, a conveying belt having a rope secured to its outer face near each side thereof, substantially as set forth.
- 5. As a new article of manufacture, a conveying belt having a rope secured to its outer face near each side thereof by means of lacings, substantially as set forth.

No. 23/6 & 10. Applicant. Thomas A. Edwarn	Serial No. 736 350
THE Process that Appending of 29. Millers in Parts. Filed November 9, 1899. Assignee	ging and bettering OR and other 261 Examiner's Room No. 2413
Ass'g't Exec. Recorded	LiberPage
Patent No. Issue	d
1 Rejules Dec. 19 /899, 16	" g 4
2 April 20199 17	Ż.
3 Mylens Jany 29, 1900. 18.	
5 Rejecter Meh 6/ 1900 20	
6	
7	
9 6 2 2 4	1111
· Aud god 25	Y //
26	
3 50 WW 1 28	po /
15 C	
o wy	

31 Nassau Street, NEW YORK CITY.

ion. The screens muxing with the wit on utunally produce rapidly +2 commently a the alpet of this invention is to Economicolly reflecturely dry orroENED tother Complet material of off perfect drying and randons The invention consists in cruffy the use of a large dryw the west or damp material prose thigh temperal unicess I through a driger thence over screens to remove the sizes desired Jol-Then rekrushing the larger sizes - with with the fresh wat ord treturning Dyar We whale to the drypi -This has been moperation in tille mel at ng Zus By continuously passing what Co for 12 year, 9/ 60 wo Ucalled un drz consten fright to to plants Returns together and Important improvement with the fresh ore coming in the mill . The hot dry returns in my plants 5

A is a conveying belt, Ba pair ralls or alle Couch muchy A delivers with or from BI to Elevalor ? This delivers to Dry artt, from bottom Dry it goes into Eles G delives in Chile of thence to I creen I vertor Coarsets go thro screens goes to recrush. C - Right size ora gora to Convaying balt E

DYER, EDMONDS & DYER,
SPECIALTY,
Patents and Patent Gauses,
31 Names St., New York,
RIGHARD R., DYER,
STORMANDER, DYER,

RICHARD N. DYER, REDISTRATION NO. 421. SAMUEL O. EDMONOP, REDISTRATION NO. 41. FRANK L. DYER,

## Detition.

To the Commissioner of Patents:

YOUR PETITIONER THOMAS A. EDISON, a citizen of the United States, residing and having his post office address at Llewellyn Park, in the County of Essex and State of New Jersey,

PRAYS THAT LETTERS PATENT MAY BE GRANTED TO HIM FOR THE PROCESS
AND APPARATUS FOR DRYING AND SORRENING ORSE AND OTHER MATER-

SET FORTH IN THE ANNEXED SPECIFICATION; AND HE HEREBY APPOINTS DYER, EDMONDS AND DYER (A FIRM COMPOSED OF RICHARD N. DYER, SAMUEL O. EDMONDS AND FRANK L. DYER), OF NO. 31 NASSAU STREET, NEW YORK CITY, HIS ATTORNEYS, WITH FULL POWER OF SUBSTITUTION AND REVOCATION, TO PROSECUTE THIS APPLICATION, TO MAKE ALTERATIONS AND AMENDMENTS THEREIN, TO RECEIVE THE PATENT, AND TO TRANSACT ALL BUSINESS IN THE PATENT OFFICE CONNECTED THEREWITH.

Thomas a. Edixon

## SPECIFICATION.

TO ALL WHOM IT MAY CONCERN:

Be it known that I, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park, in the County of Essex and State of New Jersey, have invented a certain new and useful PROCESS AND APPARAFUE-FOR DEVING AND SCREEN-ING CRES AND OTHER MATERIAL IN BULK (Case No. 1017), of which the following is a specification:-

My invention relates to an improved process by which wet or damp ore and other material in bulk may be effectively and economically dried and soreened, (and to an improved apparatus for carrying the process into effect) My process makes it possible for me to employ a relatively small dryer and to utilize comparatively low temperatures for effecting the drying.

My process consists in crushing the wet or damp ore or other bulk material, in passing the crushed material through a dryer by which it is dried, in then subjecting the dried, crushed material to a screening operation by which particles of sufficient fineness will be separated from the material and conducted to the point of use, in recrushing the tailings of the screen or screens, which tailings are known in the art as "returns", in mixing the recrushed, dry, hot returns with freshly crushed, wet material and in passing the mixture again through the dryer, and so on. By adding the recrushed, dried, hot returns to the freshly crushed, wet or damp material, a part of the moisture will be driven out of the latter, and the proportion of moisture in the material passing through the dryer will be reduced, so that a relatively small dryer may be employed. -1utilizing comparatively low temperatures for effecting the drying.

My improved apparatus comprises two sets of crushing rolls, one set for crushing the wet or damp material in bulk and the other set for recrushing the dry, hot returns; a dryer to which, after the apparatus is in operation, the mixture of returns and freshly crushed, wet or damp material is passed; a screening device for screening the material after it has passed through the dryer; and proper conveyors and elevators for automatically directing the streams of material through the several devices constituting the apparatus.

In order that my invention may be better understood, attention is directed to the accompanying drawing, showing the improved apparatus in diagram.

1 represents a pair of crushing rolls or other crushing apparatus, provided with a hopper 2, into which the wet or damp ore or other material in bulk is delivered. crushing apparatus is of any suitable type. 3 is a conveyor belt, located beneath the crushing apparatus 1 and receiving the crushed material therefrom. 4 is an elevator, into the boot of which the crushed material from the conveyor 3 is deposited. This elevator carries the crushed material upwards and deposits it in the hopper 5 of a dryer 6 of any suitable type. Preferably the dryer 6 is supplied with hot air from a furnace 7 and is provided on its interior with the inclined baffle-plates 8, by which the material will be caused to pass through the dryer in the shape of a plurality of flat, zig-zag streams. The crushed, dried material from the dryer 6 is deposited in the boot 9 of an elevator 10. and is conveyed by said elevator to a screening apparatus 11 of any suitable type. Preferably this screening apparatus comprises a plurality of screen sections 12, 12, and a series of checking surfaces 13, by means of which the material after it has passed over one screen section will be brought to rest before passing over the screen section next below. By thus passing the material more slowly over the screen sections, the screening operation is facilitated.

The fine material from the screens falls upon an incline 14 and is deposited on a conveyor 15, by which it is carried to the point of use. The tailings of the screens, which are in the form of dry, hot returns, are passed through a recrushing apparatus 16 of any suitable type and by which such tailings will be recrushed. The recrushed material from the recrushing apparatus 16 is deposited on the conveyor 5, so as to be intimately associated with the wet or damp material from the crushing apparatus 1.

The operation will be as follows:- The wet or damp ore or other material in bulk is supplied to the hopper 2 in the desired quantity and is crushed between the crushing rolls 1 or other crushing apparatus. The wet or damp, crushed material being deposited on the conveyor 3 will be elevated by the elevator 4 and pass through the dryer 6, by which it will be dried. From the dryer 6, the crushed. dry material will be elevated by the elevator 10 and pass through the screening apparatus 11. Sufficiently fine material will be carried off by the conveyor 15, but the coarse tailings or returns will be passed through the recrushing apparatus 16 and again deposited upon the conveyor 3. By thus adding the recrushed, dry, hot returns to the wet or damp material on the conveyor 3, a part of the moisture carried by the wet or damp material will be driven out and the proportion of moisture contained in the mixture passing

through the dryer 6 will be considerably reduced, so that a relatively small dryer may be used, utilizing comparatively low temperatures.

Having now described my invention, what I claim as new and desire to secure by Letters Patent is as follows:-

- 1. The process of drying and screening wet or damp material in bulk, which consists in crushing the wet or damp material, in passing the crushed material, through a dryer, in screening the dried, crushed material, in recrushing the dry, hot tailings or returns from the screening apparatus, and in mixing the recrushed, dry, hot returns with the crushed, wet or damp material, substantially as set forth.
- 2. The process of drying and screening wet or damp material in bulk, which consists in crushing the wet or damp material, in passing the crushed material through a dryer, in screening the dried, crushed material, in recrushing the dry, hot tailings or returns from the screening apparatus, in mixing the recrushed, dry, hot returns with the crushed, wet or damp material, and in passing the mixture again through the drying apparatus, substantially as set forth.
- 3. An apparatus for screening and drying wet or damp material in bulk, comprising in combination a crushing apparatus, a dryer to which the crushed, wet or damp material is directed, a screening apparatus for screening the dried, crushed material from the dryer, and means for recrushing the tailings of said screening apparatus and for mixing the recrushed ballings with the crushed, wet or damp material, substantially and set forth.
- 4. An apparatus for screening and drying wet or damp material in bulk, comprising in combination a crushing apparatus, a dryer to which the crushed wet or damp mater-

ial is directed, a screening apparatus to which the dried, crushed material from the dryer is directed, a recrushing apparatus for recrushing the tailings of the screening apparatus, and means for mixing the recrushed, dry tailings with the crushed, wet or damp material, substantially as set forth.

5. An apparatus for screening and drying wet or damp material in bulk, comprising in combination a crushing apparatus, a dryor to which the crushed, wet or damp material is directed, a screening apparatus to which the dried, crushed material from the dryer is directed, a recrushing apparatus for recrushing the tailings of the screening apparatus, and a conveyor located beneath the crushing and recrushing apparatus and onto which the crushed and recrushed material is deposited substantially as set forth.

**.** 

SED THIS 28th DAY OF Setope 180 9 Thomas a. Edison

Mitnesses :

J. F. Cansolph, F.C. Donals

Oath.

State of Mero Juney 35.

THOMAS A. EDISON

\_\_\_\_

PETITIONER, BEING DULY SWORN, DEPOSES AND SAYS THAT HE IS A **citizen**OF THE United States and a resident of Llewellyn Park, in the

County of Essex and State of New Jersey:

THAT HE VERILY BELIEVES HIMSELF TO BE THE ORIGINAL FIRST AND SOLE INVENTOR
OF THE PROCESS AND APPARATUS FOR DRYING AND SCREENING ORES
AND OTHER MATERIAL IN BUILK

DESCRIBED AND CLAIMED IN THE ANNEXED SPECIFICATION; THAT HE DOES NOT KNOW AND DOES NOT BELIEVE THAT THE BAME WAS EVER KNOWN OR USED BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR PATENTED OR DESCRIBED IN ANY PRINTED PUBLICATION IN THE UNITED STATES OF AMERICA OR ANY FOREIGN COUNTRY BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION FOR FOREIGN PATENT HAS BEEN FILED BY HIM OR HIS LEGAL REPRESENTATIVES OR ASSIGNS IN ANY FOREIGN COUNTRY.

SWORN TO AND SUBSCRIBED BEFORE ME THIS 28 DAY OF Ortake 188 9

(SEAL) J. J. Wandan

Her Jersen,

DEPARTMENT OF THE INTERIOR,

Washington, D. C., Least MICHARS PAYER.

SIR:

I have to acknowledge the receipt of the petition, specification, oath, and of drawing of your alleged improvement in

A state of the first fee payable thereon.

The papers are duly filed, and your application for a patent will be taken up for examination in its order

You will be duly advised of the examination.

Yery respectfully,

Case will be taken up for examination in about six weeks.

and title of invention

NOTE:—In order to constitute on application for a patent, the investor is by hav required to farnish his fection, apoclination that, and drawings there the nature of the case shalls of derivative) and to pay the required fee.

No application is considered as complete, ner can any official action be had thereoe, until all its parts, as here assettled, an armitaled in date form by the investor or applicant.

Thomas A. Edison.

DEPARTMENT OF THE INTERIOR. UNITED STATES PATENT OFFICE.

WASHINGTON, D. C.,

Care Dyer, Edmonds & Dyer

. 31 Massau Street, Hew York City, Hew York.

Please find below a communication from the EXAMINER in charge of your application. #736,550, filed Nov. 9, 1899, for Process ans Apparatus for Drying and Sorsening Ores, &c., in Bulk.

DEC 19 1899

This case, having been taken up for examination, is found to embrace two separate and independent inventions - one, a process, covered in claims 1 and 2, and the other, an apparatual covered in claims 3, 4 and 5. In accordance with Rule 41, division is required.

THOMAS A. EDISON

PROCESS AND APPARATUS FOR DRYING AND SOREENING ORES AC. IN BULK

SERTAL NO. 736,350

FILED HOVERBER 9, 1899

HON. COMMISSIONER OF PATIENTS.

SIR:

title of the invention.

ffect-----

Please amend as follows:-

Bruse the words "AND APPARATUS" in the

ROOM NO. 243.

Page 1, line 5, crase the words "AND APPARATUS". Same page, lines 10 and 11, crase the words ", and to an

Insert at the end of the specification:-
I do not claim herein the improved drying apparatus
for carrying the process into offset, since such apparatus
is made the subject of a separate application for patent.--

Cancel claims 3, 4 and 5.

Action on the merits is now respectfully requested.

Respectfully,

Attorneys for Edison.

New York, December 30,1899.

Room No. 261. T

2-071.

All co. \_\_\_\_ nications respecting this application . Louid give the serial numbdate of filing, and title of invention.

DEPARTMENT OF THE INTERIOR.

United States Patent Office,

WASHINGTON, D. C., Jan. 29, 1900.

Thomas A. Edison,

C/o Dyer, Edmonds & Dyer,

31 Nassau St.,

New York, N. Y.

Please find below a communication from the EXAMMER in charge of your application.

Ser No 736,350, Filed Nov. 9, 1899, for "Process of Drying and
Screening."

C. H. Duell Commissions of Patents.

This application, as amended, has been taken up for examination.

The claims are rejected upon the patent to Cummer, No. 634,199
Oct. 3, 1899, in Driers, Cyl., Int., Rot., Inclined, and No. 634,
200, Oct. 3, 1899, in Driers -Processes.

Rule 73. In every amendment the exact word or words to be stricken out or inserted in the application must be specified and be precise points indicated where the ensure or insertion is to be made. All such amendments must be on sheets of paper separate from the papers previously filed, and written on but one side of the paper.

THOMAS A. EDISON

FILED NOVEMBER 9, 1899

ROOM NO. 261.

SERIAL NO. 736,350

HONORABLE COMMISSIONER OF PATENTS; S I R :-

PROCESS OF DRYING AND SCREENING

Reconsideration of the claims is respectfully requested.

With applicant's invention the material is first crushed, then passed through a dryer, and finally screened, the screenings passing off to the point of use end the tailings being recrushed and mixed with fresh quantities of crushed wet or damp material. Both of the patents to Cummer of record relate particularly to apparatus and methods connected with the handling of garbage, and that apparatus is of such a character as to be practically limited only to the handling of comparatively soft and garbagelike material. With the Cummer patents the garbage is taken in its original form, passed through a dryer and screened, the screenings passing off for use, the tailings being disintegrated, and being finally again introduced into the dryer with fresh quantities of undried garbage.

The differences between the Cummer patents and applicant's invention may be thus stated:

First: In applicant's invention the material is first crushed, and the tailings from the screen are recrushed and mixed with the crushed wet or moist material. In the Cummer patents there is no equivalent of applicant's first step of crushing, since the garbage is introduced into the dryer in its crintnal state.

Second: With applicant's process the recrushed dry hot returns from the screen are mixed with the crushed wet

or damp material before being repassed through the drying apparatus. In the Cummer patents the disintegrating screenings are only added to the fresh material at the dryer, and there will in consequence be a very imperfect mixture of the two.

Very respectfully,

Attorneys for Edison.

New York, February 21, 1900.

9...021

Room No. 261 a

HE communications about to addressed to

"The Commissioner of Patents,

Washington, D. C."

date of filleg.

DEPARTMENT OF THE INTERIOR.

UNITED STATES PATENT OFFICE,

WASHINGTON, D. C., March 6, 1900.

T. A. Edison,

C/o Dyer, Edmonds & Dyer,

31 Nassau Street,

New York, N. Y.

MAR 6 1800

Please flad below a communication from the EXAMMER in charge of your application.

Se No 736,350, Filed Nov. 9, 1899, for "Process of Drying Ores."

C. A. Duell Commissioner of Petents.

This application has been again examined, and as no reason is seen for modifying the previous action, the claims are finally rejected upon the references of record. The apparatus shown in the references is described as intended for use in disintegrating and drying lignite and gypsum as well as garbage.

NILS 7E. In every assendment the exact word or words to be stricken out or inverted in the application must be specified and the produc point indicated where the creature or insertion is to be made. All such amendments must be on sheets of paper sepurate from the papers proviously idee, and written on but sometice of the paper.

PRESIDENT:
W. S. MALLORY
VICE-PRES'T.
W. S. PILLING
TREASURER.

the Edison Portland Cement Co.

GIRARD BUILDING, PHILADELPHIA, PA

ORANGE TELEPHONE, "311 ORANGE,"

Edison Laboratory, Orange, N. J.,

April 16th,1900

Messrs. Dyer, Edmonds & Dyer, 31 Massau Street,

New York City.

Gentlemen: --

Replying again to yours of February 21st, in reference to application Edison #1017, and Edison #1024, beg to state that we have further investigated the matter and find that Mr. Edison gave the New Jersey Zinc Co. instructions to arrange their plant so a portion of the dry material should be returned and mixed with the wet material, and go through the Dryer with it, but his instructions were not carried out, and the material only with through the Dryer once.

Yours very truly,

Advantage of Comments of the C

Miles

0-7--8, 1900-531

Case No. E-1017.


Filed Nov. 9, 1899. Dropped,


Process for Drying and Screening Ores and other Material in Bulk.


## Claims.


- 1. The process of drying and screening wet or damp material in bulk, which consists in crushing the wet or damp material, in passing the crushed meterial through a dryer, in screening the dried, crushed material, in recrushing the dry hot tailings or returns from the screening apparatus, and in mixing the recrushed, dry, hot returns with the crushed, wet or damp material, substantially as set forth.
- 2. The process of drying and screening met or damp material in bulk, which consists in crushing the wet or damp material, in passing the crushed material through a dryer, in screening the dried, crushed material, in recrushing the dry, hot tailings or returns from the screening apparatus, in mixing the recrushed, dry, hot returns with the crushed, wet or damp material, and in passing the mixture again through the drying apparatus, substantially as set forth.
- 3. An apparatus for screening and drying wet or damp material in bulk, comprising in combination a crushing apparatus, a dryer to which the crushed, wet or damp material is directed, a screening apparatus for screening the dried, crushed material from the dryer, and means for recushing the tailings of said screening apparatus and for mixing the recrushed tailings with the crushed, wet or damp material, substantially as set forth.

- 4. An apparatus for screening and drying wet or damp material in bulk, comprising in combination a crushing apparatus, a dryer to which the crushed, wet or damp material is directed, a screening apparatus to which the dried, crushed material from the dryer is directed, a recrushing apparatus for recrushing the tailings of the screening apparatus for recrushing the recrushed, dry tailings with the crushed, wet or damp material, substantially as set forth.
- 5. An apparatus for screening and drying wet or damp material in bulk, comprising in combination a crushing apparatus, a dryer to which the crushed, wet or damp material is directed, a screening apparatus to which the dried, crushed material from the dryer is directed, a recrushing apparatus for recrushing the tailings of the screening apparatus, and a conveyor located beneath the crushing and recrushing apparatus and onto which the crushed and recrushed material is deposited, substantially as set forth









No. 2333	6.1022	Serial Now 823
3		No.
Applic Applic		Address.
Thomas a.	Edware	
1	7	
Title mpt, 1	Process of Magnetic	Separation
1	. 0	
Filed January	9,1900 Ex	raminer's Room No. 243
U	·	
Assignee		
Ass'g't Exec.	Recorded	LiberPage
		rage
Patent No	Issued	
		***************************************
	ACTIONS.	
· Rejects Fi	). V. 819-	,
2		4
-		R.J.
3	18	100
4	19	N. 100
5	20	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
6	2I	λ'
7	22	
8	23	
9	25 26	b
00	11. L. 25	gul
· ()	26	/ ~*
2		I wan D
3	28	Charles L.
4	20	Jan J.
5		
	30,	
	' RI	CHARD N DVER

31 Nassau Street, NEW YORK CITY.

Cason Caninez c c the connecting rung haft The object of this invention is to Depender Magnetra maley CENA mormagnetic malerials ?= DEI showing broath Contact rups Ud d' Contact bouche The mirentian Convicto in a water form Wis the cone colich is so of magnetic ocperator which by proportioned to the war adjustment can be made to Deporate Equally as well very that the faller can 62 magnetic motheral and also magnetized nearly to material having oco- Excremely weak magneted property Daturation - of 19 2 Ohewo how the pakar Extensions are put air - the were is for I shows the form af magnet Etiployed on Chesepenlati previously wound as a A the driving both B' B' 6 Earings Estimat place) over X be shaft G the Core of magnet F E the poles of chamagnet We und care of the heads which derve to form a Scrawed Cogalhan -Cylular W the live -

after the magnets is fig 3 shaws the seperator assembled - a very thing Whonged for operation strip of sheet of assis I prefer to use work than made to Entirely marke one seperator so that the the whole of the maquelie Concentrale Com 6e run Cylude - Theo brass oheet two or more times I hough placents the belt bokichruns over the wagnetic pulley lhe same operation from Geng drawn inwards The Operation is as follows between the pales when The MIM2 My are it is lo - Ded with the magnets af the Magnetic malanals 3 operators - In the Case of very magnetic wateral - The Speed

of the Gelt is very great Iprifer to have the bell thrown of the pulley by centrifugal force while travel from 6 to 800 ft the nonlinaguetre partieles or more per minute, Entlangted in the magnetic The Hoppi B with raller partiolis Coclesced logiller fred Deves to fied the are forcibly drawn out by the sometful Centrifugal Magnitic malerial Evenly force acting upon them. over the Galt to nearly The speed affelbelt is the full width of adjusted that the central the face of the magnet. poliner is great Everyll pulley = The magnetism to overcome the clogging af chilatter is outfrent together af the magnetic to pevent the magnet. patticles which tends to pailed from Gerna prevent their Geng Moron

I aff- In process seperators below + are fed outs the Belt of this general chrisde of chemixt oceans to Aledvantage has not The object of the ather 2 been taken of the contrifugal Depuators is to mome the force house the speeds Sederation of Every particle bave been slow other cef free nonmagnetic grality of the magnetic froduct has been poor watter a few particles Escaping the first mochen Inpractice on Enough coherethe output is increased by fair any a thick street magnitism is generated to carry allhe maquelic saturdes completely around If the maternal is por very weak in magnetism the the Drum - Then the action nonnagnetia particles Camot Se reperalellis of ele under part of Belt olrips them away Centrofugal action the

Open of the Gelf is reduced When the water al is to 20 or 30 feet pa minute Extremely weak magnetically and the dividing boards like gainets, specular/ now ore ste - I prefer avranged as in flg 4 to Construct The magnitue The normagnetic parlicles drum like fra 5-1 drop vertically -The orz in this case is A A' are wooden extensions not fed over the Entere of the palar pieces - over Chepolar Estroumition cat weath af the best Covering the magnetic the gap the gap is covered puller But only over with thin sheet Grass that partian af the Belt The polar precion wood which covers the gap peros as a narrow full between the pales!


12 Thicken so the gran well not over which athen become saturaled except at Conveying belt runs this the palar Enda belt is preferably difes an The belopied shoulde un evensurface like fran zo to 50 feet per moner willh beavy Duck Canvas to prebent the materials being drawn to the Edges as the palar Edges X X of the police of the cloq and range the The bollin of were so first And I find wound definally & by triplicale dependance then put over coret palu Ends scann and He running afthe Concentrale two or more The palar Ends as They time a very perfect approachle Core are whole


If it is desired to still Concentrale Can be abla fulter craces the from waterials showing amount passing through homaquelan at all themachins, The Tailings with Even quite Strong Down be allowed to 62 meter Domishat rick un magnitic malemal The output of the by moving the deviding machines Can be board these tailings wireased by adding run through another more magnetset + marend Set or going lag sepualors We fieds as the compensed Dependence of one seperator with a beauty load are Dutsequently Comsoled

in grooves to get auspere The Magnetic drum - with poles twens Enough to Gring Extending over face to form the magnet anywhere apulley with wire moude vea saturales bence its a very weak affair -Whereas in the Drum as 9. show the space for wie is so great that the polar Endo Can Ge satural) Especially in the 2nd fam shown This kulaf a pepadar has been used but the defect is that we is not rear Enough room

also claim-the for custance of the magnition of the magnit is Kept Slong process of deperating Albebelt spied slow magnitional by Countrading Centrifugal ocarcely any any afthe force by magnetism on mon may particle will Maguelie malund Come out they are Enlangles Causing the pull of in the Maquelia Malamal theld on the drum Contributal force on of the speed is increased non reaguelie parliales the Centrifique pullet to reach a point Dufficent to disintangle well be increased oman not too strongly held from tovercome the magnetic clothing clogg will be through aff-There is a point where of the normagenthe

Welaim the 2nd form of | maily all will Gz magnet un details Wrom off the Centrifugal gentrally this magnet force for Exceeding an gives the limit to magnetion, thorponen af elle Wagfee It also works fine -Clogging but this makes Claim the gang seperal the Gelf opera a little Clam Joing seperatar. for rerusing Consentrat too great hence is used hears than one seperator. agong for Telrunny Thus is a new idea in tails Etc = The Operators of it was perfect-Dres/99 Idua





DYER, EDNONDS & DYER,
BROGALTY.

PRICENTS and Datent Causes,
31 Nassau St., New York.

SAMUEL O. EDWORDS, ASSISTATION NO. 408. SAMUEL O. EDWORDS, ASSISTATION NO. 41.

## Detition.

To the Commissioner of Patents:

YOUR PETITIONER, THOMAS A. EDISON, a citizen of the United States, residing and having his post office address at Llewellyn Park, in the County of Essex and State of New Jersey,

PRAYS THAT LETTERS PATENT MAY BE GRANTED TO HIM FOR THE IMPROVESCRY IN PROCESS OF MAGNETIC SEPARATION

SET FORTH IN THE ANNEXED SPECIFICATION; AND HE HEREBY APPOINTS DYER, EDMONDS AND OVER, SAMUEL O. EDMONDS AND FRANK L. DYER, OF ILL OF THE MEMORITY OF THE MEMO

THOMAS A. EDISON

## SPECIFICATION.

TO ALL WHOM IT MAY CONCERN:

Be it known that I, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park, in the County of Essex and State of New Jersey, have invented a certain new and useful LEPROVENCENT IN PROCESS OF MADURIC SEPARATION (case No. 1022), of which the following is a description:

In an application filed on even date herewith I describe certain improvements in magnetic separators comprising a rotating magnet, the poles of which are arranged adjacent to each other to form a relatively narrow gap between them, the whole constituting a pulley around which is passed an endless belt, and to the said belt is fed the mixed magnetic and non-magnetic particles. In my said application I describe specifically how the apparatus is intended to work in connection with materials which are extremely weak magnetically, such as garnets and specular iron ore, the magnetic and non-magnetic particles being fed to the belt substantially in line with the gap between the polar faces, whereby the magnetic particles will be tenaciously attracted to the belt and will be carried down around the magnet and thence away from the vertical diameter, where they drop off. while the non-magnetic particles immediately drop off of the belt as it approaches and recedes from a vertical direction.

My present invention relates to an improved process by which a magnetic separator of the general type described in my said application can be very effectively utilized for the separation and concentration of particles which, compared to garnets and specular iron ore, are relatively magnetic, such as magnetite, and I have modified said apparatus in specific respects to fit it more perfectly to the carrying on of the improved process.

One of the difficulties in magnetic separation is that non-magnetic particles become entangled with the magnetic particles and are carried through the apparatus, and a common expedient at the present time in use in the art is to subject the magnetic and non-magnetic particles to more or less agitation during the separate operations so as to prevent the entrainment or entanglement of the non-magnetic particles with the magnetic particles. I find that with an apparatus of the general type referred to, when operated at a sufficiently high speed as to result in the generation of considerable centrifugal force, the non-magnetic particles will not only be thrown off of the belt as it passes around the magnet, but such particles will be actually disentangled from the magnetic particles, due to the effect of the magnetic force, and thrown off so as to be effectively separated. When an apparatus of this general type is used with materials which are extremely weak magnetically, it is desirable, as I describe in my said application, that the materials should be fed to the belt only in lines substantially coincident with the gap between the polar faces in order that such materials may be subjected to lines of intense magnetic force. When, however, my improved process is carried out, utilizing centrifugal force to facilitate the separating operation, it is not necessary to get such a concentrated magnetic field, and hence it becomes possible to modify the apparatus to the extent of using very much larger polar faces, which as a whole may be nearly magnetically saturated.

An apparatus intended for the carrying on of my improved process may therefore be formed of a core to which power is applied, two disks carried by the ends of said core, and overhanging rims carried by said disks and enclos-

ļ

ing the magnetising coil, the whole magnet being therefore essentially cylindrical in form and carrying the feed belt for the entire width of the polar faces. Since the ampere turns of the coil will be so proportioned to the mass of the metal in the magnet as to result in the polar faces being nearly magnetically saturated, it becomes possible, with an apparatus utilizing my present process, to feed to the belt material throughout substantially the entire width of the belt, whereby the rapidity of operation of the apparatus will be very greatly increased in addition to the increase which results from the higher speed at which the belt is driven.

In order that the invention may be better understood, attention is directed to the accompanying drawings forming a part of this specification, and in which figure 1 represents a plan of my improved apparatus; figure 2 an enlarged section of the magnet; and figure 3 a diagram showing a series of the separators working in bank.

In all of the above views, corresponding parts are represented by the same numerals of reference.

1 represents a shaft, which is mounted in bearings 2, 2, and which may be driven in any suitable way, as for example from a pulley 3. The shaft 1 is provided with a cylindrical enlargement at its center constituting the core of the magnet. The poles of the magnet comprise the two disks 5, 5, which are bolted to the core as shown, and having the overhanging rims 6, 6, the free edges of which are adjacent to each other so as to form a gap between them. The coil 7 is wound on the core within the magnet, as shown, and is supplied with current through insulated collecting rings 8, 8 and brushes 9, 9. Preferably the polar faces 6, 6 are entirely enclosed in a thin sheet of non-magnetic metal, such as brass, 10, whereby the magnet will present a continuous operating face to the feed bet 11, which is made

of any suitable material. This belt extends over a pulley 12 carried on a shaft 13. The ampere turns in the coil 7 are so proportioned relatively to the mass of the magnetic poles as to result in the polar extremities 6, 6 thereof benearly ing magnetically saturated. Material is fed to the belt 11 in any suitable way, as for instance from a hopper 14 having a roller feed 15. Mounted below the magnet is a suitable deflecting board 16, which may be actually located behind the vertical center of the magnet. Preferably a plurality of the separators are used, one above the other as shown in figure 3, the concentrates from the first separator passing by means of a chute 17 to a second separator 18, while the concentrates of this second separator pass by means of the shute 19 to a third separator 20. The final concentrates issue from the apparatus through a draw-off spout 21, while the non-magnetic particles are carried out of the apparatus through a spout 22.

The operation will be as follows: Power is applied to the shaft 1 to rotate the magnet and drive the belt 11 of each separator, and the mixed magnetic and non-magnetic particles are fed to the belt of the first separator, as for instance through the roller feed 15. The feed of the material to the belt may occupy substantially the entire width of the belt, since the entire polar faces of the magnet are. as stated, preferably magnetically saturated. The speed at which the belt is driven is very high, ranging generally from between six hundred and eight hundred feet or more per minute, but this speed should be so proportioned to the magnetic attraction of the magnet, to the magnetic affinity of the magnetic materials, and to the diameter of the magnet as not to result in the generation of a greater centrifugal force than is necessary to throw off the non-magnetic particles from the belt as it passes around the magnet. By

thus driving the belt at a relatively high speed, the nonmagnetic particles will be thrown off therefrom in front of the deflecting board 16 by the centrifugal force which is developed, while the magnetic particles will be caused to tenaciously adhere to the belt by the magnetic attraction, and will be gradually carried by the belt away from the lines of magnetic force as the particles pass beyond the vertical diameter of the magnet until they finally drop off. By thus utilizing in a magnetic separator the effect of centrifugal force, and by so proportioning the centrifugal force that it tends to positively throw off of the belt all non-magnetic particles without, however, affecting the magnetic particles, I secure a very perfect and rapid separation: in fact, the effect of the centrifugal action in the apparatus is sufficient to cause non-magnetic particles which would otherwise be entangled and entrained with the magnetic particles and carried through the apparatus, to be actually disentangled therefrom and to be thrown out by the centrifugal force. I consider it preferable to use a plurality of these separators, because by doing so the speed of separation can be increased by feeding to the first separator magnetic and non-magnetic materials in large quantities, and in correcting imperfections in the first separation by the subsequent separators, it being obvious that any non-magnetic particles which may have passed through the first separator will have further opportunity in the second and final separators of being disentangled and removed from the magnetic particles.

Having now described my invention, what I claim as new and desire to secure by Letters Patent is as follows:

 The improved process of separating magnetic from non-magnetic particles, which consists in bringing the mixed particles in a field of magnetic attraction, in changing the direction of movement of such particles so as to result in the generation of contribugal force which throws out the non-magnetic particles, and in withdrawing the magnetic particles from the magnetic attraction, substantially as sot forth.

- 2. The improved process of separating magnetic from non-magnetic particles, which consists in feeding the mixed magnetic and non-magnetic particles to a rotating field of magnetic attraction, the speed of rotation thereof being sufficient to result in the generation of centrifugal force to throw out the non-magnetic particles, and in positively withdrawing the magnetic particles so separated from the rotating magnetic field, substantially as set forth.
- The improved process of separating magnetic from non-magnetic materials, which consists in subjecting the mixed material to the joint action of magnetism and sentrifugal force, substantially as set forth.

THIS SPECIFICATION SIGNED AND WITNESSED THIS 3rd DAY OF January 149-1900.

THOMAS A. EDISON.

Witnesses:

W. S. MALLORY

J. F. RANDOLPH

Oath.

State of New Jersey County of Essex

7

THOMAS A. EDISON, THE ABOVE-NAMED

PETITIONER, BEING DULY SWORN, DEPOSES AND SAYS THAT HE IS A citizen OF THE United States, and a resident of Llewellyn Park, in the County of Resex and State of New Jersey;

THAT HE VERILY BELIEVES HIMSELF TO BE THE ORIGINAL, FIRST AND SOLE INVENTOR
OF THE IMPROVEMENT IN PROCESS OF MACHINETIC SEPARATION

DESCRIBED AND CLAIMED IN THE ANNEXED SPECIFICATION; THAT HE DOES NOT KNOW AND DOES NOT BELIEVE THAT THE SAME WAS EVER KNOWN OR USED BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR PATENTED OR DESCRIBED IN ANY PRINTED PUBLICATION IN THE UNITED STATES OF AMERICA OR ANY FOREIGN COUNTRY BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR MORE THAN TWO YEARS PRICE TO THIS APPLICATION, OR IN PUBLIC USE OR ON SALE IN THE UNITED STATES FOR MORE THAN TWO YEARS PRICE TO THIS APPLICATION, AND THAT NO APPLICATION FOR FOREIGN PATENT HAS BEEN FILED BY HIM OR HIS LEGAL REPRESENTATIVES OR ASSIGNS IN ANY FOREIGN COUNTRY.

THOMAS A. EDISON

SWORN TO AND SUBSCRIBED BEFORE ME THIS 3rd DAY OF January 2801900.

J.F.RANDOLPH

NOTARY PUBLIC for New Jersey.

(SEAL)

SERIES OF 1900.

Venited States Patent Office & CEIVE

I have to acknowledge the receipt of the petition, specification, oath, and

rocess of Magnetic Saparation

with Fifteen Dollars as the first fee payable thereon.

SIR:

The papers are duly filed, and your application for a patent will be taken up for examination in its order... The drawing is informal, but has been admitted

You will be duly advised of the examination

Very respectfully,

Case will be taken up for

Norm.—In order to constitute an application for a patent, the inventor is by lise required to familia his polition, specification, and distringer (where the nature of the case admit of drawings) and to pay the required, fee.

As application is considered as complete, no can any official action be had disprace, until all its partie, so here specified, are initial in due form by the inventor or applicants.

All community of the second state of the second sec

DEPARTMENT OF THE INTERIOR,

UNITED STATES PATENT OFFICE,

Feb. 8, 2900.

Thomas A. Edison,

Care Dyer, Edmonds & Dyer,

No. 31 Massau Street,

New York City, New York.

FEB 8 1900

Picuse find below a communication from the EXAMINER in charge of your application

#925, filed Jan. 9, 1900, for Process of Magnetic Separation

C. Honorous of Future.

Applicant's drawing has been criticised by the Chief Draftsman as follows: "Informal, parts in section should be section should be section time. Admit for examination only." Should the case finally be found otherwise sllowelle, the drawing must be relieved of objections before the case can pass to issue. Applicant is required to eliminate. Since No. 1038 " from the specification to the disclosure of which is adds nothing. The serial number and date of the application referred to in the second paragraph, page 1, are required to be

Rach of the claims is red ated as squarely set in the following patents: 348,771, Payme, Sept. 16h, 1886; 465,508, Hoffman, Nov. 17th. 1891; and 548,176, Buchanan, Oct. 22d, 1895-Magnetic Separators.

This has been a specific or the case of th

Case No. E-1022,

Abandoned,

Filed January 9,1900,

Improvements in Process of Magnetic Separation.

Claims.

- 1. The improved process of separating magnetic from non-magnetic particles which consists in bringing the mixed particles in a field of magnetic attraction, in changing the direction of movement of such particles so as to result in the generation of centrifugal force which throws out the non-magnetic particles, and in withdrawing the magnetic particles from the magnetic attraction, substantially as set forth.
- 2. The improved process of separating magnetic from non-magnetic particles, which consists in feeding the mixel magnetic and non-magnetic particles to a rotating field of magnetic attraction, the speed of rotation thereof being sufficient to result in the generation of centrifugal force to throw out the non-magnetic particles, and in postitively withdrawing the magnetic porticles so separated from the rotating magnetic field, substantially as set forth.
- 3. The improved process of separating magnetic from non-magnetic materials, which consists in subjecting the mixed material to the joint action of magnetism and centtrifugal force, substantially as set forth.

0. 2334	€. 1023.	Serial No. 824	
homus a. 6	dison	A'ddress.	
tle Impto, in ?	Magnetiv Separ	**	
led juinary 1,	Ex	aminer's Room No. 243	
signee			
s'g't Exec.	Recorded	LiberPage	
Patent No	Issued		
	ACTIONS.		
Rycets Fil	8/900. 16		
	17		
لى	18	<u> </u>	
	0 19 19	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
N David	20	W. W.	
	21		
	. 22		
1	23	ACAPT AS TO THE	
14. 0	25	H 4 1 1	
	. 26	The Ville	
	27	( N 10. W	
	28	10%	
	29	G Cole	
***************************************	30		

NEW YORK CITY.

Wateral product of exceeding The object of this inventigo EIVEN Variable character as regards the to souple and mix over for office amount of the Varcous ingreducts Conserting of Line alduma may having a variable assay in a body of ore or rock have Known a Even assay so so that the same grany the rock will the further addition of any Vary in its Chemidal constituent necessary ingredient - of subsequent Speration upon the perendencent un a few feet, The that rock is always deficient over of rock can be made Exactly to produce an Even in die to make a penfiel product or result . The mountain Parland Cement the practice to Expecially dissigned for is to decome my a cerlain percent of dimensione with it Myring Dilicions Limitare una to obtain the right mixture wasting partland Coment, at is the practice to my The weeknow that the Several barrows of Cementrack Siliciono demistone used for with me barrow of line manufacturing Jorland & to Effect this - In efficient the Gy the dry professe is a musture within way the knowlets

I are very inconstant othe quality Works forda which the of the Cedient Various Considerally to being of course uponshe to overall sach Carrow afcement) rockpasses to a Dryer + there to the stock Kouse rock un a large works, and forming a number The object of this invention is of pules of Cementrack + to communally & practically Effect the abject of waking be Limistone Deputed for parfect motive of comentrack Each other 400 delivery of Known Composition the Cement rock or Limesland so that the addition of hime to the piles that the Cones from will produce amotive form shall so muxed in while Gen a faithand Cement of constant formed that when drawn watly sudependent of the but formunder the slock Warrations of cherock with Owang houle strong points under the Cone, footime afcheore first put in shall The weeten consists w Euploying a large stock house Genzed with gertino last at the End of che trushing put in - The ore or rock as it

goes into the stock house by the sampler which when Continuoly campled by an aschlamed will represent the automatic bampler arranged assay of the whale cone between the belt from the Dryw but without the Conz is The Belt passing over the Thoroughly wixed when drawn top af the stack house off to another department This compler takes - a one pan of elevados for maning with Cample Every ments We dime the assay will din dwing the formation welle uneven occause if the first Cove Of rock whe stock one part of the day the Crushing The sign of the Cour of ore plant delivered or high on Choned by such that I shall Tilica while on the afletnoon be the product of at least it delivered ors Low in Silica one day crushing afthe of these two gratiles were not thoroughly my with Crushing plant to Cone, on alduring out the penut one day being gwent the channet to worke ( h co casay of the complex token other departments might


a spout or one side of the apt high Alica rack at me Cone of this op out have the flow scheavack Deveral aperatures in its bollow of another time whereas tio also open at its lower Un Cone as a whale would end There aperatures are Controlled by sods Extending have a definite assay up along the spout to the Here I is Exembral soit top of the stock house only to know the actual wherethe belt delivers to assay of the whole cone the sports and have illustrally but that it shall be Ent a single Cone + spout un fig fit - The lower End of drawn at out afthe. Stock house so myed that the sport is front opened the cons formed by the sport is allthat Comes out Ohen by the hour lines when Oballhaue the Exact the ore gets up to the sport assay of the Sampler assay Close I Me 2 apartue is opened to do this I provide, + so on will the Cone is


Manner of one sport at the Underwealth the cove are top the rock is spead in the several spouts provided Come so the raller fields give with raller freds which Can be adjusted to fied from an orz us a whole fairly agreeing with the general the Cone Vito the Conveying away of the sampler but belt Various amounts of stell not near enough to ore until nearly all the ore produce a perfect dement of the cone is fid out what remains is left there permanently as "it will not to allow this a further myang is Essential & 9 my with any rock of accalplish this by which subsiquent comes Employing a double chocke By thus delivering the on top fundamenth the obsts form the Sols in Otook house -Coming it in the usu


One conveying oyolen fed out through the various ceroes to take dra from ralle feeds anto the mxing the dayer of deliver it to Conveying belt underwalk after leaving the stock house any one af several poles it rome proceeds up an or Cones while the angle where it meets the Corresponding belt underthe felt growthing to the top of Otock house draws off the stockhouse of dumps any cone of conveys it to on this or is then Coursed the next department of the to a clear part of the mill -Stock house & dumped to form a new cone The other awaying Dyslam when this cone is drawn is used purely for hugein off to the next department The operation is as follows the waying is so perfect often Come has been made that has a that of the

" Sampler'— Towng thus got both In the same stock house Lune + Cerhentrock in large are also dime rucke Cones quantities & of exact & known Commal Composition all The Crushing plant sometime running for Va day our that is necessary to Effect ampline of the two to Smustake of two or 3 days give a resultant which on Cementrock - The Wellburn to perfect Come mixing action Cakes place with the Lucestone Twlland Cement, as with the Cement rock-In another parketthe factory of provide two but the dune + Cement rack Large slorage tanks halden Comes are kept Deperate, about 100 tan each I draw from the slock home of the one with

are then Emplied into a Commercack Cheather rolarymyer which after with Limestone, under a few revolutions to Effect these tantes are two smaller tautes placed on ocales dufiet morning is dunped into a happer for which The alterdant fells are through a raller feed it took with comentrack + gree to a conveyor + Chance weigh it, having ascerdamin) to a stockhouse from the weight the phonocent of which the meetis Continuing Linestone necessary is known from the comple ass any drawing of Bath + the requestes amount of Line is drawn we the 2th (ank 4 asculanued by weight The Content of Both Califo







200 por les touplace elevators - Is him patentable? Lide shale to carry from one held

Dalsut want to be Confined to shape of pile- may use piles ofother shape-Vertical Cone or each rother ties to so that shiff at all stages Can be of sum of at Billin his need nax be inclined Claim witerposing mixer between weighing med & dilining-Mixes limestone as well as cement wek Claim muchph shouts for purpose of taking from displant portion appell suintamonly -

LAW OFFICES
OF AN OFFICES
DYER, EDMONDS & DYER,
SPECIALTY,
PATCHES AND PATCHE CRUSCS,
31 NABBAU ST., NEW YORK,

RICHARD N. DYEK, REGISTRATION HD. 405. SAMUEL O. EDMONOS,

Detition.

To the Commissioner of Patents:

your Petitioner, THOLAS A. EDISCH, a citizen of the United States, residing and having his post office address at Llewellyn Park, in the County of Essex and State of New Jersey,

PRAYS THAT LETTERS PATENT MAY BE GRANTED TO HIM FOR THE IMPROVEMENT IN MAGNETIC SEPARATORS

SET FORTH IN THE ANNEXED SPECIFICATION; AND HE HEREBY APPOINTS BYER, EDMONDS AND DYER (A FIRM COMPOSED OF RICHARD N. DYER, SAMUEL O. EDMONDS AND FRANK L. DYER), OF NO. 31 NASSAU STREET, NEW YORK CITY, HIS ATTORNEYS, WITH FULL POWER OF SUBSTITUTION AND REVOCATION, TO PROSECUTE THIS APPLICATION, TO MAKE ALTERATIONS AND AMENDMENTS THEREIN, TO RECEIVE THE PATENT, AND TO TRANSACT ALL BUSINESS IN THE PATENT, AND TO TRANSACT ALL BUSINESS IN THE PATENT, AND TO TRANSACT ALL

THOMAS A. EDISON.

## SPECIFICATION.

TO ALL WHOM IT MAY CONCERN:

Be it known that I, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park, in the County of Essex and State of New Jersey, have invented a certain now and useful IMPROVECTOR IN MAGNETIC SEPARATORS (Case No. 1023), of which the following is a description:

In my application case No. 1022 filed on even date herewith, I have described an improved process of magnetic separation consisting in bringing the mixed magnetic and non-magnetic particles into a field of magnetic attraction, in changing the direction of movement of such particles so as to result in the generation of centrifugal force which throws out the non-magnetic particles, and in withdrawing the magnetic particles from the magnetic attraction. The object of my present invention is to provide an improved apparatus for the carrying out of such a process.

In order that the invention may be better understood, attention is directed to the accompanying drawings forming a part of this specification, and in which figure 1 represents a plan of my improved apparatus; figure 2 an onlarged section of the magnet; figure 5 a diagram showing a series of the separators working in bank; figure 4 a longitudinal section of a modification; and figure 5 a section on the line 5-5 of figure 4.

In all of the above views, corresponding parts are represented by the same numerals of reference.

I represents a shaft, which is mounted in bearings 2, 2, and which may be driven in any suitable way, as for example from a pulley 3. The shaft 1 is provided with a cylindrical enlargement at its center constituting the core of the magnet. The poles of the magnet comprise the two disks 5, 5, which are bolted to the core as shown, and hav-

ing the overhanging rims 6, 6, the free edges of which are adjacent to each other so as to form a gap between them. The coil 7 is wound on the core within the magnet, as shown, and is supplied with current through insulated collecting rings 8, 8 and brushes 9, 9. Preferably the polar faces 6, 6 are entirely enclosed in a thin sheet of non-magnetic metal, such as brass, 10, whereby the magnet will present a continuous operating face to the feed belt 11, which is made of any suitable material. This belt extends over a pulley 12 carried on a shaft 13. The ampere turns in the coil 7 are so proportioned relatively to the mass of the magnetic poles as to result in the polar extremities 6, 6 thereof being nearly magnetically saturated. Material is fed to the belt 11 in any suitable way, as for instance from a hopper 14 having a roller feed 15. Mounted below the magnet is a suitable deflecting board 16, which may be actually located behind the vertical center of the magnet. Preferably a plurality of the separators are used, one above the other as shown in figure 3, the concentrates from the first separator passing by means of a chute 17 to a second separator 18, while the concentrates of this second separator pass by means of the chute 19 to a third separator 20. The final concentrates issue from the apparatus through a draw-off spout 21, while the non-magnetic particles are carried out of the apparatus through a spout 22. The operation will be as follows: Power is applied

to the shaft 1 to rotate the magnet and drive the belt 11 of each separator, and the mixed magnetic and non-magnetic particles are fed to the belt of the first separator, as for instance through the roller feed 15. The feed of the material to the belt may occupy substantially the entire width of the belt, since the entire polar faces of the magnet are, nearly as stated, preferably magnetically saturated. The speed at

from between six hundred and eight hundred feet or more per minute, but this speed should be so proportioned to the magnetic attraction of the magnet, to the magnetic affinity of the magnetic materials, and to the diameter of the magnet as not to result in the generation of a greater centrifugal force than is necessary to throw off the non-magnetic particles from the belt as it passes around the magnet. thus driving the belt at a relatively high speed, the nonmagnetic particles will be thrown off therefrom in front of the deflecting board 16 by the contrifugal force which is developed, while the magnetic particles will be caused to tenaciously adhere to the belt by the magnetic attraction. and will be gradually carried by the belt away from the lines of magnetic force as the particles pass beyond the vertical diameter of the magnet until they finally drop off. By thus utilizing in a magnetic separator the effect of centrifugal force, and by so proportioning the centrifugal force that it tends to positively throw off of the belt all non-magnetic particles without, however, affecting the magnetic particles, I secure a very perfect and rapid separation; in fact, the effect of the centrifugal action in the apparatus is sufficient to cause non-magnetic particles which would otherwise be entangled and entrained with the magnetic particles and carried through the apparatus, to be actually disentangled therefrom and to be thrown out by the centrifugal force. I consider it preferable to use a plurality of these separators, because by doing so the speed of separation can be increased by feeding to the first separator magnetic and non-magnetic materials in large quantities, and in correcting imperfections in the first separation by the subsequent separators, it being obvious that any non-magnetic particles which may have passed through the

which the belt is driven is very high, ranging generally

first separator will have further opportunity in the second and final separators of being disentangled and removed from the magnetic particles.

While I prefer to employ an apparatus using a rotating magnet around the polar faces of which the feedbelt passes directly, since such a construction is very simple and effective, yet it will be understood that the apparatus may be modified without departing from the scope of the invention. For example, the circular magnet may be held from rotation and may be provided with a rotatable shell working very close to the polar faces, and with which shell the belt may engage, as shown in figures 4 and 5. With this modification, a stationary shaft 23 carries a coil 24 which is surrounded by the two poles 25, 25. Mounted with respect to the stationary magnet thus formed, is a shell 26, which works very close to the polar faces, said shell being as thin as possible. This shell may turn upon the stationary shaft 23 and may be driven in any suitable way, as, for example, from a pulley 27. In order that the magnetic particles may be moved by the feed-belt 11 with respect to the stationary magnetic field which will be formed in the modified construction, said belt may be provided with transverse cleats 28, which effect a positive movement of the magnetic particles with respect to the field. With this modification, it will be observed that the centrifugal force will result in the separation of the non-magnetic particles. while the magnetic particles will adhere tenaciously to the belt in their movement with respect to the field.

Having now described my invention, what I claim as new and desire to secure by Letters Patent is as follows:- 1. An improved magnetic separator comprising a feed device movable with respect to a fixed center, means for developing a magnetic field concentric to said center and adjacent to the feed device, means for feeding mixed magnetic and non-magnetic particles to the feed device, and means for moving said feed device at a sufficiently high velocity as to result in the generation of centrifugal force to throw off the non-magnetic particles but not sufficient

to withdraw the magnetic particles from the effect of said

field, substantially as set forth.

2. An improved magnetic separator comprising a feed-bolt to which the mixed magnetic and non-magnetic particles are fed, a rotating support for said belt, whereby the belt is caused to move with respect to a fixed center, means for developing a magnetic field concentric to said center and within which the belt moves, and means for moving said belt at a sufficiently high velocity as to result in the generation of centrifugal force to throw aff the non-magnetic particles but not to withdraw the magnetic particle from the effect of said field, substantially as set forth.

3. An improved magnetic separator comprising a rotating magnetic field, means for feeding mixed magnetic and non-magnetic particles to said field, means for rotating the field at a sufficiently high velocity as to result in the generation of centrifugal force to throw off the non-magnetic particles, and means for positively withdrawing the magnetic particles so separated from the effect of said field, substantially as set forth.

4. An improved magnetic separator comprising a retating magnet, a belt passing around said magnet and to which the mixed magnetic and non-magnetic particles are fed, and means for moving said belt and magnet at a sufficiently high speed as to result in the generation of centrifugal force to threw off the non-magnetic particles, substantially as set forth.

5. An improved magnetic separator comprising in combination a magnet consisting of a core and a pulleylike polar extremity curried by the core, a halt cooperating with said polar extremity and to which the magnetic and non-magnetic particles are fed, and means for moving said bolt at a sufficiently high speed as to result in the generation of centrifugal force to three out the magnetic particles, substantially as set forth.

6. An improved magnetic separator comprising a core, a disk at each end of said core, an overham; ing polar extremity carried by each of said disks, the whole constituting a pulley, a belt comparating the rewith, means for feeding magnetic and non-magnetic material to said belt, and means for moving the belt at a sufficiently high speed as to result in the generation of centrifugal force to throw out the non-magnetic particles, substantially as set forth.

7. An improved magnetic separator comprising a core, a disk at each end of said core, an overhauging polar extremity carried by each of said disks, the whole constituting a pulley, a belt cooperating therewith, means for fooding magnetic and non-sugnetic material to said belt, means for noving the belt at a sufficiently high speed as to re-

sult in the generation of centrifugal force to throw out the non-magnetic particles, and a shield of non-magnetic material covering the polar extremities, substantially as set forth.

8. An improved magnetic separator comprising a

core, a disk at each end of said core, an overhanging polar extremity carried by each of said disks, the whole constituting a pulley, a belt cooperating therewith, means for feeding magnetic and non-magnetic material to said belt, means for moving the belt at a sufficiently high speed as to result in the generation of centrifugal force to throw out the non-magnetic particles, and a magnetizing coil enclosed within the polar extremities of said magnet and so proportioned to the mass of the magnet as to result in the polar extremities being nearly magnetically saturated, substantially as set forth.

9. An improved separating apparatus comprising a plurality of magnetic separators arranged to successively act upon the concentrates from the previous separator, and each separator comprising a rotating magnet and a belt to which the material is fed, the speed of the belt being sufficient to throw off the non-magnetic particles by contrifugal force, substantially as sot forth. THIS SPECIFICATION SIGNED AND WITNESSED THIS 3rd DAY OF January 1900.

	THOMAS A. EDISON
Witness	25:
1.	W.S. MAILORY
2.	J. F. RANDOLPH

## Oath.

State of NEW JERSEY
County of ESSEY

§ 55.:

THOMAS A. EDISON, THE ABOVE-NAMED

PETITIONER, BEING DULY SWORN, DEPOSES AND SAYS THAT HE IS A CITIZEN OF THE United States, and a resident of Llewellyn Park, in the County of Essex and State of New Jersey;

THAT HE VERILY BELIEVES HIMSELF TO BE THE ORIGINAL, FIRST AND SOLE INVENTOR OF THE IMPROVEMENT IN MAGNETIC SEPARATORS

DESCRIBED AND CLAIMED IN THE ANNEXED SPECIFICATION; THAT HE DOES NOT KNOW AND DOES NOT BELIEVE THAT THE BAME WAS EVER KNOWN OR USED BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR PATENTED OR DESCRIBED IN ANY PRINTED PUBLICATION IN THE UNITED STATES OF AMERICA OR ANY FOREIGN COUNTRY BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION OF FOREIGN PATENT HAS BEEN FILED BY HIM OR HIS LEGAL REPRESENTATIVES OR ASSIGNS IN ANY FOREIGN COUNTRY.

DATACITE	TATO TOT COST

SWORN TO AND SUBSCRIBED BEFORE ME THIS 3rd DAY OF January MEEX 1900

J. F. RANDOLPH

NOTARY PUBLIC. for New Jersey.

(SEAL)

SERIES OF 1900.

Department of the Interior,

Unnited States Patront (

Markington D. G. A. A.

SIR:

I have to acknowledge the receipt of the petition, specification, cath, and drawing of your alleged Improvement in

Nagartha Kalaratera

with Fifteen Dollars as the first fee payable thereon.

The pupers are duly filed, and your application for a patent will be taken up for examination in its order. The drawing is informal, but has been admitted

of purposes of examination to us order of purposes of examination.

Butto in tention chould be written whould be written burtly with the control of the cont

You will be duly advised of the examination.

Very respectfully,


Case will be taken up .c. examination in about one month.

Commissioner of Patente,

Dyer, Edmonds & Dyer,

Annual constitute on application for a patent, the inventor is by law required to familiah his polition, specification only and the major district of the case affects of the constitute of the case affects of charitage) and the pay the required fee.

No application is considered as complete, nor can any official action be had thereon, until all (te parts, sie here specified, as translated it to the form by the law-scale or applicant.



Applicant's drawing has been criticised by the Chief Draftsman 68 follows: "Informal, parts in section should be section lined. Admit for exemination only." Should this application be finelly found charmine allowable, the drawing must be relieved of objection

before the case can be passed to desue. Applicant is required to climitate. "Gase No. 1023 "from the prescribe to the specification, and "case No. 1022 "from the Eight Line following the prescribe, and to substitute the Office serial number and the date for the latter of the County is replaced in the office of the latter of the County is replaced in the office of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the references for claim 1.

Claim 6.1s rejected in view of the references for claim 2. Inlaim 6.1s rejected in view of the references for claim 2. Inlaim 6.1s rejected in view of the references for claim 2. Inlaim 6.1s rejected in view of the references for claim 2. and Britishlyatons 15,855, Janquith, July 20th, 1996.

Bruss 18, I savey assistance the exact word or words to be stricted on us or inserted in the application must be specified and the specific point independent must be so positive to the specific point of the protocy point in the protocy point of the protocy of the protocy point the protocy point of the

T. A. Edison. Claim 6 is rejected in view of Langguth, cited. The nonmagnetic particles are discharged; in part, by centrifugal force in

Langguth, and it would not involve invention to impart to Langguth's belt such a speed as to make such force the main factor in the discharge, in view of Smith, Hoffman and Buchanan, cited.

Adlaim 7 is rejected in view of Langguth, cited; and feature E, of 528,054, Williams, Oct. 25d, 1694. Claim 6 is rejected as destitute of patentable novelty

in view of Langguth, cited. Blaim 9 is rejected in view of Langguth and Buchanan, cited.

The references are in Mills; Ore & Goal, Magnetic Separators.

Case No. E-1023,

Abandoned,

Filed January 9,1900.

Improvements in Magnetic Separators,

Claims.

- 1. An improved magnetic separator comprising a feed device movable with respect to a fixed center, means for developing a magnetic field concentric to said center and adjacent to the feed device, means for feeding mixed magnetic and non-magnetic particles to the feed device, and means for moving said feed device at a sufficiently high velocity as to result in the generation of centrifugal force to throw off the non-magnetic particles but not sufficient to withdraw the magnetic particles from the effect of said field, substabilially as set forth.
- 2. An improved magnetic separator comprising a feedbelt to which the mixed exemptic and non-magnetic particles are fad, a rotating support for said belt, whereby the belt in caused to move with respect to a fixed centor, means for developing a magnetic field concentric to said center and within which the bult moves, and means for moving said belt at a sufficiently high velocity as to result in the generation of centrifugal force to throw off the nonmagnetic particles but not to withdraw the magnetic particles from the effect of said field, substantially as set forth.
- 5. An improved magnetic separator comprising a rotating magnetic field, means for feeding mixed magnetic and non-segmetic particles to said field, means for rotating the field at a sufficiently high velocity as to result in the generation of contringal force to throw off the non-magnetic particles, and means for positively withdrawing the magnetic

particles so separated from the effect of said field. substantially as set forth.

- 4. An improved magnetic separator comprising a rotating magnet, a belt passing around said magnet and to which the mixed magnetic and non-magnetic particles are fed and means for moving said belt and magnet at a sufficiently high speed as to result in the generation of centrifusal force to throw off the non-magnetic particles, substantially as set forth.
- 5. An improved magnetic separator comprising in combination a magnet consisting of a core and a pullevlike polar extranity carried by the core, a belt comperating with said polar extremity and to which the magnetic and onmagnetic particles are fed, and means for moving said belt at a sufficiently high speed as to result in the generation of centrifugal force to throw out the magnetic particles,

substantially as set forth.

an overhanging polar extremity carried by each of said disks a disk at each end of said core , the whole consituting a pulley, a belt cooperating therewith, means for feeding magnetic and non-magnetic material to said belt, and means for moving the belt at a sufficiently high speed as to result in the generation of centrifugal force to throw out the non-magnetic particles, substantially as set forth. 7. An improved magnetic separator comprising a core.

o. An improved magnetic separator comprising a core.

a disk at each end of said core, an overhanging polar extremity carried by each of said disks, the whole constituting a pulley, a belt cooperating therewith, means for feeding magnetic and non-magnetic material to said helt, means for moving the belt at a sufficiently high speed as to result in the generation of centrifugal force to throw out the non-magnetic particles, and a shield of non-magnetic material covering the polar extremities, substantially as set forth.

separator

9. An improved, apparatus comprising a plurality of
magnetic separators arranged to succesively act upon the
concentrates from the previous separator, and each separator
comprising a rotating magnet and a belt to which the material
is fed, the speed of the belt haing sufficient to throw off
the non-magnetic particles of centrifugal force, substantially as set forth.

No. 2335	P.1024	Serial No. 826
Shomes a Educar		Address.
in Cuch.		mg Ore and Other North
ssignee		
.ss'g't Exec. R	ecorded	LiberPage
Patent No.	Issued	-
Ryents Jany 2		
Rejected Meh 61		
	19	200
	21	(19 000)
10° 10° 10° 10° 10° 10° 10° 10° 10° 10°	23	0
G. J. Du	25 26	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
,	28	

31 Nassau Street, NEW YORK CITY.

6.1024

DYER, EDHONDS & BYER.

BYER, EDHONDS & BYER.

BYER, EDHONDS & BYER.

BYER, EDHONDS & BYER.

BYER, EDHONDS & BYER.

BYER, EDHONDS & BYER.

BYER, EDHONDS & BYER.

RICHARD N. DYER, RESISTRATION NO. 408. SAMUEL O. EDMONGS, REDISTRATION NO. 41.

# Detition.

To the Commissioner of Patents:

vous periffores THOMAS A. NDISON, a citizen of the United States, residing and having his Post Office address at Liewellyn Park, in the County of Essex and State of New Jersey,

PRAYS THAT LETTERS PATENT MAY BE GRANTED TO HIM FOR THE APPARATUS
FOR DRYING AND SORRERING ORSE AND OTHER MATERIAL IN BULK

SET FORTH IN THE ANNEXED SPECIFICATION; AND HE HEREBY APPOINTS DYER, EDMONDS AND THE HEREBY APPOINTS DYER, EDMONDS AND FRANK L. DYER, OF NO. 31 NASSAU STREET, NEW YORK CITY, HIS ATTORNEYS, WITH FULL POWER OF SUBSTITUTION AND REVOCATION, TO PROSECUTE THIS APPLICATION, TO MAKE ALTERATIONS AND AMENDMENTS THEREIN, TO RECEIVE THE PATENT, AND TO TRANSACT ALL BUSINESS IN THE FATENT OFFICE CONNECTED THEREWITH.

Thomas a Edicon

#### SPECIFICATION.

TO ALL WHOM IT HAY CONCERN:

De it known that I, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park, in the County of Essex and State of New Jersey, have invented a certain new and useful APPARATUS FOR DRYING AND SCREENING ORES AND DTHER MATERIAL IN SUUK (Case No. 1024), of which the following is a specification:-

In my application Case No. 1017 (filed November 9, 1899, Sarial No. 736,350), I describe end claim an improved process of drying and screening ores and other material in bulk, consisting in crushing the wet or damp ore or other bulk material, in passing the crushed material through a dryer by which it is dried, in then subjecting the dried, crushed material to a screening operation by which partities of sufficient fineness will be separated from the material and conducted to the point of use, in recrushing the tailings of the screen or screens, which tailings are known in the art as "returns", in mixing the recrushed, dry, hot returns with frashly crushed, wet material, and in passing the mixture again through the dryer, and so on. My present invention relates to an improved apparatus for carrying such a process into effect.

In order that the invention may be better understood, attention is directed to the accompanying drawing, showing the improved apparatus in diagram.

l represents a pair of crushing rolls or other crushing apparatus, provided with a hopper 2, into which the wet or damp one or other material in bulk is delivered. This rushing apparatus is of any suitable type. 3 is a conveyor batt, located beneath the crushing apparatus 1 and receiving the crushed material therefrom. 4 is an elevator, into the boot of which the crushed material from the convoyor 3 is deposited. This elevator carries the crushed material upwards and deposits it in the hopper 5 of a dryer 6 of any suitable type. Preferably the dryer 6 is supplied with hot air from a furnace 7 and is provided on its interior with the inclined baffle-plates 8, by which the material will be caused to pass through the dryer in the shape of a plurality of flat, zig-zag streams. The crushed, dried material from the dryer 6 is deposited in the boot 9 of an elevator 10, and is conveyed by said elevator to a screening apparatus 11 of any suitable type. Preferably this scrooning apparatus comprises a plurality of screen sections 12, 12, and a series of checking surfaces 13, by means of which the material after it has passed over one screen section will be brought to rest before passing over the screen section next below. By thus passing the material more slowly over the screen sections, the screening operation is facilitated.

The fine material from the screens falls upon an incline 14 and 1s deposited on a conveyor 15, by which it is carried to the point of use. The tailings of the screens, which are in the form of dry, hot returns, are passed through a recrushing apparatus 16 of any suitable type and by which such tailings will be recrushed. The recrushed material from the recrushing apparatus 16 is deposited on the conveyor 3, so as to be intimately associated with the wet or damp material from the crushing apparatus 1.

The operation will be as follows: The vet or damp

ore or other material in bulk is supplied to the hopper 2 in the desired quantity and to crushed between the crushing rolls 1 or other crushing apparatus. The wet or damp,

crushed material being deposited on the conveyor 3 will be elevated by the elevator 4 and pass through the dryer 6, by which it will be dried. From the dryer 6, the crushed, dry material will be clevated by the elevator 10 and pass through the screening apparatus 11. Sufficiently fine material will be carried off by the conveyor 15, but the course tailings or returns will be passed through the recrushing apparatus 16 and again deposited upon the conveyor 3. By thus adding the recrushed, dry, not returns to the wet or damp material on the conveyor 3, a part of the moisture carried by the wet or damp material will be driven out and the proportion of moisture contained in the mixture passing through the dryer 6 will be considerably reduced, so that a relatively small dryer may be used, utilizing comparatively low temperatures.

Having now described my invention, what I claim as new and desire to secure by Letters Patent is as follows:

1. An apparatus for screening and drying set or laws material in bulk, comprising in combination a crushing apparatus, a dryer to which the crushed, set or damp material is directed, a screening apparatus for screening the fried, crushed material from the dryer, and means for revushing the tailings of said screening apparatus and for mixing the recrushed tailings with the crushed, wet or damp material, substantially as set forth.

2. An apparatus for screening and drying wet or damp material in bulk, comprising in combination a crushing apparatus, a dryer to which the crushed, wet or damp material is directed, a screening apparatus to which the dried, prushed material from the dryer is directed, a recrushing apparatus for recrushing the tailings of the screening apparatus, and means for mixing the recrushed, dry tailings

with the crushed, wet or damp material, substantially as set forth.

3. An apparatus for screening and drying wet or damp material in bulk, comprising in combination a crushing apparatus, a dryor to which the crushed, wet or damp material is directed, a screening apparatus to which the dried, crushed material from the dryor is directed, a recrushing apparatus for recrushing the tailings of the screening apparatus, and a conveyor located boneath the crushing and recrushing apparatus and onto which the crushed and recrushing apparatus and conveyor located boneath the screening apparatus and onto which the crushed and recrushed material is deposited, substantially as set forth.

THIS SPECIFICATION SIGNED AND WITNESSED THIS 3 at DAY OF REMINISTER 1900 Norman II. Edicon

Witnesses:

J. J. Pauseph

Oath.

State of Men Jersen } \$55.:

THOMAS A. EDISON

THE ABOVE-NAME

PETITIONER, BEING DULY SWORN, DEPOSES AND SAYS THAT HE IS A CITIZEN
OF THE United Statos and a resident of Llewellyn Park, in the
County of Essex and State of Hey Jersey;
THAT HE VERILY BELIEVES HIMSELF TO BE THE ORIGINAL, FIRST AND SOLE INVENTOR
OF THE APPARATUS FOR DRYING AND SORESHING ONES AND OTHER
MATERIAL IN HUK

DESCRIBED AND CLAIMED IN THE ANNEXED SPECIFICATION; THAT HE DOES NOT KNOW AND DOES NOT BELIEVE THAT THE SAME WAS EVER KNOWN OR USED BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR PATENTED OR DESCRIBED IN ANY PRINTED PUBLICATION IN THE UNITED STATES OF AMERICA OR ANY FOREIGN COUNTRY BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION FOR FOREIGN PATENT HAS SEEN FILED BY HIM OR HIS LEGAL REPRESENTATIVES OR ASSIGNS IN ANY FOREIGN COUNTRY.

SWORN TO AND SUBSCRIBED BEFORE ME THIS 3 MAY OF JOHN 196

J. Pandoly.

motary public for

(SEAL)

"The Commissioner of Patents, Washington, D. C." SERIES OF 1900.

DEPARTMENT OF THE INTERIOR,

United States Patent

Jan. ARICHARDA DY

SIR:

I have to acknowledge the receipt of the petition, specification, oath, and drawing of your alleged Improvement in

Apparatus for Drying of Sorrening

with Fifteen Bollare as the first fee payable thereon.

The papers are duly filed, and your application for a patent will be taken

up for examination in its order. The drawing is informal, but has been admitted

Parte in solid black should be section hand.

You will be duly advised of the examination.

Very respectfully,

Case will be taken up an examination in about one mens

H Duell

Dhomas U Edwar .

of Dyer, Edmonds + Dyer.

vix.—a order to constitute an application for a pakes, the inventor is by law required to farmish its position, specification out, and drawings (where the nature of the case admits of classings) and to pay the required fee.

No application is considered at complete, nor can any official netion be had thereon, until spli'ties parts, as there expectified, an furnished it due form by the inventor or application.

3-011.

Room No. 261. ".
All communications clouds be address to
"The Commissioner of Patents,
Washington, D. C."

All comes: leations respecting this application should give the serial number date of illing, and title of invention,

DEPARTMENT OF THE INTERIOR,

UNITED STATES PATENT OFFICE,

WASHINGTON, D. C., Jan. 29, 1900.

Thomas A. Edison,

C/o Dyer, Edmonds & Dyer,

31 Nassau St.,

New York, N. Y.

Please find below a communication from the EXAMINER in charge of your applied

Ser Ho 825, Filed Jan. 9, 1900, for "Apparatus for Drying and Screening Ores."

C. H. Driell Commission of Patents.

This application has been taken up for examination.

The claims are rejected upon the patents to Cummer, No. 634, crift 199, Oct. 3, 1899, in Driers, Cyl., Int., Rot., Inclined, and No. // 634,200, Oct. 3, 1899, in Driers -Processes. No invention would be required to use one crusher to crush the material before it reaches the drier, and another to crush the tailings from the screen.

RULE 73. In overy amendment the exact word or words to be stricten out or inserted in the application must be specified and the precise point indicated where the erasure or insertion is to be made. All such amendments must be on sheets of paper separate from the papers previously field, and written on bits one side of the paper.

THOMAS A. EDISON

APPARATUS FOR DRYING AND SCREENING ORES:
FILED JAHUARY 9, 1900 ROOM NO. 261.

FILED JAHUARY 9, 1900 SERIAL NO. 825.

HON. COMMISSIONER OF PATENTS,

SIR:

Reconsideration of the claims is respectfully requested, for the following reasons:-

1. Applicant's invention relates to an apparatus for dealing with refractory materials, such as ore, necessitating the employment of crushing devices. The Cummer patents both relate to upparatus for treating soft and easily disintegratable material, like garbage.

2. Since applicant deals with refractory material, he employs of necessity in the apparatus a crushing device, but since Cummer employs his apparatus with garbage etc., he does not use a crushing device.

3. With applicant's apparatus, the crushed, we or damp material is mixed with the recrushed, hot or dry allings or returns before being introduced into the dryer. In the Cummer patent, the disintegrated tailings from the screen are added to the fresh garbage at the hopper of the dryer, so that there is not an intimate mixture.

4. So far as the third claim is concerned, it is limited specifically to "a conveyor located beneath the rushing and recrushing apparatus and onto which the crushed and recrushed material is deposited". By using a conveyor of this kind, the mixture of the crushed and recrushed material is facilitated. An equivalent, therefore, is not cound in either of the Cummer patents of record.

Very respectfully.

THOMAS A. EDISON

Ву

New York, February 21, 1900.

His Attorneys.

Room No. 261.

2--021.

All committations respecting this application should give the social numbdate of filing, and title of invention.

DEPARTMENT OF THE INTERIOR,

United States Patent Office,

WASHINGTON, D. C., March 6, 1900.

T. A. Edison,

C/o Dyer, Edmonds & Dyer,

31 Nassau Street,

New York, N. Y.

Flease find below a communication from the EXAMINER in charge of your application.

Ser No 825, Filed Jan. 9, 1900, for "Apparatus for Drying Ore, &c"

C. H. Duell Commissioner of Patents.

This application has been again examined, and as no reason is seen for modifying the previous action, the claims are finally rejected upon the references of record. The apparatus shown in the references is described as intended for use in disintegrating and drying lignite and gypsum as well as garbage.

Case No. E-1024,

Abandoned,

Filed Jan. 9,1900,

Apparatus for Drying and Screening Ores and other Material in Bulk.

#### Claims.

- 1. An apparatus for screening and drying wet or damp material in bulk, womprising in combination a crushing apparatus, a dryer to which the crushed, wet or damp material is directed, a screening apparatus for screening the dried, crushed material from the dryer, and means for recrushing the tailings of said screening apparatus and for mixing the recrushed tailings with the crushed, wet or damp material substantially as set forth.
- 2. An apparatus for screening and drying met or damp meterial in bulk, comprising in combination a crushing apparatus, a dryer to which the crushed, wet or damp matteriel is directed, a screening apparatus to which the dried, crushed material from the dryer is directed, a recrushing apparatus for recrushing the tailings of the screening apparatus, and means for mixing the recrushed, dry tailings with the crushed, wet or damp material, substantially as set forth.
- 5. An apparatus for screening and drying wet or damp material in bulk, comprising in combination a crushing apparatus, a dryer to which the crushed, wet or damp material is directed, a screening apparatus to which the dried, crushed material from the dryer is directed, a recrushing apparatus for recrushing the tailings of the screening apparatus, and a conveyor located beneath the crushing and recrushing apparatus and onto which the crushed and recrushed material is deposited, substantially as set forth.

No. 2342	36 Serial No. 3456
<u> 68. 70</u>	0.26 Serial No.0700
Applicant	Address.
Thomas a Edwan	
Title Method of Making o	9. C. A.
Title Onler of of Making o	mi Screening Oldles
(1-)	
Filed auuary 31, 1900.	Examiner's Room No. 149
	<del></del> _
Assignee	
_	
Ass'g't Exec. Recorded	LiberPage
	<del></del> .
Patent No.	Issued
۸۳	rions.
Q - Q.	7
. Rejulis Febra 27/14	00,16
2 Amended Mch 29,1900.	17. 18. () J. W. W. W
3 Alyetes Apr 17, 1900	0 0 0
Appealed Aug 29, 1900	10 (1)3000
4 5 7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	. 19
5 Ein's Strown Sep. 19,190	
6 Acquire set for Oct 8,190	? 21
nif files bet 12, 1900.	
8 Dicision Oct 16,1900	· le la
8 22 20 2 20 18,7400	23
9	24 JY DY J P
0	25 1 P/(h.L
x	26
3	27
3	28
4	29
5	30
	OYER, EDMONDS & DYER,

31 Nassau Street, NEW YORK CITY. DYER, EDNONDS & DYER.

PREDICTY,

Patents and Datent Causes,

RICHARD N. DYER.

Detition.

To the Commissioner of Patents:

YOUR PETITIONER, THOMAS A. EDISON, a citizen of the United States, residing and having his post office address at Llewellyn Park, in the County of Essex and State of New Jersey,

PRAYS THAT LETTERS PATENT MAY BE GRANTED TO HIM FOR THE METHOD OF MAKING FINE SCREENING PLATES

SET FORTH IN THE ANNEXED SPECIFICATION; AND HE HEREDY APPOINTS DYER, EDMONDS AND DYER (A FIRM COMPOSED OF RICHARD N. DYER), SAMUEL O. EDMONDS AND FRANK L. DYER!, OF NO. 31 NASSAU STREET, NEW YORK CITY, HIS ATTORNEYS, WITH FULL POWER OF SUBSTITUTION AND REVOCATION, TO PROSECUTE THIS APPLICATION, TO MAKE ALTERATIONS AND AMENDMENTS THEREIN, TO RECEIVE THE PATENT, AND TO TRANSACT ALL BUSINESS IN THE PATENT OFFICE CONNECTED TYPERFOUNTH.

Thomas a. Edison

#### SPECIFICATION.

TO ALL WHOM IT MAY CONCERN:

Be it known that I, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park, in the County of Essex and State of New Jersey, have invented a certain

new and useful METHOD OF MAKING FINE SCREENING PLATES (case No. 1026), of which the following is a description:

My invention relates to the process of making fine soreening plates of the type, described in my application for patent filed June 29, 1899, Serial No. 722,229, said plates being of extreme thinness and having screening oritices, preferably slots, therein of greater width than the thickness of the plates. The object of the present invention is to provide a method of making such plates, whereby their durability will be increased.

In carrying my process into effect I subject the soreening surface, and preferably both surfaces, of the plate to a hardening operation, the central portion of the plate remaining in a malleable condition, so that the plate will not be of objectionable brittleness.

In the accompanying drawing I show in figure 1 a cross-sectional view of a screen plate of extreme thinness and provided with elongated slots therein of greater width than the thickness of the plate, and in figure 2 a similar view illustrating the apparatus for carrying out the improv-

ed process followed in the partial hardening of such plates.

In both of the above views corresponding parts are represented by the same letters of reference.

A represents a thin sheet metal plate suitably hardened as I will explain, provided with orifices, preferably slots, a therein. The relation between the thickness of the plate A and the width of the orifices a is such that the former dimension is less than the latter. In the specific instance illustrated I show a plate which is indicated as being .006 of an inch in thickness and having slots a therein which are indicated as being of a width each of .009 of an inch.

In making these screens I prefer to proceed substantially as follows: A sheet-iron plate A is first secured, and the orifices a are formed therein preferably in a punchpress with gang-dies or punches. The plate, after having been punched with the orifices, is then dipped in a bath of molten cyanide of potassium for a few seconds. It is then withdrawn and immediately laid upon a flat iron plate such as B (figure 2), over which is located a corresponding plate C, which is allowed to drop upon the punched plate A. The sudden chilling to which the plate A will be subjected by coming in contact with the larger masses of the plates B and C, serves to harden the plate A and to keep it perfectly flat until cooled. Any tendency of the plate A to warp or buckle during the cooling operation is thus overcome. After the punched plate A has sufficiently cooled, it is then immersed in a water bath to dissolve off the cyanide of potassium, and after this bath it is dried and oiled in any suitable and usual manner. As a specific instance of a convenient process for the proper hardening of plates .006 of an inch in thickness having punched slots therein each of a width of .009 of an inch. I will state that the plate may be allowed to remain in the molten bath of cyanide of potassium for thirty-five seconds, and during this period the iron will become carbonated to a depth of about .001 of an inch on each side. The surface hardening to which the screen plate will be thus subjected between the plates B and C will be of a very high order, while at the same time the

immer portions of the plate will be left sufficiently soft and pliable as to allow the plate to be bent or otherwise manipulated. If the plate were allowed to remain too long in the bath of symide of potassium, it would be rendered objectionably brittle, since the absorption or carbon would

progress entirely through the same.

Instead of the special surface hardening process above described for the proper hardening of screen plates of this specific character, it will be understood that surface hardening of said screens may be carried out by the usual method of cementation by packing the plates in charcoal, leather, etc. I consider the special process above described to be preferable however, since it is more expeditious and the depth of carbonistion is under entire control.

Having now described the invention, what I claim as new and desire to secure by Letters Patent is as follows:

- The method of making screening plates which consists in first forming a series of orifices in a sheet of malleable metal, and in subjecting the screening surface of said metal to a hardening process, substantially as set forth.
- The method of making screening plates which consists in first forming a series of orifices in a plate of malleable metal, and in subjecting both surfaces of said
- plate to a hardening process, substantially as set forth.

  3. The method of making screening plates which
- consists in first forming a series of orifices in a plate of malleable metal, in dipping the plate in a carbonating liquid, in then subjecting the screening surface to a chilling action, and in finally washing the plate-to-remove-such
  - 4. The method of forming screening plates which

liquid, substantially as set forth.

consists in first forming a series of orifices in a plate of. malleable metal, in dipping the plate in molten cyanide of potassium, in then subjecting the screening surface to a chilling action, and in finally washing the plate to remove the cyanide of potassium, substantially as set forth.

- 5. The method of making screening plates which consists in forming a series of orifices in a plate of malleable metal, in dipping said plate in a bath of molten cyanide of potassium, in chilling the screening surface of said plate, in maintaining the plate under a flattened pressure until cool, and in finally washing the plate for the removal of the cyanide of potassium, substantially as set forth.
- 6. The method of making screening plates which consists in forming a series of orifices in a plate of malleable metal, in dipping the plate in a bath of molten oyanide of potassium, in subjecting the plate to pressure between two plates of larger mass, whereby the surfaces of the screen plate will be chilled and the plate will be maintained under pressure during the cooling operation, and finally, after the said plate has been cooled, in dipping it in a bath of water for the removal of the cyanide of potassium, substantially as set forth.

THIS SPECIFICATION SIGNED AND WITNESSED THIS 2 The DAY OF RUMAN, 189

Mitnesses :

J. F. Randoeph Frederick C. Nevended

Oath.

State of The firey

} 88.:

THOMAS A. EDISON, THE ABOVE-NAMED

PETHIONER, BEING DULY SWORN, DEPOSES AND SAYS THAT HE IS A citizen
OF THE United States, and a resident of Llewellyn Park, in the
County of Essax, State of New Jersey;

THAT HE VERILY SELIEVES HIMSELF TO BE THE ORIGINAL, FIRST AND SOLE INVENTOR OF THE METHOD OF MAKING FINE SORRENTING PLATER

DESCRIBED AND CLAIMED IN THE ANNEXED SPECIFICATION; THAT HE DOES NOT KNOW AND DOES NOT BELIEVE THAT THE GAME WAS EVER KNOWN ON USED BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR PATENTED OR DESCRIBED IN ANY PRINTED PUBLICATION IN THE UNITED STATES OF AMERICA OR ANY FOREIGN COUNTRY BEFORE HIS INVENTION ON DISCOVERY THEREOF, OR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION FOR FOREIGN PATENT HAS BEEN FILED BY HIM OR HIS LEGAL REPRESENTATIVES OR ASSIGNED IN ANY FOREIGN COUNTRY.

SWORN TO AND SUBSCRIBED BEFORE ME THIS AFT DAY OF Stray The

ISEAL

Vet Mardalph

Fig.1 Fig. 2 Witnesses: Jas. 7: Coleman Inventor

1026 2-161. DEPARTMENT OF THE INTERIOR. I have to acknowledge the receipt of the petition, specification, oath, and drawing of your alleged Improvement in with Fifteen Dollars as the first fee payable thereon. The papers are duly filed, and your application for a patent will be taken up for examination in its order You will be duly advised of the examination. Case will be taken up for Very respectfully,

NOTE.—In order to constitute an application for a putent, the inventor is by law required to furnish his coath, and drawings (when the nature of the case admits of drawings) and to pay the required to.

No application is consoliered a complete, but can any official action be instituted, until all its parts, furnished in due form by the inventor or applicant.

SIR:

- ---

Room No. 149.
All consumments are should be addresses to
"The Commissioner of Patents,
Weshington, D. C."

### ERIOR.

United States Patent Office,

WASHINGTON, D. C., February 27 1900.

Thomas A. Raison,

Care Dyer, Edmonds & Dyer,

31 Nassau Street,

New York City.

U. FEB 97 1000 L.

Please find below a communication from the EXAMISES in charge of your application. for Method of making Fine Screening-Plates. filed Jan ary 31 1900-No. 5456.

> C. H. Duell Commissioner of Fatents,

The rord <u>carburized</u> should be substituted for "carbonated" in line 30, page 2, <u>carburization</u> for "carbonation", line 14, page 3, and <u>carburizing</u> for "carbonating", line 28, page 3.

The carburizing agent is not liquid after cooling and hence claim 3 is incorrect in statement.

What is mount by "flattened pressure", claim 5, is not clear.

In claim 6 the plates should be recited as cold, there being otherwise no chilling action.

Claims 1,2,3 and 4 are rejected on U.S.Mo.52796, Peby.20,1856, Savage, A.& T.O.& O.H.Compounds; the use of the process of case narianing there described for hardening sersen plates, made in the ordinary way, would not involve invention.

Claims 5 and 6 are rejected on patent to Savage, taken with British No. 1037 April 25 1864, Dodge, A. & T. Hard App. Clamps.

RULE 73. In every assendment the exact word or words to be stricken out or interest in the application must be specified and the precise point indicated where the ensure or insertion is to be unde. All such "and findicated where the ensure or insertion is to be unde. All such "and findicated where the precise previously filled, and written on but does side of the paper.

THOMAS A. EDISON
MUTHOD OF MAKING FINE SORFERING PLATES

PILED JANUARY 31, 1900

SERIAL NO. 3456

ROOM NO. 149.

HOMORABLE COMMISSIONER OF PATEMES,

SIR:-

amend as follows:
Page 2, line 30, erase "carbonated" and substitute

In the above entitled application, we

---- carburized ----

Page 3, line 14, erase "carbonation" and substitute

Claim 3, line 3, erase "carbonating" and substitute
---- carburizing ----; lines 5--6, erase "to remove
such liquid".

Claim 6, line 5, before "plates" insert ----cold---
By the expression "flattened pressure" in claim 5,

applicant means the application of pressure which contains

the screening plate in a flattened condition. Re-

consideration of the claim's requested.

Applicant does not claim broadly or specifically a method of case-hardening metal plates. The claims cover applicant's invention of case-hardening screening plates by which an essentially new article of manufacture will be secured. So far as applicant knows, no one before his invention ever made use of a screening plate which approached in thinness the plates used by applicant. By using ex-

treasely thin screening plates, a very superior screening operation can be effected; yet such plates would be entirely worthless unless they were made durable enough for the

purpose, and to this end therefore, applicant subjects the

screens to a case-hardening process by which a hardened screening surface can be secured.

Very respectfully,

THOMAS A. EDISON,

**T**---

His Attorneys.

New York, March 29, 1900.

2-246.

Room Nol.49.... onnunications should be addressed to "The Commissioner of Potents, Washington, D. C."

DEPARTMENT OF THE INTERIOR. United States Patent Office.

WASHINGTON, D. C.,

A.M.H.

Apr. 17, 19

Thomas A. Edison.

Care Dyer, Edmonds & Dyer,

31 Nassau St.,

New York, H. Y.

Please find below a communication from the EXAMINER in charge of your application.

No. 3456, filed Jan. 31, 1900, - "Method of Haking Fine Screening Plates".

C. H. Duell

Amendment filed Mar. 30, 1900, has been entered.

It is still held that the expression "flattened pressure" is not descriptive, and the explanation of what is meant thereby contained in the paper above referred to, is equally lacking in clearness.

Claims 1, 2, 3, 4, 5 and 6 are again rejected on the references cited and for the reasons given in last official letter. It is still held that there is no invention in hardening screen plates made in the ordinary way by old processes commonly employed for hardening other articles.

Ex'r Div. 3.

RULE 73. In every amendment the exact word or words to be stricken out or inserted in the application must be specified and the precise point indicated where the creature or intertion is to be made. All such amendments must be on sheets of paper separate from the papers proviously filed, and written on but one side of the paper.

orti

the

by

application for a patent fled subsequent to December inventor within one year after the last office action o

THOMAS A. EDISON,
METHOD OF MAKING FINE SORBENING PLATES,
FILED, JANUARY 31, 1900,
SERIAL NO. 3456.

ROOF FO. 149.

HOM. COMPUSSIONER OF PATHWES.

Sir:

In the above entitled application, we hereby appeal to the Exeminers-in-Chief from the decision of the Primary Exeminer, who, on April 17, 1800, rejected for a second time, and finally, all the claims of the case, and we assign the following reasons of appeal:

2. That the Emminer erred in holding that the references of record meet the terms of the rejected claims;

 That the Exeminer erred in holding that the references meet the substance of the rejected claims; and

 $\ensuremath{\mathfrak{I}}$  . That the Examiner erred in not allowing the rejected claims.

An oral hearing is requested.

Very respectfully,

Bv

THOMAS A. EDISON.

His Attorneys.

31 Massau St., New York,

August 29, 1900.

SIR: I have to acknowledge the receipt of the APPEAL the fee payable thereon. Of the result due advice will be given. Fery respectfully,



#### UNITED STATES PATENT OFFICE.

In re Application of Thomas A. Eddson, Filed Jan. 31, 1900, Ser. No. 3456, -"Method of Making Fine Screening Plates".

Before the

Examiners-in-Chief,

SER

On Appeal.

Div.3, Sept.19, 1900.

Examiner's Statement.

The claims finally rejected are:

"1. The rethod of raking screening plates which come interest forming a series of orifices in a sheet of malleable metal, and in subjecting the screening surface of said metal to a hardening process, substantially as set forth.

2. The rathod of raking screening plates which consists in first forming a series of crifices in a plate of radleable metal, and in subjecting both surfaces of said plate to a hardening process, substantially as set forth.

3. The method of raking screening plates which consists in first forming series of orifices in a plate of radicable metal, in dipping the plate in a carburising liquid, in then subjecting the screening surface to a chilling action, and in finally washing the plates, substantially as set forth.

"4. The method of forming acrossing places which consists in first forming a semise of ortfore in place of method in place of method in the me

5. The rethod of raining screening plates which consists in furting a series of orifices in a plate of raileable retal, in dipping said plate in a bath of molies quantle of potassium, in chilling the screening surface of said plate, in calmaning the plate under a flattened pressure until cool, and in finally washing the plate for the removal of the quantle of potassium, substantially as set forth.

in forming a series of orifices in a plate of malesble netal, in dipring the plate in bath of motion counties of malesble netal, in dipring the plate in bath of motion counties of potassium, in subjecting the plate to pressure between two cold plates of malesble plate, whereby the surfaces of the soreen plate will be maintained under pressure during the cooling operation will be maintained under pressure during the cooling operation at a bally, after the said plate has been couled in dipring it in a family, after the said plate has been couled in dipring it in a family after the recoval of the grantee of potassium, substantially a set forth.

The references cited are:

U. S. Ho. 52,796, Peb. 20, 1866, Savare, (A. & T., C. & C.H., Comp.); Brit. Ho. 1,037, Arr. 23, 1864, Dodge, (A. & T., Hard, App., Clarps).

0

The alleged invention relates to the formation of screen plates, and, concreally stated, the process ray be said to consist in punching holes of the desired size in ordinary sheet iron, and then case hardening one or both surfaces. The surface hardening may be effected by any ordinary case hardening process (see last paragraph of the description and claims 1 and 2), but performally, by heating the plate in motion potacsing again and chilling between cooled plates. (claims 4, 5 and 6).

The use of fused potassium cyanide for heating and sarburiging wrought iron followed by chilling to harden the surface. is old as shown by the patent to Savage, noted. In said patent the article is immersed in a bath of fused potassium oranide and the patentee says: "Having allowed the metal to remain in the "fused bath as low; as desirable. I remove it and immediately "submerve it in a cooling bath". (Lines 6 to 9, 2nd column). "I am thus emabled to produce the effects of case bardening on "mall suble iron to any given depth". (Times 19 to 21, 2nd column). Although the patentes does not specify any particular article to be hardened no invention or experiment is necessary to extend the use of the process to any article made of multeuble iron. The British patent to Dodge discloses the use of hellow boxes, cooled by a circulating current of water, and the "saw-blade "plate or sheet or steel to be hardened is placed whilst in a "heated state between them, whereupon the two boxes are caused "to approach and compress the article between them". The use of this means for chilling in the bath of Savage does not amount to invention.

Respectfully submitted,

Extr Div. 3

(2-051.)

DEPARTMENT OF THE INTERIOR,

United States Patent Of

J

SIR:

The appeal from the decision of the Examiner in the case of ...

List H. Eduson

If appellant, or his attorney, shall not appear at that time the hearing will be regarded as waived, and the case will be decided upon the record.

Very respectfully,

THOMAS A. EDISON
METHOD OF MAKING FIRE SCREENING PLATES
FILED JANUARY 31, 1900
SERIAL NO. 3486

REFORE THE EXAMINERS IN CHIEF ON APPEAL.

#### BRIEF FOR APPELLANT.

Applicant makes use, in his ore milling and cement plants, of a large number of screening plates slotted in the direction of flow of the material. He found that by making the plates extremely thin, there was much less liability of particles becoming wedged in the screening openings than if the plates were thick. In other words, with very thin plates the walls of the screening openings are reduced to the minimum, and it becomes practically impossible for any particles to become wedged in the openings below the surface of the plate, as frequently does occur when relatively thick plates are used. Taking, for example, the figures mentioned in the drawings, the slots are less than one onehundredth of en inch in width, while the plates themselves are only two-thirds as thick. With plates of this extreme thinness, it was found that they became quickly worn out. On the other hand, it would be impossible to punch or stamp the plates in steel in order that they might be durable. In order, therefore, to make an essentially new article of manufacture, i.e. an extremely thin but durable and flexible screen plate, applicant first forms the screening slots in a malleable sheet and then surface hardens it by an old and well known process. The novel step in each of the claims is "forming a series of orifices in a sheet of malleable metal", and so far as the references disclose, this is an entirely new step in the method of making case-hardened

screen plates.

In view of the commercial and practical value of the invention and the difficulty of claiming the article effectively except as a process, we think the claims should be allowed.

Respectfully submitted.
THOMAS A. EDISON,

Ву

His Attorneys.

New York, October 11, 1900.

No. 23,001.

U. S. Pusunt Office, Oct. /6, 1990.

Before the Exa iners-in-Chief, on Appeal.

Application of Thomas A. Edison for a parent for provement in Notheds of Edising Pine Screening Plates, filed Jan. 32, 1990. Serial No. 3, 456.

Mesers. Dyer, Edmonds & Dyer for appollant.

200 T

The claims appealed are:

"1. The nethod of raking acrossing plates which consists in first forming a series of ordines in a sheet of mallest ble retal, and in subjecting the screening surface of said rotal to a hardening process, substantially as sat forth.

"2. The method of making soroeming plates which consists in first-forming a series of orifices in a plate of mallen-blo metal, and in subjecting both survives of said plate to a hardening process, substantially as set forth.

"5. The rethod of sukting according plates which consists in first forming a series of criticose in a plate of redicable nearly, in disping the plate in a carburizing liquid in them subjecting the screening surface to a chilling action, am in finally washing the plate, substantially as not forth.

"4. The reshed of forming acreening stage which constant in first forming a surface of ordinates into plate of real-leading sector, in dipping the plate in modern counted of potentiars, in then subjecting the screening surface to childling action, and in finally weaking the plate to premove the cyunide of potentials, such such that is a set forth.

"5. The rethed of muking sursaning plates which consists in forwing a series of orifices the apiece of muliculation setul, in disping said plate in a bath of solder normalies of points withing, in shiftling the screening surface of said plate, in matheticing the plate under a flattaged pressure until cool, and in finally washing the plate for the removal of the symmits of potastics, universatificity access forth.

"6. The method of making aurenting plates which constats in forming a series of criticos in a plate of malleanle metal, in dispute the plate in a batch of mothing counted or potential, in the plate in a batch of mothing counted or potential, in subject that the plates of pressure between two cold plates of larger man-rate to pressure forms. Of the cross of the coron plate will be colding on the plate of the plates of the plates of larger man-rate and independent of the colding on the cold mathematical under pressure during the cooling operation, and finally, after the said plate has been gooled, in duping it in a bath of water for the resound of the symide of potentials, substantially as not forth."

The references are U. S. patent to

Savace, February 20, 1866, No. 52, 796; British patent No. 1, 037 of 1864 to Dodge.

The alleged invention in this once assumes to nothing sore than the double use of an old hardening process. It is issuiterful that the process is applied after the screening place is completed by the formation of a series of orifices with which it must necessarily be provided, for it would be unreasonable for one to undertake to produce such orifices after subjecting the place to the hardening process.

The patent to Savage discloses the purticular hardening process which appellant employs and the British patent to Dodge shows that it is old to compress an article between cooled hollow boxes so as to retain the original shape of said article.

The decision of the Examiner is affirmed as to all of the appealed claims.

J. H. Lterran . ) J. Honckenatin

Examiners-in-Chief

3rd member absent.

Case No. E-1026,

Abandoned,

Filed January 31,1900.

Method of Making Fine Screening Plates.

Claims.

- The method of making screening plates which consists in first forming a series of critices in a sheet of malleable metal, and in subjecting the screening surface of said metal to a hardening process, substantially as set forth.
- The method of making soreening plates which consists in first forming a series of orifices in a plate of mallsable metal, and in subjecting both surfaces of said plate to a hardening process, substantially as set forth.
- 3. The method of making screening plates which consists in first forming a series of orifices in a plate of malleable metal, in dipping the plate in a carbonating liquid, in then subjecting the screening surface to a chilling action, and in finally washing the plate to remove such liquid, substantially as set forth.
- 4. The method of forming screening plates which consists in first forming a series of orifices in a plate of malleable metal, in dipping the plate in molten cyanide of rotassium, in them subjecting the screening surface to a chilling action, and in finally washing the plate to remove the cyanide of potassium, substantially as set forth.
- 5. The method of making screening plates which consists in forming a series of orifices in a plate of malleable metal, in dipping said plate in a bath of motten cyanide of potassium, in chilling the screening surface of said plate, in maintaining the plate under a flattened pressure until cool, and in finally washing the plate for the removal of the cyanide of potassium, substantially as set forth.
  - 6. The method of making screening plates which con-

sists in forming a series of orifices in a plate of malleable metal, in dipping the plate in a bath of molten cyanide of potassium, and in subjecting the plate to pressure between two plates of larger mass, whereby the surfaces of the screen plate will be chilled and the plate will be maintained under pressure during the cocling operation, and finally, after the said plate has been cooled, in dipping it in a bath of water for the removal of the cyanide of potassium, substantially as set forth.

No. 2369	6,103	Sérial No. 12, 069
Thomas .		Address.
		jor Storing Material in Ba
Filed April 9	7, 1900	Examiner's Room No. 261
Assignee		1 1 4. 1 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
Ass'g't Exec.	Recorded	Liber Page
Patent No.	Issued	-
Rejectes 1	ACTIONS.	
Amended a	Aug 29, 1900 17	<u> </u>
Anuales e	reg 7, 1901. 19	110
Segreted Se,	px/6-1901 20 2x	- AR AR
	22	7, h t b
	23	3 1
)	25	Al Low 190
	26	Myon 12
	28	8, M/
	29	
	30	EDMONDS & DYER.

31 Nassau Street,

DYER, EDMONDS & DYER.

SPECIALTY.

PATCHES AND DATCHT CRUSCE

31 NASSAU ST., NEW YORK.

RIGHARD N. DYES, REGISTRATION NO. 455. BANUEL O. EDMONGS, REGISTRATION NO. 41. PRANK L. DYES,

# Petition.

# To the Commissioner of Patents:

YOUR PETITIONER THOMAS A. EDISOF, a citizen of the United States, and resident of Lievellyn Park, County of Mesex, State of New Jersey, and whose post office address

county of Masex, State of New Jersoy, and whose post office address is Llewellyn Park, New Jersey,

PRAYS THAT LETTERS PATENT MAY BE GRANTED TO HIM FOR THE

IMPROVIZENT IN STOCK HOUSES FOR STORING MATERIAL IN BULK, (Gase No. 1031)

SET FORTH IN THE ANNEXED SPECIFICATION; AND HE HEREBY APPOINTS DYER, EDMONDS AND DYER (A FIRM COMPOSED OF RICHARD N. DYER, SAMUEL O. EDMONDS AND FRANK L. DYER), OF NO. 31 NASSAU STREET, NEW YORK CITY, HIS ATTORNEYS, WITH FULL POWER OF SUBSTITUTION AND REVOCATION, TO PROSECUTE THIS APPLICATION, TO MAKE ALTERATIONS AND AMENDMENTS THEREIN, TO RECEIVE THE PATENT, AND TO TRANSACT ALL BUSINESS IN THE PATENT, OFFICE CONNECTED THEREWITH.

Thomas 9. Edison

## SPECIFICATION.

TO ALL WHOM IT MAY CONCERN:

Be It Known that I, THOMAS A. EDISON, a citizen of the United States, reciding at Llewellyn Park, in the County of Resex and State of New Jersey, have invented a certain new and useful IMPROVEMENT IN STOCK HOUSER FOR STORING MATERIAL IN BUIK (Case No. 1031), of which the following is a description:

In preparing bulk material, such as iron ore and cement, for storage in stock houses where it accumulates ready for use or for future operations, the material is first passed through a drying apparatus. A dryer designed for the proper drying of the material under ordinary conditions may not be of sufficient capacity to properly dry the material when the latter contains an unusually high percentage of moisture, assuming, of course, that the flow of material through the dryer is not reduced. Even when the material may be properly dried, and especially when it is more or less hygroscopic, it accumulates moisture on its way to the stock house and while it is stored therein. For these reasons, it is desirable that means should be provided, in connection with a suitable stock house or other place of storage, by which the material in bulk therein may be subjected to an effective drying operation, and it is the object of my present invention to provide a suitable stock house for the storing of material in bulk and by which this result will be secured.

My invention is illustrated in the accompanying drawing forming a part of this specification, and wherein I show diagrammatically a suitable stock house for the purpose, together with a dryer, and suitable conveying and distributing devices.

1 represents a dryer supplied with hot air from a furnace 2 and having inclined baffle plates 3 within its interior over which the material may flow in a series of thin streams, being subjected in its fall to ascending currents of hot air and products of combustion from the furnace 2. 4 is an elevator or conveyor by which the fine material in bulk, such as iron ore or cement. may be fed to the top of the dryer. The dried material from the dryer is deposited in the boot of an elevator 5 and carried up to a distributing conveyor 6 mounted in the top of a stock house 7. The conveyor 6 is of any suitable type, by which the material may be deposited in the stock house in a series of separate piles 8, as shown. At one side of the stock house is a furnace 9 having a fire-box 10 and opening into the interior of the stock house at 11, as shown. Air is admitted beneath the fire-

AUG 29 1900 L

air may be admitted above the fire-box through an opening believed, such and wise to kand dig recommend the fire-form.

13, also provided with a damper Circulation of air through the furnace may be offected by a blower connected below the fire-box, but preferably secured by an exhaust fan 14 commested with the stock house at the opposite and from the furnace.

box through an opening 12 having a damper therein, and

In operation, the material, while it is being deposited in the stock house or after it has been deposited therein, will be subjected when necessary to the

effect of hot air and the products of combustion passing through and over the fire-box and out through the exhaust fan 14, whereby moisture will be effectively removed from such material.



Having now described my invention, what I claim as new and desire to source by Latters Patent is, as follows:

- 1. In a stock house for storing raterial in bulk, the combination of a storage charbor, a furnace adjacent thereto, and means for causing air heated by said furnace to be abreed through the chember into direct contact with the raterial storad therein, substantially as set forth.
- 2. In a stock house for storing material in bulk, the combination of a chember in which the material is stored, a furance opening into said chember, and means for forcing through the chamber and into contact with the material stored therein the products of combustion from said furance, substantially he sat forth.
- 3. In a stock house for storing raterial in bulk, the combination of a cheeper in which the material is stored, a furnace opening into ead chamber, means for forcing through the chember and into contact with the raterial stored therain the products of combustion from said furnace, and an air supply for admitting air above the furnace, whereby such air will be neuted before entering the storage chamber, substability as set forth.
- 4. In a stock house for storing material in bulk, the combination of a chumber in which the material is stored in bulk, a furnace opening into said chumber at one side, and an exhaust fan connected to the said chumber at the opposite side for maintaining through the chumber

furnace, substantially as set forth.

a flow of products of combustion and hot air from the

Mitnesses :

1. J.F. Randoeph, 2 J.O. Boehme

Oath.

State of New Jerrey \ 36.:


A. EDISOR,

PETITIONER, BEING DULY SWORN, DEPOSES AND SAYS THAT HE IS A OF THE United States, and a resident of Llewellyn Park, in the County of Essex, and State of New Jersey,

THAT HE VERILY BELIEVES HIMSELF TO BE THE ORIGINAL, FIRST AND SOLE INVENTOR OF THE IMPROVEMENT IN STOCK HOUSES FOR STORING MATERIAL IN BUIK

DESCRIBED AND CLAIMED IN THE ANNEXED SPECIFICATION; THAT HE DOES NOT KNOW AND DOES NOT BELIEVE THAT THE SAME WAS EVER KNOWN OR USED BEFORE HIS INVENTION OR DISCOVERY THEREOF; OR PATENTED OR DESCRIBED IN ANY PRINTED PUBLICATION IN THE UNITED STATES OF AMERICA OR ANY FOREIGN COUNTRY BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION; OR IN PUBLIC USE OR ON SALE IN THE UNITED STATES FOR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION FOR FOREIGN PATENT HAS BEEN FILED BY HIM OR HIS LEGAL REPRESENTATIVES OR ASSIGNS IN ANY FOREIGN COUNTRY.

Thomas O. Edin SWORN TO AND SUBSCRIBED BEFORE ME THIS 28 DAY OF March 35 1900.



'ys.

2-161. DEPARTMENT OF THE INTERIOR. of filing, and title of SIR: I have to acknowledge the receipt of the petition, specification, oath, and drawing of your alleged Improvement with Fifteen Dollars as the first fee payable thereon. The papers are duly filed, and your application for a patent will be taken up for examination in its order You will be duly advised of the examination. Case will be tallen up Very respectfully,

eath, and drawings (where the nature of the can admits of drawings) and to pay the required to furnit on application is considered a complete, nor can any official action to had thereon, until all its furnished in due form by the inventor or applicant. 9\_946.

All communications respecting this application \suld give the serial number date of filing, and title of invention.

DEPARTMENT OF THE INTERIOR

UNITED STATES PATENT OFFICE,

WASHINGTON, D. C., May 5, 1900.

SPATENT UFFICE MAY 5 1900

T. A. Edison,

tpo

Åq

C/o Dyer, Edmonús & Dyer,

31 Nassau Street,

New York, N. Y.

Please find below a communication from the EXAMMER in charge of your application.

Ser No 12,069, filed April 9, 1900, for "Stock-House for Storing glaterial in Bulk."

C. H. Duell Commissioner of Patents.

This application has been taken up for examination.

The conveyor 6, should be more fully shown.

The blower mentioned in line 25, page 2, should be indicated that the drawings.

Claim 3 appears to be unwarranted by the drawings.

The claims are all rejected for want of patentable novelty in

of weight

patent filed on year aft

o for a p within o

> Stone, No. <u>554,743</u>, Feb. 18, 1896; Frinz, No. <u>515,840</u>, Murch 6, 1894; Bardeen, No. <u>393,522</u>, Nov. 27, 1888, and Bell, No. 121,925, <u>De</u>c. 19, 1871, in Driers -Houses and

Kilns.

RULE 73. In every amendment the exact word or words to be stricten out or inserted in the application must be specified and the precise point indicated where the ensure or insertion is to be made. All such amendments must be on sheets of paper separate from the papers previously filed, and written on but one side of the paper.

THOMAS A, FDISON
STOCK HOUSE FOR STORING MATERIAL
IN BUILK

FILED APRIL 9, 1900 SERJAL NO. 12,069

HON. COMMISSIONER OF PATERTS,

SIR:

A new drawing more fully illustrating the conveyor 6 will be filed before the allowance of the case.

Please amend as follows:-

Page 2, line 24, after "damper", insert ----whereby such air will be heated before entering the stock house----

: ROOM NO. 261.

Gancel claims 1, 2, 3 and 4, and substitute the following:-

-----1. In a stock house for storing material in bulk,

the combination with a substantially closed storage chamber and a conveyor mounted therein near its upper part for distributing material in bulk in the storage chamber in a plur-

ality of piles, or a furnace mounted adjacent to the storage chamber, and means for causing products of combustion from such humacs to enter the stock house and to directly engage the piles of material atored therein, substantially as and for the purposes set forth.

In a stock house for storing material in bulk,

the combination with a substantially closed storage chamber and a conveyor mounted therein near its upper part for distributing material in bulk it the storage chamber in a plurality of piles, of a furnace mounted adjacent to the storage chamber, means for causing products of combustion from such furnace to enter the stock house and to directly engage

the piles of material stored therein, and an exhaust fan

Con as all on

located in the stock house opposite to said furnace for creating a druft through the stock house and furnace, substantially as and for the purposes set forth.

5. In a stock house for storing material in bulk, the combination with a substantially closed storage chamber and a conveyor mounted therein near its upper part for distributing material in bulk in the storage chamber in a plurality of pilon, of a furnace mounted adjacent to the storage chamber, means for causing products of combustion from such furnace to enter the stock home and to directly engage the pilon of material stored therein, and an air opening into the furnace above the fire-box thereof, whereby heated air from the furnace and also enter the stock home to effect a drying operation.

The claims above presented are limited to a stock house intended epecifically for use in connection with the storage of material in bulk, and, therefore, distinguished row drying houses or kilns for drying malt and for curing meat and tobacco, as suggested by the several references.

Very respectfully,

THOMAS A. EDISON.

His Attorneys.

New York, August 29, 1900.

- ---

Room No. 261. 1 All communications about to addressed "The Commissioner of Patents, Washington, D. C."

All communications respecting this application Thould give the sortal number date of alleg, and title of invention.

DEPARTMENT OF THE INTERIOR,

United States Patent Office,

WASHINGTON, D. C., Sept. 10, 1900.

Thomas A. Edison,

C/o Dyer, Edmonds & Dyer,

31 Nassau Street,

New York, N. Y.

Please flud below a communication from the EAABMES in civarge of your application. Ser No 12,069, filed April 9, 1900, for "Stock-House for Storing Material in Bulk."

C. H. Duell

This application, as amended, has been taken up for action.

The claims are rejected for want of invention in view of the references of record, and patent to Merry No. 230,144, July 20, 1880, in Storehouse Conveyers.

ROLE 73. In overy amendment the exact word or words to be stricken out or insected in the application must be specified and the precise point indicated where the entense or insection is to be made. All such amendments must be on shrets of paper speciously filled, and written on but not side of the paper.

THOMAS A. EDISON STOCK HOUSE FOR STORING MATERIAL IN BUIK FILED APRIL 9, 1900

SERIAL NO. 12,069

ROOM NO. 261.

HONORABLE COMMISSIONER OF PATENTS,

SIR:---

Please amend as follows:

Change the title of invention to ----- Apparatus for Drying and Storing Material in Bulk -----

Erase the claims and substitute:

in bulk, the combination with a dryer and an elevator extending therefrom, of a substantially closed storage chamber, a conveyor mounted therein near its upper part for distributing material in bulk in the storage chamber in a plurality of piles, said conveyor receiving material from said elevator, a furnace mounted adjacent to the storage chamber, and means for causing products of combustion from such furnace to enter the storage chamber and to directly engage the piles of material stored therein, substantially as and for the purposes set forth.

2. In an apparatus for drying and storing material in bulk, the combination with a dryer and an elevator extending therefrom, of a substantially closed storage chamber, a conveyor mounted therein near its upper part for distributing material in bulk in the storage chamber in a plurality of piles, said conveyor receiving material from said elevator, a furnace mounted adjacent to the storage chamber, means for causing products of combustion from such furnace to enter the storage chamber and to directly engage the piles of material stored therein, and an exhaust fan located

in the storage chamber opposite to said furnace for causing a draft through the storage chamber and furnace, substantially as set forth.

S. In an apparatus for drying and storing material in bulk, the combination with a dryer and an elevator extending therefrom, of a substantially closed storage chamber, a conveyor mounted therein near its upper part for distributing material in bulk in the storage chamber in a plurality of piles, said conveyor receiving material from said elevator, a furnace mounted adjacent to the storage chamber, means for causing products of combustion from such furnace to enter the storage chamber and to directly engage the piles of material stored therein, and an air opening in the furnace above the fire box thereof, whereby heated air from the furnace may also enter the storage chamber to effect a drying operation, substantially as set forth.————
The claims above presented are draw with special

reference to the state of the art as disclosed by the references of record, and it is hoped that they may be allowed.

Very respectfully.

THOMAS A. EDISON.

Bv

His Attorneys.

New York, August 7, 1901.

2-246.

Room No...256.25

All con, Jinications respecting this application should give the sorial number, date of fling, and title of invention.

DEPARTMENT OF THE INTERIOR,

## UNITED STATES PATENT OFFICE,

WASHINGTON, D. C., Sept. 6, 1901.

T. A. Edison,

C/o Dyer, Edmonds and Dyer,

Orange, N. J.

of your application.

Please flud below a communication from the EXAMIRER in charge of your application.—

Ser No 12,069, filed April 9, 1900, for "Stock House for Storing Material in Bulk."

The I. allen.

This application, as amended Aug. 8, 1901, has been taken up for examination.

The claims are rejected upon the references of record, particularly in view of the patents to Edison, No. 660,845, Oct. 30, 1900, and No. 662,063, Nov. 20, 1900, in Mortar Mixers.

NOLE 73. In svery amendment the exued word or words to be strikken out or inserted in the application must be specified and the presentance or insertion is to be made. All such musechments areas be on sheet of paper separate from the speers previously sited, and written

Law Offices

Dyer Edmends V Dyer

Simulation States

In the above entitled application, please address further communications to us at our office, No. 31 Nassau Street, New York City.

Very respectfully

Din Oten circles

Attorneys of Record.

Case No. 1031

Abandoned.

Filed April 9, 1900.

IMPROVEMENTS IN STOCK HOUSES FOR STORING MATERIALS IN BULK.

## Claims.

- 1. In a stock house for storing material in bulk, the combination of a storage clamber, a furnace adjacent thereto, and means for causing air heated by said furnace to be forced through the chamber into direct contact with the material stored therein, substantially as set forth.
- 2. In a stock house for storing material in bulk, the combination of a chamber in which the material is stored, a furnace opening into said chamber, and means for forcing through the chamber and into contact with the material stored therein the products of combustion from said furnace, substantially as set forth.
- 3. In a stock house for storing material in bulk, the combination of a chamber in which the material is stored, a furnace opening into said chamber, means for forcing through the chamber add into contact with the material stored therein the products of combustion from said furnace, and an air supply for admitting air above the furnace, whereby such air will be heated before entering the storage chamber, substantially as set forth.
- 4. In a stock house for storing material in bulk, the combination of a chamber in which the material is stored in bulk, a furnace opening into said chamber at one side, and an exhaust fan connected to the said chamber at the opposite side for maintaining through the

The company of the contract of

Case No. 1031 -2-

chamber a flow of products of combustion and hot at the furnace, substantially as set forth.

Folio No. 4		Serial No.	13,405
1/			
Appl		Address.	
1. 4.6	-C	1032	
		and the second second	
Title _ / Elice	d - Burning	Petrava Com	Y Care
	C na Cron	Petrana Com	
Piled 🗢 🔨 🗇	il 3, 320	Examiner's Room No	2019 508
	· · ·	<del></del> -	
Assignee	MANUAL RESIDENCE OF THE PARTY O	· · · · · · · · · · · · · · · · · · ·	
Ass'g't Exec.	Recorded	Liber	Page
Patent I	Vo 759 356 Iss	ued May 10,1904	1
, acin			
( )	ACTIO	NS.	
1 Reported	1	6	
2 Enwara	andri so 1911 - 1	7	
3 Repetition	**************************************	8	
		9	
		0	
	. /	1	
	57 39 11	2	
1.5		3 4	
		5	
11 Say Chavin Guy	Mar 12 /00 2	6 Jayl	
12 Camera da	Language 2	7	
13 amende	Tel-23,04 2	8	
14 callone	~ apri, 19042	9	
. 15	30	0	1

The second secon

RANK L. DYER, Counsel, ORANGE, NEW JERSEY.

The abject of this envention is to increase the output of Porlland Coment Clinker in that class of burners called the Rolary Eylunden burner" The invention consists in a method cef burning a greater amount uf fuel in such cylinders without raising the lampender of any part abors the greated lemparalus which it is now subjected to-The moule further Consists in the mechanism for the carrying out the carrying

The Rolary cylinder burner . now a comme use for burning portland Coment naturals consents of a cycle about 60 feet in length, lined with five brick and having on while drawler from 4 to 5 feet, at the cylinder is world set on a Slight maline the powdred water one end + the cylinder rotated the powder by reason of the individual

of the cylinder advances muxid with tangrassed and I to the other End through is situated, This nogghe the whole length the opening projects the powdered coal into the cylinder. I Total upon the speed of rotation of Combustion of the coal Takes Atte Exet or lowest and place over feet of the of the cycula Ends una Lower and of the same closed Chamber promiseled The very high lemperalise huccon, with an orefice at the bottom for the final clunking of the Cement takes placed for the burnes clumber ( " however in a much more make to Exit-Contraded area perhaps There is inserted in this 8 feet of the length afth Chamber in an axial line with the born af the rotali Cycul a nogel through With the above described Cylinders about 2800 like Which powders colal

The air for projecting the powered code moth We noggle into the Offender being insufficient to effet its compete Combustion natural dungle necessary to Effect complete Combustion finds enter May the orifice where the burge cluber leaves the cylinder The chemny producing the chung at the Excreme defended of pressure to material is for into the move che air

Each hour a the Laupendane with an expenditure of about. 800 lbs of coaldust and the lamperally maximum Compendem reached at the hyphest point is pulsapi 3000 deg fahr-The gases of combustion are sweet forward with cylinder + unpaid their heat to the advancing material + fund Exit through the

Ew where the cold

It will be occur that Should not vary except in narrow limits of the Compact the small amount of co too low the chemical matural which passes reaction of the various Utrough the aylunder has ugredients which got so Small a Capacity for wake up good comount It the about time of heat does not take place or when I Entere the only partiacly so Contracted Zone of high whereas of the lampusture lempualum that it affects is to high the clinker very little Cooling of were is nearly melted + is Chan that there the lemperalme over burt other undeswall in this Zine ware not crement taking place Ge wally raised but making an informa coment, a few degrees-In practice it is necessary that the lemperalum the the high Compension Zone

If with the proper amount of coal and air adjusted to produce the proper Clinkening laujerations the amount of material fed into the expander was Land made twice as great and the coal of air made twice as great, The result would ble that there Gaung twice as much coal burnt in the same space the lamperaline comed lemperale Zone so high

that the chinker would be matted and the fers brick itself would suffer unjung - The Extra amount affiniterial not being able to moternally lower the hence with the usual Cylinder as now arranged dato operated the output is nearly fixed - - connact Gr Execeded, I have found a method whereby the output can 62 fleatly increased

Theo I do by altering the Conditions of Combilation, and Extending the area of high lemperal over a

distance before topicado to gons of combination is 300 say 25 first from out + its laugerale reacher the End of the cylinder the Combustion point. by means of several nozzle with coal and Words with our at an at 20 lbs presone diffund pressures of with appearance, the proper Unows the coal so there amount of coal fed to as is Established Enter End another Zones a very large amount of Contract the End of the cylinder. The Coad cause surned Calum of air and coal and the clunkering lemporalin spead over 50 account of its great days an area that the valocity. goes into the against for considerable

of the cylinder and showed Climber can be vanitly uciensed be madased to the office This effects a great saving from 60 to 90 feet to get in mustment and fabore the best economy of coal of openiting the explands Conscription - such a per tow of autput, Cylundar with regenerative anather orwing no in Herices for saveny heat the deminution of the is shown immy applets amount of contreces to burn aton of clinked which saving is due Dyer Here follows drawing to diminshell loss by. of I will desorbe readeation - In carrying drawing = then you Out this invention it is Can Indeas my devide the application wetterday Gest that the length of

March 38 19

Folio No5	Serial No. 13 HOG
Applicant.	Address.
\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	(0.3.3)
(T)	*
Title I franction for Bur	nving Contand Consert Clina Bratariale
	Examiner's Room No 308
Assignee	
Ass'g't Exec. Recorded	<del>-</del>
Patent No. 759, 357 Issue	
ACTIONS 1 Lagitud day 33, 1922 16	
2. Sansander Shen 100, 1921 17. 3. Glegerthet	amended Feb 23, 1904
4 L to C Lay 1, 202 19	
5 heliogisha baldada an faran faran faran 1968 20. 6 - Sain 6 J. 1963 21. 7 acousta prana baldada sa bassa an bany fan er 122.	
(8 Exis Statement Fiel of long 23	UMO
10. auditivitetti og byte antistroch andit 25. 11 til 1, 12, 10 mer ofter of 26. 11 til 1, 12, 13 mer ofter of 26. 12 Commission of the State of the state of 27.	
13 amendes August 12, 1903. 28	
14 Aijactel Sold 21, 1903, 29 15 America Sec 3, 1903 30.	
	FRANK L. DYER, Counsel,

Richard XDyrr. Samuel A Edmonds Frank LDyrr. Dryer, Edmonds V. Dryer, Specially: Patents & Patent Causes, 31 Nassau Street,

Cuble Address Vunerve Xew Yerk Tel. Xev 2910 Ger F

Thomas A. Edison, Esq.,

Orange, N.J.

Dear Sir:-

We duly received the application papers on your improved method of and apparatus for burning Portland cement clinker and other materials. We have made the changes suggested by you in both specifications. We note that the claims in the method case do not require change, and, therefore, beg to return herewith for your use a copy: of these claims. In the apparatus case, we have referred in the specification to the fact that one of the nozzles is preferably longer than the other, so as to allow the inertia of the fuel to be overcome, whereby the fuel will reach the same velocity as the air when both leave the nozzle. have also referred in the apparatus case to the fact that the feed does not leak air, and that by changing the speed of feed the material can be regulated. We have erased the word "axially" from the claims, as referring to the location of the nozzles, and have used the expression "a plurality of nozzles projecting longitudinally with respect to the burner". We have also introduced two additional claims, numbered five and six, and beg, therefore, to enclose a copy

Charles

(T. A. E., 2)

of the claims on the apparatus as they have been rewritten by us. The cases will be filed immediately, and blue prints of the drawings will be sent you as soon as received from the Patent Office.

> Yours very truly, Ayer Educado Alger


(F.L.D.) Enclosure.

No. 2379	610	35 Serial No. /5 45
	*	• /
C Ap	plicant.	Address.
I homas	a. Edwan	- 1917 <b>-</b>
itle Process Record	y making me	tallie Suplicate Thousage
iled May	4,1900.	Examiner's Room No. 219
ssignee		
ss'g't Exec	Recorded	Liber Page
Patent	No. 65752718	sued September 11,1900.
	· —	
$\sim$	ACTIO	
Recht	Jone 8 1900	ı 6
When deld	Anul 1/1900.	17
Alowed (	July 2, 1900	x7
Alowed (	July 2, 1900	x7
Alowed (	July 2, 1900	
Aloned This feely	July 2, 1900 July 2, 1900 July 3, 1900	r8
Alowed Fina feely	July 2, 1900 July 2, 1900	8. 9
Alforned Final feely	July 2, 1900 July 2, 1900 2001 Ang 17/90	8. 9
Alforned (	July 2, 900 July 2, 900 200- Aug 17/900	147
Alforned (	Jene (1/1900) July 2, 1900 Jan- Sug 17/1900	17
Alforned Chias feely	Jenus (1/1900) July 2, 1900 Jan- Sug 17/1900	17
Stones Sfores	Jene 1/1900 July 2, 1900 200- Aug 17/1900	17
Alforned That feely	Jene 1/1900 July 2, 1900 2001 Aug 17/100	17
Alforned That feely	Jene 1/1900 July 2, 1900 2000 Aug 17/100	17

31 Nassau Street, NEW YORK CITY.

As the right of the same of the same Copper States I then Samuel Some in secretary Strand Then contropped with particling carting with variety a granific in the word in morte with either - when pinte the only cost down to vacanous defined then Grand of warmer con

apply in U.S. Ed. win of in Late is to other metals and proper accids occió for making melalla phono 1st Rear on Wax blank 2" Vacuar deposit 3rd plating some with logger \$ 2 thode It then coating the Copper outside with a walnest on out an work plate on button 6th James Cylinde us Oilver bath aplating of w with pilver on today 1/32 thick them laken from battl, + 2 ating off the Copper with Hydrochloric acid which doranat about the silver thus beaus a Silver record which be backed up by plasti pour or.



,

if I have taken 7a2 Edin allowed applications making Duplicate Thonograph Records filed many 1900 If I have then let the palout issue, If I have not then pare popers Trance Belgium

## [FROM JOHN ROBERT TAYLOR]

July 12, 1900.

Thomas A. Edison, Esq., Orange, N.J.

Dear Sir,-

We have your pencil memorandum of the 11th inst. in re United States allowed application for patent on duplicate phonograph records filed May 4, 1900. In reply we beg to state that ho foreign patents have been applied for on this device, and in accordance with your instructions, we shall at once prepare papers and forward them to you for signature, in the meantime withholding the issue of the United States patent.

(J.R.T.)

vo. 2383	E. 1036	Serial No. 15874
C Appli	cant.	Address.
Thomas a.	Edison _	
		Thousquaph Reords
iled May 8	1900.	Examiner's Room No. 219
ssignee		<u> </u>
	Recorded	Liber Page
Patent N	o. 667662 Issued	Febry 5, 1901
	ACTIONS.	-
Rejects 9	me /2/1900. 16	
Mucded	aug / /1900 17	
Willeded	110v. 2/1900 10	
Rejuled V	my 20,1900. 20	
Examera state	1 hor 28 1900, 21	
Hearing selfor	24 9:1901 W 21. M. 23	
appeal argued 6	y G. L. A. 24	
Beise Ja	Cuy 9,1901 25	7
	any 12, 1901 26	
Allowed.	Jany 17, 1901 28	
That tu pais	4 K. N. Jan 17/01 29	
	0	. / .

DYER, EDMONDS & DYER,

31 Nassau Street, NEW YORK CITY.

Dyar -The abject of this invention is to preduce the rapid of Economic production of Duplicates Thomagraphic Records The Invention Consusts in Com matrix as discribed to act as amount for re matter water al which saledy games themmer face a fouch matrix gives a perfect impresser of the sound waves of the matrix Ourface + when Contracting after solidefication leaves it there of the matrix so et can be per Extracted from the same - The water al

for forming the records withis manne is to prefunctly amelallicoap to book ar a combination of several poaps to which has been added a material not office al by water Onoh as Caresin to as to prevent the action of chemocotions of the almospher expantho son Lu che fique à jou vo heated 2, or contains the motorial in a walted Condition to the dalled dene or there is out a cylinder is occured to the bottom of this jai - at the Cottan of this cylinder are hales to permit the lequel

material to pass who the cyle tower the tap of the proton when it is on the 60 thom, The Matrix is land in the top and of theo cylinder who fothing closely The matrix has an exterior x which ocross to paint excess of light to Excent above the matrix & also to Jundo Cac jamiger = Oupp oping the Waterix to 62 cold the plunger The cohore person for will we fyld cycula o for ced Lound out. We cogued which passes

out the eylunder by the holis at the battom The poston anstriking the batton gow below when the legued runs in-The tors on the plunger this soon successor the lengthaten of the legiond - The matrix being at almosphere lomparden or Je fere Bly coaled belowlhat Sout to know ready for the upward movement of ble pening or " They forces Enough I into the matrix of a bove It with the Extension to feed the

7

to blow the record when Colerating - The legued on Touching the cochbingace # abmost wise much oolid + The chilling takes very rapidly until The legand in Callact with the unn becomes oaled. The punger is then removed + pellowed to cool by an air blast to a point where it has are Contract away from Chematrix 50 auto permit removed by forcing down the

. !

9

pinol the Core. The conductivily for

head of the moternic Geng very Olow the outer do confide of the cylinder becomes hand set while the inner porter next the Core co Done of map Condition -There and withen dressed at the Enday reamed interms cly to Oge of working for use When Records are made by this process the Calvaction of the material is very great when from its ferret oct where the

waxes produced to Normal temperatures, house it is necessary that the Original records fromt which chemitaring arm Ohned borns he taken and a There graph having a different. number of threads on to food seen than the instrument ipa which the reader to be finally used. If the recorders having 100 throads per wich

-

of threads that the record of shinking That have 100 threads period or approximatily near that number the Myoden reproducing apparely demitting of a variation of at loost one thread in funchion The number of (breads to be used for taking the original creams for which the the string is to bemade will depend upon the Contractability of chemotorial was sweet have to be delenmined for Each Kind -

Claim this way forming record from matrix also matrix record deffunction threads than the matricipan which record is to be word to feet allow for Contraction, also the apparatus to form as there not confined to the particular form as there The upport rapid falling of the moved from Gelow's Etc = This well be a part of

foreign do well as US-polepplication

Jewill be brok monday

Do prabably at p at


Lab til C two day - you

Couchen Come over to

we will freak a doo

new US on Matrix dup

prople Teles



+ supples) with rest material.

The Triphophone Proces. Minelus made in New york, on post way. From each market a ting be more in made, one my foreset selection. From the temp has in more a much of dipherter made in by depping and congering as in Willer oaylowent process, with water gardet. These duplicates was I as muchers for several matrices from which commercial dublicate an rand - chieso gred plater at forthe that show because green by goes ive aring off. Thoeds seldome Finely bear containing eight motels immers in was at 400°

and kept for five recommender. Their records and deshes in lute-warm


Asigh to come, and shrund out.


Brithmater about his made larger than Educaris, to allow span for mandred to bear when in function reasons. Then trush edged—
There, functing reasons,— Therest, function adject— exactly like Educaria like Educaria to booking from these herrefunce added, other "layer" (company of fully, there added, thereby social step), and function thereby work, for hardening, perhand community.


witer for free in much making water from the almost to the server to the

Then rough reasons. Their put

Species with fresh or Reamer Sunt Amp







Might average 16000. Discards 9000

Any every 2000.
Any outsit 13 000.

...

No. 2386	1039 Serial No. 20556
, , , , , , , , , , , , , , , , , , ,	211
Thomas a. Edison	Address.
	7
Title Apparatus for Co.	eting Thousquept Record
Filed June 16 1900.	Examiner's Room No. 149
Filed James 10,1,00	Examiner's Room No. 77
Assignee	•
Ass'g't ExecRecorded_	LiberPage
Patent No.	Issued
<u> </u>	
ACT	ions.
Ayetha July 17, 1900	1655
2 00 muched yny 5, 1901.	x7
3 tyceto July 13, 1901	18 Date
4 amended June 3 1902	19 Jun 20 7 D
5 & from d. June 2 1/6 2	20 10 27 7
6	ax for the state of the state o
7	22
8	23 Jen 10° D
9	24 0
10	25
TI	26
13	28
14	29
15	30
<b>\</b>	

31 Nassau Street, NEW YORK CITY. DYER, EDMOND & DYER,
specialty.
Datents and Datent Causes,
31 Nassau 37., New York.
ROCHARD N. OVER,
registration no. 492.

in

Detition.

To the Commissioner of Patents:

YOUR PETITIONER THOMAS A. EDISON, a citizen of the United States, roudding at Flewellyn Park, County of Essex, and State of New Jorsey, and whose Post Office address is at said Flewellyn Park, Essex County, New Jorsey, PART THAT LETTERS PATENT MAY BE GRANTED TO HIM FOR THE

APPARATUS FOR COATING PHONOGRAPH RECORDS OR OTHER ARTICLES (Gase No. 1039).

SET FORTH IN THE ANNEXED SPECIFICATION; AND HE HEREBY APPOINTS DYER, EDMONDS AND TRANK L. 
DYER, OF NO. 31 NASSAU STREET, NEW YORK CITY, HIS ATTORNEYS, WITH FULL POWER OF 
SUBSTITUTION AND REVOCATION, TO PROSECUTE THIS APPLICATION, TO MAKE ALTERATIONS AND AMENDMENTS THEREIN, TO RECEIVE THE PATENT, AND TO TRANSACT ALL 
BUSINESS IN THE PATENT OFFICE CONNECTED THEREWITH.

Thomas a Educa

## SPECIFICATION.

## TO ALL WHOM IT MAY CONCERN:

Be It known that I, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park, in the County of Essex, and State of New Jersey, have invented a certain new and useful APPARATUS FOR COATING PHONOGRAPH RECORDS OR OTHER ARTICLES (Case No. 1039), of which the following is a specification:

In an application filed on even date herewith I describe a process particularly adapted for coating phonograph records with an infinitesimally thin film of metal offering a conducting base for a more rapid deposit by electrodeposition, whereby an absolutely accurate matrix or mold of a phonograph record can be secured, said process being also adapted for other uses, as explained, and being intended as a specific improvement upon the process described in my patent No. 526,147, dated September 16, 1884.

My said process consists in maintaining the object to be plated, and rotating the same, in an exhausted chamber, and in establishing from an electrode of which the deposit is to be made and a second electrode, made preferably also of the same matal; a slient or brush electrical discharge, whereby the metal will be vaporized and caused to deposit upon the object, the process also consisting specifically in magnetically rotating the object to be coated from the exterior of the exhausted chamber.

My present invention relates to an improved apparatus for carrying this process into effect, and the apparatus is illustrated in the accompanying drawing, showing the same in section.

1 represents a base, and 2 a vacuum chamber or jar fitted with an airtight joint upon the base. connected to the interior of the jar and by means of which air may be exhausted therefrom in any suitable way, as by an air pump or by a Sprengel vacuum pump. When the proper vacuum has been secured, it is retained by closing a valve 4 in the pine 3 or by maintaining the vacuum pump in constant operation. 5, 5 represent two supporting arms made preferably of glass and leading up within the interior of the jar or vacuum chamber, said supporting arms being preferably further insulated from the base by means of hard rubber insulating bushings 6. A conductor 7 leads up within each of the supporting arms and is formed with a hook 8 at its upper end. Suspended from each hook is an electrode 9 of the metal to be deposited upon the ebjest to be coated, such electrodes being preferably in the form of thin wires or strips of foil of such metal: For the making of a vacuous deposit upon phonograph records, the electrodes 9 are made preferably of strips of gold foil. 10 is a standard mounted between the electrodes and carrying a rotatable head 11 at its upper end, said head having a tapered periphery from which is supported a phonograph record 12 having a tapered bore, as is common. The record may be supported in any other way, and when the process is used for the soating of other articles than phonograph records such

articles will be properly supported from the rotatable head in any desired manner. 13 is an iron or steel armature carried by the rotatable head 11 and adapted to be attracted by a magnot 14 rotatable on the exterior of the vacuum chamber. An ordinary horseshoe magnet may be conveniently used for the purpose. I illustrate the magnet 14 as being supported by an arm 15 from a shaft 16 carried by a suitable bracket 17 and rotated by a pulley 16.

In operation, a silent or brush discharge is established between the electrodes 9, 9, in any suitable way, as, for example, by connecting the conductors 7 with the secondary of a large induction coil 19, the primary 20 of which is included in a vibrator 21 and a source of current 22. The brush or silent discharge being established between the electrodes and the magnet 14 being rotated on the exterior of the vacuum chamber to attract the armature 13, the object to be coated will be rotated between the electrodes, while the metal vaporized by the discharge will be deposited upon said object in the form of an infinitesimally thin and practically uniform film. When the object to be conted is a phonograph cylinder, the latter after being coated, is removed, and may be placed in a plating bath, so as to receive a heavier deposit by a process of electrodeposition, after which the original record is removed, either by melting it out or by shrinking it from the deposited metal, whereby an absolutely accurate matrix or mold of the original record may be secured.

Having now described my invention, what I claim as new and desire to secure by Letters Patent is, as follows:

- 1. An improved apparatus for securing a coating of a metal on an abject, consisting of an exhausted chamber in which the object to be coated is supported, an electrode of the metal to be deposited and a second electrode in said chamber, and means for establishing between said electrodes a silent or brush electrical discharge, substantially as set forth.
- 2. An improved apparatus for securing a coating of a metal on an object, consisting of an exhausted chamber in which the object to be coated is supported, an electrode of the metal to be apposited and a second electrode in said chamber, means for establishing between said electrodes a silent or brush electrical discharge, and means for rotating the object, substantially as set forth.

An improved apparatus for securing a coating of a metal on an object, comprising an exhausted chamber containing the object to be coated, two electrodes in said chamber rade of the metal to be deposited, said electrodes being placed discortically of the object, and means for establishing between said electrodes a silent or brush electrical discharge, substantially as set forth.

An improved apparatus for securing a coating of a metal on an object, comprising an exhausted chamber containing the object to be coated, two electrodes in said chamber made of the actal to be deposited, said electrodes being placed diametrically of the object,

means for establishing between said electrodes a silent or brush electrical discharge, and means for rotating the object, substantially as set forth.

5. An improved apparatus for securing a coating of a metal on an object, comprising an exhausted chamber, means within the chamber for securing a vacuous deposit on the object, means for supporting the object within the chamber, an armature commenced to like object, a magnet on the outside of the chamber for attracting said armature, and means for rotating the magnet with respect to the chamber, substantially as set forth.

of a metal on an object, comprising an exhausted chamber, two electrodes within said chamber on opposite sides of the object to be coated, an induction coil the secondary of which is connected to said electrodes, and means for energizing said induction coil for producing a cilent or brush discharge between and electrodes, substantially as set forth.

of a metal on an object, comprising an exhausted chamber containing the object to be cheeted, a pair of insulating supports within the cheeter a pair of insulating supports within the cheeter of the object of the

THIS SPECIFICATION SIGNED AND WITNESSED THIS 15 DAY OF May, 188 1900.

Witnesses:

O

M.S. Mallory

## Oath.

State of New Jerses Sis.:

TROKAS A. EDISO

. THE ABOVE-NAMED

PETHIONER, BEING DULY SWORN, DEPOSES AND SAYS THAT HE IS A CITIZEN OF THE United States, residing at Llewellyn Park, County of Resox, and State of New Jersey,


THAT HE VERILY BELIEVES HIMSELF TO BE THE ORIGINAL, FIRST AND SOLE INVENTOR OF THE APPARATIS FOR COATING PHOROGRAPH RECORDS OR OTHER ARTICLES (Gase No. 1039).

DESCRIBED AND CLAIMED IN THE ANNEXED SPECIFICATION; THAT HE DOES NOT KNOW AND DOES NOT BELIEVE THAT THE SAME WAS EVER KNOWN OR USED DEFORE HIS INVENTION OR DISCOVERY THEREOF, OR PATENTED OR DESCRIBED IN ANY PRINTED PUBLICATION IN THE UNITED STATES OF AMERICA OR ANY FOREIGN COUNTRY BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION OR IN FUSION TO THIS APPLICATION, AND THAT NO APPLICATION FOR FOREIGN PATENT HAS BEEN FILED BY HIM OR HIS LEGAL REPRESENTATIVES OR ASSIGNS IN ANY FOREIGN COUNTRY.

SWORN TO AND SUBSCRIBED BEFORE ME THIS TO DAY OF May, 765 1900

g.t. No

(SEAL)



Washington, D. C. Jane 10, 1900. SIR: I have to acknowledge the receipt of the petition, specification, oath, and with Fifteen Dollars as the first fee payable thereon. The papers are duly filed, and your application for a patent will be taken up for examination in its order You will be duly advised of the examination. Very respectfully, Case will be taken up for

2-246.

Room No ner of Par

ould give the serial n A.H.H.

DEPARTMENT OF THE INTERIOR UNITED STATES PATENT OFFICE.

WASHINGTON, D. C.,

July 17, 1900.

Thomas, A. Edison,

Care Dyer, Edmonds & Dyer, 31 Nassau St..

New York, N. Y.

一颗点 流浪 JUL17 1900

Please find below a communication from the EXAMINER in charge of your application,

No. 20,556, filed June 16, 1900, - "Apparatus for Coating Phonograph Records, &c."



Claims 1, 2, 3, 4, 6, 7 are objected to as alternative in the words "a silent or brush electrical discharge"; presumably the means for establishing these two forms of discharge are not identical.

Claims 3, 4, 6, 7 are rejected for the reason that there is no combination between the device and the object to be coated which is contained therein; the support for such object should be included and the electrodes should be located with reference to the structural features of the device.

Claim 5, line 5, to be should be inserted before "connected". The expression "vacuous deposit", claim 5, is objected to as indistinct.

Claims 1, 6, 7 are rejected on:
German 82,247, July 1, 1895, Boas, (Cathodes, Metallizing);
German 82,455, Feb. 19, 1896, Boas, "

Collaims 2, 3, 4 are rejected on the above patents, taken

with: with: U. S. 484,582, Oct. 18, 1892, Edison, (Phonograms, Duplicating). There would obviously be no invention in view of the United States patent, in applying the process of Boas to the duplication of sound records.

Claim 5 is rejected on the patents cited, taken with: U. S. 548,131, Oct. 15, 1895, Moore, (Lighting Systems), who shows it to be old to rotate objects contained within a

Vacuum chamber by means of an external magnet.
RULE 73. In every amendment the cract word or words to be atticion out or inserted in sected in the appli d the precise point indicated where the ensure or insertion is to be made. All such amenda nust be on sheets of paper Ex'r Div. 3. white from the paper, previously fled, and written on but one side of the paper.

to De subseq ter the filed for a patent f

tho

å

made 1

9

responsive action must l s will become abandoned

å

THOMAS A. EDISON
APPARATUS FOR COATING PHONOGRAPH RECORDS
FILED JUNE 16, 1900

SERIAL NO. 20,556

: ROOM NO. 149.

HON. COMMISSIONER OF PATENTS.

SIR:

Please amend by erasing claims 1 and 2 and substituting the following:-

of a metal on an object, consisting of an exhausted chamber in which the object to be coated is supported, a support for the object within said chamber, an electrode of the metal to be deposited adjacent to said support, a second elsc-

----- An improved apparatus for securing a coating

trode on the other side of said support, and news for establishing between said electrodos a silent or brush electrical discharge, substantially as set forth.

Change the numerals of claims 3 and 4 to 2 and 3. Brase claim 5.

Change the numerals of claims 6 and 7 to 4 and 5.

Present claims 5, line 5, after "deposited", insert

---a support for the object between said electrodes

The apparatus for generating a silent electrical

discharge is the same as the apparatus for generating a brush electrical discharge -- merely a difference in adjustment effects the character of the discharge. Hence the claims are not alternative.

Regarding claims 2, 3 and 4, we submit that the object is not brought into the combination as an element, but only as a convenient way for characterizing or defining the location of the electrodes. With the Boas patent No. 82,247, it is not clear that the object is placed between the two electrodes. Presumably such is not the case, since the object to be coated is a mirror. With the Boas patent No. 85,435, the drawing very clearly shows the cathode between

the anode and the object.

It is thought the case as now presented should be allowed.

Very respectfully,

THOMAS A. EDISON,

His Attorneys.

nie Recolleys

New York, July 5, 1901.

2-246.

Room No. 149... \* y

All communications should be addressed to
"The Commissioner of Patents,
Wookington, D. C."

All comd vications respecting this application should give the serial number, date of filing, and title of invention.

DEPARTMENT OF THE INTERIOR,

UNITED STATES PATENT OFFICE,
WASHINGTON, D. C.,

A.M.H.
July 13, 1901.

Thomas A. Edison,

at indicated where the one side of the paper.

application must be specified in the papers previously filed.

or words to be stricken out.

amendment the exact be made. All such as

In every a

Care Dyer, Edmonds & Dyer,

Orange, N. J.

Edison Laboratory,

Orange, M. J.

MDF 13 100.

Please find below a communication from the EXAMINER in charge of your application.

No. 20,556, filed June 16, 1900,-"Apparatus for Coating Phonograph-Records, &c."

F. S. allen.

Amendment filed July 6, 1901, has been entered.

Olaims 2, 3, 4, 5 are again rejected for the reason that
there is no combination between the apparatus and the object to be
operated upon; these claims should be written after the manner of
claim 1, to directly include the support for the object and to define the position of the electrodes with relation thereto.
Claim 1 is rejected upon the patents to Boas, cited. Atten-

tion is called to the fact that the disposition of appearsise nous, creen accomployed in the patent 82,247 is more fully described in the later patent, it being stated therein, page 1, column 1, that the object to be coated is placed between the electrodes.

Claims 2, 3, 4, 5 are again rejected on the references.

Claims 2, 3, 4, 5 are again rejected on the references of cord.

Ex'r Div. 3.

Saw Offices Dyer, Edmands V. Dyer, Specialty: Editorits & Getent Causes. 31285stan Steed.

Cable-littress Finers: NewYork,

amust Abunouts. Specialty: S ank Lityer: 3.

THOMAS A. EDISON
SUBJECT-MATTER: Cappanent for SoutFILED
SERIAL NO.
EXAMINER'S ROOM NO. 149

HONORABLE COMMISSIONER OF PATENTS,

S I R :\_\_\_

In the above entitled application, please address further communications to us at our office, No. 31 Massau Street, New York City.

Very respectfully,

Attorneys of Record.

THOMAS A. EDISON
APPARATUS FOR COATING PHONOGRAPH RECORDS

FILED JUNE 16, 1900 SERIAL NO. 20.556

HON. COMMISSIONER OF PATENTS,

SIR:

In accordance with the Examiner's request, we amend by orasing claims 2, 3, 4 and 5, and substituting the following:-

ROOM NO. 149.

motal on an object, consisting of an exhausted chamber in which the object to be coated is supported, a support for the object within said chamber, two electrodes in said chamber made of the metal to be deposited, said electrodes being placed diametrically of the support, and means for establishing between said electrodes a silent or brush electrical disoharge, substantially as set forth.

3. Improved apparatus for securing a coating of a metal on an object, consisting of an exhausted chamber in which the object to be coated is supported, a support for the object within said chamber, two electrodes in said chamber made of the metal to be deposited, said electrodes being placed diametrically of the support, means for establishing between said electrodes a silent or brush electrical discharge, and means for rotating said support, substantially as set forth.

4. Improved apparatus for escuring a coating of a metal on an object, consisting of an exhausted chamber in which the object to be coated is supported, a support for the object within said chamber, two electrodes within said chamber on opposite sides of said support, an induction

coil the secondary of which is commeted to said electrodes, and means for energizing said induction coil for producing a silent or brush discharge between said electrodes, substantially as set forth.

5. Improved apparatus for securing a coating of a metal on an object, consisting of an exhausted chamber in which the object to be coated is supported, a support for the object within said chamber, a pair of insulating standards within the chamber on opposite sides of said support, electrodes carried by said standards and made of the metal to be deposited, and means for establishing a silent or brush discharge between said electrodes, substantially as set forth.

Reconsideration of the case is respectfully request-

In the first Boas patent, No. 82,247, the description is manifestly insufficient. It is true the second Boas patent, No. 65,435, in referring to the first patent as a part of the prior art states that the object is placed between the two electrodes, but the second patent refers to this arrangement as distinctly disadvantageous, and claims as an improvement the placing of the cathode between the anole and the object. Even if the references are considered in the aggregate, they do not show the employment of a silent or brush discharge, nor do they show the making of the two electrodes of the same metal, and finally they do not show the rotation of the object. In fact, the two Poss patents appear to be designed solely for the purpose of operating on mirrors, and do not show processes which could e satisfactorily used for coating phonograph records, We hope that upon reconsideration the claims will

Respectfully, THOMAS A. EDISON,

allowed.

w York, June 3,1902.

9\_900

UNITED STATES PATENT OFFICE.

WASHINGTON, D. C. June 2%.

A. Edison, Nassau St.

New York,



Please find below a communication from the EXAMINER in charge of your application, Apparatus for Coating Phonograph-Records &c .-; Filed June 16,1900 No. 20,556.

F. J. allen.

The specification and claims fof this case are drawn in such broad terms as to include the working of metallic mirrors or similar articles by means of a brush or silent discharge, and the only difference set forth over the German patents of record when both are taken together, as publications, is that the phonogram or other object to be coated is rotated with the discharge chamber. Moreover, Moore, of record, shows at that the device of rotating objects in a vacuum chamber by means of a rotating magnet is old and to use the same and to apply the silent discharge used by Boas in his later patent in to the apparatus used by Boas in his earlier patent, as disclosed in his later patent, would obviously be a mere double use. Each claim is rejected for this reason and on the references of record.

It seems clear to the Examiner that the only invention disclosed in this case resides in the process, and such process being tacitly allowed in the copending case Number 20,555, applicant's rights are believed to be therein fully protected.

Case No. 1039. Dropped Filed June 16, 1900.

APPARATUS FOR COATING PHONOGRAPH RECORDS
AND OTHER ARTICLES.

## CLAIKS.

- An improved apparatus for securing a coating of a metal on an object, consisting of an exhausted chamber in which the object to be coated is supported, and electrode of the metal to be deposited and a second electrode in said chamber, and means for establishing between said electrodes a silent or brush electrical discarge, substantially as set forth.
- 2. An improved apparatus for securing a coating of a metal on an object, consisting of an exhausted chamber in which the object to be coated is supported, an electrode of the metal to be deposited and a second electrode in said chamber, means for establishing between said electrodes a silent or brush electrical discharge, and means for retating the object, substantially as set forth.
- 5. An improved apparatus for securing a coating of metal on an object, comprising an exhausted chamber containing the object to be coated, two electrodes in said chamber made of the metal to be deposited, said electrodes being placed diametrically of the object, and means for establishing between said electrodes a silent or brush electrical discharge, substantially as set forth.
- 4. An improved apparatus for securing a coating of a metal on an object, comprising an exhausted chamber containing the object to be coated, two electrodes in said chamber made of the metal to be deposited, said electrodes being placed diametrically of the object, means for establishing between said electrodes a silent or brushi electrical discharge, and means for rotating the object, substantially as set forth.

- 5. An improved apparatus for securing a coating of a metal on an object, comprising an exhausted chamber, means within the chumber for securing a vacuous deposit on the object, means for supporting the object within the chamber, an armature connected to the object, a magnet on the outside of the chamber for attracting said armature, and means for rotating the magnet with respect to the chamber, substantially as set forth.
- 6. An improved apparatus for securing a coating of a metal on an object, comprising an exhausted chamber, two electrodes within said clamber on opposide sides of the object to be coated, an induction coil the secondary of which is connected to said electrodes, and means for energizing said induction coil for producing a silent or brush discharge between said electrodes, substantially as set forth.
- 7. An improved apparatus for securing a coating of a metal on an object, comprising an exhausted chamber containing the object to be coated, a pair of insulating supports within the chamber, electrodes carried by said supports and made of the metal to be deposited, and means for establishing a silent or brush discharge between said electrodes, substantially as set forth.

No. 2430	1047 Serial No. 33.034
Thomas A. Edison	Address.
Title Ingle, n. Elect	trie Meters
Filed October 15, 1900	Examiner's Room No. 87
Assignee	
Ass'g't Exec. Recorded  Patent No. 70 30 5/	Issued Page Page Issued Page Page
Tatcht Ho.	Issued
	rions.
· Cerceta nos 10/1900	16
2 amended Sept 11 # 1901	17
3 Sejected rept 2+-1901	18
4 Munded May 1, 1912	19
5 allowed May 7, 1902	20
	21
7	
9	· ·
0	25
	26
2	27
3	28
4	29
5	30
	YER, EDMONDS & DYER.

31 Nassau Street, NEW YORK CITY. Simulation Special States Special States Special Speci

Your favor of the 22nd instant has been readed coived, roturning the allowed claims in your application for electric neters filed October 15, 1500, and englishing also a list of questions relating to the state of the arr. We present your questions herewiseled to about a contract of the same. The same the same the same that are the same that the same that are the same that the s

est to at the

lst. Who was the first to use a scalebeam with the counter on the beam, in an electric meter?

Ans. Meston, patent No. 442,705, dated December 16, 1890 (copy enclosed). With the preferred construction, the register is stationary and is driven from a toothed wheel U through intermediate connections, but the patent states (p. 3, 11ms 92 of seq.) that-

"The decimal-registering dials " may be fastened to the lever C and partake of its movement." We doubt if this bald suggestion of a modification is sufficiently definite, under the authorities, to convey an accurate explanation of the exact construction contemplated.

Thomson, patent No. 463,558, dated November 17, 1891 (copy enclosed). This patent very clearly shows the construction of the question.

2nd. Who was the first to work such a beam by a solenoid with coil in series with the lamps?

Ans. Thomson, patent No. 463,558 above referred to.

<u>Srd.</u> Who was the first to use soft unmagnetized iron in such a solenoid?

Ans. We do not know of any patent showing the exact requirements of the question. Thomson shows everything except the special solenoid called for, Thomson's solenoid hav-

ing a fine wire coil instead of a soft iron core.

Patent to Marks, No. 586,559, dated July 20, 1897 (copy enclosed) states that--

"In electrical meters and indicators it is the common practice to employ a coil which actuates a movable element made of soft iron and whose movement adjusts the indicator or recording device" (p. 1, 1ines 12 et seq.).

4th. Who was the first to wind a fine wire on such solenoid to produce an initial magnetism, such coil being across the line?

Ans. Your application of October 15th, 1900, and the construction is covered broadly in claim 16 and more specifically in other claims.

The Marks patent above referred to describes the employment of "an additional winding within the solenoid to produce saturation or polarization of the core, or the extra winding may be placed directly upon the core, or both arrangements may be employed" (p. l, lines 37 et seq.); but we understand that with your construction the auxiliary coil does not produce saturation of the core, and it was on account of this difference that your claims were allowed on this feature.

5th. Who was the first to wind the solenoid coils on a copper tube to retard the violence of the action of a short circuit on the beam?

Ans. Your application of October 15th, 1900, and the feature is covered generically in claim 6 and specifically in other claims.

. 6th. Who was the first to make double windings on the solenoid to permit of the use as a 3-wire meter?

Ans. Your application in question, the construction being covered by the eighth claim.

7th. Who was the first to employ the construction of the sixth question with an extra coil to give an initial magnetism to the core, such coil being across the line?

Ans. Your application of October 15th, 1900, in question, the two features being covered by claims 8 aml 16, as above stated. 8th. Who was the first to employ the construction of the seventh question with a soft iron core?

Ans. Your application of October 15th, 1900.

9th. Who was the first to use a hollow core or tube of soft iron in a meter solenoid?

Ans. Maxim, in patents Nos. 255,306 and 255,307 of March 21, 1882 (copies enclosed), shows a hollow core for a meter solenoid, but the patents do not specifically state that the core is made of soft iron. He has a cost wather a

10th. Who was the first to overbalance the meter bem with a recorder on the beam?

Ans. Meston and Thomson before referred to.

11th. Who was the first to use a friction-driven wheel connected to a counter by power-transmitting mechanism, so that a rotation of the wheel advances the recorder?

Ans. Reckenzaun, patent No. 437,763, of October 7, 1890, shows this construction; also Edison patent No. 660,-293 of October 23rd, 1900 (copy enclosed).

12th. Who was the first to use the construction of the eleventh question, and to also have the wheel so arranged that it is free to lift when it comes in contact with an extraneous body in motion and produce traction for driving the wheel?

Ans. Edison, patent No. 660,293, above referred to.

13th. Who was the first to use a revolving integrating wheel?

Ans. The patents to Maxim, to Reckenzaun, to Meston, to Thomson and to Edison (No. 660,293), all show this feature.

14th. Who was the first to drive an integrating wheel by a worm?

Ans. Maxim patents above considered.

16th. Who was the first to form such a wheel so that its surface shall at all points be of approximately the same radius or sweep of the traction wheel on the beam?

Ans. Thomson before considered.

16th. Who was the first to drive any kind of an integrating device by a motor across the line? I mean a rotation make with a that a graffeners have a family and the control of the contro

Ans. Maxim patent No. 255,30%. British patent to
Varley and Greenwood, No. 2248 of 1882 (copy enclosed). See
also Edison patent No. 660,233.

17th. Who was the first to drive any kind of an integrating device by a motor scross the line with my device
operated by a solenoid in series with the lights?

Ans. Maxim, No. 255,307; Varley and Greenwood Britalish patent No. 2246 of 1882; Edison, No. 660,235.

18th. Who first used a motor with a governor worked by friction run continuously and placed across the line?

 $\underline{\mathrm{Ans.}}$  Edison, No. 660,293, and covered broadly in claims 1 and 2.

19th. Who was the first to use the construction of the eighteenth question with the addition of a beam with the counter thereon and a solenoid in series and containing a soft iron core?

Ans. We know of nothing complying exactly with the requirements of this question, except the application of October 15th, 1900, under consideration.

Edison patent No. 660,293 shows a frictionally governed motor across the line, and patents to Thomson, to Meston and to Marks show the other features of the question.

20th. Who was the first to make a motor having a governor with pendulous governor arms engaging glass to provide the friction of retardation?

Ans. Application of October 15th, 1900, and covered in claim 12.

We beg to return the copy of allowed claims herewith, together with all the patents above referred to except that to Reckenzaum, with which we believe you are familiar, and shall be glad to have your views as to whether the claims are sufficient in your opinion. You will note that your patent No. 660,293 covers the broad claims on meters of this (T. A. E. 7)

type, and the present application was filed only for the purpose of claiming details.

Yours very truly,
Apex Educado Alpen

FLD/IM.

Enclosures.

THOMAS A. EDISON ELECTRIC METERS FILED OCTOBER 15, 1900 SERIAL NO. 33,034

## CLAIMS ALLOWED.

- In an electric meter, the combination with an overbalanced beam, a core connected to one end of said beam, a stationary coil surrounding said core and traversed by the current to be measured, a register connected to and movable with the beam, and a friction wheel movable with the beam and connected with said register, of a cam with which said friction wheel periodically cooperates, and an electric motor connected across the line for rotating said cam at a constant speed, substantially as set forth.
  - In an electric meter, the combination with an overbalanced beam, a core connected to one end of said beam, a stationary coil surrounding said core and traversed by the current to be measured, a register connected to and movable with the beam, and a friction wheel movable with the beam and connected with said register, of a cam with which said friction wheel periodically cooperates, an electric motor connected across the line for rotating said cam at a constant speed, and an auxiliary coil of high resistance surrounding the core for overcoming magnetic inertia without producing saturation or polarization thereof, substantially as set forth.
  - In an electric meter, the combination with an overbalanced beam, a core connected to one end of said beam, stationary coil surrounding said core and traversed by the

current to be measured, a register connected to and movable with the beam, and a friction wheel movable with the beam and connected with said register, of a cam with which said friction wheel periodically cooperates, an electric motor connected across the line for rotating said cam at a constant speed, and an auxiliary coll of high resistance surrounding the core for overcoming magnetic inertia without producing saturation or polarization thereof, said core being in series with the motor, substantially as set forth.

- 4. In an electric meter, the combination with a beam, a current indicator for moving said beam, a magnetic cutout in series with the current indicator for short-circuiting the latter when a destructive current traverses the cutout, and a register connected to and movable with the beam, of a variable speed gearing, one element of which is movable with the register, and a motor for operating the other element of said gearing, substantially as and for the burnoses set forth.
- 5. In an electric meter, the combination with a current indicator having a movable element, a beam to which said element is connected, elastic buffers for limiting the extreme movements of said element, and a register, of a variable speed gearing the position of whose elements is determined by the position of said beam, and a motor for driving the register through said variable speed gearing, substantially as set forth.
- 6. In an electric meter, the combination with a beam, a core connected to one end of said beam, a copper tube surrounding said core and in which the core is freely movable, an ampere coil wound on the tube and traversed by the current to be measured, and a register, of a variable speed gearing the position of whose elements is determined.

by the position of said beam, and a motor for driving the register through said variable speed gearing, substantially as set forth.

- 7. In an electric meter, the combination with a beam, a core connected to one end of said beam, a copper tube surrounding said oore and in which the core is freely movable, an ampere coil wound on the tube and traversed by the current to be measured, elastic buffers for limiting the extreme movements of said core, and a register, of a variable speed gearing the position of whose elements is determined by the position of said beam, and a motor for driving the register through said variable speed gearing, substantially as set forth.
- 8. In a three-wire meter, the combination with a beam, a core commected to one end of said beam, a copper tube surrounding said core and within which the core is freely movable, four ampere coils wound helically and concentrically upon said tube, the outer and immer coils being connected in series with one of the outside mains and the two inner coils being connected in series with the other outside main, and a register, of a variable speed gearing the position of whose elements is determined by the position of said beam, and a motor for driving said register through said variable speed gearing, substantially as set forth.
- 9. In an electric meter, the combination with a beam, a core connected to one end of said beam, an ampere coil surrounding the core and traversed by the current to be measured, and a register, of a variable speed gearing the position of whose elements is determined by the position of said beam, a motor for driving said register through said variable speed gearing, and an auxiliary coil enclosing the ore for overcoming the magnetic inertia thereof without producing saturation or polarization, substantially as set

forth.

10. In an electric meter, the combination with a beam, a core connected to one end of said beam, an ampere coil surrounding the core and traversed by the current to be measured, and a register, of a variable speed gearing the position of whose elements is determined by the position of said beam, a motor for driving said register through said variable speed gearing, and a stationary auxiliary coil enclosing the core and in series with said motor, substantially as set forth.

11. In an electric meter, the combination with a beam, an ampere indicator the movable element of which is connected with said beam, said indicator including a coil traversed by the current to be measured, a register, and a motor for operating said register, of a magnetic cutout arranged to close a shunt around the ampere coil when said cutout is influenced by an abnormal current, substantially as set forth.

12. In an electric meter, the combination with a register, an ampere indicator, and a variable speed gearing the position of whose elements is determined by said indicator, of a constant speed motor for driving the register through the variable speed gearing, and a centrifugal speed regulator for said motor employing a weighted bell-crank carrying a friction pad which cooperates with a glass friction surface, substantially as set forth.

13. In an electric meter, the combination with a register and a driving motor, of an ampere indicator comprising a beam, a core connected to one end of said beam, a coil for influencing the core traversed by the current to be measured, and a copper tube on which the coil is wound and in which the core is freely movable, substantially as set forth.

14. In an electric meter, the combination with a register and a driving motor, of an ampere indicator comprising a beam, a core connected to one end of said beam, a coil for influencing the core traversed by the current to be measured, a copper tube on which the coil is wound and in which the core is freely movable, and elastic buffers for limiting the extreme movements of said core, substantially as set forth.

15. In an electric meter, the combination with a register and a driving motor, of an ampere indicator comprising a beam, a core connected to one end of said beam, a coil for influencing the core traversed by the current to be measured, a magnetic cutout in circuit with said coil for shunting the same when a destructive current is traversing the coil, and a copper tube on which the coil is wound and in which the core is freely movable, substantially as set forth.

16. In an electric meter, the combination with a register and a motor for operating the same, of an ampere indicator comprising a coil, a core, and an auxiliary coil for subjecting the core to an initial magnetizing effect without producing polarization or saturation thereof, substantially as set forth.

No. 2432	20. No. 10	Seria	1 No. 4/37
Applica	int,	Addr	pgg
Thomas a	Edian	Dewellyn	PL
		-currey,	ran
		crang	<u>e</u> ,
		rei	Jersey.
itle Leversi	lle Galvan	ne Pass	
itie	u awar	ne / sarr	no
iled Scelwhe	2819m		149
	100	Examiner's Room	1 No
ssignee	-		
ss'g't Exec	Recorded	Liber	Page
Patent No.	Issue	ed	
			105 5
	ACTION		10556
Rejected Jai	24 17,1901 16	<u> </u>	
Abandoment.	mcs. 11901, 14	10	-
	1 55 18	~	, ′
	کے 100 کو		
Po	- E 19		75 A Y
1100	J 20-		1
	71 = x	***************************************	
. 30/	23	1 10	
mb	24	1,1,1,1	177/
η· υ	25	1 1 1 1 1	
	26	111, 114	/
	27	V 13.2	* 1
	28		
•			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	30		
	30		

DYER, EDMONDS & DYER,

31 Nassau Street, NEW YORK CITY DYER, EDMONDS & DYER.

SPECIALTY:

PATCHALTY:

PATCHALTY:

PATCHES AND DATCHE CAUSES,

31 NASBAU BT., NEW YORK.

RIGHAND M. DYER.
RECISTRATION NO. 444.
BANUEL O. TOMONDA.
ACAISTMATION NO. 411.
FRANK L. DYES.

Detition.

To the Commissioner of Patents:

YOUR PETHTONER THOMAG A. EDISON, a citizen of the United States, residing and having his Post Office address at Llewellyn Park, in the County of Rasex and State of New Jersey.

PRAYS THAT LETTERS PATENT MAY BE GRANTED TO HIM FOR THE THEROY REVERSIBLE GALVANIC BATTERIES

Deproyment in

SET FORTH IN THE ANNEXED SPECIFICATION; AND HE HEREBY APPOINTS DYER, EDMONDS AND DYER A FIRM COMPOSED OF RICHARD N. DYER, SAMUEL O. EDMONDS AND FRANK L. DYER, OF NO. 31 NASSAU STREET, NEW YORK CITY, HIS ATTORNEYS, WITH FULL POWER OF SUBSTITUTION AND REVOCATION. TO PROSECUTE THIS APPLICATION, TO MAKE ALTERATIONS AND AMENDMENTS THEREIN, TO RECEIVE THE PATENT, AND TO TRANSACT ALL BUSINESS IN THE PATENT OFFICE CONNECTED THEREWITH.

Thomas a Edison

## SPECIFICATION.

TO WHOM IT MAY CONCERN:

Be it known that I, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park in the County of Essex and State of New Jersey, have invented a certain new and user'd IMPROVEMENT IN REVERSIBLE CALVANIC BATTERIES (case No. 1050), of which the following is a description:

My invention relates to improvements in reversible or so-called storage batteries, and my object is to produce a reversible galvanic cell of great permanency and of remarkably light weight per unit of energy.

In my application for Letters Patent filed October 31st 1900 Serial No. 34,994, I describe an improved reversible galvanic cell wherein the metals camium and copper are employed as the elements in an alkaline electrolyte, and by means of which I secured a very permanent cell, one wherein the initial and final states of the electrolyte are the same, and finally one which implet that time was capable of storing a greater amount of energy per pound of cell than batteries theretofers lengage and

My present invention is designed to further lighten the weight of the cell in comparison to the stored energy, and to deliver the energy to the exterior circuit at a higher rate.

In the alkaline wineste type of battery, so far as I know, copper exide has heretofore been used exclusively as the exygen-furnishing element when the battery is discharged, the copper being reduced to the metallic state. The only other elements which have been suggested as available as substitutes for copper in these batteries, have been those lower in the electrolytic series, such as mercury and sil-

ver, but so far as I know, these metals have not been satisfactorily or commercially utilized on account of the difficulties arising from their application in alkaline electrolytes as well as because of their expense, especially in regard to silver, which metal possesses the further disadvantage of being partially soluble in the electrolyte, paths and period to exide the same and experiments, for an I have sought, by a great many experiments, for an element or compound capable of being used in an alkaline electrolyte, whose heat of formation of its exide should be as low or lower than that of mercury, and in this I have been successful, the result being the discovery of an element for furnishing the oxygen to the exidizable element on discharge with even greater freedom than oxide of mercury, while at the same time the new element is less expensive, is of less weight, is of greater permanency, and finally is of greater insolubility in the electrolyte. I have also sought, by experiment, for an element superior to cadmium as the oxidizable element on discharge, with the objects in view of further reducing the weight and cost of the cell, and I have discovered an element for the purpose possessing these desirable characteristics. a reversible galvanic cell equipped with the new elements is of great permanence, is relatively light and inexpensive, and is of great power. These elements are, as stated, preferably used in the same cell, but obviously the exygenfurnishing element may be employed in connection with other oxidizable elements, while the new oxidizable element may be employed in connection with other exygen-furnishing ele-

The elements are also preferably carried or supported by hollow perforated plates, forming receptacles or pockets, which are illustrated in the accompanying draw-

ments:

ings forming part of this specification and in which figure
1 is a face view of one of the plates having three pockets
or receptacles, showing the front wall partly broken away;
figure 2 is a section on the line 2--2 of figure 1;
figure 3 is a plan, showing two of the plates forming a
single combination; and figure 4 an enlarged detailed section.
In all of the above views, corresponding parts are

represented by the same numerals of reference.

Each plate is formed with two walls 1 and 2 con-

structed preferably of a single continuous sheet made preferably of very thin sheet nickel, say about .005 of an inch in thickness, and bent at its bottom around a horizontal frame 3 from which extends the vertical spacing frames 4, 4, to all of which frames the sheet is secured by means of nickel rivets, as shown, to form a strong, rigid, hollow plate with pockets or receptacles between the vertical frames 4, 4. The walls 1 and 2 of the plate, as shown, are perforated with small holes arranged very closely together and each about .015 of an inch in diameter. I prefer to use nickel in the construction of the plates. since that metal is not exidizable by electric exidation in an alkaline solution. Iron, on the other hand, is slightly exidized under these conditions and is not so desirable, but if very carefully and perfectly plated with nickel, it may be used satisfactorily for the construction of either the plates or the frames. Obviously the frames 3 and 4 may be, and in some instances preferably are, constructed of hard rubber or other inert material, to which the perforated sheet is riveted, as explained. Secured to one or both of the sides of the plate are a number of insulated spacing blocks 5, 5, to prevent adjacent plates from touching when immersed in the electrolyte.

monosulphide of iron and reduce it by a crushing operation until the particles thereof may be passed through a screen having about 4,0000 openings per square inch, and I intimately mix about eight parts by weight of the powdered monosulphide with about two parts by weight of flake graphite of a size considerably larger than the perforations in the walls of the pockets or receptacles. This mixture is then moistened with a twenty-percent solution of potassic hydroxide, and the dampened mass is packed into the pockets or receptacles of the proper plates by a suitable tamping tool. After each pocket or receptacle has been tightly packed with the mass almost to its top, a wad of asbestos fiber 6 about a quarter of an inch in thickness is introduced into the pocket or receptacle above the mass, and on top of this packing is placed a strip of sheet nickel 7 entirely covering the asbestos and filling the mouth of the pocket, which strip is permanently secured in position by nickel wires 8 threaded through the openings near the top of the pocket, as shown particularly in figure 2. The element thus formed is subjected to electrolytic exidization in a solution of potassic hydroxide, whereby sulphur will be set free and combining with the alkali forms a sulphide of potassium which diffuses out of the mass, while the iron is converted to ar oxide thereof. This diffusion of the alkaline sulphide out of the plate is hastened and facilitated by subjecting the contents of the plate to alternate exidisation and reduction by alternately reversing the exidizing surrent, and by several of these operations the whole of the sulphur will be eliminated and the element will be ready

In the manufacture of my new oxidizable element for use in a reversible galvanic cell, I first preferably take

for use after the iron has been reduced to the metallic

de tour ince out after so hand two extensioned

state. Since iron does not decompose water, there will obviously be no local action between it and the graphite. The exide formed from the sulphide increases in bulk, and being intermediately mixed with the graphite, produces considerable pressure on the walls of the plate, which prevents any disturbance of the initial state of the mass even when it is subjected to strong gassing within the pores by overcharging the element electrically. The object of using the monosulphide is to secure the greatest amount of iron oxide in the smallest space and in a form capable of being reduced to the metallic state electrolytically.

My attempts to utilize iron as the oxidizable element in an alkaline reversible battery were for a long time frustrated by the facts, that dried oxides of iron were not reducible to any extent by the current; that spongy iron reduced by hydrogen from different iron salts was not exidizable to any considerable extent by the current; that the hydrates of iron were very bulky and difficult of use without drying, which operation effected some obscure change therein to render them nearly inert in the presence of the reducing current; that bulky ferrie oxide was not capable of any considerable reduction by the current; and finally that ferrous oxide was very difficult to prepare on account of atmospheric oxidation. The formation of the oxide in the first instance within the pockets or receptacles did away with the objections due to the bulk of the hydrates, while the oxide thus formed is perfectly reducible by the current. Instead of forming the exide in this way by oxidizing the monosulphide in an alkaline solution, it will be obvious that salts of iron, like ferrous chloride. may be packed with the graphite and when placed in an alkaline solution form chloride of the alkali and exide of iron,

the alkaline chloride diffusing out of the mass. sults, however, are not so good as when the sulphide of iron is used, since the quantity of finely divided iron produced thereby is considerably less and is also less porous, offering therefore a reduced opportunity for the solution to penetrate the mass, and lowering in consequence its current-conducting capacity. Metallic iron, even when finely divided as produced by electrolytic reduction, does not of itself exidize in solutions of the fixed alkalies, and the oxide of iron is not appreciably soluble. Compact iron, i.e. iron having relatively large particles, when subjected to forced electrolytic oxidation, forms a soluble ferrate of the alkali and dissolves in the electrolyte. On the other hand, finely divided iron obtained as described. when subjected to electrolytic exidation, does not form a soluble ferrate but is converted into the insoluble ferrous oxide. My improved oxidizable element is therefore absolutely permanent, so that in the operation of the battery, the electrolyte is not changed at any stage of the working, Having described the advantages and characteristics

I have discovered by experiment that the lower oxides of nickel and sobalt, when in centact with a conductor in an alkaline solution, can be almost wholly raised from the lower to a higher stage of oxidation electrolytically and that these higher oxides revert to the lower to a stage by reduction with extreme case, and availing myself

of this fact, I have constructed an oxygen-storing element

of, and the preferred manner of making, the oxidizable clement, reference will now be made to the preferred oxygen-

capable of greater capacity, of less weight, and of higher permanence than any electrode for the purpose which, so far as I know, has heretofore been applied. Neither the oxide of nickel nor of cobalt is appreciably soluble in an alkaline electrolyte, and both nickel and cobalt give nearly the same voltage in use, but since nickel is less expensive than cobalt, I prefer to use the former element for the purpose.

The preferred process of making the

metal, say nickel spreading the fresh precipita and slowly drying the same at ordinary he dried hydrate is then powdered, and screened through a sieve having, say, 4,000 holes per square inch. About seven parts by weight of the finely powdered hydrate and three parts by weight of flake graphite are then intimately mixed, and moistened with a small quantity of a strong solution of potassic hydroxide so as to dampen the mass, which is them inserted in the pockets or receptacles of the proper plates in small quantities at a time and thoroughly tamped at each accession. Finally the mass is covered with a layer of asbestos, held in place by a plate of nickel secured in position by nickel wires, as I have described in explaining the makeup of the exidizable element. The plates, the pockets of which are thus supplied with the mixture of the hydrated oxide and graphite, are then immersed in a solution of potassic hydroxide in water and subjected for a considerable time to an oxidizing current of about fifty milamperes per square inch of surface.

The object of employing graphite, which is not affected by electrolytic exidation, is to offer a great extent of surface against which the whole of the exide is in contact, a large conducting surface being necessary since the electrolytic reduction and oxidation for practical purposes only extend a small distance from the conducting surface against which the oxide is in contact. This is admirably effected by the use of graphite in its micaneous form, the proportions indicated being such as to practically insure that the electrolytic action need not penetrate a greater distance from the contact surface than the thickness of a single particle of the oxide. Furthermore, there is no local action between the nickel or cobalt oxides and the graphite.

The reason why nickel hydrate is preferably used instend of other compounds of nickel, is that the metal itself when finely divided (as obtained by reducing a nickel compound by hydrogen or electrolysis), is not exidizable to any considerable extent when subjected to electrolytic oxidation in an alkaline solution, and it is probably due to this fact that, the availability of nickel and cobalt as oxygen-storing element in an alkaline electrolyte has not been recognized. The sulphide of nickel is not decomposed by electrolysis under the conditions of battery work, and the sulphide of cobalt only imperfectly; hence the hydrates are the most available compounds for use, since they do not become inert to the same extent as hydrates of the oxides of iron after drying, they are easily prepared, and by absorbing the solution they swell within the pockets or receptacles so as to insure intimate contact and stability.

Having thus constructed the two elements of the battery, they are preferably utilized together in a solution of twenty-five percent of potassic hydroxide in water, and the cell is ready for use, the same term in matches from

Owing to several obscure reactions which take place

when the battery is discharged, and also to a change of resistance within the electrodes, the voltage is variable, but the average voltage over the whole discharge is about 1 volt, rising as high as 1.32 volts and sometimes higher when freshly charged.

My improved battery can be over-charged, fully discharged, or even reversed and charged in the opposite direction without any injury. Over-gassing does not discturb the initial state of the materials in the pockets, all the ingredients are insoluble, the plates are unattacked by electrolytic oxidation, and the whole operation is independent of the strength of the solution, so that the battery is of great permanence, while at the same time more energy will be stored per unit of weight than with any place, and the state of the strength of the stored per unit of weight than with any practical combination heretofore suggested.

Having now described my invention, what I claim as new and desire to secure by Letters Patent is as follows:

- 1. In a reversible galvatic battery one element or pole employing iron as the active material and the other element or pole employing oxide of nickel or cobalt as the active material, whistantially as set forth.
- 2. In a reversible galvanic battery employing an alkaline electrolyte, one element or pole) employing from as the active material and the other element or pole) employing oxide of nickel or cobalvas the active material, substantially as set forth.
- 5. In a reversible galvanic battery, an active therefor containing the exides of nickel or cobalt, any the containing the exides of nickel or cobalt, substituting as set forth.
- 4. In a reversible galvanic battery employing an alkaline electrolyte, an active element therefor containing the oxides of nickel or cobalt, substantially as set forth.

In a reversible galvanic battery, an active olesent therefor containing finely divided fron, substantially as set forth.

- 6. In a reversible galvanic battery employing an alkaline electrolyte, an active element therefor containing finely divided irron, substantially as set forth.
- 7. In a reversible galvanic cell containing an alkaline electrolyte, an active element therefor containing an iron compound reducible by reduction to the metallic state (and formed in the by electrolytically acting upon the iron compound not decempesable by the alkalino of the classificity as in torth.
- 8. In a reversible galvanic cell, a perforated metallic pocket containing an active material under pressure, substantially as set forth.
- In a reversible galvanic cell, a perforated nickel pocket containing an active material under pressure, substantially as set forth.
- 10. In a reversible galvanic cell, a perforated motallic pocket containing an active material, and a separate closing device for covering the opening to the pocket after the material is introduced therein, substantially as set forth.
- 11. In a reversible galvanic cell employing an alkaline electrolyte, an active material therefor mixed with accomplete for making contact therewith, substantially as set forth.
- 12. In a reversible galvanic cell containing an alkaline electrolyte, an active element employing an oxide of nickel or cobalt and graphite for making contact with the oxide, substantially as set forth.
  - 13. In a reversible galvanic cell employing an

alkaline electrolyte, an active element comprising finely divided iron(or its oxide) and graphite for making contact therewith, substantially as set forth.

14. In a reversible galvanic cell employing an alkaline electrolyte, a perforated metallic pocket, and an active material rigidly secured therein so as not to be disturbed when subjected to electrolysis, substantially as set forth.

15. In a reversible galvanic cell, the formation of ferrous exide from iron compounds by electrolytic action within the liquid, substantially as set forth.

16. In a reversible galvanic cell, the formation of ferrous oxide from sulphide of iron by electrolytic action within the liquid, substantially as set forth.

17. In a reversible galvanic cell, the formation of ferrous exide within the element by precipitating the exide from a ferrous salt by the action of an alkali, substantially as set forth.

THIS SPECIFICATION SIGNED AND WITNESSED THIS 2/2 DAY OF Steambargoo

Witnesses

Shoux L Siger - Rich Sheet

### Oath.

State of New Jersey | 55.:

THOMAS A. EDISON

, THE ABOVE-NAMED

PETITIONER, BEING DULY SWORN, DEPOSES AND SAYS THAT HE IS A **officen**OF THE United States and a resident of Newellyn Park, in the

County of Masex and State of New Jersey;

THAT HE VERILY BELIEVES HIMSELF TO BE THE ORIGINAL, FIRST AND SOLE INVENTOR OF THE IMPROVEMENT IN REPORTED GALVANIC PATTERIES;

DESCRIBED AND CLAIMED IN THE ANNEXED SPECIFICATION; THAT HE DOES NOT KNOW AND DOES NOT BELIEVE THAT THE SAME WAS EVER KNOWN OR USED BEFORE HIS INVENTION OR DISCOVERY THEREOF; OR PATENTED OR DESCRIBED IN ANY PRINTED FUBLICATION IN THE UNITED STATES OF AMERICA OR ANY FOREIGN COUNTRY BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR MORE THAN TWO VEARS PRIOR TO THIS APPLICATION, OR IN PUBLIC USE OR ON SALE IN THE UNITED STATES FOR MORE THAN TWO VEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION FOR FOREIGN PATENT HAS BEEN FILED BY HIM OR HIS LEGAL REPRESENTATIVES OR ASSIGNS IN ANY FOREIGN COUNTRY.

SWORN TO AND SUBSCRIBED BEFORE ME THIS TO DAY OF TELEMENT 190

(SEAL)

Such St. Dige

2—161.

SIR:

filing, and title of

I have to acknowledge the receipt of the petition, specification, oath, and drawing of your alleged Improvement in

with Fifteen Dollars as the first fee payable thereon.

The papers are duly filed, and your application for a patent will be taken up for examination in its order...

You will be duly advised of the examination.

on a win se taken up for examination in about / months.

Very respectfully,

is considered as complete, nor can any off orm by the inventor or applicant.

UNITED STATES PATENT OFFICE.

DEPARTMENT OF THE INTERIOR

WASHINGTON, D. C.,

Thorns A. Edison,

Care Dyer, Edmonds & Dyer,

31 Hassau St.,

New York, N. Y.

Please find below a communication from the EXAMINER in charge of your application.

No. 41,373, filed Dec. 28, 1900, - "Reversible Galvanic Batteries".

C. H. Duell

It is requested that some evidence be furnished to substantiate the statement made in lines 14, 15, 16 and 17, page 5, first that dried oxides of iron are not reducible to any extent by the current, and, second, that sponty iron reduced by hydrogen is not oxidizable to any considerable extent by the current. The last statement is apparently contradictory to that made in lines 11, 12 of page 6, in which it is stated that compact iron when subjected to forced electrolytic oxidation forms a iron when a shipsched to forced electrolytic oxidation forms a soluble forrute, etc.
The words "dried hydrate" in line 11, page 7, are objected at to for the reason that when the hydrate of nickel as dried it is no longer a hydrate; it is then un oxide; septantially a state of the state of

tion will extend only a small distance from the conducting surface, is not thought to be strictly correct, for the reason that in the ordinary De Lelande type of cell the reduction of copper oxide will extend to the center of the depolarizer.

It is requested that some evidence be furnished to substantiate the statement made in lines 14-16, page 8, that finely ditent when subjected to oxidation in an alkaline solution. The word plates as used in line 10, page 9 is indefinite in that it is not clear whether it refers to the holder or the

complete electrode.

RULE 73. In every amondment the exact word or words to be stricken out or inserted in the application must be specified and the precise point indicated where the ensure or insertion is to be made. All such amendments must be on sheets of paper separate from the papers previously filed, and written on but one side of the paper

tpo ģ made 2 31, 1897, December 5 to De filed subsequent patont one yes within o application inventor w

41,373 - 2.

that the effect of the caustic solution on finely divided iron way be determined and also to determine whether more energy will be stoyed per unit of weight in applicant's cell than in any coher cose band one to the cose stated in lines 14,

15, 16, page 9.

The words "or pole" should be canceled from claims 1, 2.
Claims 1, 2, 3, 4, 12 are objected to as being alternative
in the words "mickel or cobalt".
Claims 2, 4, 6, 7, 11, 12, 13, 14, are objected to as being
indirect in that the alkaline electrolyte referred to has

¥

not been made a positive element of the claims.

It is suggested that the words "by reduction" be canceled
from lime 3 of claim?. The last three limes of claim? are objected to for the reason that they refer to the reamer of manunfacture; the article should be defined by a statement of its

structure.

Olaim 13 is objected to as being alternative in the words
"finaly divided iron or its oxide", since these are not equivalents.

alents dieme 15, 16 are objected to as being indirect in that the diguid referred to in line 3 has not been positively included. The claims in this case are considered to cover four different inventions: (1) the buttery covered by claims 1, 2, 3, 4, 5, 6, 7, 11, 12, 15; (2) the metallic pocket for containing active raterial, which may be employed in various cells, covered by claims 1, 9, 10, 14; (5) the process of making ferrous oxide covered by claims 1, 9, 10, 14; (5) the process of making ferrous oxide covered by claims 10, 10, 14; (5) the process of making ferrous oxide covered by claims 10, 10, 14; (5) the process of making ferrous oxide covered by claims 10, 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered by claims 10, 14; (5) the process of making ferrous oxide covered to the process oxide covered by covered by covered by covered by covered by covered by covered by covered by covered by covered b

Claims 1, 2, 3, 4, are each rejected upon:
U. S. 274,110, Mar. 20, 1883, De Lelande, et al., (Batt.,1-fl.,
see line 30, page 1, taken in connection with:
British 15,370, July 26, 1899, Michelowski, (Batt.,Sec.).
Claims 5, 6, 7 are each rejected upon Dellande, above

Claims 5, 6, 7 are each rejected upon DeLelande, above cited.

Claims 8, 9, 10, 14, are each rejected upon: British 7892, Apr. 14, 1899, Jungner, (Batt., Sec.), taken in connection with:

U. S. 555,078, Jan. 29, 1890, 0'Tools, (Ratt., 1-f1., %m., Oxides).

Claim 11 far-jedected upon Defelunde, above cited ixed line
55, page 1. Carbon is considered to be the equivalent of graphite
in this connection. It is further rejected upon:

on, page 1. Curton is distanted to the equations by content in this connection. It is further rejected upon in the same of the first the

German 38,383, Dun, (Batt.,1-f1.,Zn.,Oxides).

Action upon the merits of claims 15, 16 and 17 is suspended.

1.1

THOMAS A. EDISON
REVERSIBLE GALVANIC BATTERIES
FILED DECEMBER 28, 1900
SERIAL NO. 47778

HONORABLE COMMISSIONER OF PATENTS:

I hereby abandon the above entitled application (without relinquishing any rights in and to the invention described therein) in favor of two applications embodying the same invention and executed on even date herewith, said applications being numbered in my series of cases 1055 and 1056 respectively.

Very respectfully,

Signed at Orange, New Jersey)
February 23rd 1901,

In presence of Stack Latger Jus R Taylor

homes O Edison

Case No. 1050

Abandoned

Filed December 28, 1900.

REVERSIBLE GALVANIC BATTERIES.

#### Claims.

- In a reversible galvanic battery, one element or pole employing iron as the active material and the other element or pole employing oxide of nickel or cobalt as the active material, substantially as set forth.
- 2. In a reversible galvanic battery employing an alkaline electrolyte, one element or pole employing from as the active material and the other element or pole employing oxide of nickel or cobalt as the active material, substantially as set forth.
- In a reversible valvanic battery, and active element therefor containing the oxides of nikk-1 or cobalt, substantially as set forth.
- 4. In a reversible galvanic battery emplo,ing an alkaline electrolyte, an active element therefor containing the oxides of nickel or obalt, substantially as set forth.
- In a reversible galvanic battery, an active element therefor containing finely divided iron, substantially as set forth.
- In a reversible galvanic battery employing an alkaline electrolyte, an active element therefor containing finely divided iron, substantially as set forth.
- 7. In a reversible ralwante cell containing an alkaline electrolyte, an active element therefor containg an iron compound reducible by reduction of the metallic state end formed in situ by electrolytically acting upon the iron compound not decomposable by the alkali of the

electrolyte, substantially as set forth.

 In a reversible galvanic cell, a perforated metallic pocket containing an active material under pressure, substantially as set forth.

 In a reversible galvanic cell, a perforated mickel po cket containing an active material under pressure, substantially as set forth.

10. In a reversible galvanic cell, a perforated metallic pocket containing an active material, and a separate closing device for covering the opening to the pocket after the material is introduced therein, substantially as set forth.

11. In a reversible galvanic cell employing an alkaline electrolyte, anactive material therefor mixed with graphite for making contact therewith, substantially as set forth.

12. In a reversible galvanic cell containing an alkaline electrolyte, an active element employing an oxide of nickel or cobalt and graphite for making contact with the oxide, substantially as set forth.

13. In a reversible galvanic cell employing an alkaline electrolyte, an active element comprising finely divided iron or its oxide and graphite for making contact therewith, substantially as set forth

14. In a reversible galvanic cell employing an alkaline electrolyte, a perforated metallic pocket, and an active material regidly secured therein so as not to be disturbed when subjected to electrolysis, substantially as set forth.

15. In a reversible galvanic cell, the formation of ferrous oxide from iron compounds by electrolytic action within the liquid, substantially as set forth. 16. In a reversible galvanic cell, the formation of ferrous exide from sulphide of iron by electrolytic action within the liquid, substantially as set forth.

17. In a reversible galvanic cell, the formation of ferrous exide within the element by precipitating the exide from a ferrous salt by the action of an alkali, sub-

stantially as set forth.

No. 2469	E. 1052	1000	,
Thomas G.	Edison	Address.	
Title Imple, in	Forage S	Patteries	
Filed		Examiner's Room	No
Assignee			Page
Patent No	Issued		***********
	ACTIONS.		
	1718		
	1920	-	
7	21 22		
3	23		
J	25		
3	2728	· /. · ·	
4		<u> </u>	

DYER, EDMONDS & DYER,
31 Nassau Street,
NEW YORK CITY.

DYER, EDMONDS & DYER,

SPECIALTY:

Patents and Patent Causes,
31 Nassau St., New York.

RIGHTMATION NO. 474. REGISTRATION NO. 474. BAMUEL O. EDMONDS, REGISTRATION NO. 411.

## Detition.

To the Commissioner of Patents:

YOUR PETITIONER THOMAS A. EDISON, a citizen of the United States, residing and having his postoffice address at Liewellyn Park, in the County of Essex and State of Now Jersey,

PRAYS THAT LETTERS PATENT MAY BE GRANTED TO HIM FOR THE IMPROVEMENT IN

SET FORTH IN THE ANNEXED SPECIFICATION; AND HE HEREBY APPOINTS DYER, EDMONDS AND DYER (A FIRM COMPOSED OF RICHARD N. DYER, SAMUEL O. EDMONDS AND FRANK L. DYER, OF NO. 31 NASSAU STREET, NEW YORK CITY, HIS ATTORNEYS, WITH FULL POWER OF SUBSTITUTION AND REVOCATION, TO PROSECUTE THIS APPLICATION, TO MAKE ALTERATIONS AND AMENDMENTS THEREIN, TO RECEIVE THE PATENT, AND TO TRANSACT ALL BUSINESS IN THE PATENT OFFICE CONNECTED THEREWITH.

#### SPECIFICATION.

#### TO ALL WHOM IT MAY CONCERN:

He it known that J, THOMAS A. EDISON, a citizen of the United States, residing at Llewellyn Park, in the County of Essex and State of New Jersey, have invented a certain new and useful IMPROVEMENT IN STORAGE HATTERIES, of which the following is a specification:-

In my application for patent filed December 28, 1900. Serial No. 41,373. I describe an improved storage battery wherein the active materials are carried in perforated pockets or receptacles, one of the active materials being nickel or cobalt oxide, and the other active material being finely divided iron, each of the active materials being mixed with flake graphite to form an electrically conducting mass. In describing the manufacture of my improved battery plates, I stated that the active materials, whether in their ultimate form or not, were introduced into the perforated pockets or receptacles in small portions at a time and suitably tamped at each accession. It is desirable that as much of the active material as possible should be introduced into each pocket, in order that the capacity of the battery may be increased and conductivity between the particles improved.

The object of my present invention is to facilitate this result, and to this end the invention consists of loading the pockets or receptacles forming the positive and megative elements of the battery with compressed plates of the active material formed by subjecting the proper quantity of such active material to great pressure, say about seven thousand pounds per square inch, and by them inserting such compressed plates into the perforated pockets or receptacles.

In this way the amount of material which can be inserted in the pockets or receptacles is greatly increased, and since the internal contact between the particles is improved, a greater amount of active material becomes effective.

In constructing the plates for the oxygen-storing element, either nickel or cobalt hydrate is preferably used. which having been dried and finely powdered is mixed in the proportions of about seven parts of hydrate to three parts of flake graphite. This mixture is then subjected to great pressure and is molded into plates having the width and thickness to closely fit within the pockets or receptacles. When the pockets or receptacles are relatively long, as is preferable, a number of these plates are inserted one above the other, to completely fill each pocket. When the pocket or receptacle having thus been filled is placed in the solution, the material of the plate by absorption swells considerably, so as to place the material under pressure against the walls of the pocket, which pressure is always present in operation, to thereby afford a good contact between the active material and the pocket and also internally botween the particles of active material.

In the manufacture of the oxidizable element, iron sulphide is preferably first finely ground and then mixed with flake graphite, the whole being alightly mointened with strong caustie potach, and the mass thus formed is compressed under great pressure into plates of the desired size and inserted in the pockets or receptuales.

While I prefer to make use of nickel or schalt as the oxygen-storing element and of iron as the oxidizable element of the storage battery, it will be understood that other active materials suitable for the purpose may be first compressed into plates or blooks and inserted in position in perforated pockets or receptucles in manufacture.

In order that the improvement may be better understood, attention is directed to the accompanying drawings, forming part of this specification, and in which figure 1 is an elevation, rartly in section, of a battery plate having three pockets or recepts cles therein, as I describe in my said application, and figure 2 a separate perspective view of one of the molded or compressed blocks of active material.

In figure 1, the plate is rade of thin nickel sheets numerously perforated and bent around a bottom frame a to form parallel walls b and c. The plate is secured also to vertical frames d by means of nickel rivets, whereby a series of vertically long, narrow pockets will be formed between said vertical frames. Into these pockets are inserted blocks of active material compressed under very heavy pressure as explained, and which by immersion in the solution are caused to swell so as to tightly engage the walls of the pockets.

Having now described my invention, what I claim as new and desire to secure by Letters Patent is as follows:-

1. In a storage battery, an active material formed into compressed plates or blooks and inserted in perforated pockets or receptacles, substantially as set forth.

2. In a storage battery, nickel or cobalt compounds formed into compressed blooks or plates and inserted in perforated pockets or receptacles, substantially as set

3. In a storage battery, an active element mixed with graphite and formed into compressed plates or blocks inserted into perferated pockets or receptacles, substantially as set forth.

forth.

- 4. In a storage battery, an active element comprising nickel or cobalt compounds and flake graphite, formed into compressed plates or blocks and inserted in perforated pockets or receptacles, substantially as set forth.
- In a storage battery, an active element comprising an iron compound formed into compressed plates or blocks and inserted in a perforated pocket or receptacle, substantially as set forth.
- 6. In a storage battery, an active material comprising a mixture of an iron compound and flake graphite formed into compressed plates or blocks and inserted in a perforated pocket or receptacle, substantially as set forth.

DAY OF

---

Mitnesses :

Oath.

State of County of

OF THE

88.

THOMAS A. BDISON , THE ABOVE-NAMED PETITIONER, BEING DULY SWORN, DEPOSES AND SAYS THAT HE IS A citizen OF THE United States and a resident of Liewellyn Park, in the

County of Ranex and State of New Jersey;
THAT HE VERILY SELEVES HIMSELF TO SE THE ORIGINAL, FIRST AND SOLE INVENTOR

IMPROVEMENT IN STORAGE BATTERIES

DESCRIBED AND CLAIMED IN THE ANNEXED SPECIFICATION; THAT HE DOES NOT KNOW AND DOES NOT BELIEVE THAT THE SAME WAS EVER KNOWN OR USED BEFORE HIS INVENTION OR DISCOVERY THEREOF; OR PATENTED OR DESCRIBED IN ANY PRINTED PUBLICATION IN THE UNITED STATES OF AMERICA OR ANY FOREIGN COUNTRY

BEFORE HIS INVENTION OR DISCOVERY THEREOF, OR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, OR IN PUBLIC USE OR ON SALE IN THE UNITED STATES FOR MORE THAN TWO YEARS PRIOR TO THIS APPLICATION, AND THAT NO APPLICATION FOR FOREIGN PATENT HAS BEEN FILED BY HIM OR HIS LEGAL REPRESENTATIVES OR

ASSIGNS IN ANY FOREIGN COUNTRY.

SWORN TO AND SUBSCRIBED BEFORE ME THIS

DAY OF

190

ISEALI

NOTARY PUBLIC.

# PUBLICATION AND MICROFILM COPYING RESTRICTIONS

Reel duplication of the whole or of any part of this film is prohibited. In lieu of transcripts, however, enlarged photocopies of selected items contained on these reels may be made in order to facilitate research.

A Note on the Sources
The pages which have been filmed are the best copies available. Every technical effort possible has been made to ensure legibility.

# 

#### FINANCIAL CONTRIBUTORS

PRIVATE FOUNDATIONS
The Alfred P. Sloan Foundation
Charles Edison Fund
The Hyde and Watson Foundation
National Trust for the Humanities
Geraldine R. Dodge Foundation

PUBLIC FOUNDATIONS
National Science Foundation
National Endowment for the
Humanities
National Historical Publications and
Records Commission

#### PRIVATE CORPORATIONS AND INDIVIDUALS

Alabama Power Company Anonymous AT&T Atlantic Electric Association of Edison Illuminating Companies Battelle Memorial Institute The Boston Edison Foundation Cabot Corporation Foundation, Inc. Carolina Power & Light Company Consolidated Edison Company of New York, Inc. Consumers Power Company Cooper Industries Corning Incorporated Duke Power Company Entergy Corporation (Middle South Electric System) Exxon Corporation Florida Power & Light Company General Electric Foundation

Gould Inc. Foundation Gulf States Utilities Company

David and Nina Heitz

Hess Foundation, Inc.

Idaho Power Company

IMO Industries International Brotherhood of Electrical Workers Mr. and Mrs. Stanley H. Katz Matsushita Electric Industrial Co., Ltd. Midwest Resources, Inc. Minnesota Power New Jersey Bell New York State Electric & Gas Corporation North American Philips Corporation Philadelphia Electric Company Philips Lighting B.V. Public Service Electric and Gas Company RCA Corporation Robert Bosch GmbH Rochester Gas and Electric Corporation San Diego Gas and Electric Savannah Electric and Power Company Schering-Plough Foundation Texas Utilities Company Thomas & Betts Corporation Thomson Grand Public Transamerica Delaval Inc. Westinghouse Foundation Wisconsin Public Service Corporation

#### BOARD OF SPONSORS

Rutgers, The State University of New Jersey Francis L. Lawrence Joseph J. Seneca

Joseph J. Seneca Richard F. Foley David M. Oshinsky New Jersey Historical Commission Howard L. Green National Park Service John Maounis Maryanne Gerbauckas

Roger Durham George Tselos Smithsonian Institution Bernard Finn Arthur P. Molella

#### EDITORIAL ADVISORY BOARD

James Brittain, Georgia Institute of Technology
R. Frank Colson, University of Southampton
Louis Galambos, Johns Hopkins University
Susan Hockey, University of Alberta
Thomas Parke Hughes, University of Pennsylvania
Peter Robinson, Oxford University
Philip Seranton, Georgia Institute of Technology/Hagley Museum and Library
Merritt Roe Smith, Massachusetts Institute of Technology
Merritt Roe Smith, Massachusetts Institute of Technology

#### THOMAS A. EDISON PAPERS

Robert A. Rosenberg Director and Editor

Thomas E. Jeffrey Associate Director and Coeditor

Paul B. Israel Managing Editor, Book Edition

Helen Endick Assistant Director for Administration

Associate Editors Theresa M. Collins Lisa Gitelman Keith A. Nier Assistant Editors Louis Carlat Aldo E. Salerno

Research Associates Gregory Jankunis Lorie Stock Secretary Grace Kurkowski

Student Assistants

Amy Cohen Bethany Jankunis Laura Konrad Vishal Nayak Jessica Rosenberg Stacey Saelg Wojtek Szymkowiak Matthew Wosniak

#### Thomas A. Edison Papers

Rutgers, The State University endorsed by

National Historical Publications and Records Commission 18 June 1981

Copyright © 1999 by Rutgers, The State University

All rights reserved. No part of this publication including any portion of the guide and index or of the microffilm may be reproduced, stored in a retrieval system, or transmitted in any form by any means—graphic, electronic, mechanical, or chemical, including photocopying, recording or inping, or information storage and retrieval systems—without written permission of Rutgers, The State University, New Permswick, New Jerzey.

The original documents in this edition are from the archives at the Edison National Historic Site at West Orange, New Jersey.

ISBN 0-89093-703-6



#### A SELECTIVE MICROFILM EDITION

PART IV (1899–1910)

Thomas E. Jeffrey Lisa Gitelman Gregory Jankunis David W. Hutchings Leslie Fields Theresa M. Collins Gregory Field Aldo E. Salerno Karen A. Detig Lorie Stock

Editors

Robert Rosenberg Director and Editor

Sponsors

Rutgers, The State University Of New Jersey National Park Service, Edison National Historic Site New Jersey Historical Commission Smithsonian Institution

> University Publications of America Bethesda, MD

Edison signature used with permission of McGraw-Edison Company

100

MICROCOPY RESOLUTION TEST CHART (ANSI and ISO TEST CHART No. 2)



1.8





APPLIED IMAGE , Inc.
1053 Fast Mein Birees
Pothester, New York 14609